

MARCH 1993

BYTE

THE WORLDWIDE COMPUTING AUTHORITY



6 New Macs Page 40

Smarter E-Mail



Intelligent E-Mail will change the way you work See page 90

PLUS

SPECIAL REPORT

- **Where groupware is headed** Page 112

EXCLUSIVE RATINGS

- **The best E-Mail programs** Page 136

5 New 600-dpi Laser Printers

Beyond DOS: Next-Generation OLE

International Edition



\$1.95 U.K. / Lit. 8,000 ITALY/ASH 94
\$3.50 U.S.A. / A McGraw-Hill Publication/0360-5280

Command!

“I wish I could be sure I’m buying from a PC company that will provide excellent service and support – a company that will be around for me.” Your wish is our command!

Twice in 1992, Gateway was honored for outstanding service. *PC World* readers ranked Gateway number one in service and support. And *PC Magazine* readers gave Gateway the best overall scores in the 1992 Service and Reliability Survey.

Just as important is our strength as a company. Warranties and assurances of lifetime technical support don’t mean anything unless a company survives to honor them, which is a serious consideration in the shifting sands of today’s PC marketplace.

Gateway is among the few financially robust companies in the industry. Our 1992 revenues exceeded \$1 billion and our earnings are among the strongest in the industry. The company is virtually debt-free. At a time when other companies have been forced to lay off employees, we added 300 people to our staff. You now have 1,800 friends in the business. Rest assured Gateway is your oasis that will never leave you high and dry. We’ll be here for you!

“I wish I could find the combination of features I need in a portable PC – at the right price.” Your wish is our command!

No matter what you need in a portable, you’ll find it in one of our Nomad notebooks. Gateway customers selected Nomads as the winners in 386 and 486 notebook categories of *Computer Shopper’s* 1992 Best Buy Awards.



“There are faster laptops, there are cheaper laptops, there are color laptops, but there is no better laptop ...

Weighing in at only 5.6 pounds, the Nomad combines the powerful punch of a 25MHz i486DX with a working battery life of more than six hours. At long last, we have a laptop that can really go the distance when there’s no power outlet in sight.”

– *Computer Shopper*, 1992 Readers’ Best Buy Awards

PC Sources echoed *Computer Shopper’s* conclusions. “The Nomad 425DXL packs an awful lot of computing into a case that’s just 1.7 inches high. Its excellent 79-key keyboard has a great typing feel ... The fine video system includes a large backlit black-on-white LCD ...”

New this month is the Nomad 450DXL including Intel’s 50MHz 486DX2L processor for blazing performance.



Your Wish Is Our Co



"I wish I could get a great PC at a great price without sacrificing performance and features." Your wish is our command!

You'll be spellbound by Gateway's ferociously competitive prices on systems that are unequalled in powerful performance, impressive features and graceful integration of components. When readers and editors of the most popular PC magazines are asked which company delivers on its promises, their overwhelming response is Gateway 2000.



"Gateway has gone far beyond conventional ideas of price and performance ... it has created new rules that other PC makers will have to follow if they want to remain players."

— *PC Computing*, 1992 MVP Awards



"Gateway 2000 was the big 1992 Best Buy winner, sweeping not only the desktop awards as it did last year, but the newly expanded notebook categories as well ... Altogether, Gateway won five Best Buy awards this year, including Best

Overall System Vendor ... It's no surprise that Gateway is consistently the people's choice when it comes to systems.

— *Computer Shopper*, 1992 Readers' Best Buy Awards



What Do You
Wish
For In A PC?



Your wish

is our command at

Gateway 2000! We can grant you the three most universal PC wishes in the wink of an eye. As a fringe benefit, we won't limit you to three wishes here. Most anything your heart desires in computers (sorry, we can't grant wishes for romance or riches), you can get from Gateway.

That's because we built our business by listening to our customers' wishes and doing everything in our power to make their dreams come true. At Gateway, we believe you should be able to *have it all*: the latest technology, glittering performance, quality construction, enchanting service and the fairest prices in the land. All this from a financially healthy company that won't run dry and leave you stranded in the desert.

You don't have to settle for less. With Gateway 2000, you can have it all. Draw up your wish list and give us a call. We'll make some truly magical values materialize for you.



8 0 0 - 8 4 6 - 2 0 0 0

Our Caravan Of Extras.

Software Selections

Your every software need is our command. With mini desktop, desktop and tower systems that include "choice of application software," select one of the following applications, all latest versions:

- Microsoft® Excel for Windows™
- Microsoft Word for Windows™
- Microsoft Word and Bookshelf 92,® CD-ROM Edition
- Microsoft PowerPoint for Windows™
- Microsoft Project for Windows™
- The MS Entrepreneur Pack (Works,™ Publisher,™ Money,™ TurboTax for Windows® from ChipSoft, and games)
- Borland Paradox® or dBASE IV®
- The Windows Programmer Pack (MS Quick C,™ Visual Basic and more)
- Upgrade to Microsoft Office™ for \$175

If the system you want comes with Works for Windows,™ you can upgrade to one of the software choices above for only \$150.

Utilities Included, Too

Cool Tools for DOS, a diagnostic and utilities package, comes with all Gateway desktop systems and includes: QA Plus™ from Diagsoft,™ Central Point® Anti-Virus, RAM Boost, Defrag and Emergency Disk.

Microsoft Windows™ for Workgroups

Windows for Workgroups is ideal for e-mail, group scheduling and resource sharing, and includes an Ethernet adapter and software. Hardware and software are factory-installed. You can see Windows for Workgroups running on Gateway systems in any of over 200 Egghead Software® stores in the U.S. Stop by for a demonstration! With the purchase of a system, Windows for Workgroups is specially priced at just \$159!

Microsoft Windows Sound System™

This sound system designed especially for business use lets you speak to your PC for hands-free operation. It even reads numbers back to you for proofing. You can also embed audio messages in all your Windows OLE applications. Package includes soundboard, microphone, headset and software. You pay only \$149 with the purchase of a system.

CD-ROM Kit

Includes CD-ROM, interface card, and everything you need to add MPC-compliant CD-ROM to your PC. With a system purchase, or if you own a Gateway system, you can buy this CD-ROM kit for only \$225!

The TelePath™ Fax/Modem

A 14,400bps modem, V.32bis, with 9,600bps fax capability. Includes WinFax Pro,™ Crosstalk™ for Windows, Qmodem™ and more. \$195

CrystalScan™ 15-Inch Monitor

Non-interlaced 15-inch color monitor with flat, square screen – an upgrade option only at the time of purchase on any Gateway 2000 desktop system for only \$100.

Panasonic Color-Capable Printer

Add color to your documents with this Panasonic KXP2123 24-pin dot matrix printer. Includes Adobe Type Manager.® Printer, \$259; Color Option, \$50

Most Gateway peripherals are sold only with the purchase of a Gateway system.

For details on our complete line of components, peripherals and software, call direct to our special add-on components division at 800-846-2080.



Gateway 2000's Magical Values

DESKTOP SYSTEMS

3SX-33

- 33MHz 386SX Intel® Processor*
- 4MB RAM
- 5.25" & 3.5" Diskette Drives
- 80MB 17ms IDE Hard Drive
- Windows Accelerated Video with 1MB DRAM
- 14" Color CrystalScan™ 1024NI
- Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey™ Keyboard
- MS-DOS,® Windows™ & Mouse
- Cool Tools for DOS
- MS Works for Windows™ 2.0

\$1295

4SX-25

- 25MHz 486SX Intel Processor*
- 4MB RAM
- 5.25" & 3.5" Diskette Drives
- 170MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Windows Accelerated Video with 1MB DRAM
- 14" Color CrystalScan 1024NI
- Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- MS Works for Windows 2.0

\$1495

4SX-33

- 33MHz 486SX Intel Processor*
- 4MB RAM, 64K Cache
- 5.25" & 3.5" Diskette Drives *
- 170MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Windows Accelerated Video with 1MB DRAM
- 14" Color CrystalScan 1024NI
- Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- Choice of Application Software

\$1695

4DX-33

- 33MHz 486DX Intel Processor*
- 4MB RAM, 64K Cache
- 5.25" & 3.5" Diskette Drives
- 250MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Windows Accelerated Video with 1MB DRAM
- 14" Color CrystalScan 1024NI
- Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- Choice of Application Software

\$1995

4SX-33V

- 33MHz 486SX Intel Processor*
- 8MB RAM, 64K Cache
- 5.25" & 3.5" Diskette Drives
- 170MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- VESA Local Bus ATI Ultra Pro with 1MB VRAM
- 15" Color CrystalScan 1572FS
- Desktop Case (Tower Upgrade)
- 8 16-Bit ISA Slots, 2 with 32-Bit VESA Local Bus
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- Choice of Application Software

\$2195

4DX-33V

- 33MHz 486DX Intel Processor*
- 8MB RAM, 64K Cache
- 5.25" & 3.5" Diskette Drives
- 250MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- VESA Local Bus ATI Ultra Pro with 1MB VRAM
- 15" Color CrystalScan 1572FS
- Desktop Case (Tower Upgrade)
- 8 16-Bit ISA Slots, 2 with 32-Bit VESA Local Bus
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- Choice of Application Software

\$2495

4DX2-66V

- 66MHz 486DX2 Intel Processor*
- 8MB RAM, 256K Cache
- 5.25" & 3.5" Diskette Drives
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- VESA Local Bus ATI Ultra Pro with 1MB VRAM
- 15" Color CrystalScan 1572FS
- Desktop Case (Tower Upgrade)
- 8 16-Bit ISA Slots, 2 with 32-Bit VESA Local Bus
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- Choice of Application Software

\$2995



4DX2-66E

- 66MHz 486DX2 Intel Processor*
- 8MB RAM, 256K Cache
- 5.25" & 3.5" Diskette Drives
- 500MB 11ms SCSI Hard Drive
- 32-Bit EISA SCSI Controller
- Windows Accelerated Video with 1MB DRAM
- 14" Color CrystalScan 1024NI
- Tower Case
- 8 32-Bit EISA Slots
- 124-Key AnyKey Keyboard
- MS-DOS, Windows & Mouse
- Cool Tools for DOS
- Choice of Application Software

\$3795

486 Notebooks

NOMAD 425SXL

- 25MHz 486SX Intel Processor*
- 4MB RAM
- 3.5" Diskette Drive
- 80MB IDE Hard Drive
- Backlit 10" VGA Screen, 64 Grays
- Simultaneous Video with 256K
- Size 8.5" x 11" x 1.8"; 5.6 Lbs.
- 6-Hr. NiCad Battery & AC Pack
- 1 Parallel/1 Serial Port
- 79-Key Keyboard & FieldMouse™
- MS-DOS 5.0 and Windows 3.1
- MS Works for Windows 2.0

\$1995

NOMAD 425DXL

- 25MHz 486DX Intel Processor*
- 4MB RAM
- 3.5" Diskette Drive
- 120MB IDE Hard Drive
- Backlit 10" VGA Screen, 64 Grays
- Simultaneous Video with 1MB
- Size 8.5" x 11" x 1.8"; 5.6 Lbs.
- 6-Hr. NiCad Battery & AC Pack
- 1 Parallel/1 Serial Port
- 79-Key Keyboard & FieldMouse
- MS-DOS 5.0 and Windows 3.1
- MS Works for Windows 2.0

\$2595

NOMAD 450DXL

- 50MHz 486DX2 Intel Processor*
- 8MB RAM
- 3.5" Diskette Drive
- 200MB IDE Hard Drive
- Backlit 10" VGA Screen, 64 Grays
- Simultaneous Video with 1MB
- Size 8.5" x 11" x 1.8"; 5.6 Lbs.
- 6-Hr. NiCad Battery & AC Pack
- 1 Parallel/1 Serial Port
- 79-Key Keyboard & FieldMouse
- MS-DOS 5.0 and Windows 3.1
- MS Works for Windows 2.0

\$3295




8 0 0 - 8 4 6 - 2 0 0 0

610 Gateway Drive • P.O. Box 2000 • North Sioux City, SD 57049-2000 • 605-232-2000 • Fax 605-232-2023

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CT)



*Contains an Intel386™ or Intel486™ microprocessor



So Powerful It Can't Be A PC.

Transform Your PC With The INTERACTIVE UNIX System.

Unleash the 32-bit power in your PC with the INTERACTIVE™ UNIX® System from SunSoft. Charge through applications at record speeds. Use real-world multitasking and networking. Get on the path to a distributed computing future.

Just Say No To SCO.

Why? The INTERACTIVE UNIX System is easy to use, simple to administer, all at a great price.

*Open Systems Today** says the INTERACTIVE UNIX "system management... is easier to use and more comprehensive" than SCO™ and "is simply a masterpiece of good design."

Looking Glass Professional™ desktop manager makes the INTERACTIVE UNIX System easy enough for novices, yet powerful enough for experienced UNIX users. And the award winning Easy Windows makes setting up graphic environments infinitely simpler.

You can't afford *not* to take advantage of the already low cost of the INTERACTIVE UNIX System.

And SCO UNIX/XENIX® users can save an additional 50% by switching to the INTERACTIVE UNIX System today. That's something to say yes to.



Everything You Like About Your PC—And A Lot More.

INTERACTIVE UNIX System V/386 Release 3.2 supports hundreds of the most popular Intel-based platforms and peripherals. So getting started is fast, easy, and cost-effective.

Thousands of UNIX and XENIX applications are at your command. And our VP/ix package runs virtually all DOS software.

You get Lotus®, WordPerfect®, and Oracle®. You get SCO applications. You get it all.

See What Develops.

The INTERACTIVE UNIX System is the environment of choice for 80X86 application development. You get access to a full range of development tools including compilers, debuggers and libraries. And for graphical applications, the X11 INTERACTIVE environment is a revelation.

Partner With Power.

The INTERACTIVE UNIX System is a powerful business partner for companies who know something about power. Companies like BMW, Goodyear, Leica, and Dunlop to name a few. That power can be yours, too. All from SunSoft, the leading supplier of 32-bit UNIX system software.

Call today and save 50% on UNIX power that's so cost-effective, it can't be anything *but* a PC. 1-800-227-9227.

 **SunSoft**
A Sun Microsystems, Inc. Business

BYTE

March 1993

Volume 18, Number 3

COVER STORY

FEATURE

Smarter E-Mail Is Coming

PAGE 90

SOLUTIONS FOCUS

A Review of E-Mail Packages


PAGE 136

NEWS

- 24 MICROBYTES**
The first HDTV sets are not likely to appear in U.S. homes before 1995, yet companies from Microsoft to HBO are already involved in programming projects.
- 37 REPORT FROM INDIA**
High-Tech Opportunities Abound
by Jay Ranade
The government is high on growth but down on imports.
- 40 FIRST IMPRESSIONS**
A Spring Harvest of Apple Macintoshes
by Tom Thompson and Tom R. Halfhill
With street prices of about \$1000 to \$4500, these new Macs are price-conscious and powerful.



- 46 Lotus 1-2-3 for OS/2 2.0 and Lotus Freelance Graphics for OS/2 2.0**, two major applications for IBM's OS
Sparcstation LX, Sun's feature-packed little Unix box
Personal Communicator 440, start-up EO does it right the first time
PowerExec EL, forgoing some notebook frills means big savings
- 58 WHAT'S NEW**
BriteLite LX puts SPARC power on the road, LANdesk simplifies network management, and more.



FEATURES

- 90 Smarter E-Mail Is Coming**
by Andy Reinhardt
Intelligent E-mail delivers more than messages. It will change how your business works by improving communications and automating workflow.
- THE VINES ADVANTAGE**
by Jon Udell

STATE OF THE ART

COLLABORATIVE COMPUTING

- 112 Overview: Collaborative Computing**
by Jeffrey Hsu and Tony Lockwood
Computer technology brings workgroups closer.
- THE PUBLIC REACTS TO GROUP DECISION SUPPORT SYSTEMS**
by James D. Gantt and Catherine M. Beise
- 123 Hitting Warp Speed for LANs**
by Mark A. Clarkson
Collaborative computing demands faster networks.
- 129 Better Than Being There**
by Tom Yager
Desktop video conferencing is on its way.
- BEING HERE AND THERE**
by David H. Mitchell



- 136 SOLUTIONS FOCUS** 
Mixed Messaging
by Howard Eglowstein and Ben Smith
 Multiplatform internetwork mail can link diverse clients on widespread networks.

E-MAIL FROM THE WORKPLACE SHELL
by Jon Udell

- 156 A New Resolution for Desktop Lasers**
by G. Armour Van Horn
 A comparison of the latest 600-dpi laser printers.

- 165 How to Deal with Taxing Questions**
by Kathleen LaRivière and Stan Miastkowski
 Tax-preparation software for DOS, the Mac, and Windows.

- 169 Compaq Stakes Out Both Ends of the Server Spectrum**
by Barry Nance
 Compaq's new high-end Systempro/XL and low-end ProSignia servers.

- 173 Two PowerBooks Great and Small**
by Tom Thompson
 The PowerBook 180 and PowerBook Duo 230 show different design directions.

- 177 Visual Basic for Windows Gets a Face-Lift** *by Tom Yager*
 Microsoft improves its programming package with version 2.0.

- 181 Imagining the World** *by Raymond GA Côté*
 Macintosh software for simulating systems from the administrative office to the factory floor.

- 183 REVIEWER'S NOTEBOOK**
It Worked Fine a Minute Ago *by Rick Grehan*
 Reflections on Macintosh compatibility problems.



RICHARD WAHLSTROM © 1993

HANDS ON

- 187 SOME ASSEMBLY REQUIRED**
Divide and Conquer
by Thomas Jeffries
 Here's how to debug interrupt service routines.

- 197 UNDER THE HOOD**
CD-ROM Inside and Out
by Roger C. Alford
 Exploring the complexities of CD-ROM drives, discs, and associated standards.


- 208 SOFTWARE CORNER**
Automatic NetWare Log-Ins
by Barry Nance, Tom Thompson, and Ben Smith
 Let your applications log in to NetWare; a Mac text editor; and a graphics file viewer.

- 209 BEYOND DOS**
Next-Generation OLE
by Bruce D. Schatzman
 A faster, simpler OLE looms on the horizon.

- 73 USER'S COLUMN**
CD-ROM Secrets
by Jerry Pournelle
 The trick to integrating CD-ROM and Windows for Workgroups.

- 184 BOOK AND CD-ROM REVIEWS**
The AI Debate Revisited
by Hugh Kenner, Dick Pountain, and Raymond GA Côté
 What Computers Still Can't Do, guides to the Internet, an updated Grolier's multimedia encyclopedia, and more.

- 256 STOP BIT**
Fractal Fantasies
by Clifford A. Pickover
 Fractals add a new dynamic to game design.



- 12 EDITORIAL**
The State of BYTE
by Dennis Allen

- 20 LETTERS**
 Choosing a CPU; low-cost PCs; BYTE's Windows issue; and other topics.

READER SERVICE

- 254** Editorial Index by Company
250 Alphabetical Index to Advertisers
252 Index to Advertisers by Product Category
 Direct Link Cards: **252A**

BUYER'S GUIDE

- 213** Mail Order
 Hardware/Software Showcase
 Buyer's Mart

PROGRAM LISTINGS

From BIX: Join "listings/frombyte93" and select the appropriate subarea (i.e., "mar93"). From the UUNET: ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/byte" and type "DIR." Files appear in subdirectories arranged by month.

From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

TWIN


THE FIRST OPTICAL HARD DRIVE.

"It has a 19-millisecond access time and outperformed every other device we tested here..."

Stanley Wszola
Byte

"... the PMO-650 delivers unparalleled performance..."

John Quain
PC Magazine



TYPE: 3.5" OPTICAL
CAPACITY: 128 MB
SIZE: 6.9" (H) x 2.7" (W) x 8.3" (D)
WEIGHT: 4.11 LBS
MOUNTING: VERTICAL OR HORIZONTAL

First you bought a 40MB hard drive, then an 80MB, stepped up to a 150MB, made the move to a 300MB, and took out a loan to buy a 600MB. It never ends - until today.

Introducing the first line of optical drives that are lightning fast and have unlimited capacity. The PMO-130™ and PMO-650™ are the world's fastest optical drives with performance that rockets past most magnetic hard drives.

NSTL OPTICAL VS. HARD DISK				
Drive Tested	Pinnacle PMO-650™	Seagate® ST4766H 630MB	Fujitsu M2266SA 1.2GB	Maxtor® XT-8760SH 676MB
ELAPSED TIME IN SECONDS				
Xcopy 20MB Tree to Optical Drive	135.3	210.6	165.5	178.9
Xcopy 50MB Tree to Optical Drive	379.5	496.8	375.1	428.7

NATIONAL SOFTWARE TESTING LABORATORIES, Inc.

NSTL OPTICAL VS. OPTICAL					
Drive Tested	Pinnacle PMO-650™	Sony® SMO-E502	Maxoptix Tahiti™ II	Hewlett-Packard Corsair™	Ricoh RO-5031E
ELAPSED TIME IN SECONDS					
Xcopy 20MB Tree to Optical Drive	135.3	506.5	440.6	198.1	477.5
Xcopy 50MB Tree to Optical Drive	379.5	1241.2	1047.9	492.7	1134.8

NATIONAL SOFTWARE TESTING LABORATORIES, Inc.

Trademark Owners: PMO-130, PMO-650, OHD, Optical Hard Drive, and Pinnacle Micro are Trademarks of Pinnacle Micro, Inc. ©1992. Trademarks and registered marks to their respective owners. All test results performed by NSTL 8/92. Retail prices acquired from dealer survey 10/92.

19 Technology • Irvine, CA 92718 • Int'l (714) 727-3300 • Fax (714) 727-1913

PEAKS


THE LAST DRIVE YOU'LL NEED.

"... the PMO-650 was a veritable rocket."

Christopher Stetson
PC Week

"The PMO-650 is the first rewritable optical drive we've ever tested that can get out and run neck and neck with hard disks"

Rex Farrance
PC World



TYPE: 5.25" OPTICAL
CAPACITY: 650/600 MB
SIZE: 7.3" (H) x 3.6" (W) x 10.0" (D)
WEIGHT: 7.4 LBS
MOUNTING: VERTICAL OR HORIZONTAL

Optical technology has many advantages - removability, reliability, infinite storage capacity, and a lower cost per megabyte over magnetic media. The PMO™ series are based on Pinnacle's own OHD™ (Optical Hard Drive) technology, making Pinnacle the leader in performance and innovation.

There is no higher source in the industry. The PMO-130™ and PMO-650™ are the Twin Peaks. Plug-n-play for PC and compatibles, PS/2, MAC, SUN, HP, DEC, and Silicon Graphics.

It's more than a hard drive - It's optical!

Australia 03-879-2322
Austria 0222-307-464
Belgium 016-38-08-08
Czechoslovakia 7-238-946

Denmark 44-68-86-00
Finland 0-502741
France (1) 64-30-00-74
Germany 0-89-4208-0

Germany 030-316-184
Greece 1-923-4333
Hong Kong 529-4433
Hungary 1-163-2879

Ireland 1-684-132
Italy 423-976-043
Italy 10-87-22-17
Japan (03) 5261-7171

Korea 02-785-7241,
Mexico 259-4979,
Netherlands 03449-31-44
Norway 212-4511

Singapore 382-7600
Sweden 870-50200
Switzerland 21-803-28-82
U.K. 0494-441-661

PINNACLE MICRO

THE OPTICAL STORAGE COMPANY®

INSIDE **BYTE**

BYTE Topic Index

This index helps you find articles that contain information on each of the listed topics. (The topic list changes each month.) Combined with the table of contents (page 4) and the Editorial Index by Company (page 254), you can identify articles by type, subject, title, author, or product discussed.

ACCOUNTING 165	FDDI 123	MULTIMEDIA 73, 184	STANDARDS 90, 197
AI 184	FRACTALS 254	NETWORKS 73, 90, 112, 123, 136, 171	SYSTEMS 40, 171
APPLICATIONS 90, 112, 123, 165	GAME THEORY 254	NOTEBOOKS/PORTABLES 46, 58, 173	TAX SOFTWARE 165
BASIC 177	GROUPWARE 112, 123, 129	OLE 209	U.K. 24
BOOKS 73, 184	HDTV 24	OS/2 20, 46	UNIX 46, 208
CD-I 197	INDIA 37	PEN PCS 46	UTILITIES 208
CD-ROM 73, 184, 197	INDUSTRIAL 181	PHOTO CD 197	VIDEO 58, 129
COLLABORATIVE COMPUTING 112, 123, 129	INTERNET 184	PRINTERS 156	VIDEO CONFERENCING 112, 129
COMMUNICATIONS 136	INTEROPERABILITY 90, 136	PROGRAMMING 37, 177, 187, 209	VIM (VENDOR-INDEPENDENT MESSAGING) 90
DEVELOPMENT 177	INTERRUPT SERVICE ROUTINES 187	SERVERS 171	VINES 90
DRAMS, 64-MEGABIT 24	JAPANESE 73	SGML 24	WINDOWS 20, 73, 90, 112, 165, 177, 209
DVI (DIGITAL VIDEO INTERACTIVE) 197	LASER PRINTERS, 600-DPI 156	SHAREWARE 208	WINDOWS NT 24
ELECTRONIC BOOKS 24	MACINTOSH 40, 173, 208	SIMULATION 181	WORKSTATIONS 46
ELECTRONIC MEETINGS 112	MANUFACTURING 181	SOFTWARE PIRACY 24	X.400 90
E-MAIL 90, 136	MAPI (MESSAGING API) 90	SPREADSHEETS 46	X.500 90
	MOBILE COMPUTING 46		

Your Choice of Keyboard Monitor Switches

Access multiple computers with a single keyboard and monitor to cut equipment costs, save valuable space, and end clutter




Manually controlled unit

- Simple pushbutton operation for quick selection
- Four, eight, or twelve ports per unit
- Daisy-chaining connects unlimited number of CPUs
- Compatible with EGA, VGA, Macintosh, Sun, and others
- Optional keyboard booting for 286, 386, and 486
- Optional RS232 or PS/2 mouse interface
- PCB construction for high reliability and low crosstalk
- Rack mount, matrix, and customized units available

- Switch by keystroke, from front panel, or RS232 port
- Two or four ports per unit
- Cascade units to support up to 255 CPUs
- Supports monochrome, EGA, and VGA
- Includes keyboard booting for 286, 386, and 486
- Includes RS232 and PS/2 mouse interface
- LEDs display selected CPU and CPU power-on
- Scan function switches among CPUs automatically



Keyboard controlled unit



Call toll-free now for your copy of our Switching and Sharing Solutions catalog.

Other Rose products: Print servers, printer sharing units, print buffers, keyboard monitor extenders, video splitters. All Rose products are US-made and have a 1-year warranty.

Make the Rose Connection

10850 Wilcrest Drive • Houston, Texas 77099 • Phone (713)933-7673 • Fax (713)933-0044

ROSE
ELECTRONICS



1-800-333-9343

The Software is the Instrument ... You Choose the Computer

LabWindows for DOS



NEW LabVIEW for Windows
NEW LabVIEW for Sun
LabVIEW for Macintosh

ACQUISITION





GPB • Data Acquisition • VXI • RS-232 • Instrument Drivers

ANALYSIS



DSP • Statistics • Linear Algebra • Filters • Windows

PRESENTATION



Graphical User Interface • Hard Copy • File I/O

C and BASIC Programming

Graphical Programming

See us at PITTCON, Booth 4207.

Call for FREE demo disks
(800) 433-3488 (U.S. and Canada)



Branch Offices: Australia 03 879 9422 • Belgium 02 757 00 20 • Canada 519 622 9310
Denmark 45 76 73 22 • Finland 90 524566 • France 1 48 65 33 70 • Germany 089 714 50 93
Italy 02 48301892 • Japan 03 3788 1921 • Netherlands 01720 45761 • Norway 03846866
Spain 91 896 0675 • Sweden 08 984970 • Switzerland 056 27 00 20 • U.K. 0635 523545
© Copyright 1992 National Instruments Corporation. All rights reserved. Product and company names listed are trademarks or trade names of their respective companies.

NATIONAL INSTRUMENTS®
The Software is the Instrument®
6504 Bridge Point Parkway
Austin, TX 78730-5039
Tel: (512) 794-0100
Fax: (512) 794-8411

Circle 116 on Inquiry Card.

Talk about poetry in motion.
Introducing the IBM ThinkPad™ 300.
Less than six pounds of brilliance and beauty
that can accompany you hither and yon. And
won't cost you an outrageous fortune.

Introducing ThinkPad

ThinkPad 300 comes with 4MB of
memory upgradable to 12MB and 80MB of
hard disk space, upgradable to 120MB.
There's even a math co-processor available.

But while ThinkPad is the ultimate tool




for your mind, we
didn't forget the
rest of you. So
there's a comfort-
able, ergonomi-
cally designed
keyboard with a
numeric keypad
built in. And a
feature that lets
you take a break

and pick up where you left off. The display is
a big 9.5" with incredibly sharp 640×480
VGA resolution. Since complex ideas are
rarely black and white, ThinkPad displays 64
dramatic shades of gray—enough to express
the subtleties of anyone's gray matter.


ThinkPads set you free, with a world-

*Depending on usage and configuration. **MSRP. Dealer prices may vary. IBM is a
registered trademark and ThinkPad, and HelpWare are trademarks of International
Business Machines Corporation. The Intel Inside Logo is a trademark of Intel
Corporation. © 1992 IBM Corp.

Imagine what
Will could
have done
with a screen
sharper than a
serpent's tooth
and a little
better time
management.



It's what Shakesp used on a flig



wide AC adapter and a port replicator, so you don't have to detach and reattach peripheral cables when you take your ThinkPad with you. There's an Ethernet LAN port right on the machine, with Data Only (2400 baud) and Data/Fax (2400/9600) modems available, too. The dual VGA connector lets you display on other monitors and keep the control right in your lap.



ThinkPad	Model 300
Processor	386SL/25 MHz
Display	9.5" Monochrome Display 64 Grayscale Screen
Battery Life*	4-10 Hours
Weight	5.9 Lbs.
Warranty	1 Year
Price**	\$2,375

Alas, even great thinkers don't always have all the answers. So ThinkPad comes with HelpWare,™ an invaluable service package including a one-year international warranty and 24-hour, seven-day-a-week assistance by fax, electronic bulletin board or toll-free phone, as you like it. To learn more about ThinkPad, or to order, call 1 800 IBM-2YOU. Or visit your nearest IBM authorized dealer.

And experience your next flight on a higher plane.



eare would have ht to the coast.



DENNIS
ALLEN

EDITORIAL

THE STATE OF BYTE

Since I offered my first state-of-BYTE editorial a year ago, BYTE has made some important advances in how it serves you. And this year we have even greater things in store for you. I would like to share a glimpse of what you can expect from BYTE in 1993. First, though, here's a quick review of where we are today.

In 1992, BYTE began doing a new kind of cover story.

**The changes we're
making this year are being
made for only one reason:
to serve you better**

Our approach combines reportorial breadth with technical depth—a combination that no other computer magazine delivers. To accomplish that goal, we literally threw all BYTE's editorial resources at each cover story. We garnered first-hand reports from our bureaus

and staff editors, and, where appropriate, we backed it up with testing from the BYTE Lab. The result has been first-class articles that provide you with information not available elsewhere. Even publications outside the computer field, such as *BusinessWeek* and the *Wall Street Journal*, have quoted from BYTE's cover stories.

Another change came in September 1992 with the globalization of BYTE. Because technology and product developments are not exclusive to North America, BYTE is committed to covering the most important technologies and products from around the world. BYTE also expanded its worldwide position with translations in such places as Brazil, Czechoslovakia, and Croatia.

Additionally, we produced two special issues in 1992: *BYTE's Essential Guide to Windows* and *Essential Guide to Portable Computing*. These issues departed from BYTE's usual technology-centric coverage to provide practical hands-on and buying information for the two fastest growing segments of users.

All these changes were in direct response to your information needs. In 1993, BYTE will continue to respond to your needs. We'll do so by applying the breadth and depth of our cover stories to other feature articles. BYTE will continue and strengthen its commitment to worldwide reporting on technologies and products. We will also continue to provide the two elements of BYTE that you say you like best: our legendary State of the Art articles that focus on a specific technology topic each month, and the wit and wisdom of industry sage and user advocate Jerry Pournelle. And this spring, BYTE will introduce an updated look that will make finding the information you need easier.

In 1993, BYTE is committed to bringing you two bonus issues on using Windows—one in the spring, the other in the fall. We're also going to provide you with information in forms beyond the pages of a magazine.

We will be listening to you more closely than ever before. Don't be surprised if you receive a survey questionnaire—or a phone call—from BYTE editors, because we want to hear from you firsthand.

All this close communication brings me to our most important announcement of the year. In our May issue, we will introduce the most exciting and innovative product coverage ever. We know that you expect BYTE to write about advanced technologies and leading-edge products, and we will continue to fill that need in a way that only BYTE can. However, we have learned that you also need to know about commodity products for your organization. In other words, it's not enough for BYTE to cover leading-edge dye-sublimation printers, for example—you also need to know which personal laser printer is best for the applications in your business.

Therefore, BYTE will provide large-scale exhaustive testing on commodity products every month. The first product-testing report will be on, you guessed it, printers, and we won't cover just a select few. This roundup will encompass virtually every significant printer on the market. But we won't bore you with 80 to 120 pages of endless printer specifications and features lists; instead, BYTE will deliver only the information you need, in a format that will make zeroing in on that information a cinch.

How can we do it? With our 20,000-square-foot state-of-the-art testing facility, the National Software Testing Labs in Philadelphia. No other computer magazine has such a lab, and no other magazine is listening to its readers in the way that BYTE does.

Moreover, at no other magazine on the planet can you find a better qualified group of technical journalists/engineers than at BYTE, BYTE Lab, and NSTL.

But it is you, BYTE's readers, who make BYTE a success. No other group of readers demands the kind of excellence in technical reporting that you do.

—Dennis Allen
Editor in Chief

Introducing Borland's Paradox for Windows

Experience the magic of easy database power

If you're looking for the easiest-to-use, most powerful, and most reliable Windows database, this is it! With new Paradox® for Windows, there's no limit to what you can do. The graphical interface makes it easy to access, modify, and present your data. Create customer lists in seconds, automatically generate reports with the push of a button, or retrieve data from different sources into a single answer table.

The best way to manage Paradox and dBASE data

Paradox for Windows makes it easy to work with your Paradox and dBASE® data. You can view, edit, query, and link to all your data, with no limitations. You make your request for data simply by checking off boxes with easy-to-use Query By Example. Then the Paradox for Windows query optimizer automatically

determines the fastest way to deliver the answer.

Paradox for Windows lets you manage virtually unlimited data types, too. You can store any kind of information, including text, menus, graphics, OLE objects, sound, and even multimedia. You can even mix and match Paradox and dBASE data in queries, forms, and reports.

More people trust their data to Borland than all other database companies combined. That's why Borland is the Data Company. Put the power of Paradox to work for you today. You will be amazed at what you can do.

Special Offer!

OBJECT COMPUTING NOW!

BEST DATA CONNECTIVITY



Paradox is the best Windows database

	Paradox	Access
Performance		
Insert 1,000 records*	29 sec	147 sec
Range selection: 15,000 of 130,000 records*	<1 sec	16 sec
Complete Paradox and dBASE file support	✓	
Visual data modelling for forms and reports	✓	
Object-oriented development environment	✓	

*All tests run on IBM® PS/2 Model 70 386/20 mhz, 4Mb RAM, Novell 3.11 NetWare, Ethernet network. Special offer good in the United States and Canada only. Prices in U.S. dollars. Copyright © 1993 Borland International, Inc. All rights reserved. All Borland product names are trademarks of Borland International, Inc. BI 1548

Circle 70 on Inquiry Card (RESELLERS: 71).

Special introductory offer.
Offer expires April 30, 1993.

\$139⁹⁵

(regular list price \$795)

**See your dealer or call now,
1-800-336-6464, ext. 5202**

In Canada, call 1-800-461-3327.

Borland Paradox®
for Windows





Increased 386 Perform


AMD's 3-Volt 386 Microprocessors Deliver The Longest Battery Life For Portable Computing.

The power struggle continues. While you can get a 386 microprocessor that goes fast, you'll still burn through a battery charge in a hurry. Low-voltage 386 CPUs from AMD are the answer—the Am386™SXLV and Am386DXLV microprocessors.

Here are two CPUs made not only to go fast, but to go the distance with portable computer users. Unlike common power-hungry 386s, these low-voltage CPUs

run on 3 volts. And they automatically slip into a static "sleep" mode to save power whenever the processor is idle. So users depend less on recharge units—and get the longest operational battery life.


Both Am386 CPUs were designed to fit as comfortably in your budget as they do your portable computers. But you won't compromise on performance because the Am386SXLV and Am386DXLV 3-volt microprocessors both run at 25MHz. So



The 25MHz DXLV and the 25MHz SXLV are available in PQFP packaging.



ance At No Extra Charge.



needs covered with our 3-volt EPROMs. And now that the industry at large has welcomed low-voltage portable computing, you'll find the rest of your components equally easy to come by.

they're plenty powerful for running Windows.™

Now there's nothing stopping you from charging forth with more efficient 3-volt laptops, notebooks, and palmtops. AMD also has your memory

For more information on low-voltage 386 microprocessors and support logic, call **1-800-222-9323** and ask for Literature Pack 15F. And become the current leader in portable computing.



Advanced Micro Devices
Microprocessors For The Masses.™

BYTE

EDITOR IN CHIEF
Dennis Allen

EXECUTIVE EDITORS

New York: Rich Malloy
Peterborough: Rich Friedman

MANAGING EDITOR
D. Barker

ASSISTANT MANAGING EDITOR
Lauren Stickler Thompson

NEWS

Peterborough:
Senior Editor: Dan Muse
News Editors, What's New: Martha Hicks, Carol Swartz
Microbytes: David L. Andrews
News Assistant: June Sheldon
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halfhill
News Editor: Patrick Waurzyniak
Editorial Assistant: Barbara J. Caravello
Los Angeles:
Senior Editor: Gene Smarte
New York:
News Editor: Ed Perratore

BYTE LAB

Senior Editor & Director: Alan Joch
Technical Director: Rick Grehan
Technical Editors:
Stephen Apli: *systems, networking*
Stanford Diehl: *graphics software, add-ins, peripherals*
Tom Yager: *multimedia, Unix, operating systems, software development*
Testing Editors/Engineers: Howard Eglowstein, Ben Smith, Stanley Wszola
Lab Assistant: Selinda Chiquoine

STATE OF THE ART/FEATURES

Senior Editor: Michael Nadeau
Technical Editors: Janet J. Barron, Anthony J. Lockwood, Robert M. Ryan

SENIOR TECHNICAL EDITORS

At Large: Tom Thompson, Jon Uell
Columns: Rob Mitchell

ASSOCIATE TECHNICAL EDITORS

Ellen Bingham, Susan Colwell, Jeff Edmonds, Tom Kevan, Cathy Kingery, Margaret A. Richard, Warren Williamson

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS

Hugh Kenner, Barry Nance

CONSULTING EDITORS

Roger C. Alford, Jonathan Amsterdam, Nicholas Baran, Raymond GA Côté, Don Crabb, Anne Fischer Lent, Laurence H. Loeb, Trevor Marshall, Dick Pountain, Wayne Rash Jr., Kenneth M. Sheldon, Jane Morrill Tazelaar, Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS

Office Manager: Peggy Dunham
Assistants: Linda C. Ryan, Janet A. Young

DESIGN

Director: Nancy Rice
Associate Director: Joseph A. Gallagher
Designers: Jan Muller, Sharon Price
Graphics Manager: Roger Goode

PRODUCTION AND FINANCE

Director: Claudia Flowers

PRODUCTION

Director: David M. Cohen
Production Manager: David R. Anderson
Advertising Graphics Manager: Susan Kingsbury
Editorial Graphics Manager: Virginia Reardon
Graphics Production Coordinators: Barbara Busenbark, Christa Patterson, Donna Sweeney, Lillian J. Wise
Advertising Services Manager: Linda Fluhr
Senior Advertising Services Representative: Lyda Clark
Advertising Services Representatives: Dale J. Christensen, Karen Cilley, Rod Holden
Quality Control Manager: Wai-Chiu Li
Operations Assistant: Lisa Jo Steiner

FINANCE

Senior Financial Analyst: Kenneth A. King
Financial Analyst: Kathleen Deguise
Data Processing Coordinator: Diane Henry
Billings Coordinator: JoAnn Walter
Production Assistant/Purchaser: Agnes Perry

MARKETING AND PLANNING

Director: L. Bradley Browne
Administrative Assistant: Carol Cochran
Marketing Communications Manager: Pamela Petrakos
Marketing Art Director: Stephanie Warnesky
Market Research Manager: Julie Perron
Copyrights Manager: Faith Kluntz
Reader Service: Cynthia Sands
Marketing Assistant: Carol Sanchioni

CIRCULATION

Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager: Pam Wilder
Subscriptions Assistant: Christine Tourgee
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Louise Menegus
Direct Accounts Coordinator: Ellen Dunbar

PUBLISHER
Ronald W. Evans

Publisher's Assistant: Donna Nordlund

ADVERTISING SALES

NEW ENGLAND
Patricia Payne (603) 924-2654

EAST COAST

Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665

SOUTHEAST

Mary Ann Goulding (404) 843-4782
Barry Echavarria (603) 924-2574

MIDWEST

Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN

Jennifer Walker (214) 701-8496
Larry Levine (603) 924-2637

SOUTH PACIFIC

Beth Dudas (714) 753-8140
Joseph Mabe (603) 924-2662
Alan El Faye (213) 480-5243
Larry Levine (603) 924-2637

NORTH PACIFIC

Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
Roy J. Kops (415) 513-6861
Joseph Mabe (603) 924-2662
Barbara Holmes (415) 513-6945
Barry Echavarria (603) 924-2574

INSIDE ADVERTISING SALES

Director: Liz Coymann (603) 924-2518
Assistants: Susan Monkton, Vivian Bernier

THE BUYER'S MART (1 x 2)

Margot Gnade (603) 924-2656

HARDWARE/SOFTWARE SHOWCASE

Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL & BUYER'S GUIDE

Brian Higgins (603) 924-2651

BYTE DECK

Brad Dixon (603) 924-2596

EURO-DECK

James Bail (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF

See listing on page 251.

PERSONNEL

Human Resources Administrator: Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

HOW TO CONTACT THE EDITORS

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
San Mateo: 1900 O'Farrell St., #200, San Mateo, CA 94403, (415) 513-6912.

Los Angeles: 15635 Alton Pkwy., Suite 290, Irvine, CA 92718, (714) 753-8140.

New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.

U.K./EUROPE: Wimbledon Bridge House, One Hartfield Rd., Wimbledon, London SW19 3RU, England, +44 81 543 1234.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.

MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.

OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.

U.S. fax: Editorial: (603) 924-2550

Advertising: (603) 924-7507

U.K. fax: +44 81 540 3833

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:

For price quotations on customized reprints of BYTE articles, contact Faith Kluntz, Reprints Manager, at (603) 924-2525. (Minimum quantity: 500.)

SUBSCRIPTION CUSTOMER SERVICE

Inside U.S. (800) 232-BYTE; outside U.S. +1 609 426 7676. For a new subscription, (800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £35 (U.S. \$60) for fast surface delivery, £46 (U.S. \$80) for air delivery. Non-European countries U.S. \$60 for surface mail, or U.S. \$85 for air mail. Single copy price is \$3.50 in the U.S. and its possessions, \$4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 27 Congress St., Salem, MA 01970, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 27 Congress St., Salem, MA 01970. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, Copyrights Manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1993 by McGraw-Hill, Inc. All rights reserved. BYTE and BYTE are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

 Member Audit Bureau of Circulation

Founder: James H. McGraw (1860-1948).
Chairman, President, and Chief Executive Officer: Joseph L. Dionne; *Executive Vice President, General Counsel, and Secretary:* Robert N. Landes; *Executive Vice President:* Harold W. McGraw III; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *Executive Vice President, Publication Services:* Norbert Schumacher.

BIX INTERACTIVE ON-LINE SERVICE

PRODUCT MANAGER
Kip Bryan

DIRECTOR OF COMPUTER-RELATED SERVICES
Stephen M. Laliberte

MEMBER SERVICES MANAGER
Kevin Plankey

EXCHANGE EDITORS


Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

BIX, owned and operated by General Videotex Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or make a data call to our Tymnet address: 310690157800. Then hit the Enter/Return key and enter "BIX" when asked to log in; then enter "BIX.VILLE" when asked for a name. For current fees and more information, call (800) 695-4775 or (617) 354-4137 on voice phone; fax: (617) 491-6642; Internet: bix@genvid.com.


OFFICERS OF MCGRAW-HILL, INC.:

Chairman, President, and Chief Executive Officer: Joseph L. Dionne; *Executive Vice President, General Counsel, and Secretary:* Robert N. Landes; *Executive Vice President:* Harold W. McGraw III; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *Executive Vice President, Publication Services:* Norbert Schumacher.

ON ONE HAND, PROJECT MANAGEMENT CAN BE A REAL HEADACHE.



ON THE OTHER HAND WHY SHOULD IT BE?



You work hard enough planning your projects; why not let Microsoft® Project 3.0 for Windows™ help you make it easier?

With clear graphs, you'll be able to see and communicate your project even better—from the tiny details to the big picture.

Changes? No problem. For every revision you make, Microsoft Project helps you see how it will affect the entire job.

Assigning a new job? Just click the People button. Want to know who's doing what, when? Microsoft Project can help you keep track of everyone.

And if you need to get off to a fast start, use PlanningWizards to guide you step-by-step. Soon, you'll have great-looking, easy-to-read reports that make all your plans perfectly clear.

You can even exchange files between Project on your PC and your Mac®. Either way, why not plan on the leading project management software? Microsoft Project 3.0 – it takes the pain out of planning.

Microsoft
Making it easier

The Widest Array

Fault Tolerant Disk Array Controllers, Subsystems and Servers supporting NetWare, SCO UNIX and OS/2.

Powerful 1, 2, 3, and 5-Channel Disk Array SCSI Controllers

Mylex now offers a range of disk array controllers, all based on the powerful Intel i960CA™ RISC processor. The controllers feature 4/16/64-Mbytes of cache, an EISA host interface and extensive software support.

RAID levels 0, 1, and 5 are supported, with hot swapping, on-the-fly reconstruction, background rebuild, hot standby, multi-threading, and scatter/gather features.

NetWare 3.11, SCO UNIX 3.2.4 and IBM OS/2 2.0 operating environments are supported. All controllers are offered with user-friendly software utilities.

► **DAC960-1/2:** Single fast and wide SCSI-II channel, which can be upgraded to two channels. Each channel has both 8-bit and 16-bit SCSI-II connectors.

► **DAC960-3:** Three fast SCSI-II channels, which can support up to 21 SCSI drives.

► **DAC960-5:** Five fast and wide SCSI-II channels, with the option to drive 8-bit or 16-bit fast SCSI drives.

NetWare, UNIX, OS/2

All Mylex disk array products support Novell NetWare 3.11, with optional support for SCO UNIX 3.2.4 and IBM OS/2 2.0.

Disk Array Subsystem

The disk array subsystem (DAS) features a DAC960 five-channel disk array controller and a flexible enclosure which houses up to five 5.25" or 3.5" SCSI drives. Each drive is powered by its own power supply for improved system reliability. Disk drives are offered as an option. Up to four of these enclosures can be powered by a single DAC960-5 controller, allowing up to 20 drives for each controller.

The DAS can be used in conjunction with any EISA-based computer to build a powerful file server. Up to four controllers can be configured into the system to offer virtually unlimited disk capacity.



y of Disk Arrays.



Integrated Disk Array Server: IDAS2000

The Mylex IDAS2000 is a high-performance integrated disk array server, utilizing state-of-the-art disk array technology.

► **CPU Subsystem:** Intel 486™ DX2-66MHz EISA system with 256-Kbytes of cache, 8-Mbytes of system memory upgradable to 256-Mbytes, six bus master EISA slots, built-in I/O, flash BIOS and future CPU upgrades with the ZIF socket.

► **Disk Subsystem:** Features a one-channel disk array controller that is upgradable to two channels for increased performance. The controller utilizes the powerful Intel i960CA RISC processor and includes a standard cache of 4-Mbytes that's upgradable to 64-Mbytes. RAID levels 0, 1, and 5 are supported with fault tolerance, hot replacement, hot sparing and background rebuild capabilities. Both 8- and 16-bit fast and wide SCSI-II drives are supported. Software support for NetWare 3.11 (Novell certified). Optional support for SCO 3.2.4 and IBM OS/2 2.0 operating environments. Extensive user-friendly software utilities included.

► **Enclosure:** Includes three redundant power supplies, five cooling fans, 10 drive bays for 3.5" SCSI drives, and four additional drive bays for tape drives, floppy, etc.

The system includes an EISA LAN adapter and super VGA graphics. Disk drives are optional.

We've Benchmed the Competition

When Mylex conducted benchmark tests to compare our disk array system's performance to our competitors', we outperformed the competition's RAID 3 and 5 systems, as well as duplexed and spanned systems, by a wide margin.

Benchmarks: Disk Array Subsystems

	CIPRICO NetArray RAID 3	CORE IAS RAID 3	MICROPOLIS RAIDion RAID 5	ULTRASTOR UT24 RAID 5	MYLEX DAC960 RAID 5
NCOPY all drives enabled	13:19	15:00	13:30	10:06	4:25
NCOPY one drive down	14:05	15:00	15:30	10:36	4:30
NCOPY during rebuild	26:32	—	20:49	18:30	10:17

► LAN Technology's performance tests for Ciprico, Core and Micropolis consisted of copying 2400 files—totaling about 80-Mbytes—from one directory to another using NetWare's NCOPY. The Mylex and UltraStor test configuration included a 486 DX2-50MHz CPU-based EISA system using five HP 97556-30 796-Mbyte drives. Times are shown in minutes.

Visit us at CeBIT - Hall 8/EG, Stand B40.

Flexible Purchase Options

Controllers only, a complete system without disk drives, or a complete system with the drives are offered.

For more information on Mylex disk array systems and controllers, call 1-800-MYLEX or 1-510-796-6100. Or, fax us at 1-510-745-8016.

© 1993, Mylex Corporation. Specifications subject to change without notice. All trademarks are the property of their respective holders. © 1992, M&T Publishing, reprinted with the permission of LAN TECHNOLOGY, August, 1992. Novell certification applies to 5-channel disk array products only. The Intel Inside Logo is a trademark of Intel Corporation.



Circle 113 on Inquiry Card.

I want to clarify one point in Jerry Pournelle's comments about OS/2 2.0 ("Pondering OS/2," November 1992). Referring to Windows 3.1 bundled applications like Paintbrush and Write, he states that "if you had a bunch of Windows 3.1 applications on your hard disk, this is probably one of them and you'll get a message that the applications can't be run. Considerable time is wasted to no purpose." But Windows 3.1-compatible programs definitely work under OS/2 2.0. Some people misunderstood the phrase and asked me if OS/2 2.0 can't run *any* Windows 3.1-aware applications. Windows applications like Atech's AllType program without problems.

[illegible]

While many companies may be trading off long-term R&D against short-term financial gain with the new, low-cost personal computers coming out ("Penny-Pinching PCs: How They Did It," November 1992), not all are cutting back on R&D spending. Apple has *increased* spending on R&D (26 percent from 1991). Also, the construction of Apple's new R&D campus (Cupertino, CA) demonstrates that not all companies coming out with low-cost personal computers are taking a short-term view of their future.

Upgrading Made Easier

I appreciated the timeliness of Andy Redfern's article "Make the Right CPU Move" (December 1992). I wanted to upgrade my 386SX/25 to remain more current but was unsure of the best path to take. Since I wanted to realize a major performance improvement but not at an astronomical cost, I had narrowed it down to either the 386DX/40 or the 486DX/33. The article clearly showed that there is not enough difference, performance-wise, to justify the extra cost of the 486 for my applications. I'll upgrade to the 386DX/40 and wait for the P5.

Also, thanks to Jerry for telling the truth about OS/2's installation: If you read the manuals, it's as easy as inserting one disk after another—it is boring, but hardly difficult.

Larry Field
College Station, TX

Static Shock

I was shocked when I saw the November 1992 What's New item "Create a New Ion Field" (page 82), which describes a device called the Perfect-Aire 100.

There is no such thing as an ion field. There is also no such thing as ion radiation (except maybe in particle accelerators, and that's stretching it). There is certainly no such thing as electrostatic radiation: By definition, static electricity is *static* and thus cannot radiate anything.

On top of that, I do not think this kind of device has ever been proved to have any beneficial effect in reducing static. Rather, it often uses high voltages, which tend to produce ozone—a poison if the concentration is too high.

Jean-Pierre Weber, Ph.D. in E.E.
Stockholm, Sweden

Windows Rebellion?

It was interesting to contrast the tone of BYTE's *Essential Guide to Windows* (1992) with that of "Penny-Pinching PCs: How They Did It" (November 1992). The former referred to the huge amount of disk storage and RAM required to run Windows applications. The consensus seemed to be a 200-MB hard drive and 8 MB of RAM; a 486 was recommended. In the discussion of the inexpensive PCs (made by Compaq, AST Research, IBM, and so on), the configuration was more like a 40-MB drive, 4 MB of RAM, and a 386SX. Unless there is a wholesale rebellion against Windows applications because of their excessive hardware requirements, I fear that the marketing of low-end PCs by high-end companies will fail.

Henry T. Minden
Concord, MA

Where are all the Windows enthusiasts your PC journalists cite in BYTE's *Essential Guide to Windows*, 1992? The Windows users I see are usually victims of managers trying to entice computer phobics and novices to the system or of their vendor's greedy deals with the Microsoft juggernaut. Enthusiastic PC users gave up on DOS long ago. Most that I know are using OS/2 2.0 and find it a much better platform for their DOS applications than DOS, and especially better than Windows. OS/2's support for Windows applications is a useful bonus.


Joseph C. Hager
San Francisco, CA

100

- In *BYTE's Essential Guide to Portable Computing*, 1992, on page 26 we referred to Mitsuba as a manufacturer of floppy drives as well as notebook computers. Mitsuba does not make floppy drives.
- In "Fast Transit" (October 1992), Henry Quan is identified as president of ATI Technologies. Quan is vice president of marketing. ■

WE WANT TO HEAR FROM YOU. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, send BIXmail c/o "editors," or send Internet Mail to letters@bytepb.byte.com. Letters may be edited.

Important News For The Power Hungry: Your Dinner's Ready.



speed. The truly power famished will be happy to know that the A3000T is stuffed with an abundant selection of expansion slots. There's a co-processor slot. A video slot for internal devices. Up to four PC slots. And up to five Zorro III slots. Every Amiga 3000 series computer comes with

Come and get it.

The new Amiga® 3000T multimedia workstation tower—the most expandable, flexible Amiga ever built.

Now powered by a 25 MHZ Motorola 68040 CPU, the A3000T is faster than ever



before. (Current A3000T users can upgrade to a 040-based accelerator card.)

The A3000T features a 200MB hard disk drive. A 3.5" floppy disk drive. 5MB of RAM, expandable to 18MB. And 32-bit bus architecture to transfer mammoth amounts of information at breakneck

Commodore Express™ Gold Service options.* And convenient leasing terms are available.

Now, you'd expect a power feast like this to carry a fat price tag. But now with our new low price, you can sit down to an Amiga 3000T for just \$2,875.** Which in itself is a powerful reason for seeing your Commodore dealer today. For a dealer

near you, call
1-800-66-AMIGA.

In Canada, call
1-800-661-AMIGA.

Bon appetit.




Commodore®
AMIGA®

© 1992 Commodore Business Machines Inc. Commodore and the Commodore logo are trademarks of Commodore Electronics Ltd. Amiga is a trademark of Commodore-Amiga, Inc. Products available on GSA schedule GS-00K-91-AGS-5069. * Available only on systems purchased in the U.S. through an authorized Commodore-Amiga dealer. Customer activation required. Some optional programs include a charge. **MSRP, monitor sold separately.

Circle 75 on Inquiry Card.

- ▶ Add more storage.
- ▶ Protect your data.
- ▶ Transport your data.
- ▶ Share your data.



iomega® 21MB Floptical® Drive.
A standard floppy drive and a 21MB floppy drive in one.

- Reads/writes to standard floppy diskettes.
- Up to 3 times faster than floppies.
- Holographic Optical Tracking for added reliability and speed.
- New iomega laser-etched media—every one is a master.



Bernoulli® MultiDisk™ 150.
Handles like a floppy, performs like a hard disk.

- 150MB capacity.
- 18-msec effective access time.
- Rugged Bernoulli Technology®.
- Disks also available in 105, 65, and 35MB capacities.
- Reads/writes 90MB Bernoulli Disks, reads 44MB Bernoulli Disks.



Hold everything! Iomega introduces storage solutions for everyone.

Never-ending storage solutions.

Windows, DTP, CAD, graphics, multimedia, databases, programming. Today's demanding software needs powerful storage—removable storage.

At Iomega, our solutions are the easiest way to share, transport and protect your data. And they never fill up. You just insert new media.

A company you can trust.

Iomega has won more awards than any other removable storage maker. And we've been doing it for nearly thirteen years.



Call 1-800-777-4045 for a free brochure.

Just pick up the phone. We'll send you all you need to know about our full line of products.

IOMEGA®

NEW!



Iomega Tape250. Five times the features for one times the price.

- Internal fits in standard 1" drive bay.
- Parallel port model available.
- The only drive that reads QIC and Irwin tapes.
- Includes Central Point™ software with Windows support.

NEW!



Iomega LaserSafe™ PRO. Rewritable 1GB magneto-optical drive.

- 35-msec seek time.
- Disks have 30-year shelf life.
- Dual-mode switch lets drive be operated as fixed or removable.
- ISO compatible, so it reads & writes to 650MB MO disks.

HDTV Presages a New Wave of Intelligent Entertainment; Computer Companies Watching

The first HDTV sets, which will offer brighter, wider, and clearer displays than that of today's TVs, will not likely start appearing in U.S. homes before the 1995-1996 time frame. Yet companies ranging from Microsoft to HBO (Home Box Office) are investigating the on-demand delivery of digital TV programs, where the HDTV not only plays the program but actually scans for programming that interests you and delivers it for viewing at your convenience.

Last December, at the HDTV and Future Television conference run by Meckler, Ltd. (+44 071 976 0405) and held in London, Nathan Myhrvold, Microsoft's vice president of advanced technology, said the company plans to help produce entertainment systems that contain computers running a version of Microsoft Windows. Users will preprogram these HDTVs to scan an electronic programming guide and select a particular type of program or movie that appeals to them. Future entertainment centers could also encompass integrated multimedia and movies in which the audience participates with and influences the outcome of a program.

With their 16-to-9 (width-to-height) aspect ratios, HDTV screens are wider than standard TV screens, which traditionally have 4-to-3 aspect ratios. And with display resolution in the range of 1920 by 1035 pixels, HDTV display resolution is much higher than regular TV's and closer to that of a 35mm film.

HDTV is important to an on-demand information delivery, because it offers picture resolution that's sharp enough to clearly display text. Because most of the new HDTV sets will have considerable built-in digital logic, they will take a more active role in entertainment delivery than do today's passive TVs. With standard, smaller picture TV, screen real estate is at a premium. But HDTV screens are rarely less than 32-inches diagonal in size, which should allow enough room for the TV picture, with menus and status indicators at one side of the screen.

Since 1989, Japan has pioneered HDTV broadcasting with daily transmission. Junji Matsuzaki, director of the HDTV division of NHK Broadcasting, Japan, says that "100,000 Japanese households can now receive NHK's HiVision HDTV satellite broadcasts." In Europe, programs from the 1992 Summer Olympics in Spain were transmitted using the HD-MAC (High-Definition Multiplexed Analog Components) standard. In the U.S., four all-digital systems for terrestrial broadcast HDTV have been proposed to the FCC, which is expected to choose its standard before the end of the year.

Myhrvold said cable TV systems will likely be the primary providers of interactive HDTV programming in the U.S. He adds, "If you already have digital transmission with cable TV systems, why not [offer] two-way capability and integrate the service with these enhanced entertainment systems?" Robert M. Zitter, senior vice president of HBO's Technology Operations Division, said that in early 1994, direct satellite-to-home broadcasting will start in the U.S., which should help accelerate HDTV's acceptance.

HDTV is already starting to make inroads into high-end graphics displays. Supremac Technologies (Sunnyvale, CA) and Intelligent Resources (Arlington Heights, IL) have released video cards that let you connect an HDTV monitor to a Mac. HDTV systems are expensive, but Larry Thorpe, vice president, production technologies, Sony Advanced Systems division (Montvale, NJ), expects the price of the monitors to come down as they become more widely used. NHK Broadcasting's Matsuzaki-san believes that the average 32-inch HDTV set will fall in price below 500,000 yen (about US\$4000) this year.

—Trevor Marshall

NANOBYTES

Researchers at **Bellcore Labs** (Red Bank, NJ) say they have created experimental prototypes of a rechargeable lithium-ion battery that could result in AA-size batteries that can run about three times longer than current products. Researchers had known that rechargeable batteries could be improved with lithium-based technology, but safety and environmental problems with using pure lithium metal prevented lithium-based batteries from entering the marketplace. Bellcore scientists say they eliminated these problems by replacing the highly reactive lithium metal with lithium compounds and graphite. □

Next Computer hopes to boost sales into the European-finance and public-service markets through an agreement signed with Norwegian server-supplier Dolphin Server Technology. Steve Jobs, Next CEO, announced in London that Dolphin will sell Next workstations as clients for its Unix-based server workstations. Dolphin will license the Database Kit in NextStep 3.0 and the Net-Info administration software. □

At the Technologic Partner's Personal Computer Outlook conference, the following interchange took place between moderator




Richard Shaffer and Vern Raburn, chairman of Slate, which develops pen-based applications:

Shaffer: So, Vern. What's happened this

year [1992] in pen computing? Raburn: Nothing happened in pen computing! That's the problem. □

Delivering the Power: WATCOM C9.0/386

- ▶ **The Widest Range of 32-bit Intel x86 Platforms**
32-bit DOS, 32-bit Windows, OS/2 2.0, AutoCAD ADS
- ▶ **The Industry's Leading Code Optimizer**
Advanced global optimizer with new 486 optimizations
- ▶ **The Most Comprehensive Toolset**
Debugger, profiler, protected-mode compiler and linker, 32-bit DOS extender with royalty-free run-time, licensed components from Microsoft SDK, and more
- ▶ **The Best Value in 32-Bit Tools: \$895***



Unleash 32-bit Power!

WATCOM C9.0/386 lets you exploit the two key 32-bit performance benefits. The 32-bit flat memory model simplifies memory management and lets applications address beyond the 640K limit. Powerful 32-bit instruction processing delivers a significant speed advantage: typically at least a 2x speedup.

You Get:

- ▶ 100% ANSI and SAA compatible compiler and libraries C9.0/386 passes all Plum Hall Validation Suite tests
- ▶ Extensive Microsoft compatibility simplifies porting of 16-bit code
- ▶ Royalty-free run-time for 32-bit DOS, Windows and OS/2 apps
- ▶ Comprehensive toolset includes debugger, linker, profiler and more
- ▶ DOS extender support for Rational, Phar Lap and Ergo
- ▶ Run-time compatible with WATCOM FORTRAN 77/386

32-bit DOS support includes the DOS/4GW 32-bit DOS extender by Rational Systems with royalty-free runtime license

- ▶ Virtual Memory support up to 32Mb

32-bit Windows support enables development and debugging of true 32-bit GUI applications and DLLs.

- ▶ Includes licensed Microsoft SDK components

32-bit OS/2 2.0 support includes development for multiple target environments including OS/2 2.0, 32-bit DOS and 32-bit Windows

- ▶ Access to full OS/2 2.0 API including Presentation Manager
- ▶ Integrated with IBM Workframe/2 Environment

AutoCAD ADS and ADI Development: Everything you need to develop and debug ADS and ADI applications for AutoCAD Release 11

Novell's Network C for NLN's SDK includes C/386

The Industry's Choice.

Autodesk, Robert Wenig, Manager, AutoCAD for Windows:

"At Autodesk, we're using WATCOM C/386 in the development of strategic new products since it gives us a competitive edge through early access to new technologies. We also highly recommend WATCOM C/386 to third party AutoCAD add-on (ADS and ADI) developers."

Fox Software, David Fulton, President: "FoxPro 2.0 itself is written in WATCOM C, and takes advantage of its many superior features. Optimizing for either speed or compactness is not uncommon, but to accomplish both was quite remarkable."

GO, Robert Carr, Vice President of Software: "After looking at the 32-bit Intel 80x86 tools available in the industry, WATCOM C was the best choice. Key factors in our decision were performance, functionality, reliability and technical support."

IBM, John Soyring, Director of OS/2 Software Developer Programs: "IBM and WATCOM are working together closely to integrate these compilers with the OS/2 2.0 Programmer's Workbench."

Lotus, David Reed, Chief Scientist and Vice President, Pen-Based Applications: "In new product development we're working with WATCOM C because of superior code optimization, responsive support, and timely delivery of technologies important to us like p-code and support for GO Corp's PenPoint."

Novell, Nancy Woodward, V.P. and G.M., Development Products: "We searched the industry for the best 386 C compiler technology to incorporate with our developer toolkits. Our choice was WATCOM."

WATCOM

1-800-265-4555

The Leader in 32-bit Development Tools

415 Phillip Street, Waterloo, Ontario, Canada. Telephone: (519) 886-3700. Fax: (519) 747-4971. *Price does not include freight and taxes where applicable. Authorized dealers may sell for less. WATCOM C and Lightning Device are trademarks of WATCOM International Corp. DOS/4G and DOS/16M are trademarks of Rational Systems Inc. Other trademarks are the properties of their respective owners. Copyright 1992 WATCOM International Corp.



Popular 486 Sees High Demand in Europe

LONDON—Europe faces a potential shortage of 486 chips in the first quarter, with vendors saying that Intel has warned that those without a consignment on order should not expect to obtain parts early this year. The processor family is in heavy demand due to a larger-than-expected need for the 486 family and the rush of vendors wanting to deliver low-cost 486-based PCs, said Nick Wood, Intel's technical marketing manager at Intel U.K. Companies that buy 486 chips on the open market—in particular, through the so-called "gray" market from other PC makers—may face a tough time, Wood conceded.

"A significant change in demand for 486s started in Q3 last year, compounded

by the market reaching an overall size of 30 million units [for all PC processors worldwide], compared to a Dataquest forecast of 23 million," Wood said. "Q1 will be tough, but we should be able to meet all market requirements." About 60 percent of PCs now shipping are 486-based, Wood added.

Chris Bakolas, Dan Technology's technical director in the U.K., confirmed that Intel was warning vendors about potential 1993 shortages as long ago as October 1992. Michael Spiro, financial director of direct-vendor Elonex, said PC vendors that buy their 486s through the U.K. chip distribution channels may not get enough chips. Chip shortages could recur later this year.

—Dom Pancucci

IBM No Ostrich in Anticipation of NT, Cairo

While Microsoft readies Windows NT, IBM is busily preparing OS/2 2.1. John Patrick, vice president of marketing and sales for IBM's Personal Software Products division, said IBM hopes its 5000-site beta test of OS/2 2.1 will help it avoid mistakes made with version 2.0. The haste with which IBM released OS/2 2.0 resulted in about 200 bugs.

Version 2.1 will have seamless support for Windows 3.1 standard mode (with extra drivers for printers and other hardware), the 32-bit graphics engine, and bug fixes. It will also have 256-color XGA and Super VGA drivers, Advanced Power Management support, PCMCIA-card enabling, pen support, a fax send/receive applet, and for Win-OS/2 users, the Windows File Manager and TrueType fonts. What's missing is seamless support for IBM's 8514 graphics standard. "All in all, it's the best beta I've seen to run with all these features,"

said Steve Mastrianni, president of Personal Systems Software (Unionville, CT).

IBM's PSP division is not focusing its development efforts solely on the 32-bit Intel version of OS/2, however. Patrick said the company is targeting a "Workplace Shell-like" GUI-based version of PC-DOS—tentatively called Workplace DOS—at users of 286 and lower-end 386 systems. IBM may come out with pen extensions for this PC-DOS and a ROM version of Workplace DOS. IBM also expects to go into beta test this year with a version of OS/2 running on the Mach microkernel.

Also, Taligent spokeswoman Loretta Stagnetto said that the company hopes this year to announce business and product strategies for the microkernel-based, object-oriented operating system it hopes will win out over Microsoft's upcoming Cairo and other systems.

—Ed Perratore

Intel Faces Competition on Low and High End

BURLINGAME, Calif.—Smaller Intel-clone chip makers AMD (Sunnyvale, CA) and Cyrix (Richardson, TX) are upbeat in their assessments about their ability to compete. At the Technologic Partner's Personal Computer Outlook conference, executives from AMD, Cyrix, Sun Microsystems, and AST Research concluded that despite the massive Intel Inside campaign, most users don't care about processor name brand, provided the chip is 100 percent compatible and performs well.

Cyrix's CEO Jerry Rogers said that as a fabless chip maker, Cyrix has concentrat-


ed on its strengths and enlisted the aid of Texas Instruments. Subodh Taprani, AMD director of marketing and systems, said AMD has seen strong demand for its 386 chips, noting that it set a record for its 386 unit sales during the third quarter of last year. AMD plans to release a 486-compatible chip later this year.

As Intel prepares to unleash the first Pentium processors and move its user base from the 486 to its next-generation processor, it faces competition from the likes of the Mips R4000 and DEC's Alpha microprocessor.

—Patrick Waurzyniak

NANOBYTES

In an ironic twist of fate, Borland International founder **Philippe Kahn** blames Microsoft for starting a price war that he said forced



Borland to lay off 350 people—15 percent of his company—two weeks before Christmas.

"It's painful, it's no fun, but we have to do it," said Kahn.

"Microsoft has been extremely aggressive, and we think there will be more price wars in the future." Kahn attacked Microsoft's pricing strategy for Access, a Windows database program introduced last November. Kahn said Microsoft mailed literature that advertised Access at \$695 and then slashed the introductory price to \$99. Ironically, Borland used a similar strategy a few years ago when introducing Quattro Pro. Observers said that things would not be so bad for Borland had it not been so late in releasing its Paradox for Windows (which should be released by now) and dBase for Windows (slated for mid-1993 release). □

Microsoft (Redmond, WA) denies that its \$99 introductory offer for Access was a cruel attempt to squash Borland. Charles Stevens, general manager of Microsoft's Database and Programmability Group, told BYTE that Microsoft was only trying to establish a new database program in an entrenched market. Nevertheless, users report that the first version of Access could have benefited from code optimization. One user complained that Microsoft technical support recommended that he upgrade his 40-MHz 386 machine to at least 8 MB of RAM to achieve acceptable performance. This despite the fact that Microsoft's Access box reads that the program runs on a 386SX with 2 MB of RAM; "4 MB [of RAM] recommended." □

Finally, full-motion video for your PC.

Now you can create full-motion video and multimedia presentations right on your desktop PC with Video Blaster™ hardware and Microsoft® Video for Windows™ software. Everything you need is right in the Video Blaster box.

Complete video hardware PLUS full-motion multimedia software...

Video Blaster lets you capture, freeze, store, manipulate and export fully-scalable digital video images from as many as three sources (both PAL and NTSC).

Video for Windows software adds Windows-compatible, Audio-Video Interleave (AVI) format to your Video Blaster hardware. So you can now capture and store full-motion video and incorporate it into OLE-compatible applications.



**MacroMind
Action! for
Windows.**

Use the two together to produce and edit full-color digital video sequences in a resizable window. Combine still and moving video with computer-generated graphics and animation, or overlay text and graphics onto live video. With just these tools and a video source, you've got an entire multimedia video studio on your desktop.

To add CD-quality 16-bit stereo sound and on-screen digital mixing, just plug in a Sound Blaster™ 16 ASP™ or other Sound Blaster audio card. Your presentations will sound as good as they look.

Included in your Video Blaster package is over \$1500 in software—including Macromind Action!™ and Temptra™ presentation packages for DOS or Windows environments. Plus Creative Labs'®



*Microsoft Video for Windows:
puts the power of full-motion digital
video onto your PC screen.*



Video Kit for special effects and JPEG compression software to store images in a fraction of the disk space required by other PC video systems.

...all in one package.

It's the complete multimedia authoring and editing solution. Everything you need to




*Special Edition
Temptra GIF and
SHOW: for DOS.*

get rolling with full-motion multimedia video... and all at a price you can afford.

For more information and the name of your nearest dealer, call 1-800-647-9933.

**Creative Labs and Microsoft
team up to offer state-of-the-art
PC video for less than \$500.***



Microsoft
**VIDEO
FOR WINDOWS**


**Video
BLASTER**

CREATIVE
CREATIVE LABS, INC.



*MSRP \$499.95. If MS Video for Windows is not included in your Video Blaster package, a copy can be sent to you at a special offer price. Call 1-800-647-9933. ©Copyright 1992 Creative Labs, Inc. Video Blaster, Sound Blaster, and ASP are trademarks of Creative Labs, Inc. All other trademarks are owned by their respective companies. International inquiries: Creative Technology, Ltd. Singapore, TEL 65-733-0233 FAX 65-773-0353.

Circle 170 on Inquiry Card.



Since the beginning of time, people have been obsessed with reaching ever increasing rates of speed. So what else is new with Microsoft FoxPro 2.5?



Plenty. For starters, the new Microsoft® FoxPro® 2.5 for Windows™ has a rich and productive environment with an intuitive graphical interface.

So it's never been easier for you to use and develop powerful database applications.

Plus there's a virtual hardware store of tools for both developers and users.

For developers, there are professional tools like Trace and Debug windows, Project Manager, Menu Builder, Screen Builder, and Report Writer. And each one is designed to help you create the most powerful applications possible.



Microsoft FoxPro version 2.5 is the fastest PC database management system available today.*

For users, there are lots of handy tools that make it easy to do complex database tasks without programming. Like Relational Query By Example (RQBE), which allows you to build and see queries instantly. Or the graphical Browse tool, an intuitive way to view data.

And with the arrival of FoxPro 2.5 for both the Windows and MS-DOS® operat-

ing systems (and soon for the Macintosh® and UNIX®), you can have the most powerful and most graphical Xbase applications across all major PC platforms.

And if you are thinking about migrating to Windows in the future, have no fear. Microsoft FoxPro for Windows will easily run all your FoxPro 2.0 files.

But no matter which platform you choose, you can count on the new Microsoft FoxPro 2.5 to provide you with the fastest PC-based database management system available today.

For additional information, just zip on over to your nearest reseller, or call us at (800) 882-2000, Dept. JF7. We'll be more than happy to tell you all the ways Microsoft FoxPro 2.5 for Windows can get your adrenaline pumping.



FoxPro 2.5 takes advantage of Windows and allows you to create dazzling applications.

Microsoft
Making it easier

First Showing for 64-Mb DRAMs

MUNICH—Attendees of the Electronica trade expo were treated to previews of 64-Mb DRAMs. These memory chips will be a major factor in the hardware implementation of bit-hungry digital image-processing and transmission applications, which look set to dominate the computer, telecommunications, and consumer markets into the next century.

The chips were shown by Korea's Samsung Electronics, which claims to have wrested world leadership in DRAM production from its Japanese competitors, and by the partnership comprising Germany's Siemens Nixdorf and U.S.-based IBM.

The Samsung chip is based on 0.35-micron CMOS technology. Improvements in performance and reliability will be carried out through 1994, when engineering sampling will begin, said the firm. Commercial sampling is scheduled for 1995, and volume production is planned for the

same year. Using a price projection of \$600 per chip, Samsung cited a Dataquest forecast that the market for 64-Mb DRAMs would be worth \$7 million in 1995 and \$2.1 billion in 1997 and would then soar to \$7.5 billion in 1998.

More low-key was the decision by IBM and Siemens to show, at the latter's Electronica booth, an 8-inch wafer comprising 64-Mb DRAMs that the two firms manufactured jointly at IBM's East Fishkill (New York) facility. Ulrich Schumacher, memory product manager for the German firm since October 1992, told BYTE that "development work on the 64-Mb DRAM in partnership with IBM is proceeding according to plan. In the meantime, work on the 256-Mb DRAM [by Siemens] has commenced with IBM and Toshiba, with preliminary results not expected until the end of 1994."

—Raymond Boult

Europe Struggles with Piracy Definitions

LONDON—Pan-European computer companies are being forced to review their antipiracy procedures across Europe because different EC (European Community) states are implementing the centrally agreed legislation in different ways and at different times.

The deadline for passing the EC directive on copyright protection and building it into national law was January 1, but many countries have missed this target. Despite extensive argument during the drafting of the central directive, each country has since reworked the document to fit their traditional style of statute. "The directive from Brussels was wrought after such heated debate that it was felt it would be wrong for member states to paraphrase it," said Vanessa Marsland, chairwoman of the legal advisory group for the U.K.'s FAST (Federation Against Software Theft). This has already happened, however, leading to slight differences in key definitions such as originality, interoperability, and the restrictions on practices such as decompilation (i.e., reverse engineering).

There are also discrepancies between the directive's and the specific country's definitions of a "computer program" and in the areas of expression versus ideas, which proved such a crucial point in the famous Microsoft/Apple interface battle. These differences will be tempered by the fact that national law has to be interpreted by judges in the spirit of EC law. Neverthe-

less, the different implementations of the EC legislation will require careful study by companies in the U.S. and Japan wishing to do business in Europe.

According to Marsland, certain amendments in the EC directive could inconvenience suppliers more. "A quirk of the wording [paragraph 5.1 of the directive] may mean [current user] agreement licenses need rewriting. There is a question now over whether things which are not prohibited are permitted," she said. The combination of the EC directive and each country's implementation will likely keep international counsels for companies busy.

The U.K. government has received joint complaints from the Software Publishers Association, the Business Software Alliance, and FAST about the proposed form of the U.K. statute.

Neil Goldman, international counsel for Lotus Development, said, "We are hoping that none of the slight variations will compromise the EC standards. But we have delayed bringing legal action in some countries because some are slower than others at putting the law in place." Currently, the Business Software Alliance is pursuing an active campaign against software piracy worldwide. In Europe, the worst offenders are Spain, Italy, and Portugal, according to industry trade associations. Spain is not expected to amend its copyright laws until mid-1993.

—Louise Cole

NANOBYTES

DEC says that nearly 900 technical and commercial applications from 400 software developers have been announced so far for DEC OSF/1 for AXP, OpenVMS AXP, and Windows NT on Alpha AXP systems. Of the 900 applications, 400 should be released by March, according to **Marion Dancy**, director of the Alpha AXP Applications Program. Sarah Miller, spokeswoman for DEC, said the application breakdown is about 500 for OpenVMS AXP, 300 for the 64-bit OSF/1 for AXP, and 75 or 100 for Windows NT. The numbers do not include DEC's own applications or custom applications being ported to Alpha using DEC's binary translators and compilers. □

Demand for Intel's 486 pushed the company's fourth quarter revenue to a record **\$1.86 billion**. Net income for the quarter was \$429 million, compared to \$189 million for the same quarter in 1991. Vinod Dham, general manager for Intel's microprocessor division, told BYTE that for 1993, Intel's volume processor will be the 486—not the Pentium. □

IBM has recalled two former top executives from retirement to advise the company as it tries to climb out of a slump. **Paul Rizzo** and **Kaspar Cassani**, both formerly vice chairmen of IBM, will advise chairman John F. Akers as counselors and advisers. IBM says it will eliminate 25,000 jobs this year—possibly through its first-ever layoffs. IBM blamed a sharp drop in European sales in recent months for its worsening financial results. □

Computer maker **Everex Systems** (Fremont, CA) has filed for voluntary protection from creditors under Chapter 11 of the Bankruptcy Code. CEO Steve Hui had resigned, and Everex has pared its workforce to less than 900 employees from the 2100 people it employed about a year ago. □

What a 15" Monitor Should Be

Our New Generation

ViewSonic 15 monitor features color temperature control and exceptional clarity.

And it boasts of an ultra high 76Hz refresh rate at 1,024 x 768 which exceeds the tough ISO-9241-3 requirements for a flicker-free image. The larger flat square screen provides reduced distortion along with a full edge-to-edge image. For a brighter, crisper image the ViewSonic 15 offers Invar Shadow Mask technology and digital controls with 26 user-programmable modes.

The new ergonomically designed drop-down control panel is as easy to use as a keyboard, which makes it great for adjusting image size, position, color and pin cushioning.

This monitor is compatible with all current video standards from VGA up to 1,280 x 1,024 non-interlaced, and is certified to meet strict Swedish MPR-II low radiation standards.

**The ViewSonic 15 ...
everything you expect in
a 15" monitor.**



The ViewSonic 15

Color control

Exceptional clarity

Larger screen

Easy and safe to operate

Flicker-free performance

ViewSonic®

For Information Call (800) 888-8583

20480 Business Parkway, Walnut, CA 91789, (909) 869-7976, Fax: (909) 869-7958. All products and brand names are registered trademarks of their respective companies.

Circle 161 on Inquiry Card (RESELLERS: 162).

FTC Ready to Rule on Microsoft

The FTC has completed its antitrust probe into the business practices of Microsoft and concluded that the company engaged in anti-competitive behavior, says a report in *Business Week*; FTC staffers are preparing recommendations that include breaking the company up into smaller pieces and establishing a "wall" between its operating-system and applications divisions.

Microsoft continues to post big profits while other software companies struggle. Although this does not mean that Microsoft's success is due to anticompetitive behavior, competitors say Microsoft can subsidize its applications development with revenues from its operating-system operations, and that its applications people can benefit from early details of an operating system.

"It's always been true the more you knew about the operating system, the better you could make your apps," said Fred Gibbons, CEO of Software Publishing. "There's no

way on God's green Earth that I can believe that Microsoft didn't have an unfair competitive advantage by being in the operating-system and the apps business."

Microsoft argues, however, that a company that is creative and aggressive can succeed in the market and offers companies like Adobe and Intuit (maker of the Quicken personal-finance manager) as examples. "We're competing with Microsoft and doing very well," said Kevin Harvey, president and CEO of Approach Software, makers of a Windows database package.

"Microsoft is a brilliant company run by a brilliant individual. Bill Gates is the Henry Ford of this half century," Gibbons said. But Gibbons added he wished Microsoft would do everything within its power to make sure that its applications division gets the same information at the same time as independent vendors.

—Dave Andrews and
Patrick Waurzyniak

Portable Documentation Accelerating SGML

Worldwide revenues for products related to SGML, the Structured Generalized Markup Language established by the ISO in 1986 and adopted by the U.S. Department of Defense, will more than double by 1995, according to InterConsult (Arlington, MA, (617) 646-9600), a market-research firm specializing in the computer-publishing market (see the figure). The study predicts that the steady growth for SGML-based software is due in


part to the shift toward electronic delivery of massive amounts of documentation required in manufacturing, military, telecommunications, and service fields.

Louis R. Reynolds, president and CEO of Electronic Book Technologies (Providence, RI, (401) 421-9550), said SGML offers an open standard that lets users access hypertext documents under multiple operating systems like Windows, DOS, Unix, and the Mac. With the growing acceptance of CD-ROM, companies can put the equivalent of several large, complicated manuals on a single CD. "The hardware technology [for portable computing and remote access] is becoming cost-effective and available," he said. "It's driving the whole industry to electronic delivery."

Control Data Systems announced it will use EBT's DynaText electronic-book publishing and delivery system to convert its paper documentation to electronic manuals, joining Novell and Silicon Graphics as EBT users. Reynolds predicts that within two to three years, applications will be supporting SGML on a wide scale. For example, a word processor's Save options will include SGML as well as options like ASCII. "Electronic books are potentially bigger than spreadsheets," Reynolds said. "Think of it this way, how many people play with spreadsheets and how many people read books or reference manuals?" ■

—Dave Andrews

SGML ON THE MOVE



InterConsult's worldwide SGML-specific software revenue figures include parsing, composition, auto-tagging, and SGML integration programs for workstations and mainframes.

NANOBYTES

Novell has signed a letter of intent to acquire **Unix System Laboratories**, the subsidiary of AT&T that provides the Unix operating system and related software and services. The acquisition is expected to be completed by the end of March. Ray Noorda, president and CEO of Novell, said the acquisition is being done at the "urging of customers" who have asked Novell to "support the Unix system directly and integrate it more fully within the NetWare environment." Analysts said the announcement illustrates the importance of Unix systems in downsizing business applications to computer networks and shows how seriously Novell regards the potential challenge of Microsoft's unreleased Windows NT operating system. □

Users depending on Microsoft for "mission-critical" project management were dismayed to learn last year that a bug in **Microsoft Project 3.0** causes file corruption. Microsoft technical support acknowledges that a serious bug will cause file corruption on large projects using shared resources. If users save often, the software doesn't relinquish memory properly. What the company calls a "memory leak" eventually crashes the program with a protection fault. Microsoft says its developers are aware of the bug. A maintenance release that fixes the problem was due in mid-February. □

WordPerfect is finalizing beta testing on a program called **IntelliTag** that converts WordPerfect documents into SGML (Structured Generalized Markup Language). You can use IntelliTag to convert other word processors' files into WordPerfect 5.1 format and then into SGML. A Unix version (expected price is \$495 for one user) is slated for release for Sun Sparcstations in the February/March time frame. A DOS version is planned for June release, says a WordPerfect representative. ■


“You mean I can order
from IBM
over the phone?”



PS/ValuePoint™
433DX

i486™DX/33 MHz
120MB hard drive
8MB RAM
Pre-installed OS/2® 2.0 (with
DOS and Windows™ built in)
6312 SVGA NI 14" color display
3.5" diskette drive
IBM mouse
Internal i487™ math
coprocessor
128KB L2 cache
8KB internal cache
1MB Video DRAM
Industry standard compatibility
Networkable
5 slots/5 bays

\$1,999*



Welcome to IBM Direct.



PS/ValuePoint 466DX2

i486DX2/66 MHz
212MB hard drive
8MB RAM
Pre-installed OS/2 2.0 (with
DOS and Windows built in)
6319 SVGA NI 15" color display
3.5" diskette drive
IBM mouse
Internal i487 math coprocessor
128KB L2 cache
8KB internal cache
1MB Video DRAM
Industry standard compatibility
Networkable
5 slots/5 bays

\$3,119*

*"It's everything I
need now...and
Novell®-certified..."*

*"It's not just
slots and bays...
It gives me
lots of choices.
And that
feels great."*



PS/ValuePoint 325T

386SLC™/25 MHz
80MB hard drive
2MB RAM
Pre-installed DOS 5.0
PS/2® 8511 VGA color display
3.5" diskette drive
IBM mouse
5 slots/5 bays
IBM enhanced keyboard
Industry standard compatibility

\$1,299*



*"Three things
hit me right off.
Incredible power.
Blazing speed.
And getting
a lot without
paying a lot."*

Every detail says IBM,



ThinkPad 300[†]

386SL/25 MHz
80MB hard drive
4MB RAM
DOS 5.0 pre-installed
Integrated STN LCD display
3.5" diskette drive

\$2,335*




ThinkPad™ 700C[†]

486SLC/25 MHz
120MB hard drive
4MB RAM
DOS 5.0 and PRODIGY®^{††}
pre-installed
10.4" active matrix
color display
3.5" diskette drive
TrackPoint II™, an integrated
pointing device
Full-size keyboard, 84 keys
NiMH rechargeable
battery pack
Removable hard disks
Slip-in IC DRAM cards
for memory
Up to 16MB memory, system
maximum

\$4,139*

*"No more mice
scurrying
around...This
TrackPoint II
is one hot
little button."*



*"Wow! It's the
biggest color
screen I've ever
seen."*

IBM Direct

Buy IBM by phone.

Quality, service, selection and price—just call IBM Direct. It's that easy to get IBM PC products delivered right to your door. Or for more information on IBM products, call our automated fax system at 1 800 426-3395.

Choose the best way to pay.

Easy payment methods—American Express, VISA, MasterCard, Discover card or personal check. Personal checks are subject to credit approval. Purchase order is available for qualifying customers.



Hundreds of IBM products.

The IBM Direct catalog highlights a broad range of other products such as application software, storage devices, memory options, connectivity adapters and much more. In addition, our 40-page catalog features other IBM PS/ValuePoint and ThinkPad configurations. And if you want a PS/ValuePoint system with DOS and Windows only, that is also available on certain configurations.

The HelpWare™ Advantage.

- One-year, on-site warranty for PS/ValuePoint products and ThinkPad 300.
- Three-year international warranty for ThinkPad 700 and 700C (in U.S., first year on-site).
- 24-hour 800# assistance, 7 days a week¹
- 4-hour service response time, on average²
- 24-hour Bulletin Board and Automated Fax
- Hassle-free, 30-day money-back guarantee³
- Plus 10,000 IBM service representatives at 1,600 locations backed by a \$1 billion parts inventory

¹ At no additional charge during warranty.

² Available Monday through Friday 8 am-5 pm in your time zone, when serviced by IBM. If parts are required, this service is provided after receipt of parts shipped overnight. Applies to IBM Direct sales only.

³ Warranty and 30-day guarantee information available from IBM and IBM authorized dealers. Please call 1 800 426-2968 for details regarding IBM's money-back guarantee and limited warranty. Copies of the terms of IBM's money-back guarantee and limited warranty are available upon request.

* IBM prices only. The offerings, prices and products are subject to change or withdrawal without prior notice. Products you acquire may not be counted under any existing Volume Purchase Agreement. The same offerings and products may be available through IBM Authorized Remarketers. Remarketer prices may vary. Shipping and handling charges are extra.

[†] ThinkPad 300 and 700C systems and options are manufactured in Japan. PS/ValuePoint 6312, 6314 and 6319 Color Displays are manufactured in Korea.

^{††} PRODIGY will not run without a modem. A modem is not included with the ThinkPad 700C. A customer who acquires the ThinkPad 700C and a modem which operates at a speed below 9600 bps may contact Prodigy to obtain a One-Month Free Trial Membership.

When calling, please reference X213BYTE.

except the price.

CALL TO ORDER TODAY
1 800 IBM 2YOU

1 800 426-2968 8am-9pm EST Monday-Friday

Circle 110 on Inquiry Card.

"And with one phone call I can get all this, too?"



Catalog

For handy reference and comparison shopping, the IBM Direct Catalog is a comprehensive source for a broad range of products available through IBM Direct.

Free



IBM LaserPrinter

An IBM LaserPrinter 6 delivers up to 6-pages-per-minute performance, 300 dpi resolution for sharp images, and a variety of built-in type fonts.

\$1,510*

You bet. And much more. This page offers just a sampling of the more than 250 advanced technology products IBM Direct offers to help you keep pace with your changing computer needs. From IBM desktops, ThinkPads and displays to adapters, peripherals, software, network connectors, even multimedia options. Just give us a call. We'll be glad to guide you to the IBM products most appropriate for your needs. We can also provide you with accurate specifications and answer any questions you may have.

ThinkPad 700 and 700C Options

	Price*
Data/Fax Modem (2400 bps/9600 bps)	\$285
IBM PS/2 8MB IC DRAM Card	\$905
IBM ThinkPad 486SLC2 Processor Upgrade	\$549

ThinkPad 300 Options

Data/Fax Modem (2400 bps/9600 bps)	\$330
Port Replicator	\$120

Operating Systems and Application Software

DOS 5.0, Stacker V2.0 and 386MAX 6.0	\$135**
OS/2 2.0, Upgrade from DOS	\$ 99
WordPerfect® 5.1 for DOS	\$355
Lotus® 1-2-3® for DOS	\$355
Microsoft® Excel™ 4.0 for Windows	\$335
Lotus Freelance Graphics® for OS/2	\$425

Non-IBM programs are licensed under the manufacturer's, supplier's or publisher's terms and conditions.

**Promotional price. Offer good until 3/31/93. Offer may be modified or withdrawn at any time.

LAN Communications

Token Ring Network 16/4 Adapter for AT Bus	\$535
EtherCard PLUS Elite 16 Combo™	\$195
PC LAN Program 1.3	\$185
NetWare® V3.11 (5 User)	\$720
IBM OS/2 LAN Server 3.0, Entry	\$505

Printer and Printer Options

IBM Personal Printer Series II, 2390	\$385
IBM ExecJet® Printer, 4072	\$775
500-Sheet Second Drawer for 4019(E), 4029	\$295
PostScript® Option for 4019(E), 4029	\$335

Technical support for IBM printers is provided by Lexmark™ International, Inc.

PS/ValuePoint Displays

IBM 6312 Color Display	\$405
IBM 6314 Color Display	\$530
IBM 6319 Color Display	\$660



Expansion Unit (Docking Station)

The 3550 Expansion Unit for ThinkPad 700 and 700C gives you two slots and one bay, and accommodates 5.25-inch or 3.5-inch SCSI devices.

\$859*

IBM OS/2, PS/2 and ExecJet are registered trademarks of International Business Machines Corporation. PS/ValuePoint, SLC, ThinkPad, TrackPoint II and HelpWare are trademarks of International Business Machines Corporation.

The Intel Inside Logo, i486 and i487 are trademarks of Intel Corporation. Lexmark is a trademark of Lexmark International, Inc. Windows and Excel are trademarks of Microsoft Corporation. EtherCard PLUS Elite 16 Combo is a trademark of Standard Microsystems Corporation.

Novell and NetWare are registered trademarks of the Novell Corporation. PRODIGY is a registered service mark and trademark of Prodigy Services Company. WordPerfect is a registered trademark of WordPerfect Corporation. Lotus, 1-2-3 and Freelance Graphics are registered trademarks of Lotus Development Corporation. Microsoft is a registered trademark of Microsoft Corporation. PostScript is a registered trademark of Adobe Systems Incorporated.

©1993 IBM Corp.

When calling, please reference X213BYTE.

IBM Direct

CALL TO ORDER TODAY
1 800 IBM 2YOU

1 800 426-2968 8am-9pm EST Monday-Friday

Circle 111 on Inquiry Card.

HIGH-TECH OPPORTUNITIES ABOUND

NEW DELHI—India, the country that introduced the world to the decimal system and the use of the numeral 0, is still far from being a serious player in the computer industry. According to *Dataquest*, an Indian computer magazine, total revenue generated by the Indian computer industry passed the US\$1 billion mark for fiscal year 1991–92. This may sound like a staggering figure for a country whose GNP is only \$450 billion, but it is a drop in the bucket compared to the global information-technology market.

To encourage growth, the Indian government has recently adopted a more liberal policy that makes it easier for foreign companies to set up high-tech industries in India. The government is emphasizing domestic manufacturing. It is discouraging imports by imposing a crushing import duty of more than 100 percent for hardware and 70 percent for software. According to many sources, hardware manufactured in India is as robust as any available. However, the most popular operating systems are the U.S.-developed DOS and Unix-on-Intel operating systems, with Microsoft Windows catching up rapidly.

India, with a population of 870 million, is the second most densely populated country in the world, and it presents a huge consumer market. An educated middle class of about 300 million is an unexplored market that will become hungry for PCs if the prices are low enough. A cutthroat competition among Indian vendors has already resulted in price-cutting that saw an average PC drop in price by more than 50 percent. Even with that reduction, a 386 system sells for about \$3300; a 486 system sells for about \$4900.

The Indian government is looking for foreign companies to invest in the capital-hungry computer market and thus create more competition. If U.S. and European hardware vendors are not quick to react to the recently liberalized foreign-investment policy in India, they will lose the opportunity to fill the gap between supply and demand of PCs in India.

A country with more English-speaking people than there are in England, India offers an inexpensive but talented pool of 140,000 software professionals. The South Indian city of Bangalore, also called the Silicon Valley of India, has more than 300 software houses that export software to other countries. Primarily, though, such ventures deal with applications software and turnkey projects only.

Public schools in India follow the “catch them young” philosophy. According to Jaya Narasimhand of the Modern Public School in Delhi, Logo programming is taught

in elementary schools beginning with the fourth grade. Students in the ninth and tenth grades learn BASIC, and eleventh- and twelfth-grade students advance to Pascal.

In a few years, this emerging class of affluent and computer-literate students will create a great demand for computers. These future entrepreneurs, whose parents are already well established in business, will do nothing short of launching a massive computerization of their businesses. But the Indian computer industry is not ready to meet this demand. This creates a hotbed of opportunities for U.S. and European companies that are interested in investing in high-tech industries abroad.

There are hurdles, however. The telecommunications system is still in a primitive state. It takes anywhere from one to two years to get a telephone connection—if you are lucky. In spite of these obstacles, the National Information Center, a department of the Planning Commission of the Indian government, has installed a satellite-based network connecting 470 districts in India using VSAT (very small aperture terminals) technology. According to Dr. N. Vijayaditya, the deputy director general of NIC, “It is the largest satellite-based network outside the U.S.”

Major international hardware and software vendors like Hewlett-Packard, DEC, Olivetti, Intel, Lotus, Honeywell, Unisys, Motorola, and Microsoft already have a presence in India, whether through joint ventures with Indian companies or through local outlets for export purposes. However, India is still largely a market waiting to be discovered. ■

India's emerging class of computer users will create a great demand for computers



Jay Ranade is the series editor in chief for McGraw-Hill's books on the subjects of IBM, DEC, computer communications, and workstations. He has written more than 10 books and edited more than 100 books in this series.

sers, Wake Up ne Windows.

CA-dBFast includes Windows interface objects for pull down menus, push buttons, radio buttons, check boxes, scrolling list boxes, bit-mapped graphics and more.

The runtime compiler can produce client-server applications that support Novell Netware, LAN Manager, LANtastic and any Net-BIOS compatible LAN system.

There's only one database that can take .DBF files into Windows: CA-dBFast.

Support for standard Xbase file formats also includes .NTX, .FRM and .LBL files.

The Editor can now support up to 10 open documents at once — with the look and feel of Windows word processing.

You can set and save personal preferences on Editor fonts, tab settings, colors and indentation.

A new day is dawning for millions of dBASE developers — thanks to new CA-dBFast 2.0, the first and only dBASE-compatible database and language for Windows.



CA-dBFast meets two giant needs: moving existing dBASE applications to Windows and developing dazzling new applications in record time. It's the one solution that lets you take advantage of Windows while protecting the huge investment you've made in Xbase technology.

With CA-dBFast 2.0, you get a proven, stable environment that's more visual and more intuitive than anything you've ever used. And there's no need for Microsoft's confusing, intimidating SDK, so creating applications with CA-dBFast is, true to its name, fast.

The Visual Application Designer (VAD) makes creating pull-down menus, push buttons, radio buttons, check boxes, scrolling list boxes and other Windows objects as easy as "point and click" or "drag and drop." The VAD generates the required source code, saving you hours of complex programming. You also get a debugger that's so advanced, it lets you watch your source code execute at run time — even Single Step through execution.

CA-dBFast 2.0 also includes CA-RET — an outstanding Windows-based report writer that lets you mix text, graphics and data on the same report in a full WYSIWYG environment. Creating great looking tabular reports, form letters or labels is as easy as using a word processor.

FOR A FREE DEMO DISK, CALL 1-800 CALL CAI, Ext. 190. With CA-dBFast applications, there are no license fees, royalties or key diskettes to bother with. And recipients of runtime programs don't need CA-dBFast to run the application — just Windows. CA-dBFast is also compatible with CA-CLIPPER, dBASE III Plus, dBASE IV and FoxBASE.

So whether you want to wake up old applications or build brilliant new ones, you can't afford to sleep through this revolution.

Check out CA-dBFast today.

COMPUTER ASSOCIATES
Software superior by design.

New CA-dBFast Release 2.0.

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000. All product names referenced herein are trademarks of their respective companies.

Circle 77 on Inquiry Card.

A Spring Harvest of Apple Macintoshes

TOM THOMPSON AND TOM R. HALFHILL

Six new computers redefine the Mac product line

In 1990 Apple began its major assault on the microcomputer market with six new machines. No portion of the market was left untouched: The Mac Classic II, with its black-and-white display, targeted the low-cost segment, while two 68040-based Macs, the Quadra 700 and 900, took the high-end, high-performance territory. For the on-the-go office worker, the PowerBooks—three notebook Macs with black-and-white screens—offered many features that PC notebook computers lacked. Since then, Apple has made enhancements to these product lines, such as a faster Quadra (the Quadra 950) and more powerful notebooks with gray-scale displays (the PowerBook 180 and PowerBook Duo 230).

On February 10, Apple unleashed its second wave in the market-share war. As before, the company introduced six Macs that compose a sweeping revision of its product line. Among the changes is the first compact Mac with a color screen, the first PowerBook with a color screen, and a new Quadra with a shorter mini-tower design. A newly introduced Centris series—a set of 68040-based midrange computers—is intended to replace the Mac II line. Also shown was the Mac LC III, a high-powered successor to the LC II.

With street prices likely to range from \$1000 to \$4500, these new Macs address the price-conscious segment of the microcomputer market while delivering processing power. Because low-end Macs now account for the vast majority of Apple's unit sales, we'll start at the bottom of the product line and work our way up. We looked at preproduction units of each model. Note that the prices given here are preliminary and may change by press time.

Color Classic

Low-cost computing on the Mac traditionally meant sacrificing color capability. This is no longer true. The Color Classic's built-in monitor uses a 76-dot-per-inch, 10-inch-diagonal Sony Trinitron tube that displays a 512- by 384-pixel screen. Previous compact Mac screens—such as the Classic II—are only 512 by 342 pixels, making the Color Classic's screen taller by 42 pixel lines. To accommodate the larger tube, Apple slightly altered the compact case design, using a larger front bezel that also includes a built-in microphone.

As with the Classic II, the Color Classic's main logic board uses a 16-MHz 68030 processor and has 4 MB of RAM standard (the Classic II initially had only 2 MB of RAM, but since mid-1992, Apple has been shipping the unit with 4 MB). RAM is expandable to 10 MB using 30-pin RAM SIMMs. There is 256 KB of 100-nanosecond VRAM (video RAM) that lets



the computer display 256 colors on-screen. You can expand it to 512 KB by adding a VRAM SIMM; the system can then display 32,768 colors.

The Color Classic still uses a 16-bit-wide bus that reduces system costs, but at the expense of throughput. However, the video-frame buffer now resides in VRAM rather than in main memory and thus eliminates a performance hit that hobbled the Classic's design. In the old design, as the video circuits periodically accessed memory to refresh the screen, they blocked the processor's access to the bus, which degrades overall performance. With the video-frame buffer in separate VRAM on the Color Classic, both video and processor operations run unimpeded. The result should be better performance, and the preliminary BYTE low-level benchmark results (see the figure) support this conclusion. The Color Classic is about as fast as a Mac LC II, or about Mac II caliber.

Normally, the compact Mac design offers limited expansion options, but here's where the Color Classic really breaks with tradition. First, there's a socket for a 68882 FPU. Next, there's a 96-pin PDS (Processor Direct Slot) that's electrically and physically compatible with Mac LC and LC II expansion boards. Finally, you can junk the Torx screwdriver and case-cracking tools required to open older compact Macs. Just tug on two tabs at the bottom rear of the computer to remove a panel, and the

main logic board slides out, letting you easily add extra RAM, the FPU, or an LC or LC II expansion board. This arrangement also prevents exposure to the hazardous voltages lurking in the color-video circuitry.

A Color Classic with 4 MB of RAM and a 40-MB hard drive costs \$1300. The 68000-based Classic is being discontinued, with the Classic II taking its place as the lowest-cost Mac. No upgrade path from a Classic II to a Color Classic is offered.

Mac LC III

As limited as its expansion options are (a single PDS slot and no FPU), the Mac LC II is Apple's best-selling computer. The company asked users what design improvements they'd like to see in the computer. The answers were, allow more memory, add more display options, and make it faster. The LC III does these things—and more. A new controller chip—an enhanced derivative of a Mac LC ASIC (application-specific IC)—enables you to expand RAM to 36 MB (up from 10 MB). The main logic board has 4 MB of 80-ns RAM soldered to it, and a single SIMM socket provides memory expansion using a high-density SIMM. The LC III uses an industry-standard 72-pin SIMM, rather than the 30-pin SIMMs found in other Macs.

The LC III's built-in video supports a bevy of monitors, from Apple's 12-inch RGB display (512 by 384 pixels) to its 16-

inch display (832 by 624 pixels) and VGA monitors. The 512 KB of 80-ns VRAM soldered to the main logic board supports 8-bit pixels (256 colors) on these screens. A single SIMM socket lets you add 256 KB of VRAM (for a total of 768 KB) so that you can view 16-bit images (32,768 colors) on 14-inch monitors (640 by 480 pixels).

The LC III's 68030 processor is clocked at 25 MHz (up from 16 MHz), and there's a socket for a 68882 FPU. More important, the LC III uses a 32-bit-wide bus, whereas the LC II's bus was only 16 bits wide (a cost-cutting move, as in the Classic design). The end result is that the LC III serves up nearly Mac IIci performance, according to the BYTE benchmarks. A notched 114-pin PDS connector accepts existing 96-pin LC II expansion boards, with a maximum power budget of 4 watts. An LC III with 4 MB of RAM and a 40-MB hard drive costs \$1300. Mac LC II owners can rest easy: Through a logic-board swap, they can upgrade their computers for \$599, although they will have to replace the old RAM. The LC II won't be discontinued; instead, its price will be lowered.

Centris 610

With the market's low end firmly anchored by the Classic II, Color Classic, LC II, LC III, and the Performa line, Apple turned its attention to the aging 68030-based Mac II line. The top performer here has been the 25-MHz Mac IIci, whose design is more than three years old. The new Centris 610 and 650 computers are low-cost 68040-based midrange Macs.

Tight integration of components has reduced the 10 custom ASICs used in the Quadra 950 design to only three, which reduces the cost of the Centris computers and the 33-MHz Quadra 800 (described later). One of these chips, the memory-controller ASIC (MEMC), now lets you mix different-density RAM SIMMs (as long as they are 4 MB or larger) on the main logic board. At boot-up time, the MEMC maps the different-size chunks of RAM into one contiguous memory space.

Throughput wasn't sacrificed while cutting costs. Both Centris computers use the 53C96 SCSI controller, the same one found in the Quadras. This controller has a maximum transfer rate of 5 Mbps, versus the 53C80 found in other Macs that handles only 1.5 Mbps. The I/O bus in the Quadra design has practically disappeared,



with most I/O signals and controls combined into one ASIC (the IOSB). The IOSB is clocked at CPU speeds, so on the Quadra 800 most I/O operations run at 33 MHz. The exception is the Ethernet controller, which runs at 16 MHz.

The Centris 610 is a low-profile desktop computer similar in design to the Mac LC III. It has room for two internal SCSI devices: a 3½-inch drive and a bay at the front for a 5¼-inch half-height device (typically a CD-ROM drive). An 86-W power supply provides ample power for these peripherals. To reduce costs, the Centris 610 uses a 20-MHz 68LC040, which is essentially a 68040 processor without an FPU (sort of like a 486SX). However, it uses the same socket as a 68040, which offers the possibility of an upgrade.

An Ethernet port, using the AUI (Attachment Unit Interface) connector, is an option. This option is actually a main logic board populated with the Ethernet port and electronics. Like the Mac IIsi, the Centris 610 has a single 68040 PDS expansion slot, which can also be a NuBus slot by using an adapter board. To fit within the computer, these boards must be only 7 inches long (current NuBus boards can be up to 12 inches long) and use a maximum of 10 W.

The Centris 610 starts with a base 4 MB of RAM; two 72-pin SIMM sockets let you expand memory to a maximum of 68

MB. Its 512 KB of 100-ns VRAM supports 8-bit colors on monitors from 12 to 21 inches (1152 by 870 pixels). Two SIMM sockets let you increase VRAM to 1 MB, to support 16-bit-deep screens on monitors as large as 16 inches.

A Centris 610 with 4 MB of RAM and an 80-MB hard drive is expected to cost under \$2000. You get a lot of bang for your buck here: The BYTE low-level benchmarks peg the 20-MHz Centris 610 at better than Mac IIx performance (the Mac IIx uses a 40-MHz 68030 and 68882 FPU.) Even with the 68LC040, the Centris 610 did better than the Mac IIx on floating-point operations.

Centris 650

If you require more expansion options than are offered by the Centris 610, there's the Centris 650. It uses the same Mac IIvx housing with a bay for a 5¼-inch SCSI device, a 68040 PDS, and three slots that implement a NuBus 90 backplane. The slots accept full-size NuBus boards. A 112-W power supply powers the system, and 15 W is available for each NuBus slot. The processor is a 68LC040 or a 68040 clocked at 25 MHz. As with the Centris 610, the Ethernet interface is an option. The Centris 650's on-board video is identical to the Centris 610's and supports the same monitor sizes and screen depths. But it uses 80-ns VRAM instead of 100-ns hardware.

The main logic board has 4 or 8 MB of 80-ns RAM; four 72-pin SIMM sockets let you expand memory to as much as 136 MB (assuming 8 MB on the main board). The memory subsystem in the Centris 650 and the Quadra 800 has been enhanced to support interleaved memory. The MEMC ASIC arranges RAM in logical banks and then provides a hardware assist by rapidly stepping through the banks during burst-mode accesses. This shaves several clock cycles off these memory operations and improves throughput. The memory on the main logic board is interleaved, and the socketed SIMM RAM must be the same density for memory interleaving to occur.

The BYTE benchmarks show that, on average, the Centris 650's memory operations are faster by about 13 percent than the Quadra 700 (Apple claims 10 percent to 15 percent). While not all memory operations can take advantage of burst mode, the test results do indicate that the memory subsystem uses them when it can. The benchmarks show that the 650 edges out the 25-MHz Quadra 700 in performance.

A Centris 650 with 4 MB of RAM and an 80-MB hard drive sets you back \$3000. It's expected that the Mac IIsi and IIfx will be discontinued, leaving the Mac IIvx as the sole survivor of the Mac II line.

Quadra 800

The Quadra 800 is a short, squat tower similar to the Quadra 950, but it stands only 14¼ inches high (versus the Quadra's 18¾ inches). It uses a 33-MHz 68040 processor and comes with 8 MB of 70-ns RAM on the main logic board. Four 72-pin SIMM sockets let you expand RAM to 136 MB. Memory on the main logic board is interleaved, and so is the socketed RAM if it is all the same density. Ethernet is standard, and three slots implement a NuBus 90 backplane, which handles full-size NuBus boards.

The tower contains three bays at the front that can hold four SCSI devices: a 5¼-inch half-height device (typically a CD-ROM), a 3½-inch half-height device (a hard drive), and either a 3½-inch full-height device (typically a disk array) or two half-height devices. A ribbon cable with SCSI connectors and four power cables at the ready make adding a SCSI peripheral easy. The 200-W power supply provides ample muscle for these peripherals and 15 W per NuBus board.


Because the Quadra 800 borrows from the same design used by the Centris 610 and 650, it supports the same monitors and screen depths (up to 16 bits deep on a 16-inch monitor). Video performance on all



The Centris 68040-based Macs make up Apple's new midrange computers. Both are shown with an optional CD-ROM drive.

Plug and Play Tape Backup.

The Plug.



That's it. Go Play.

Now, tape backup is easier than ever. Unpack Trakker and plug it into your computer's parallel printer port. That's it. No assembly, no installation, no problem.

Trakker goes anywhere. It's light and compact, the ideal solution for backing up notebooks and laptops. And Trakker can back up unattended, so you can go anywhere, too. Trakker is available in two models. At \$448, Trakker 120 (120

Megabyte capacity, using data compression) is the price leader. And Trakker 250 (250 MB capacity using data compression) is the fastest in its class at up to 8 MB/minute. Both give you QIC Industry Standard Recording Format, as well as Novell® and LANtastic® certification.

For a FREE 76-page catalog, please call **1-800-451-0897** ext. 227 today.



Trakker™


Backup so simple it's advanced.™

COLORADO™
MEMORY SYSTEMS INC.

Mini data cartridge sold separately. © 1992 Colorado Memory Systems Inc. All rights reserved. Jumbo, Trakker and Colorado are trademarks of Colorado Memory Systems, Inc. All other trademarks are property of their respective companies. JTB-BYT011593

Circle 73 on Inquiry Card (RESELLERS: 74).

PRELIMINARY LOW-LEVEL BENCHMARK RESULTS



For all tests, a Classic II = 1. Higher numbers indicate better performance. All Macs ran System 7.1. The Color Classic had an FPU; the Centris 610 did not.

three systems is faster because the IOSB eliminates one wait state from VRAM accesses. Also, certain QuickDraw graphics routines have been modified to take advantage of the 68040's MOVE16 instruction (which burst-transfers 16 bytes), improving the speed of scrolling and filling operations.

The BYTE benchmarks show that the Quadra 800 is slightly faster than the 33-MHz Quadra 950. This results from the improvements in the Quadra design: memory interleaving, the I/O functions merged into the IOSB, and the optimized video.

A Quadra 800 with 8 MB of RAM and a 230-MB hard drive costs \$4700, a most attractive price when you compare it to a similarly equipped Quadra 950 (\$7359). Where the Quadra 800 falls short of its predecessor is in its lack of 24-bit video, fewer slots, and fewer peripheral bays. The features the Quadra 800 packs, however, should attract a flock of buyers.

PowerBook 165c

Last but not least, Apple closes the gap in its notebook line with the PowerBook 165c. Essentially a PowerBook 180 (a 33-MHz 68030 processor, 68882 FPU, external video, and 4 MB of RAM), the 165c differs mainly in its color passive-matrix LCD screen that displays 256 colors. The 9-inch-diagonal display is smaller than the PowerBook 180's 77-dpi, 10-inch-diagonal display, but its 85-dpi density packs in the same 640-by-400-pixel screen. The screen uses special filters and polarizer

materials to provide good contrast and a wide viewing angle, while two backlight bulbs and a filter increase its brightness. The screen adds only 1/4 pound to the system's weight (for a total of 7 pounds).

Internally, the engineers moved the 4 MB of RAM and 1 MB of ROM to a "cousin card" to make room for the color display's controller and DRAM. The display consumes more power (about 6 to 7 W). Thus, the PowerBook 165c uses a beefier 2.9-watt-hour nickel-cadmium battery (the PowerBook 140/170 use a 2.7-W battery). Also, the power charger now cranks out 24 W (up from 15 W) to recharge the battery faster.

The 165c's screen is brighter than we expected, with rich colors. Scanned color images are a joy to behold. The BYTE benchmarks indicate that the 165c is slightly slower than the PowerBook 180. The video benchmarks were especially slow because the display's frame buffer doesn't use dual-ported VRAM. Although the PowerBook 165c's passive-matrix screen might not match the brisk colors of an active-matrix screen, the trade-off here is for your wallet. A PowerBook 165c with 4 MB of RAM and an 80-MB hard drive costs \$3279. The prices of comparable PC notebooks with active-matrix screens start at about \$4300.

A Mac for Every Purpose

This latest generation of Macs spans every part of the microcomputer market. At the low end, there is the affordable Color Clas-

sic with a small desktop footprint. If you need more power, the LC III serves up Mac IIci performance.

The 68030-based midrange Mac II line was in desperate need of an overhaul. The Centris line of Macs brings this section up to date with affordable 68040-based computers that deliver ample horsepower.

The Quadra 800 mini-tower offers leading-edge performance while intelligent design compromises make it the most affordable Quadra ever. And for those who need color on the road, the PowerBook 165c is a powerful 33-MHz color notebook that delivers performance while sparing your budget.

As usual, we admire the Apple engineers who have reused proven technologies where they can (e.g., enhanced versions of the Mac LC components for the LC III) and maximized their design efforts (e.g., by integrating the Quadra design into fewer ASICs and using them in the Centris computers as well as the Quadra 800). The result is better performance at lower cost—a win-win situation for the Mac user. ■

Tom Thompson is a BYTE senior technical editor at large with a B.S.E.E. from Memphis State University. He is an associate Apple developer. You can reach him on AppleLink as "T.THOMPSON" or on the Internet at tomt@bytepb.byte.com. Tom R. Halfhill is a BYTE senior news editor based in San Mateo, California. You can reach him on BIX as "thalhill."

THE FACTS

Color Classic (with 4 MB of RAM/40-MB hard drive): \$1300

Mac LC III (with 4 MB of RAM/40-MB hard drive): \$1300

Mac Centris 610 (with 4 MB of RAM/80-MB hard drive): under \$2000

Mac Centris 650 (with 4 MB of RAM/80-MB hard drive): \$3000

Mac Quadra 800 (with 8 MB of RAM/230-MB hard drive): \$4700

Mac PowerBook 165c (with 4 MB of RAM/80-MB hard drive): \$3279

Apple Computer, Inc.
20525 Mariani Ave.
Cupertino, CA 95014
(408) 996-1010

Circle 1165 on Inquiry Card.

Ultimately the Winner in **BIG SCREEN**

SCEPTRE 17" Flat Screen High Resolution Digital Color Monitor CL-617,
Introduced by Brutus*, the King of Monitors:

1280 x 1024

Non-interlaced

VESA 72 Hz

*Refresh Rate,
Flicker Free*

Multiscan

*Horiz. 30-66KHz
& Vert. 50-90Hz*

Advanced

*Compact & Slim
Design*

Automatic

*Dynamic
Focusing*

Wide Turning Angle

0.26mm

Dot Pitch

INVAR

*Shadow Mask
(30% Brighter
Screen)*

Mac Compatible

*Auto & Manual
Degaussing*

90-260 VAC

50/60Hz

Auto-input Power

Front Access

Push Button

*Microprocessor
Controls with 31
Memory Modes*



Plus: **Two Year** Limited Warranty, Low Radiation (MPR II) and Anti-Static Options, and many more. For more information, call

SCEPTRE®

1-800-788-2878

SCEPTRE TECHNOLOGIES, INC. 714-993-9193 FAX 714-993-2997

©1993 Copyright SCEPTRE Technologies, Inc. All Rights Reserved. All products and brand names are trademarks or registered trademarks of their respective companies.

1-2-3, Freelance for OS/2: Major Applications at Last

The lines "something borrowed, something blue" came to mind while I looked at Lotus's first two applications for OS/2 2.0. **Lotus 1-2-3** and **Lotus Freelance Graphics** for OS/2 2.0 were written for this platform, not ported, yet they borrow from among the best features of their DOS and Windows counterparts while bringing out the best of Big Blue's 32-bit operating system.


Based on the beta versions that I saw, OS/2 2.0 is worth consideration—or reconsideration—as a platform that is supported by major, and native, applications. The attraction of 1-2-3 for OS/2 2.0 and Freelance Graphics for OS/2 2.0, however, is also their tight integration when both are installed—from file operations to the sharing of resources and an OLE-like method of saving all a project's files under a single desktop (.DSK) filename.

Both products should now be available, and Lotus says that OS/2 2.0 versions of cc:Mail and Ami Pro should follow within a couple of months. Lotus will then have OS/2 2.0 products in all four major applications categories. A 32-bit version of Lotus Notes has been held up. Lotus officials indicated at press time that it may not be ready to ship until the end of the year.

Lotus 1-2-3 for OS/2, formerly called Lotus 1-2-3/G, has improved with OS/2 2.0's functionality in mind. Lotus quietly shed the redundant G (for graphical) label around the time it released 1-2-3 for Windows. But true to the form of products maintained across multiple platforms, the newer 1-2-3 for OS/2 has gone beyond the current Windows version.

In addition to a more powerful charting engine based on a DLL shared with Freelance Graphics, 1-2-3 for OS/2 includes SmartIcons—one-click shortcuts to operations such as insert or delete row/column, format currency, add, and undo. One handy icon will resize one or more columns to their maximum widths necessary to display all data contained in each respective column. You can also customize the default SmartIcon set to substitute ones you use more frequently.

Among other enhancements, you can select discontinuous sections (called *collections*) for various operations by using the right mouse button, and you can se-



lect whole rows and columns by clicking on them in the frame. The next version of 1-2-3 for Windows (expected to ship this spring) will support collections. OS/2's Workplace Shell will now let you drop a filename onto the printer, shredder, or 1-2-3 icon (or the Freelance icon if both are installed). The application icon will launch the application and load the file.

Freelance Graphics, developed for OS/2 before DOS and Windows, uses the same process-oriented approach that Lotus first used in the Windows version 1.0. In other words, the program guides you through each step of building a presentation through a succession of templates.

Version 2.0 for Windows shipped early this year, so the OS/2 version gleaned plenty of functionality from its older sibling. SmartIcons let you click on page layouts, select a text block for input and change the font, start a new page, and page in either direction. Some functions (e.g., outlining and organizational charting) present in the new Windows version are missing from Freelance Graphics for OS/2 2.0. Other functions, particularly those related to the OS/2 Workplace Shell, are not in versions written for other platforms.

Individually, 1-2-3 and Freelance Graphics are worth a look; together they may be irresistible. For starters, you save more than 4 MB on your hard disk thanks to code shared between the two applications; you also save RAM, but usage varies too much to provide a concrete figure.

The common charting engine, which saves about 2 MB in itself, represents one less part of either program for new users to learn. And, if you're working on several files grouped under a single desktop file,

all SmartIcons and menus are context-sensitive and change as you move from worksheet to graph to presentation. Lotus expects that if you use cc:Mail for OS/2 when it ships later this year, you'll be able to drag a file icon to the cc:Mail icon to attach a file to an E-mail message.

You've heard the OS/2 trash talk: It has no so-called killer application that will do for Big Blue's platform what the original 1-2-3 did for DOS. No true killer application may surface in a market that is far more segmented and sophisticated today than it was 10 years ago,

but Lotus's first two OS/2 2.0 offerings indicate that adopting the OS/2 platform is now an easier choice to make.

—Ed Perratore

THE FACTS

Lotus 1-2-3 for OS/2 2.0

single-user standard edition, \$495; network server edition, \$595; \$395 per concurrent network user (not including documentation) above price of network server edition

Lotus Freelance Graphics for OS/2 2.0

(prices same as for 1-2-3)

System requirements:

386 PC (minimum 20 MHz recommended) with OS/2 2.0 (equipped with Service Pak) or higher; if installing both products, 4 MB of RAM (7 MB recommended) and 11½ MB of free disk space; for 1-2-3 alone, 4 MB of RAM (8 MB recommended) and 9½ MB of free disk space; for Freelance alone, 4 MB of RAM (8 MB recommended) and 6½ MB of free disk space; a mouse.

Lotus Development Corp.
55 Cambridge Pkwy.
Cambridge, MA 02142
(800) 343-5414
(617) 577-8500
fax: (617) 693-4551

Circle 1166 on Inquiry Card.

International Comparison: Midlife Marriages

Country	Percentage (%)
Canada	145
Japan	125
France	115
Italy	105
Holland	95
England	85

ALL-IN-ONE GRAPHICS SOFTWARE

Make powerful presentations!

-

\$595



Call to get your FREE DEMO DISK and brochure!
Free 24-hour technical support.

Sun's New Unix Box: Short and Sweet

With its introduction of the Sparcstation IPC, Sun Microsystems started a new packaging trend: small and inexpensive Unix workstations. With their small footprints and like-size expansion cabinets (for external drive, tape, and CD-ROM), Sun's IPC and its descendants took the bulk out of workstations. But Sun's best-performing desktop systems were still found only in the traditional "pizza-box" case. If you wanted a zippy CPU or drive, you had to invest in something other than Sun's squat boxes.

The Sparcstation LX hopes to change all that. As with the IPC, miniaturization abounds, but Sun has found some innovative ways to pack more functions into a case that hasn't gotten any bigger or heavier. The LX addresses many of the wish-list items Sun users have desired.

At the heart of the LX is its MicroSparc CPU, developed by Sun and Texas Instruments and running here at 50 MHz. This CPU rolls the integer, FPU, MMU (memory management unit), and cache into one chip, bringing the chip count down, reducing costs, and making room for more goodies. Those objectives were furthered by Sun's replacement of most of the system's I/O controllers with a pair of ASICs (application-specific ICs). The LX makes fine use of the extra real estate, building in support for basic-rate ISDN, twisted-pair Ethernet, 16-bit digital audio, and accelerated graphics.

Most of the new features built into the LX require outside-world connections, and the back panel of this system is densely packed with connectors. One DB-25 splits out to two serial ports, and another one services a bidirectional parallel port, expanding the range of supported printers. The Ethernet port pops out in two places: a tiny socket into which you plug a thin-wire transceiver or an AUI (Attachment Unit Interface) conversion cable, and a twisted-pair jack that lets you hook directly into a network. You'll also find a jack for connection to an ISDN line and connectors for SCSI and audio I/O.

The LX's standard audio capability is a leap beyond that built into previous Sparcstations. The LX manages 16-bit audio at sampling rates of up to 48 kHz. The system includes a battery-driven condenser microphone with mounting hardware to stick it to the front of your monitor.

The most impressive aspects of this new system relate to performance: CPU, display, and drive performance have all been



enhanced. With the 50-MHz MicroSparc CPU, the LX is faster than Sun's Sparcstation 2, previously its fastest uniprocessor desktop system. But it's not *much* faster—the documentation refers to it as being "1.5 times the speed of a 486." My tests against an Altos System 5000 (33-MHz 486) proved that statement to be true, at least for integer performance. In other areas, the LX positively skunked the 486: The LX was three times faster in floating-point and disk I/O. These results are unreliable because the LX I tested was a pre-production unit, but they at least show that Sun isn't inflating its performance claims.

I'll admit I had hoped that by now Sun would have taken a big leap in single-CPU performance, along the lines of 68030 to 68040 or 386 to 486. That didn't happen: My CPU performance tests showed the 50-MHz MicroSparc to be calculating almost exactly twice as fast as the 25-MHz chip in an IPC unit. It's fine for Sun to quote performance numbers against the 486, but the company is losing ground against IBM, Hewlett-Packard, and Silicon Graphics, all of which have reduced-cost RISC workstations with excellent single-processor performance. The LX will also be competing soon against systems built around Intel's Pentium, which, if you take Intel's vaunted performance figures as truth, could also make the MicroSparc look a little sickly.

If the LX's CPU performance isn't stellar, it's at least adequate, and some of the slack is picked up by the system's other turbocharged features. The GXplus graphics accelerator built onto the LX's motherboard boosts the system's text and graphics performance. The first evidence of this

is in the LX's text mode. Previous Sun systems were practically unusable without the window system running because text was displayed and scrolled so slowly.

Once you fire up OpenWindows, the GXplus really earns its keep. Sun claims the chip enhances everything from window operations to 3-D wireframe and flat shading; I had no complaints with the system's performance in these areas. The LX comes with a 16-inch color monitor that shows the Sun-standard 1152-by-900-pixel resolution, but you can pick up a 21-inch monitor that handles the GXplus's top resolution.

Overall, the Sparcstation LX strikes me as a solid machine. True, it's not at the top of its class in CPU performance, but it certainly makes a capable platform for the majority of applications you'd want on your desktop. The standard accelerated graphics means that whether you run a program locally or reach across the network to some high-performance computer server, your display won't be a bottleneck. The LX's fast SCSI makes quick work of applications I/O and makes the LX valuable in the peer-to-peer world of TCP/IP and NFS (Network File System)—or even as a low-cost file server.

The Sparcstation LX is priced at \$7995 with 16 MB of memory (expandable to 96 MB using 16-MB SIMMs, 24 MB otherwise), a 424-MB hard drive, a 3½-inch 1.44-MB floppy drive, and a 16-inch color monitor. A license for Sun's new Unix System V-based operating system, Solaris 2.1, is included with the system. A CD-ROM drive is not included, but if you plan to buy anything from Sun, you'd better make room for one in your budget. All Sun's software products are shipped exclusively on CD-ROM, and most SPARC applications vendors are following suit.

—Tom Yager

THE FACTS

Sparcstation LX \$7995

Sun Microsystems Computer Corp.
2550 Garcia Ave.
Mountain View, CA 94043
(415) 960-1300
fax: (415) 969-9131
Circle 1167 on Inquiry Card.


Power Packed Upgrades.

STANDARD UNITS

These UL/CSA approved, fully-tested power supplies are the best basic units available.

STANDARD 200 XT	\$69
STANDARD 205 SLIM	\$89
STANDARD 220 BABY	\$89
STANDARD 220 AT/TOWER	\$89

ULTRA-QUIET UNITS



Unrattle your nerves with a **Silencer** power supply, recognized since 1986 as the industry's quietest. Cooled with efficient, variable-speed fans that are virtually inaudible!

A must for home office or *multimedia* applications.

SILENCER 205 SLIM	\$119
SILENCER 220 AT/TOWER	\$129
SILENCER 270 AT/TOWER	\$179

HIGH-PERFORMANCE UNITS



Upgrade your computer with one of our premium **Turbo-Cool** power supplies—the choice of PC professionals. You'll get 50% - 100% more power, built-in line conditioning, a dual-stage EMI filter, super-tight regulation, ultra-clean DC output, our high-capacity **ThermaSense** variable-speed fan (300W models), UL/CSA/TUV approvals, and a no-hassle 2-year warranty! Ideal for high-end workstations and network file servers.

TURBO-COOL 200 XT	\$159
TURBO-COOL 300 SLIM	\$169
TURBO-COOL 300 BABY	\$169
TURBO-COOL 300 AT/TOWER	\$189
TURBO-COOL 450 AT/TOWER	\$349

REDUNDANT POWER SYSTEM

Eliminate the risk of network downtime or data loss due to power supply failure with the **TwinPower 900** redundant power system. It delivers high-capacity, fault-tolerant power to the entire network server. Consists of two **Turbo-Cool 450** power supplies in parallel, utilizing a special power-management interface module. A must for mission critical LANs.



- **Super Server Power.** With 900 watts of peak power, the TwinPower 900 effortlessly runs any array of drives—without the need for sequencing.


- **100 Times More Reliable.**

Why gamble with a single-unit system? TwinPower's load-sharing, redundant design lets you take the power system for granted. It's the peace-of-mind a network manager needs!

- **Hot-Swap Capability.** In the unlikely event that one of its 450s should fail, an alarm sounds, and the other 450 sustains the server while the user simply swaps in a new unit. No downtime!

- **Optional Enclosures.** We offer "monster" cases that hold TwinPower's two power supplies and the interface. The Standard Tower (51 lbs.) holds 13 drives, while the all-steel Industrial Tower (104 lbs.) allows dual systemboards and holds up to 16 drives. Now, that's expandability!

TWIN-POWER 900	\$995
W/STANDARD CASE	\$1695
W/INDUSTRIAL CASE	\$1995




486 CPU COOLER



It's a fact. 486 chips run hot, often exceeding 185°F! Now, you can reduce the operating temperature of your 80486 processor to a cool, safe 85° - 95°F with our popular **CPU-Cool**. You'll *prevent random system errors* and add years to the life of your investment. Consists of a

quiet mini-fan embedded in a sculptured heat sink that easily mounts on the CPU. Powered by a spare drive connector. Effective, inexpensive insurance!

CPU-COOL \$39



POWER SUPPLY ADVISOR

1. Even before it fails, an inferior power supply can be trouble. Nasty hard-to-track problems such as rebooting, loss of setup, overheating, and memory errors are often power supply related.
2. You can't have too much power. A power supply delivers only what the PC needs and actually performs best at 25% -75% of its rated capacity.
3. For greater hard drive reliability, use a power supply with independent regulation and extra cooling such as the Turbo-Cool 300/450.
4. Buy from a reputable power supply specialist. You'll get real service, not some runaround like: "Here's a number in Taiwan, give them a call".
5. To save money, PC manufacturers put ordinary power supplies—with limited features—in their systems. To upgrade, call us direct or ask your PC supplier for one of our units by name.

PC POWER & COOLING, INC.

5995 Avenida Encinas, Carlsbad, CA 92008 • (619) 931-5700 • (800) 722-6555 • Fax (619) 931-6988

Most orders shipped same day. We accept Visa, MC, COD, or PO on approved credit. Turbo-Cool and TwinPower models guaranteed for 2 years. All other products guaranteed for 1 year. Hours: 7 a.m. - 5 p.m. (PT) Mon. - Fri.
©1992 PC Power & Cooling, Inc. Silencer, Turbo-Cool, ThermaSense, TwinPower, and CPU-Cool are trademarks of PC Power & Cooling, Inc. All other brand names are trademarks or registered trademarks of their respective companies.

Circle 123 on Inquiry Card (RESELLERS: 1241).

NO OTHER PEN HAS THIS KIND OF

The 3.3-pound machine is considerably lighter than many competitors' machines. Its black-and-white screen uses a back light,

which will allow customers to use the computer in difficult lighting situations.

—Los Angeles Times, Nov. 2, 1992

...values for w.
connections, they said.

One problem we've had is seeing the screens [of other pen computers] in various lighting environments...[Toshiba is] using new backlit reflective technology; you can see it in any lighting.


—Reprinted from PC Week, Sept. 14, 1992

...and corporate users said.

[Toshiba has] done an exceptional job in the industrial design of the system, and going beyond that, looking at specific vertical solutions.

See TOSHIBA page 103

—Stella Kelly, InfoCorp Senior Analyst
Infoworld, Nov. 2, 1992



The Toshiba Dynapad makes most of its predecessors look clunky by comparison. Packed into this sleek, little 3.3-pound tablet is a 9.5" transreflective-sidelit display, 40MB hard drive and two PCMCIA 2.0 slots. Clearly a 3rd-generation pen computer, the innovative engineering in the pen market has

—Portia Isaacson, Dream IT, Inc.

INTRODUCING THE TOSHIBA DYNA

INK.

[Toshiba has] a much better infrastructure for providing support than some other pen computer companies.

—Tim Bajarin, President/Creative Strategies Research International Inc. Infoworld, Nov. 2, 1992

[The Dynapad is] a nice system, has a good feel and [Personal Computer Memory Card International Association] cards, and at that low weight, it's much more the kind of thing people are going to need in the field than something like the ThinkPad.

—Janet Cole, Dataquest Analyst Computerworld, Nov. 2, 1992

I've been saying that [a pen computer] needs to be small, rugged, and able to run 386 or better.

—Mel Hinton, Senior Engineer/Public Service Electric and Gas Co. Infoworld, Nov. 2, 1992



Amazingly, we've even been able to incorporate two PCMCIA slots for expandability.



We took pains to ensure our Dynapad is perfectly balanced. Thus making it easy to hold in either arm and in a variety of positions.



At 3.3 pounds, it's truly one of the few pen computers where employees won't get fatigued carrying it.



We gave our pen a transreflective display screen so it can be used in a variety of different locations and lighting conditions (underground, at night, in broad daylight).

Leave it to Toshiba engineers to create a pen computer that has left an indelible impression on the computer world.

Presenting the acclaimed Dynapad™ T100X.

It's almost as if, for the first time, someone actually considered how people would use a pen computer. And designed it from there.

For starters, it's phenomenally light, weighing in at 3.3 pounds. So you can carry it for extended periods in the field without your arm falling off.

But don't be fooled into thinking that it's a lightweight. Because it boasts a 25 MHz Am386™ low-voltage processor. Offers 4MB RAM—expandable to 20MB. And comes with a 40MB hard disk.

The screen is equally impressive. We purposely designed a large 9.5-inch transreflective screen so it's easy to view whether you're in a pitch-black tunnel or out in the field in the blinding sunlight.

We were no less painstaking with the ergonomics. At 10.6" x 8.3" x 1.5", the T100X is very easy to hold. The weight is well balanced. There are no sharp corners. And we've given you both a top-view silo, so you can see if you have your pen, and the option of tethering the pen.

And like every computer we make, our T100X offers a variety of Toshiba innovations. Like our MaxTime™ power management system, which offers such features as AutoResume and AutoSave. So you get the maximum out of every battery charge.

To learn more, call the toll-free number below for the location of your nearest Toshiba reseller.

Because as you can see from the quotes to the left, this is one pen that's already made its mark.

In Touch with Tomorrow
TOSHIBA

1-800-457-7777

© 1993 Toshiba America Information Systems, Inc. All products indicated by trademark symbol are trademarked and/or registered by their respective manufacturers. PC Week quote copyright © 1992 Ziff Communications Company.

Circle 156 on Inquiry Card.

EO's Personal Communicator Ushers In a New Era

Much as the Macintosh represented a conceptual leap forward for personal computers, so too does the **Personal Communicator 440** from start-up EO. EO has changed the definition of a mobile computer, uniting the functions of a handheld organizer with a cellular telephone, both running under an intuitive pen-based user interface (see "Communications Gets Personal," February BYTE).

In BYTE's first hands-on evaluation of the Personal Communicator 440, I looked at a machine that breaks with the past in more than just conception: It is the first system built on the AT&T Hobbit RISC chip, a 3.3-volt CPU that offers fast performance with low power consumption. It also runs Go Corp.'s PenPoint operating system, ported to the Hobbit. EO has guts to eschew compatibility with the Intel/Microsoft and Mac standards, but the company sees communicators as a separate market from portable PCs.

Available this spring, the 440 sports a unique design with no keyboard and a distinctive set of "ears" on either side of the screen. These ears contain I/O ports, a speaker, and a microphone. The 1-inch-thick unit measures 11 by 7 inches without the ears; with one 4-hour nickel-cadmium battery, it weighs 2½ pounds.

The system uses a 20-MHz Hobbit chip and ships with 8 MB of ROM (containing PenPoint and 10 bundled applications) and 4 MB of RAM. Using standard 88-pin JEDEC memory modules, you can expand the RAM to 8 or 12 MB through a small door on the front; the preproduction unit I evaluated was loaded with 12 MB. Another door on the front contains a PCMCIA slot (Type 2, Level 2), which you can use for nonvolatile removable storage or other peripherals. My evaluation model also



included the optional fax modem and \$800 cellular-phone handset.

The 440 makes a nice pen-based personal organizer with a built-in PIM (personal information manager) and note taker, but the system doesn't come into its own without the phone. The 440 diverges from earlier pen-based systems in its tight integration of communications. The bundled GoFax, GoMail, and address book make it easy to send documents from within any program, and the built-in sound lets you attach voice annotations to documents.

Much of this capability comes from PenPoint, whose notebook metaphor and gesture interface make the 440 remarkably easy to use. The object orientation of PenPoint allows transparent sharing of data between applications.

The software I ran was a beta release, but it had few bugs and the performance was perky. The bundled programs and applets—which include MiniNote (for writing in digital ink), MiniText (for entering text via handwriting recognition), EO Calc

(a paper-tape calculator), and Pensoft's Personal Perspective (a scaled-down version of the company's PIM)—were powerful yet amazingly easy to use.

In fact, the 440's intuitiveness demonstrates how far user-interface design has come. I had only a few minutes of training on the basic gestures, yet I barely cracked a manual to use the system. I wasn't able to try the tutorial because it wasn't ready, but I liked being able to get context-sensitive help simply by writing a question mark over the area in question.

The Personal Communicator 440 is well designed and feels solidly built, and I found the nonreflective LCD screen easy to read. Perhaps for the first time in pen computing, a company has got the details right. AT&T has even gotten into the act. As a major investor in EO, AT&T will sell the 440 and 880 under its own name.

EO is only the first player in an expected wave of mobile devices that integrate computing and telephony. Over the next year, you can expect competition for EO and AT&T, but all new arrivals will have to be judged against the high standard set by the Personal Communicator 440.

—Andy Reinhardt

THE FACTS

Personal Communicator 440
(price not available at press time)

EO, Inc.
800A East Middlefield Rd.
Mountain View, CA 94043
(415) 903-8100
fax: (415) 903-8190
Circle 1168 on Inquiry Card.

PowerExec EL Notebook: More for Less

If our review of the AST PowerExec notebook ("AST's PowerExec Goes Modular," January BYTE) caught your eye, but you found the price a bit steep, AST has something new for you—the **PowerExec EL**. The *EL* stands for "entry level," and with a list price of \$1745, it may appeal to cost-conscious notebook users. That's what AST is hoping for, anyway. Philip Osako, AST portable systems marketing product manager, says that the EL is targeted at small businesses and peo-


ple who need a notebook to supplement their office system.

AST is not alone in offering attractively priced notebook packages. Compaq and Toshiba, among others, offer modestly priced 386 systems. But for the purely price-sensitive shopper, the EL, at press time at least, leads the pack.

Like the higher-priced PowerExec, the preproduction EL I saw is a roadworthy notebook. It weighs in at almost 6 pounds and uses a nickel-cadmium battery pack.

Its base price includes an Intel 25-MHz 386SL processor, a coprocessor socket, a 60-MB hard drive, a 1.44-MB floppy drive, 2 MB of RAM, and one each of serial, parallel, monitor interface, keyboard/keypad connector, Type 2 PCMCIA slot, and expansion bus ports. For a \$2295 list price, you can get a 120-MB hard drive, 4 MB of RAM, Windows 3.1, and AST's SmartPoint trackball.

With the list price of the PowerExec at \$2395, just what do you give up when you



UNITED HEALTHCARE PURCHASE REQUISITION

REQUESTION NO. 163438

DATE 12-10 REQUESTOR *Sam* DEPARTMENT *Sam* NEW ORDER *Sam* TO BE USED FOR *Sam*

QUANTITY	DESCRIPTION	DATE REQUIRED	DATE FURNISHED	TOTAL COST
1	Tektronix Phaser 200 color printer			\$3,695.00
	✓ Laser paper			
	✓ 2pp/min			
	✓ Adobe PS Level 2			

APPROVED

ENDORSED VENDOR: *Recommend dual-tray option*

COST: \$3,695.00

☒ WITHIN BUDGET ☐ OUTSIDE BUDGET

SUPERVISOR: *Sam* DIRECTOR: *Sam* PRESIDENT: *Sam*

DEPT. MANAGER: *Sam* CONTROLLER: *Sam* CAPITAL MANAGER: *Sam*

Our new color printer not only looks great on paper, it looks great on paper.

True, the brilliant color produced by the new Tektronix Phaser® 200 is captivating. But the price is equally attractive. And though we've become the award-winning leader in color printers by frequently outdoing the competition, this time we've even outdone ourselves. Introducing our newest business work group color printer.



The Phaser 200 is compatible with virtually any business software and can print two colorful pages per minute. No, not two minutes per page—two pages per minute. And even at a speed like that, it still manages to print eye-catching color on common laser paper or transparencies using a separate input tray for each. You select the medium you want at your computer keyboard. And it switches automatically from user to user just as easily, using its parallel, serial, AppleTalk™, or optional EtherTalk™ and Ethernet™ ports.

It has all the advantages of a laser printer. True Adobe PostScript™ Level 2, networkability, Pantone® colors, speed and price. (Did you notice it's only \$3695, slightly below unheard of?) And when you add to that extremely high materials capacity and sparkling TekColor™ output—not just any color, but the indisputably best color in the business—you've got something even better than our previous best. Which is quite a feat.

So stop by your nearest Tektronix dealer or call us at 800/835-6100, Dept. 28J for a free output sample. For faxed information call 503/682-7450, ask for document # 1223. You won't find another business investment that looks this good on paper.



Tektronix

Images in your Computer

from Video or full page Scanners. Boost your productivity in DeskTop Publishing, OCR and Multimedia applications.

ColorSnap PC

Professional, REAL TIME, video image capture, full screen, 16.7 million colors & grayscale. Use any NTSC/PAL video source, camcorder, live TV, still video, VGA, SVGA supported, files saved in standard formats. **Free Aldus PhotoStyler.** Video-for-Windows compatible. Digitize movies at 30 frames/sec. Hundreds of applications. Demo disks available.



\$599.00



LifeView Encoder

Record your computer presentations to video or display to any TV monitor. NTSC or PAL. **249.00**



Color 6000

600 dpi, full page, sheet-fed color (24-bit) scanner
Complete with Color Image Processing Software and WordScan OCR s/w. HP ScanJet emulation driver..
Color 3000. 300 dpi unit. \$495.00



ArtiScan 1200 dpi

1200 dpi, desk-top, fast (SCSI), 24-bit, flat bed, color scanner. True hardware resolution, superb picture quality, color-gray scale. **Free Image Processing software.** 600 dpi model \$975.00, 800 dpi, **\$1289.00.** Optional X-Ray, Slide Scanner (\$545.00). Twain univ. driver with all models. **OCR software. Recognita, \$159.00 - WordScan, \$99.00.** Best magazine ratings.



PageReader 300

Full Page, 300 dpi Scanner complete with OCR WordScan software & line-art Imager software!! HP-ScanJet emulation driver hence compatible with any OCR package. Fast! Reads avg. page in <10 sec. With Recognita, add \$159.00 - 9600 fax/modem send/rec, add \$99.00. Ideal in any office for text. AutoCad drawings, fax etc



**Call/fax for Catalog on MultiMedia DeskTop Video
Systems and Image Transfer Systems**

30-day return guarantee. 1 year warranty. Major credit cards. Resellers Welcome.

Computer Friends, Inc. - 14250 NW Science Park Dr. - Portland OR 97229 Founded

Toll Free 1-800-547-3303 - tel. (503)626-2291 - fax (503)643-5379

NEWS

get an "equivalent" EL? First, unlike with the PowerExec, you cannot upgrade the processor and there is no 64-KB cache. Second, there is only one PCMCIA slot with the EL. The 9½-inch-diagonal, 640-by 480-pixel resolution VGA display is different, too. It provides 64 shades of gray, but it's not quite as bright and doesn't offer as much contrast as the one on the PowerExec. Finally, the AC adapter takes a bit longer to recharge the battery pack.

AST says that the nickel-cadmium power pack will last about 3 to 4 hours because the EL has the same heuristic power management system as the PowerExec. In fact, with the exception of the differences noted, this EL *is* a PowerExec. The long list of options includes a nickel-metal-hydride battery pack, RAM modules (the EL expands to 20 MB), PCMCIA-based modems, Ethernet and SCSI adapters, and passive- and active-matrix color displays.

The PowerExec EL is a good example of the more-for-less, Windows-capable hardware trend so prevalent with desktop systems. Other examples of this move toward affordability in notebooks are systems from Toshiba, Compaq, and a few others that are full-featured competing notebooks at similar user-attractive prices. For example, the Compaq Contura 3/25 Model 84/w+ comes with an 84-MB hard drive and 4 MB of RAM. It can be had for a street price of about \$1900. Notebooks such as the PowerExec EL show that "entry level" doesn't have to mean starting at the bottom anymore. ■

—Gene Smarte

THE FACTS

PowerExec EL

with 2 MB of RAM, a 60-MB hard drive, and a monochrome display, \$1745

with 4 MB of RAM, a 120-MB hard drive, Windows 3.1, and a Smart-Point trackball, \$2295
display upgrades (done at factory):
passive, \$1169; active, price not available at press time

AST Research, Inc.
P.O. Box 19658
Irvine, CA 92713
(800) 876-4278
(714) 727-4141
fax: (714) 727-9355
Circle 1169 on Inquiry Card.

**SUN
10-5**

TOSHIBA

NEC

HP

COMPUTERS

Laser 386 SX/16 2 MB 40 MB
2 FID VGA Color Mon.....\$59.99
Olivetti 386 SX/25 3 MB
14 FID 40 MB VGA Color.....\$79.99
Packard Bell 486 SX/20 4/107 MB
2 FID VGA Color.....\$104.99
CANON 486 DX/33 4/120MB
2 FID SVGA, 28 Color\$169.99

FAX

Brother 600/700\$75.99/\$59.99
Canon Fax 50\$14.99
Canon 8-70 P/P Paper\$94.99
HP Fax 200 Plain Paper\$39.99
Murata M-750\$104.99
Panafax PX-350\$104.99
Pana. KXP-50 / 90\$59.99/\$29.99

PRINTERS

Canon BJ 10 ex\$244.99
Canon BJ 200\$324.99
Epson FX-870\$239.99
Epson LQ-570\$364.99
Epson LQ-1070\$569.99
Epson LQ-1170\$169.99
Epson LX-810\$919.99
Oki 320 / 321\$199.99 / \$179.00
Oki 590 / 591\$189.99
Oki 993 Plus\$259.99
Panas. KXP 1124\$334.99
Panas. KXP 1624\$224.99
Panas. KXP 2123\$159.99
Panas. KXP 2180\$294.99
Panas. KXP 2124\$354.99
Panas. KXP 2624

MONITORS

NEC 4DS\$609.99
NEC 3 FGX\$1,229.99
NEC 4FG/SBG.....\$719.99/\$1,229.99
NEC 50 20"\$309.99
NEC 6 FG 21"\$249.99
Suga C 1381 I\$349.99
PANA 811 20/220 V\$349.99
Viewsonic 6E Non-Infract.....\$349.99

SCANNERS

HP ScanJet Plus\$599.99
HP ScanJet IIP\$849.99
HP ScanJet IIC Color\$1,299.99
HP ScanJet Max Maker II\$1,199.99
Microtek MSF600Z Color\$339.99
Intal Scanner 400\$259.99
Logi Scanman 256\$259.99

NOTEBOOKS

Toshiba
T-1800 SX 2160 MB\$1,249.99
T-1850 4 / 80 MB\$1,599.99
T-1850 4/120 HD\$2,249.99
T-1850 Cr 4/80 MB\$2,449.99
T-1850 Cr 4/120 MB\$3,499.99
T-4400 SX/21 120 MB\$4,099.99
T-4400 CX 4/200 MB\$2,550.00
T-4500 CX 4/120 MB\$3,749.99
T-4500 CX Cr 4/200 MB\$5,749.99

NETWORK/PERIPHERALS

Novell 3.11 S User\$539.99
Novell 3.11 I User\$1,229.99
Novell 3.11 20 User\$1,599.99
Novell 3.11 50 User\$2,349.99
Novell 3.11 100 User\$3,499.99

EXECUTIVE ORGANIZERS

CASIO SF 5300 64 K\$64.99
CASIO SF 8300 64 K\$99.99
CASIO SF 9300 64 K\$134.99
CASIO SF R20 256 K\$239.99
CASIO Link i/IBM-Mac\$369.99
HP 95 LX 512 K\$125.99
HP 95 LX 1 MB\$184.99
Sharp ZD 5200 64 K\$184.99
Sharp IQ 8200 128 K\$244.99
Sharp IQ 8400 256 K\$424.99
Sharp OZ-9600 256 K\$424.99
Sharp Link i/IBM-Mac\$424.99

LASER PRINTERS

HP Desk Jet 500\$369.99
HP Desk Jet 550 Color\$493.99
HP Desk Jet 550 Color\$749.99
HP Laser IIP Plus\$899.99
HP Laser IIP Plus 220V\$899.99
HP Laser IIP 220V In Stock
HP Laser Jet 4 w/Toner In Stock
HP LaserJet 4 220V\$2,099.99
HP PaintJet XL300\$CALL
NEC Model 97\$CALL
Oki Laser 400\$984.99
Oki Laser 810\$CALL
Pana. KXP 4410\$819.99
Pana. KXP 4450\$999.99
Pana. KXP 4430\$74.99
Tax Font i/Laser Jet 4\$94.99
2 MB VFP Laser Jet\$79.99
2 MB Mem. i/OkiData\$104.99
2 MB Mem. i/Panasonic\$104.99

PROMPT DELIVERY

EVEREX

MITSUBISHI ELECTRONICS

SON JBL

Microsoft

TOSHIBA

NOVELL

TECHNICAL

IN USA & CANADA & P.R.

INCLUDING NY STATE

1-800-874-1235

(Include Voice & Fax #)

S & W COMPUTERS & ELECTRONICS

31 West 21 Street, New York, NY 10010

NYC (212) 463-8330

HOURS Sun. 10-5
Mon. Thurs. 9-6 Fri. 9-1:45
Saturday Closed

*DISCOVER+MC-VISA-C.O.D. w/Deposit + No surcharge
for credit cards. Ship. add'l. Handling 2% Qty. 10+
Prices subject to change. Returns w/within
authorization. Free Parking Sunday. Meter
Parking available Prices for consumers

PRICES HARD TO MEET — SERVICE HARD TO BEAT! World Wide Inquiries Promptly Filled



Programmer's Paradise®

WATCOM SQL Developer's Edition by WATCOM

Complete client/server development tool allows you to develop and deploy single-user standalone applications, and to develop applications for use with the Network Server Edition. Includes: Single-user database server; ACME application development system; Embedded SQL C/C++ preprocessor; SQL libraries for WATCOM C, C/386, MS/C++ and BC/C++.




List: \$395 Ours: \$299
FAXcetera # 1683-0010

HUGE SELECTION AT THE RIGHT PRICE! CALL TODAY!

386MAX	\$64	Label Master	\$429
Baler	\$399	Lahey EM/32 5.0	\$1,015
Bar Code Library	\$350	mini Ed Tools	CALL
Borland C++	\$319	MKS Learning UNIX	\$99
C Windows Tlkt. 386	\$179	MKS Toolkit	\$239
C++/Views	\$449	MS C/C++	CALL
C-DOC Professional	\$269	MS FoxPro	CALL
CAD/CAM Products	CALL	Multi-Edit Professional	\$139
CASE:W Corporate	CALL	Norton Desktop/Win	CALL
Clipper	\$499	object-Menu	\$269
CodeWright	\$225	Opt-Tech Sort/Merge	\$119
dBASE IV	\$499	Paradox 4.0	\$569
dBFast Windows	\$395	PGL	CALL
dGT-Unlimited Runtime	\$499	.RTLink/Plus	\$445
Dr. Switch-ASE	\$159	SlickEdit	\$149
ED for Windows	\$269	SGA:Replay	\$79
GX Products	CALL	Turbo C++ for Windows	\$112
KPWin++	CALL	WATCOM FORTRAN 77/386	\$719

Essential Graphics Chart™ for Windows by South Mountain Software

Essential Graphics Chart for Windows lets you turn your data into charts and graphs that make an immediate visual impact. Features include: DLL-works with any Windows API compatible language, 2D bar, 3D bar, legends for all chart types, real-time charts, true perspective and rotational capability. No Royalties.



List: \$399 Ours: \$299
FAXcetera # 2089-0017

CA-dBFast Windows 2.0 by Computer Associates

The complete stand-alone dBASE/Xbase development language for MS Windows. Create fast, powerful, easy-to-use graphical applications. Over 200 extensions to the dBASE III PLUS language and includes an interactive editor, compiler, and linker. Challenge your creativity and imagination! Design multiple windows, pull-down menus, check boxes, list boxes, radio buttons, bit-map pictures, and more!



List: \$550 Ours: \$395
FAXcetera # 1004-0003

Dan Bricklin's Demo II by Lifeboat Software

Experience for yourself why 30,000 people have made Demo II 3.0 the leading tool for producing program prototypes, demonstrations, and tutorials. Demonstrate commercial software to potential customers without shipping live software. Produce effective tutorials that interactively teach products. Create Computer Based Training for a fraction of the cost of dedicated CBT authoring software.



List: \$249 Ours: \$215
FAXcetera # 0233-0003

Q+E Database Library (QELIB) 1.1 by Pioneer Software


A set of Dynamic Link Libraries providing a common call level interface for developer tools such as Visual Basic, ToolBook, Actor, Smalltalk, C, C++, etc. and most macro language products to access data from Oracle, SQL Server, Sybase, EE Database Manager, DB2, Netware SQL, dBASE, Paradox, Excel, and text files.



List: \$399 Ours: \$359
FAXcetera # 2625-0003

Microsoft Windows for Workgroups

Considering how easy it is to use MS Windows™, imagine what MS Windows™ for Workgroups can do for an entire group. Such as information sharing among many PC users that can lead to even better, more collaborative work. Printer sharing that uses hardware resources more efficiently. And schedule management that improves efficiency.



Workgroups List: \$249 Ours: \$175
ADD-On List: \$ 79 Ours: \$ 61
FAXcetera # 1269-0042

MediaDeveloper by Lenel Systems

Create multimedia-enabled applications with MediaDeveloper and ObjectVision. It is THE Multimedia Development Toolkit to integrate sound, images, animation and full-motion video into Windows applications. Includes media and device control for multimedia peripherals including CD-ROMs, VCRs and laserdisc players; support for major animation, video, audio and graphics formats; a multimedia database; OLE server; and many DLLs.



MediaDeveloper List: \$595 Ours: \$449
w/ObjectVision 2.1 List: \$745 Ours: \$499
w/ObjectVision 2.1 Pro List: \$1090 Ours: \$749
FAXcetera # 1005-0302

8
0
0
4
4
5
-
7
8
9
9

Software that



Sizzles!

WATCOM C/386 9.0 by WATCOM

Develop and Debug 32-bit applications for extended DOS, Windows, and OS/2 2.0 with the most complete 32-bit C development package available. Includes the royalty-free DOS/4GW DOS extender by Rational Systems, components from MS Windows SDK, compiler, linker, debugger, profiler, plus numerous development tools. Supports other industry standard 32-bit DOS extenders. Create ADS Applications for AutoCAD or embedded systems development.

List: \$895 Ours: \$599
FAXcetera # 1683-0001



Visio by ShapeWare

Now everyone can create professional-quality graphics! Straightforward stencils, designed for everyday business drawings and technical diagrams, provide all the shapes you need. Whether you're creating engineering schematics, network or block diagrams, org charts, programming flow charts, or your own custom drawings, Visio has a stencil of shapes that will make your job easier. GET A \$79 VISIO PROGRAMMER'S STENCIL FREE WITH EACH COPY OF VISIO YOU ORDER!

List: \$299 Ours: \$225
FAXcetera # 1006-2801



WindowsMAKER Professional 4.0 by Blue Sky Software

Next generation of industry standard C/C++ development tool for Windows. The easiest fastest way to create Windows apps, just point and click. New architecture uses Switch-It™ Code Generation Modules for generating ANSI C, MFC++, or OWL C++ code among others. Award-winning Visual Prototyper lets you test the look & feel and make changes on the fly. TrueCode

technology ensures the user code is preserved during code regeneration. Generates Windows .EXE w/fully commented C or C++ source.

List: \$995 Ours: \$695
FAXcetera # 2602-0003

ED-The Programmer's Editor for Windows by Lifeboat Software

A full-featured Windows-based programmer's editor is here! ED is setting the standard with features like background compilation, automatic code indenting and completion, hypertext function/procedure lookups, "smart" language-specific editing, a fast "C" extension language, Windows Toolbar, unlimited undo and redo, keyboard macros and remapping, and emulation of popular DOS editors.


List: \$269 Ours: \$199
FAXcetera # 0233-0011



CA-Clipper 5.2 Competitive Upgrade by Computer Associates

Yes, the newly released CA-Clipper version 5.2 is being offered to Xbase language product owners at the low retail price of \$199. This competitive upgrade is available for a short term only! What a great opportunity to get the power of CA-Clipper, at a super price!

List: \$199 Ours: \$149
FAXcetera # 5400-0001



MS Visual Basic for DOS

Draw forms and controls, write event-procedures, use and create custom controls-in DOS! Create all-new apps or combine with existing C/C++ or Pascal code. Highly compatible with VB/Win for multi-platform development. Even run existing MS Quick Basic/Basic PDS code! Includes a native 80 x 86 compiler that creates 100% standalone .EXE files, 386 code generation,

MOVE overlays, an integrated ISAM and much more!

Standard Edition List: \$199 Ours: \$139
Professional Edition List: \$495 Ours: \$325
FAXcetera # 1269-0039



Janus/Ada Compiler by R.R. Software

Janus/Ada for DOS: the power and reliability of Ada, priced for everybody! You get a full, validated implementation of Ada-compiler, linker, royalty-free runtime libraries, multiple memory models, environment, tools, and even a tutorial. And R.R. Software supports you with 12 years of Ada experience and know-how. Now's the time to use Janus/Ada.

List: \$129 Ours: \$115
FAXcetera # 1876-0001

9-785-4408

Programmer's Paradise®

MetaWare High C/C++ by MetaWare, Inc.

MetaWare, Inc. announces its newest product! The 32-bit High C/C++ compiler version 3.0 is a true compiler, not a C to C++ translator. "Incremental Strengths" let you specify the level of C++ compilation, allowing you to migrate from C to C++, one C/C++ block at a time. Included is a C++ tailored source-level debugger and a 32-bit Application Development Kit for Windows. MetaWare offers a full line of multi-language, multi-platform compilers for professional software developers.

List: \$795 Ours: \$669
FAXcetera # 1590-0008



VM Data

by PocketSoft, Inc.

VMData for Windows is a DLL that manages up to 128 MB of dynamic data. Eliminates annoying slowdowns commonly seen in 386 Enhanced Mode when programs use large amounts of dynamic data, and eliminates out-of-memory problems in Standard Mode. Provides superior run-time performance and ensures that your program is a good citizen under the Windows environment.

List: \$495 Ours: \$359
FAXcetera # 1987-0005



WinGEN by Buzzwords International

Converts ObjectVision .OVD to Source Code!

Make the title bar disappear and run your application at compiled speed. WinGEN produces code for Windows versions of dBASE, C/C++, and Turbo Pascal. Supported engines include: Paradox Engine, Sequiter Codebase, POET, Raima, Faircom c-tree, Sybase, Novell Btrieve, Novell Btrieve with SQL/XQL Manager, OLE & DDE/DDEML, and Q & E.

List: \$149 Ours: \$79
FAXcetera # 1873-0002



DataBoss by Kedwell Software

Relational database application generator. Use to develop complete applications with menus, forms, browse tables, memo fields, reports and more. Includes sophisticated screen painter; field definition template for defining field characteristics, indexes, data files and their relations; WYSIWYG report designer; generator engine and skeletal files. Generates structured C/C++ or

Pascal source code. No license or runtime fees.

List: \$695 Ours: \$499
FAXcetera # 3758-0001



Multi-Edit Professional by American Cybernetics

A richly featured, easy-to-use programmer's text editor. Multi-Edit's flexibility and sheer power combine to provide you with unparalleled productivity. Features include: intuitive user interface, mouse support, syntax highlighting, cross directory multiple file search AND replace, color templates, + much more! Finally, a text editor that thinks like a programmer! Free demo disk available.

List: \$199 Ours: \$139
List: \$295 Ours: \$259
FAXcetera # 1846-0001



SVS C³/FORTRAN-77 by Silicon Valley Software Version 2.8.2

SVS C³/FORTRAN-77 runs in and creates 32-bit executables for use with MS Windows 3.x as DPMS executables. Compiler, development tools and applications are DPMS conforming and support most VCP requirements.

Extensive graphics and scientific function library is included. Executables are run-time royalty free.

List: \$395 Ours: \$356
FAXcetera # 2863-0001



PROTOGEN 3.0 by ProtoView Development

NEW VERSION! The industry standard for code generation and prototyping Windows applications. Develop the user interface of your application using Visual prototyping methods. ProtoGen generates expert

level, commented code for ANSI C, Microsoft NT Win32. All generators included! User Code is preserved from one generation to the next. It's easy and fast.

List: \$99 Ours: \$95
FAXcetera # 2553-0002



GUARANTEED BEST PRICES! (Call for details)

To order call: 800-445-7899
Corporate (CORSOFT): 800 422-6507
FAX: 908 389-9227
International: 908 389-9228
Customer Service: 908 389-9229

For more information on the products featured on these pages call-
FAXcetera®: 908 389-8173

Programmer's Paradise®

• All prices are subject to change without notice.

Circle 102 on Inquiry Card.

8
0
0
4
4
5
-
7
8
9
9

SPARC-Based Portability

A portable workstation based on the 50-MHz Sparcengine LX board from Sun Microsystems, the BriteLite LX is 100 percent compatible with Sun hardware and software, according to RDI Computer. The Solaris 32-bit distributed environment is preinstalled.


Features of the BriteLite LX include a Colorplus active-matrix TFT (thin-film transistor) LCD, which offers 256,000 colors and 64 levels of gray. Standard memory is 16 MB (expandable to 96 MB), and hard disk storage is 450 MB. Ports include a SCSI-2 connector, an audio/attachment unit interface port, and a bidirectional programmable parallel port.

Price: \$15,995.
Contact: RDI Computer Corp., San Diego, CA, (619) 558-6985; fax (619) 558-7061.

Circle 1075 on Inquiry Card.

Modular Power Fits in Your Hand

A hand-held PC geared for rugged use, the modular DAT300 features a removable data-cassette hard disk. You can use the cassette—available with from 256 KB



The BriteLite LX puts SPARC power into a portable workstation.

to 2 MB of SRAM (static RAM) or flash EPROM and as a 20- or 40-MB micro hard disk—like a floppy disk to exchange data and programs.

Other modules include a removable battery pack, a plug-in radio interface for wireless communications, and a plug-in impact mini-printer. The unit is C-programmable in Windows. You can access the removable data cassettes, as you would a normal hard drive, directly from your desktop PC's parallel port.

Price: \$1350 (1,889,325 lira) and up.

Contact: 4P s.r.l., Padova, Italy, +39 498 700474; fax +39 498 700943.

Circle 1076 on Inquiry Card.

Configuration Choice

The expandable DT486 DLC-40 system is available in desktop, minitower, and medium-tower models. The system has a basic configuration of 4 MB of RAM (expandable to 32 MB on the motherboard), dual floppy drives, an 80-MB hard drive, a Super VGA color card and monitor, a keyboard, DOS 5.0, and a serial mouse.

Upgrades for the system include 120-, 170-, 200-, and 340-MB hard drives, a 2.5-MB IDE cache controller, and a Windows accelerator VGA card. You can also add Windows 3.1 and a 256-KB cache-memory module.

Price: Basic system, \$1299.
Contact: Diamond Technologies, Inc., Irvine, CA, (800) 989-7253 or (714) 252-1008; fax (714) 252-1508.

Circle 1077 on Inquiry Card.

Desktop Power Packer

The small-footprint Image 466/66i runs at 66 MHz internally and 33 MHz externally. The system has 4 MB of SIMM RAM, expandable to 36 MB on the system board, and 128 KB of ROM.

NEC's implementation of local-bus video technology, ImageVideo, is a dedicated video bus that operates at 33 MHz. ImageSync automatically synchronizes the system to the optimum frequency of one of NEC's MultiSync FG series of monitors. The system has four 8-/16-bit ISA expansion slots and four drive bays.

Price: With a 120-MB IDE hard drive, \$2501; with a 240-MB IDE hard drive, \$2677.

Contact: NEC Technologies, Inc., Boxborough, MA, (508) 264-8000.

Circle 1078 on Inquiry Card.

Multiuser System

Alpha Microsystems' multiuser AM-1600LC runs on the company's proprietary operating system, AMOS, and is based on a 25-MHz MC68020 processor. Four memory slots accept 1- or 2-MB memory modules for expansion (up to 8 MB).

The system is available with the company's optional Virtual Personal Computer technology, which lets you execute DOS programs without a DOS workstation.

Price: With 2 MB of RAM, four serial ports, one parallel port, a 120-MB SCSI hard drive, and a tape streamer for backup, about \$7624 (£4830).
Contact: Alpha Microsystems (GB), Ltd., Maidenhead, Berkshire, U.K., +44 628 822120.

Circle 1079 on Inquiry Card.

The SCSI-2 Advantage

The SiliconAdvantage SCSI-2 host adapter cards provide synchronous data transfer rates as high as 10 MBps and asynchronous rates as high as 7 MBps. Able to perform complex SCSI-2 command sequences without software intervention, the cards automatically handle all command-queue responses from the SCSI devices, in addition to sorting and reordering commands.

Other features of the cards include scatter/gather, enhanced virtual memory performance by off-loading disk I/O tasks from the operating system, connect/reconnect support, and slow cable mode for noisy environments. The cards support up to 49 SCSI devices via use of logical unit numbers. Optional driver support is available for operating systems such as DOS, NetWare, OS/2, Windows, SCO Unix, and Solaris. The software interface is ANSI CAM (common access method) compliant.

Price: ISA card, \$495; Micro Channel card, \$795.


Contact: Atto Technology, Inc., Amherst, NY, (716) 688-4259; fax (716) 636-3630.

Circle 1086 on Inquiry Card.

Up the Resolution

The LazerSetter PCL Plus provides 600- by 600-dpi resolution in PCL (Printer Control Language) mode on Hewlett-Packard LaserJet II, IID, III, and IIID printers. The optional LazerTrax PostScript-compatible interpreter can boost resolution to 1200 by 1200 dpi.

A controller card that plugs into the optional I/O slot of the printers, the LazerSetter PCL Plus is based on the 960SB/16 RISC processor. On-board RAM provides fast



SiliconAdvantage cards boost data throughput in SCSI-2 systems.

processing without your having to add additional memory to your printer.

Price: \$795 and up.

Contact: Bolder Systems, Inc., Boulder, CO, (800) 967-0973 or (303) 938-9949; fax (303) 449-4005.

Circle 1087 on Inquiry Card.

A New View for PowerBooks

Appplied Engineering's BookView Imperial pseudostatic RAM and video adapter card plugs into the memory-expansion slot on the motherboard of the Apple PowerBook to let you connect the notebook to large color monitors. The card, which has 6 MB of RAM, provides 8-bit color and levels of gray. It supports standard and full-page VGA, Apple monitors, NTSC, and overhead projectors.

Price: \$1116.

Contact: Applied Engineering, Dallas, TX, (800) 554-6227 or (214) 241-6060; fax (214) 484-1365.

Circle 1088 on Inquiry Card.

DSP Boards

Three data acquisition boards use a DSP (digital signal processor) chip to give you the power of signal processing on your desktop system.

A complete DSP subsystem based on AT&T's DSP3210 chip, the Qw3210-SA signal analysis board has 136 KB of high-speed SRAM (static RAM) (expandable to more than 2 MB) and a dual-port RAM interface between the PC and the DSP. The board provides 32 MFLOPS of processing power.

Each of the two channels in the board's analog I/O subsection has a 200,000-sample-per-second 16-bit A/D and D/A converter; a differential-input, programmable-gain instrumentation amplifier; and optional programmable-cutoff analog filters. Software included with the board is a C interface library and Resmon, a memory-resident DSP program that sets up the hardware, reports on errors, and provides task-switching services.

Price: \$2995.

Contact: Quantawave, Marlborough, MA, (508) 481-9802; fax (508) 624-0942.

Circle 1089 on Inquiry Card.

The DSP_400 and DSP_MOD boards, based on AT&T's DSP32C chip, provide 25 MFLOPS of processing power and have up to 8 MB of zero-wait-state on-board memory. Each board has a 12.5-MHz, 32-bit parallel port for direct data transfers to the on-board memory without tying up the AT bus on your PC.

Each board comes with a complete software package that provides everything you need to begin developing DSP applications. The DSP_400 uses individual memory chips, and the DSP_MOD uses memory modules.

Price: \$950 each.

Contact: Symmetric Research, Kirkland, WA, (206) 828-6560; fax (206) 827-3721.

Circle 1090 on Inquiry Card.

Sound Out Your PC

A sound board that automatically adapts to different voices and accents, the Cyber Audio Card lets you assemble your own vocabulary of voice commands. The card maintains an active 125-word vocabulary.

The board includes digital audio recording and playback on two mono channels or one stereo channel at 11 to 44 kHz and 8- or 16-bit resolution. Other features include compression/decompression as high as 4 to 1 at a 22-kHz sampling rate, a MIDI interface, compatibility with SoundBlaster and Adlib, and an on-board stereo mixer for three stereo channels or six mono channels.

Price: \$395.

Contact: Alpha Systems Lab, Irvine, CA, (714) 252-0117; fax (714) 252-0887.

Circle 1091 on Inquiry Card.

Manage Networked PCs

Intel's LANDesk software tools provide simplified management of desktop PCs and related services on Novell NetWare 3.x LANs. The tools include LANDesk Manager, LANDesk Protect, and LANDesk Inventory Manager.

LANDesk Manager provides a single control point for all local network management solutions. The program lets you remotely view a workstation or file-server screen; query for system information; control the keyboard and mouse; and make changes to the system, such as moving or copying files, rebooting, and executing programs. LANDesk Manager also displays statistics such as packet traffic, error rates, and utilization.

LANDesk Protect continuously scans all network traffic to detect and isolate more than 1900 PC viruses, including common strains, self-encrypting stealth viruses, and polymorphic (i.e., mutation engine) viruses. LANDesk Inventory Manager generates a summary of the hardware and software resources on the network to help you manage upgrades, maintenance, contracts, and licensing compliance.


Price: LANDesk Manager, \$1295 per server; LANDesk Protect, \$995 per server; LANDesk Inventory Manager, \$595 per server.

Contact: Intel Corp., Santa Clara, CA, (408) 765-8080; fax (408) 727-2620.

Circle 1092 on Inquiry Card.

14,400-bps Notebook Modem

The Smart One 1442 PCMCIA modem from Best Data Products provides notebook PC users with high-



The LANDesk software tools provide LAN administration functions such as node management, network and application monitoring, virus protection, accounting, troubleshooting, capacity planning, remote control, and inventory.

speed, error-corrected data transfer and faxing capability. Using built-in CCITT V.42bis and MNP level 5 data compression and V.32bis error correction, the modem lets you achieve effective throughput rates of up to 57,600 bps even on dial-up lines, as well as full send-and-receive fax capability at 14,400 bps. In addition, the Smart One 1442 PCMCIA operates in full background mode for uninterrupted operation.

The modem's fax features include broadcasting of multiple files to various fax machines; the ability to view, rotate, and print incoming faxes; and time-scheduled transmission. You can keep data and fax numbers in a flexible phone book, and handy logs record fax and even error reports.

Price: \$599.

Contact: Best Data Products, Inc., Chatsworth, CA, (818) 773-9600; fax (818) 773-9619.

Circle 1093 on Inquiry Card.

Antivirus Utility for NetWare

Fifth Generation Systems' Untouchable Network NLM (NetWare loadable module) detects and recovers viruses on NetWare 386-based file servers. The package employs integrity checking on the file server to detect viruses without relying on frequent virus signature updates.

A patented virus-removal technique guarantees safe restoration of recoverable infected files, including those hit by new, unknown viruses. The package also features on-line scanning of compressed and archived files and seamless integration of Untouchable Network NLM for detection and recovery of viruses at individual nodes.

Price: \$995 per server.

Contact: Fifth Generation Systems, Inc., Baton Rouge, LA, (504) 291-7221; fax (504) 295-3268.

Circle 1094 on Inquiry Card.

Workgroup Connectivity

With Powerfusion for Workgroups, Unix resides as a peer partner in the Windows for Workgroups environment. The package supports Unix, DOS, Windows, and Windows for Workgroups users and provides three connectivity solutions: plug-and-play operation; support for Windows for Workgroups orphans, such as IBM XT's and AT's and Unix; and low memory overhead. Powerfusion for Workgroups allows network users to share resources such as disks, printers, keyboards, screens, and CD-ROMs.

Price: DOS and Windows users, about \$100 per workstation; supported Unix clients, \$100 each.

Contact: Performance Technology, San Antonio, TX, (210) 349-2000; fax (210) 366-0123.

Circle 1095 on Inquiry Card.

PCMCIA Wireless Adapter

A wireless LAN adapter, the RangeLAN/PCMCIA fits the specifications of the Type II PCMCIA credit-card-type slot. Using spread-spectrum technology over a range of up to 800 feet, the adapter can operate at a data rate of 242 Kbps. The RangeLAN/PCMCIA adapter provides a wireless networking solution to portable users, allowing them to easily set up an "instant" LAN without cables or to extend an existing LAN to hard-to-reach places. The RangeLAN/PCMCIA comes with drivers for popular LAN operating systems.

Price: \$595.

Contact: Proxim, Inc., Mountain View, CA, (415) 960-1630; fax (415) 964-5181.

Circle 1096 on Inquiry Card.

Why some software sells more than others.



Success. All software developers strived for it. Now, Don Gall was on top of the world. Software protection made all the difference. Especially in Europe and Asia. Sales were four times better than before. He is the founding father of Sentinel — the guru of software success.

Struggling Software Sales

One day, trekking through the coffee fields of Java, Don ran into his old college buddy Simon Seagull. "Don, my sales are well below expectations." Simon explained his plight. "My software should sell like yours, Don!" Yet despite critical acclaim Simon's company SimonSays Software, teetered on a financial tightrope. "What's your secret, Don?"

They spent hours analyzing potential problems. They looked at everything.

The Key to the Problem

Finally, Don leaned back and asked the assumptive question, "What about protection?"

Are you using Sentinel?" Nervously, Simon sipped his

coffee. His hands shaking as his eyes darted the room. "No. I didn't think I needed to."

Don's chair slid out from under him and he crashed to the floor. Amazed in disbelief, Don cried, "You What?!" Grabbing his tattered scrapbook, Don pulled out photos of his travels. "Ever been to Seoul? Prague? Anywhere? Ten bucks will buy you anything even bootlegged copies of software."

Don's Road to Success

Thumbing through the scrapbook, Don shared his experiences. "Back in the '80s, I was in your shoes — beaten, battered and bruised." Simon listened. "Then, after a heart breaking trip around the world, I called the Software Publishers Association (SPA)."

"I could hardly believe it." They told me developers lose billions of dollars each year. Why? Illegally copied software. "In some countries there are nine pirated copies for each legal copy sold."

Simon was disgusted, "It's just not fair."

"That's why I committed myself to solving the piracy problem." Simon's eyes lit up. "The dongle!" he shouted. Don corrected him, "Not just any dongle — the dongle that paved the road to success for over 10,000 developers worldwide — Sentinel."

Successful Developers Use Sentinel

Don pulled a stack of letters out of his gunny sack. "All of these people tell the same story." Don read about a successful developer from California who swears she wouldn't be in business without Sentinel. Another company says protection costs less than litigation, plus they don't have to spend time and money supporting illegal users.

Others confessed they wouldn't market products internationally without protection.

The hours flew by, story after story, Simon learned Don Gall's secret. To succeed is to protect. To protect is to secure with Sentinel.



Most Advanced and Widely Used Dongles in the World

Backed by the world leader in software protection, Rainbow Technologies, the Sentinel Family of hardware keys is the most diverse and comprehensive selection available. For DOS, OS/2, Mac, Windows, LAN, UNIX and others. They're simple to install, and are the most reliable and compatible available.

Rainbow offers just-in-time delivery and the largest technical support and engineering staff in the software protection industry.

Call Don Gall today for a free copy of "The Sentinel Guide to Securing Software." Or better yet, ask him for a low cost Sentinel Evaluation kit today — complete with a working dongle!

For your free guide to securing software, call your local office or distributor listed below.

SENTINEL
Securing the future of software

When you need a dongle, you need Sentinel. The only dongle Don Gall will use.

RAINBOW
TECHNOLOGIES

RAINBOW LTD./U.K. 44 932 570066 • RAINBOW MICROPHAR/France 33 1 47 38 21 21 • RAINBOW GmbH/Germany 49 89 961 3051 • PACIFIC RIM 714/454-2100

Worldwide distributors: ARGENTINA: Agri-Aid, S.A. 54 1 46 8364 • AUSTRALIA: Fagan Microprocessor Systems 61 3 699 9899 • BRAZIL: Mips Sistemas Ltda. 55 21 507 1839
BENELUX: Intocom Security Key 31 74 430 105 • CHILE: ChileSoft Ltda. 56 2 639 8892 • COLOMBIA: Construdata 57 1 257 2203 • GREECE: Byte Computer S.A. 30 1 923 2335
HONG KONG: Beta Trading C & P 852 515 0018 • HUNGARY: Polyware Kft 36 76 481 236 • IRAN: Gam Electronics 982 122 2374 • ITALY: BFI IBEXSA SPA 39 23 31 00535
ITALY: Siosistemi 39 30 24 21074 • JAPAN: Giken Shoji Co., Ltd. 81 52 972 6544 • JORDAN: CDG 962 6 818360 • KOREA: Genesis Technologies Corporation 82 2 578 3528
MEXICO: Impex Computacion, S.A. de C.V. 52 66 210 291 • NORWAY: Perico A/S 47 2 49 1500 • PERU: Computadores Andinos, S.A. 51 14 42 4888 • PORTUGAL: HCR 35 1 135 61865
SAUDI ARABIA: ZEDAN 966 2665 1904 • SPAIN: MECCO 34 3 422 7700 • SWITZERLAND: IBV AG 41 1 741 2140 • SWITZERLAND: Safe Compaid S.A. 41 2 421 0385
THAILAND: BCS International 66 2 319 4451 • TURKEY: BIMEKS, Ltd. 901 348 3508 • VENEZUELA: H&R&T Osers 58 2 261 4282

Circle 138 on Inquiry Card (RESELLERS: 139).

The *Evolution* Of P



1984

The Luggables

- 35 pounds
- 8088-class CPU
- 512K RAM
- Floppy drive
- No hard drive
- AC only
- Monochrome display
- \$4000 to \$5000



1987

The Laptops

- 15 to 20 pounds
- 8088 or 80286-class CPU
- 640K RAM
- Floppy drive
- 10 or 20MB hard drive
- AC only or 1.5-hour battery
- CGA display
- \$3500 to \$4500

You've been wrestling with over-sized, over-priced portables for nine long years! Now Gateway 2000 emerges from the struggle and introduces the missing link in the evolution of portable computing. It's the HandBook, a perfect combination of portability and functionality for all on-the-go Homo Sapiens.

The HandBook is a real PC in a revolutionary new form. Not a notebook, not a palmtop, the HandBook is the first fully-functional PC in a truly portable, handbook-sized form. You can easily take the HandBook anywhere because this new species measures a mere 6 x 10 inches and weighs only

2.75 pounds, yet it runs over 5,000 of your favorite DOS applications. You aren't stuck buying and learning proprietary "card" programs when you have a HandBook.

The exclusive auto-resume feature enables the HandBook to work like no other PC you've ever seen. Auto-resume allows you to suspend the computer's operation for moments or weeks at a time, and then return to your work right where you left off – in seconds, and at the touch of a button.

With the HandBook you get 40MB of hard disk capacity to easily and quickly store all your DOS programs and files.

The quiet and comfortable touch-type keyboard allows you


Portable Computing.



1990

The Notebooks

- 6 to 9 pounds
 - 80286 or 80386SX-class CPU
 - 640K RAM
 - Floppy drive
 - 20 to 40MB hard drive
 - 2 to 3-hour battery
 - CGA or VGA display
- \$2900 to \$4500**



Today

The HandBook

- 2.75 pounds
 - C&T CPU, 286-class performance
 - 1MB RAM
 - 40MB hard drive
 - 4.5-hour battery
 - 640 x 400 backlit display
 - Auto-resume feature
- \$1295**

to type as fast as you can on your desktop keyboard.

The HandBook's 640 x 400 resolution backlit screen can be read in virtually any light and is large enough to display full 80-column lines of text, so you can use the HandBook whenever and wherever you need to. And the HandBook gives you all this with up to 4.5 hours of life on a replaceable battery.

The Gateway HandBook was designed specifically for you – today's on-the-move computer user. Once you get your hands on a HandBook, you'll struggle no more with a Neanderthal artifact

The HandBook was named one of the year's "Best of What's New" products by Popular Science magazine and received BYTE magazine's Award of Distinction.



"You've got a friend in the business."

8 0 0 - 8 4 6 - 2 0 0 0

610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000
605-232-2000 • Fax 605-232-2023


Windows Charting Tools

A collection of graphics and user-interface routines, the Windows Charting Tools package helps C and C++ programmers add scientific, engineering, and business graphics to their applications. The package for Windows 3.1 provides dialog boxes, high-resolution printer support, and Clipboard and metafile support. It also includes a library of C functions that you can use to create charts such as line, area, scatter, and group plots; horizontal and vertical bar graphs; floating bars; error bars; open-high-low-close plots; and pie charts.

Windows Charting Tools let you combine multiple chart types, data objects, and x and y axes in the same graph. You can set axes for linear and logarithmic scaling, and you can label axes with numeric values in decimal and scientific notation or with user-defined strings. You can output your charts to Windows-supported printers. **Price:** \$400; with source code to the Quinn-Curtis Charting DLL, \$800. **Contact:** Quinn-Curtis, Needham, MA, (617) 449-6155; fax (617) 449-6109. **Circle 1102 on Inquiry Card.**

Wireless Network Applications

You can add wireless capabilities to your new or existing applications with Motorola's WaveGuide 2.0 connectivity tool. WaveGuide provides a consistent API that lets you build applications for multiple wireless data networks in a DOS or Windows environment with minimal code changes. The WaveGuide API provides a high-level C-language interface that is independent of the un-



With Windows Charting Tools, you can edit chart characteristics such as graph position, plot attributes, axis parameters, fonts, and data.

derlying wireless network protocols and modem interfaces. WaveGuide 2.0-based applications allow two-way data communications over ARDIS and RAM, two popular wireless networks that transmit data using radio-packet technology.

Price: \$1495. **Contact:** Motorola, Inc., RadioWare Solutions, Schaumburg, IL, (708) 576-1600; fax (708) 576-0710. **Circle 1106 on Inquiry Card.**

Mac Error Detection

StratosWare offers versions of its error detection and prevention product, MemCheck for the Macintosh, for the Think C and MPW C environments. Requiring no source code changes, MemCheck detects errors such as memory overwrites and underwrites, memory leaks (i.e., failure to free allocated memory), and heap corruption. MemCheck operates transparently, appearing only to report errors with exact file and line-number in-

formation in the source code.

MemCheck for the Macintosh can detect failures in memory allocation routines, failures in many resource operations, and invalid operations on unlocked and purged handles, as well as the inappropriate use of nonresource handles in Resource Manager traps. You can switch MemCheck on or off at run time, link it out via the Production library, or compile it out with no source code changes.

Price: \$179.95 each; bundled, \$239.95. **Contact:** StratosWare Corp., Ann Arbor, MI, (313) 996-2944; fax (313) 747-8519. **Circle 1103 on Inquiry Card.**

Windows Program Generation

Microlex says that its GUIDE (GUI Development Environment) tool provides all the Windows program-generation facilities you need in one system. The package lets you create compiled programs in a fourth-generation-language environment, and it can handle future Windows developments such as Windows for Pen Comput-

ing, Windows NT, and multimedia.

Offering Novell NetWare compatibility, GUIDE provides features such as entity-relationship database design tools, a menu designer, and form- and screen-design tools. Other features include interactive multidimensional graphics, comprehensive font and color-palette controls, bit-map sequencing, an integrated table and spreadsheet tool, and report generation and project management facilities.


Price: Four-user version, about \$18,300 (£12,000). **Contact:** Microlex plc., Derby, U.K., +44 332 290630; fax +44 332 290624. **Circle 1104 on Inquiry Card.**

Unix Productivity Tool

With iXBuild 2.1, you can build, prototype, and test OSF/Motif-based GUIs for software applications, independent of the underlying application. Interfaces that you build with iXBuild are run-time independent and can run on most Unix platforms. The package includes a graphical WYSIWYG editor; a set of Motif widgets; automatic interfacing to existing databases; graphical editing functions, which include a Search Editor for positioning, sizing, cutting, pasting, copying, inserting, and deleting elements of your work; context-sensitive on-line help; and dynamic testing facilities. You can also extend iXBuild 2.1 with user-defined widgets and resources (i.e., attributes). **Price:** First user license, \$4500.

Contact: UniPress Software, Inc., Edison, NJ, (908) 287-2100; fax (908) 287-4929. **Circle 1105 on Inquiry Card.**

Since when is Raima first in Corporate Database Development?



Since April 7, 1992

Raima Database Manager was the database of choice in the First Annual Windows World Open. The competition featured innovative custom applications built with Windows development tools. Three of the seven winners, and two of the finalists, used Raima Database Manager to solve their critical application needs.

For professional developers like yourself, Raima products offer:

- High performance: unmatched application speed.
- Portability: runs on DOS, Windows, OS/2, UNIX, VMS, QNX.
- Royalty-free distribution: increase your profits.
- Source-code availability: total programming flexibility.
- Affordable pricing: starting at just \$395.
- Language support: ANSI C, C++, and Visual Basic.

Listen to what some of our customers say about our products:

"No other products matched Raima for the price."

James Lisiak, developer, Chevron

"Raima provided us with speed, flexibility, and royalty-free distribution which allowed us to meet and exceed our customers' needs."

Dave Cooper, developer, Atlantic Research Corp,
(subcontractor, Naval Electronic Systems Engineering Activity)

"Database Manager gave us the edge we needed to handle large amounts of data quickly and efficiently within Microsoft Windows..."

Kelly Patrick, developer, PHH Fantus

If you're looking for an award-winning application development tool, give us a call. And discover the Raima advantage.

Raima Database Manager The high-performance DBMS
Raima Object Manager The object storage class library

Raima Corporation 1605 NW Sammamish Rd. Suite 200 Issaquah, WA 98027 (206)557-0200 Fax: (206)557-5200

1-800-DB-RAIMA Also available for DOS, OS/2, and UNIX

Copyright © 1992 Raima Corporation. All rights reserved.
8Y39WA

Circle 137 on Inquiry Card.

WINDOWS WORLD™



See it first

Play to win in the "City of Winners"... *Atlanta*

It's two world-class events happening side by side in Atlanta...and the year's first opportunity to go to the cutting edge in computer and communications technology.

- More than 1,000 exhibiting companies with thousands of exciting new products!
- *Plus* dedicated Technology Showcases on Network Computing, Multimedia, Mobile Computing, UNIX®/Open Systems, OEM Sources, and Office and Imaging Systems!
- 75,000-plus attendees...including over 5,000 international delegates from more than 70 countries!
- The rollout of Windows NT—plus a world of new Windows applications!
- "Featured Country" program highlighting Canada!
- More than 100 separate educational conference sessions on the latest technology, business and distribution issues!
- Keynote addresses from Bill Gates of Microsoft and James Cannavino of IBM...plus "CEO Perspectives" from Robert Palmer of DEC and Jim Manzi of Lotus!

If you play to win in the computer industry, there's only one place to go this spring—COMDEX and WINDOWS WORLD in Atlanta!



COMDEX®



...see it all!

**Don't miss the
next COMDEX and
WINDOWS WORLD!
FAX: (617) 449-2674**

**Hotels fill up fast—reserve
your accommodations today!**

YES! I want to see it first at COMDEX and WINDOWS WORLD!

- ☐ Send information on attending, including hotel and travel savings.
☐ Send information on exhibiting.

☐  **COMDEX/Spring '93**

The world's #1 computer and communications marketplace for resellers and corporate decision makers.

☐  **WINDOWS.WORLD'93**

The official conference and exposition on Windows computing. Produced in cooperation with Microsoft.

**May 24–27, 1993
Georgia World Congress Center • Atlanta, Georgia USA**

Name _____ 8LKCA

Title _____

Company _____

Address _____

City _____ State _____

Zip/Postal Code _____ Country _____

Telephone _____ Fax _____

Fax 617-449-2674 or mail to: The Interface Group, 300 First Avenue, Needham, MA 02194-2722 USA.

Scientific Graphics

Grapher for Windows creates presentation-quality x,y graphs for scientific and engineering applications. Graph types include line, symbol, bar, and open-high-low-close graphs. You can add vertical and horizontal error bars, with complete control over their line style, width, and color.

The program provides automatic or user-defined axis scaling, tick marks, labels, and legends. You can choose from linear, logarithmic, exponential, power, spline, polynomial, and running-average curve fits, with an unlimited number of curves and fits on each graph. The program supports multiple axes per graph, and you can plot several graphs on a page.

Built-in drawing tools let you place rectangles, circles, areas, or points anywhere on your graphs. You can use the text editor to create text blocks with superscripts, subscripts, and mathematical formulas and symbols.


Price: \$199.

Contact: Golden Software, Inc., Golden, CO, (303) 279-1021; fax (303) 279-0909.

Circle 1114 on Inquiry Card.

Project Visualization

The CVpvs project visualization system for Sun, DEC, and Hewlett-Packard systems provides a virtual walk-through of large-scale 3-D CAD projects so you can see the structure and appearance of the project from every angle. Spatial orientation features let you move forward, backward, left, right, up, and down, as well as turn and orbit. They also control zooming, the point from which a view originates, and the direction of your gaze.



A 2-D scientific graphics package, Grapher for Windows supports up to 32,000 data points per curve.

In mechanical and manufacturing environments, the CVpvs software lets you inspect complete assemblies, subassemblies, and individual components by manipulating, communicating, and animating a large-scale design. The CVpvs program lets you interrupt display graphics, verify or query nongraphics model attributes from an external database, add notes and labels, and measure dimensions and distances.

Price: \$8925.

Contact: Computervision Corp., Bedford, MA, (617) 275-1800; fax (617) 275-2670.

Circle 1117 on Inquiry Card.

Exploratory Data Analysis

The latest version of Data Desk, exploratory data-analysis and graphics software for the Mac, works with an unlimited number of cases and adds multivariate general linear models, nonlinear

smoothers, automated slider tools, summaries by categories, derived variables, and random subset sampling. Fast calculations let you quickly pursue several analysis paths, and Data Desk 4.0 links all plots and analyses, so you can move from one to another to visualize your data in different ways.

A Linear Model Outline organizes the decisions you need to make to perform linear model analysis, as well as the results that linear models compute. An Overview table gives a summary of results from the analysis, so it is easy to identify factors with strong effects, factors with little or no effect, and factors whose effects are not consistent.

Price: \$595.

Contact: Data Description, Inc., Ithaca, NY, (607) 257-1000; fax (607) 257-4146.

Circle 1116 on Inquiry Card.

Mathematical Modeling

Ideal for technical specialists, VisSim is an interactive program for mathematical modeling, animated simulation, real-time control, and analysis of dynamic systems. The Windows software

offers more than 70 linear and nonlinear mathematical function blocks and six integration methods.

To visually solve complex differential equations, you select the blocks representing the standard procedures required, wire them together, and run the simulation. VisSim's function blocks cover most arithmetic, Boolean, transcendental, linear and nonlinear, integration, and signal-processing operations.

Price: About \$755 (£495).

Contact: Adept Scientific Micro Systems, Ltd., Letchworth, Hertfordshire, U.K., +44 462 480055; fax +44 462 480213.

Circle 1115 on Inquiry Card.

The Engineer's Companion

If you are involved in the mechanical design of structures for supporting, bracing, and containment, then The Engineer's Companion may interest you. More than 100 engineering calculations let you design and analyze torsional and thermal deflection and stress; contact deformation and stress between spheres, parallel and crossed cylinders, and spheres and cylinders on plates, as well as in sockets; beam-column instability; stress in curved beam sections; and mechanical and thermal stress and expansion in pressurized cylinders and spheres.

For most calculations, you can evaluate equations for a single set of values, tabularly display or plot them over a range of a variable, or plot families of curves based on a continuous range of the variable and stepped over a range in a chosen parameter.

Price: \$199.95.


Contact: Dynacomp, Inc., Webster, NY, (716) 265-4040.

Circle 1118 on Inquiry Card.

After you see our performance



The UltraLite Autograph is just one of the many innovations NEC has brought to portable computing. Others include the first active-matrix color notebook, the first color laptop and the first portable Docking Station™



you'll want our Autograph.

Applause and standing ovations. That's how people are reacting to NEC's new UltraLite® Autograph™. The UltraLite Autograph is a tablet computer that's designed to provide uncompromising performance anytime, anywhere. At just 3.9 lbs., and a mere 1.2" thin, this lightweight delivers heavyweight performance. The Autograph is loaded with advanced features like a powerful i486™SL processor. 40 or 80MB* hard disk drive. A full complement of standard ports. Local bus video for dazzling video performance. A high-quality VGA transfective screen display for clear viewing indoors and outdoors. Two PCMCIA slots for easy installation of peripherals like fax modems and local area network cards. And programmable HotZone™ icons that work like function keys to allow quick, easy access to frequently used functions. And there's an optional keyboard that has been customized for portable use. It comes with plenty of battery life, thanks to its 3.3-volt design that gives users significant battery life improvement depending on usage (3-5 hours with a standard NiMH battery and 6-10 hours with a double-capacity battery pack). And the Autograph can run either Windows™ for Pen Computing™ or PenPoint™ software. NEC's UltraLite Autograph. You'll give its performance rave reviews. To find out where you can see the Autograph, call us at 1-800-NEC-INFO (in Canada, 1-800-343-4418) and we'll tell you where you can sign on the bottom line for one.



Because ↑ is the way you want to go.

NEC

*80MB available 1st quarter 1993.

UltraLite is a registered trademark and UltraLite Autograph and HotZone are trademarks of NEC Corporation. Docking Station is a trademark of NEC Home Electronics, Inc. The Intel Inside Logo is a registered trademark of Intel Corporation. All other trademarks and registered marks are property of their respective owners. © 1993 NEC Technologies, Inc.

Circle 117 on Inquiry Card.

Nobody gives you as ZEOS®. At any

Everybody is talking price, price, price. Now ZEOS is talking price, price, price and features, features, features! Right now, you get more features at lower prices from ZEOS than from anyone else!

TAKE A REALLY CLOSE LOOK AT WHAT YOU GET:

■ VESA-standard local bus video—the *fastest video performance* available anywhere. *PC Magazine* said the ZEOS 486DX2-66 “shattered our previous record...by nearly fourfold.” Now the dazzling video performance that rated #1 with *PC Magazine* can be yours!



■ Local bus IDE hard drives. Now we've made your hard disk drive data throughput *over twice as fast with local bus IDE!* Dell doesn't have it; few others do either. ZEOS does. You do.

■ You get eight expansion slots, including two that support VESA-standard local bus devices with bus mastering. *Expandability with local bus performance in mind!*

■ Twin cooling fans. A ZEOS quality extra to help *protect your long-term investment*. One cooling fan just isn't enough to cool any modern PC, particularly at such high speeds. That's why ZEOS gives you two.

■ “An array of features to make a user's mouth water.” —*PC Magazine*. Such as stronger cases, high-capacity power supplies with built-in surge suppression, floppy drives by Teac, and so much more.

■ Award-winning 24-Hour-A-Day Toll-Free Technical Support. We were the first to offer 24 hour support—years ago. Even now, few offer it 'round the clock. But with ZEOS you get it, 365 days a year.

■ On-board SCSI for only \$49. Add SCSI devices (such as CD-ROM) now or later and you get high performance on-board SCSI, cheap.



■ ZIF (Zero Insertion Force) CPU upgradability from the 486SX-25 right through to the 486DX2-66 and, in the future, Intel's Pentium™-based OverDrive™ processor. According to *PC Magazine*, a system that can accommodate Intel's future generations of processors “is an advantage that you are likely to appreciate...” Gateway doesn't have it. ZEOS does. You do.


■ “It's hard to imagine a brighter upgrade picture.” —*PC World*. Flash BIOS for future upgrades by disk or modem, 6-bay cases, eight slots, cache all the way to 256K. Only from ZEOS!

■ Warranties, guarantees and more. If you're not absolutely convinced your new ZEOS PC is everything we say it is and more, you have a full 30 days to return it

“The stand-out was the ZEOS 486DX2-66 system that blew all competitors away—in some cases performing more than ten times as fast as competitors.”

—PC Magazine,
January 26, 1993

Upgrade from
a desktop to a
vertical case
for only \$95.



as much price!

to us for a complete, no-questions-asked refund. Plus, you're covered by our One Full Year Limited Warranty, our Express Parts Replacement Policy and our Complete Customer Satisfaction Package.

■ Don't forget, *free software too*. ZEOS Windows systems include your choice of 1-2-3 for Windows, Ami Pro or Freelance, plus DOS, Windows and Lotus Organizer.

NOBODY GIVES YOU SO MUCH.

Nobody, and we mean nobody, gives you as much as ZEOS.

At any price. And frankly, in the history of our company, we've never built better PCs than these. That means a lot from a company with *nine PC Magazine Editors' Choice awards*.



SO GIVE US A CALL!

You can't make a better purchase decision than to buy your own ZEOS system. So why not give us a call right now and talk with your own friendly and knowledgeable ZEOS Systems Consultant. ZEOS is absolutely your best choice. And we don't just say it. We guarantee it!

CALL NOW TOLL FREE

800-554-5226

Fax Orders: 612-633-1325, Government: 800-245-2449, TDD Orders (for the hearing impaired): 800-228-5389, Outside U.S. and Canada: 612-633-6131. MasterCard, VISA, Am Exp, Discover, Z-Card, COD and Leasing programs. Open 24 Hours a Day, 365 Days a Year!



Purchase orders from Fortune 1000 companies, governments and institutions subject to approval. Leasing programs available. All prices and specifications are subject to change without notice. Please call to confirm pricing, specifications and warranty details. All products and company names are trademarks or registered trademarks of their respective holders. © 1993 ZEOS International, Ltd., 1301 Industrial Blvd., Minneapolis, MN 55413 USA. ZEOS is a publicly traded company. (NASDAQ symbol: ZEOS). UPGR-BYT-9303

CHOOSE FROM FOUR MONEY-SAVING PACKAGES.

Or we can custom-build a system to your exact specifications. Just call us!

#1	#2	#3	#4	
\$1395	1895	2195	2595	486SX-25
\$1495	1995	2295	2695	486SX-33
\$1595	2095	2395	2795	486DX-33
\$1695	2195	2495	2895	486DX2-50
\$1795	2295	2595	2995	486DX2-66
■	■	■	■	Intel 486 CPU
■	■	■	■	ZIF upgrade socket
2	4	8	16	MB of RAM expandable to 64MB on motherboard
85	130	245	340	High-speed IDE hard drive (MB)
32K	32K	128K	256K	Built-in hard drive cache
■	■	■	■	Local bus IDE hard drive interface
16	16	12	12	Seek time (ms)
■	■	■	■	1.2MB Teac floppy drive
■	■	■	■	1.44MB Teac floppy drive
■	■	■	■	ZEOS 14" high-resolution mono VGA monitor
■	■	■	■	ZEOS 14" high-resolution 1024x768 non-interlaced SVGA monitor
.28	.28	.28	.28	Monitor dot pitch (mm)
■	■	■	■	1MB high-speed VESA local bus card
■	■	■	■	Eight expansion slots including two VESA local bus
■	■	■	■	Two serial ports, one parallel port
■	■	■	■	Shadow RAM/EMS support
■	■	■	■	Optional on-board SCSI port
■	■	■	■	Flash BIOS
■	■	■	■	High capacity 200W power supply and built-in surge suppression
■	■	■	■	ZEOS SpaceSaver case with six drive bays
■	■	■	■	Two cooling fans
■	■	■	■	ZEOS 101-key tactile/click keyboard
■	■	■	■	Microsoft DOS 5.0 and Windows
■	■	■	■	Microsoft Mouse
■	■	■	■	Choice of 1-2-3, Ami Pro or Freelance Graphics
■	■	■	■	Lotus Organizer
■	■	■	■	24-Hour-A-Day Toll-Free Technical Support
■	■	■	■	30-Day Money-Back Guarantee
■	■	■	■	One Year Limited Warranty

Automate MIDI Devices

Mark of the Unicorn offers Unisyn, a universal MIDI system editor/librarian program for the Mac. Unisyn gives you control over popular MIDI synthesizers and devices with integrated editing, librarian, and database functions to create, store, and manage synthesizer sounds and other MIDI device configurations. A graphical interface lets you edit patches and sounds, and Unisyn's on-screen sliders, buttons, and other controls facilitate programming even complex synthesizers.

The Performance function memorizes and restores the settings for an entire MIDI studio. You can build libraries of complete studio configurations as well as separate libraries for individual synthesizers and MIDI devices. Database functions let you tag sounds with multiple user-definable keywords. In addition, Unisyn lets you freely move patches among libraries, banks, and devices' internal memory.


Price: \$395.

Contact: Mark of the Unicorn, Inc., Cambridge, MA, (617) 576-2760; fax (617) 576-3609.

Circle 1140 on Inquiry Card.

Retrieve SQL Data

IQ Access can selectively retrieve and automatically reformat data for use with popular desktop applications such as Lotus 1-2-3, Microsoft Excel, WordPerfect, dBase, and Microsoft Word for Windows, as well as Btrieve, ASCII, and DIF files. The program for Unix SQL RDBMSes (relational database management systems) from Oracle, Sybase, Ingres, and Informix allows



Unisyn lets you create performance snapshots of an entire MIDI studio, including individual patches and entire banks, and control patches, setups, and sounds for all the devices in your MIDI system.

authorized users in an organization to access corporate data and, with just a few keystrokes, move it into their spreadsheets, word processing documents, or mail/merge files. There are no import routines or cleanup procedures because IQ Access handles the data conversions automatically.

The program is designed to take advantage of vendor-specific optimizing features, such as Sybase's dynamic SQL capability and Ingres's histogram-based query optimizer. In addition to the four Unix SQL RDBMSes, IQ Access will also be available for about 60 other databases and ISAM (indexed sequential-access method) file systems on DOS, VAX/VMS, and Data General's AOS/VS, as well as 35 Unix hardware

platforms. In client/server environments, the DOS version of IQ Access will work with software such as Oracle's SQL Net, Informix's I-Net, and IngresNet.

Price: \$1000 to \$42,500, depending on the CPU; client/server, \$2500 for a five-pack; network versions, \$1500 and up.

Contact: IQ Software Corp., Norcross, GA, (404) 446-8880; fax (404) 448-4088.

Circle 1141 on Inquiry Card.

Documents to Data

Now ListReader dbR lets you convert printed or typed documents to data records without keyboard entry. The Windows product

scans document pages, recognizes the text, and automatically places it into the correct data field. You can convert many kinds of documents, including lists, forms, or tables, and output data for DBMSes or spreadsheets at speeds of up to 2500 records per hour.

You can combine the lists, forms, or tables in any combination for complex documents. The program also supports one-to-many relationships for documents that have a master/detail arrangement. You create templates that tell ListReader dbR what to expect from individual pages—from simple mailing lists to complex insurance forms.

Price: \$895.

Contact: Solea Systems, Inc., Laguna Hills, CA, (714) 768-7736; fax (714) 380-8950.

Circle 1142 on Inquiry Card.

Voice Annotation for WordPerfect

With VoiceOver, you can annotate your WordPerfect 5.1 documents with comments in your own voice. The program lets you record sounds, which it then stores within the WordPerfect document. Voice annotations appear on the screen as standard WordPerfect comments, and they include each annotation's author, date, time of creation, and length. In addition, you can cut and paste voice annotations like standard WordPerfect comments.

VoiceOver also works over a network. You can access VoiceOver documents on a file server or send them as an attachment via E-mail.

Price: Single-user license, \$129.

Contact: Rational Data Systems, San Rafael, CA, (415) 499-3354; fax (415) 499-8115.

Circle 1143 on Inquiry Card.

SPREAD THE WORD

Please address new products information to New Products Editors, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. The press release should contain the product description, price, ship date, and an address and telephone number where readers can get more information.

Test the winner.

CeBIT'93
HANNOVER
24. - 31. MÄRZ 1993
Halle 1 2L4, Halle 4 G30

CHOISI PAR
PC
EXPERT
AVRIL 1992


PC
PROFESSIONELL
EMPFEHLUNG
DER
REDAKTION
AUGUST 1992



Minolta Laser Printer SP 3500.

In recent tests, conducted by PC Professional magazine in Germany and PC Expert magazine in France the Laser Printer SP3500 came out on top as the best over all performer. Now you can see for yourself why.

RISC technology (AMD's 29K* family)
extremely fast data-processing speed, giving



Thanks to powerful
it features extrem-
the least possible

delay between data transfer and printing. You get 10 pages per minute in a superb print quality. The unbeatable combination of Minolta Fine-ART (Advanced Resolution Technology), the brilliant Micro-Toning System, Truelimage™² software (standard for SP 3500), Font Flexibility and Multi-Emulation. So ... don't waste a second trying out the winner.

Fax • Copiers • Laser Printers

Minolta. The simplicity of intelligence.



Minolta GmbH • B.E.O. • In den Kolkwiesen 68 • D-3012 Langenhagen 1 • Tel. (0511) 77 00-0

* 29K* is registered trade mark of Advanced Micro Devices, Inc. ² Truelimage™ is trade mark of Microsoft® Corp.

Circle 421 on Inquiry Card

90W psu (150W on B-series), unique
mains/standby power switch combination

Choice of Slimline M or Compact B case

Choice of interlaced or non-interlaced, low radiation
MPR II colour SVGA and mono VGA monitors

Keyboard, mouse, MS-DOS 5.0, Windows for
Workgroups 3.1

Universal Motherboard

4MB RAM (max 32MB) for all CPUs, advanced
graphics connector, 1 parallel 2 serial ports

LOCAL BUS GRAPHICS

Ultra high speed performance for all software platforms
and VGA graphics applications. Up to 1024 x 768
pixels, 1MB Video RAM, 256 on-screen colours.
(Supplied as standard with all desktop ISA models
except PC-420X.)

Processor Cards With Local Bus VGA

With 1MB Video RAM 64k/256k/1MB cache

PC-466: 66MHz 486DX2

PC-450: 50MHz 486DX2

PC-433: 33MHz 486SX (DX option available)

PC-425X: 25MHz 486SX

PC-420X: 20MHz 486SX, 8k internal cache, VGA
512k upgradeable to 1MB Video RAM, 4MB RAM

Advanced Colour Monitors

1280 x 1024 pixels, interlaced and non-interlaced,
XV17: 17", XV20: 20" Trinitron.

Sample Colour Price

**NEW LOCAL BUS
PC-466M
POWER OPTION**

4MB RAM, 66MHz 486DX2, 1.44MB FDD, 85MB HD

£ 1 7 4 5

1MB Video Ram Local Bus VGA

	SVGA Monitor	XV17 Monitor	XV20 Monitor
PC-425XM	£1,045	£1,545	£2,210
PC-433M*	£1,225	£1,725	£2,390
PC-450M	£1,545	£2,045	£2,710
PC-466M	£1,695	£2,195	£2,860

*486SX CPU (486DX option)

PC-420XM with Trident 512k VGA, 4MB RAM
20MHz 486SX £945

90W psu (150W on B-series), unique
mains / standby power switch combination.
For B model ADD £40

Hard Disk options for Local Bus PCs

170 MB ide Add £90 400 MB scsi Add £745
240 MB ide Add £190 1.0 GB scsi Add £1305
400 MB ide Add £540 1.2 GB scsi Add £1435

Each Elonex PC comes ready to use with MS-DOS 5
and Windows for Workgroups 3.1 pre-installed
(where possible), and is backed up by our Technical
Support Hotline (081-452 6666). Response
Computer Maintenance (081-965 3225) provide
**the first year's on-site maintenance free of
charge.** Subsequent years are priced at 8% of the
original invoice (min. £75). **Extended 2-year
and 3-year warranties are available at
reduced rates.**

Elonex plc, 2 Apsley Way, London NW2 7LF
Tel: 081-452 4444
Fax: 081-452 6422

Elonex plc, 7-9 Campus Road, Listerhills Science
Park, Bradford BD7 1HR.
Tel: 0274-307226
Fax: 0274-307294

Elonex (France) s.a.r.l., Paris, France
Tel: (1) 40.85.85.40 Fax: (1) 40.85.84.83


Elonex (Benelux) sa/nv, Brussels, Belgium
Tel: (02) 675.19.20 Fax: (02) 675.34.00

ERS Computers

Dublin, Eire
Tel: 01-6797554 Fax: 01-6791728

Belfast
Tel: 0232-460450 Fax: 0232-460505

ELONEX H



Who else but Elonex could bring you a PC to satisfy your thirst for computing power without scorching your bank balance.


High quality PCs, all upgradeable from a 20MHz 486SX to an amazing 66MHz 486DX2 with high speed **LOCAL BUS GRAPHICS** at prices other manufacturers find hard to match.

Our British-made PCs are built to the highest standards and supported by an after sales service that includes **FREE ON-SITE MAINTENANCE** for the first year. Extended 2-year and 3-year warranties are also available at low cost.

Quality, choice and value for money have made Elonex the UK's leading direct PC seller.

Quench your thirst, call Elonex now on 081 452 4444.

LARATION



ELONEX

**PERSONAL
COMPUTERS**

Why settle for OPTICAL SPEED OR OPTICAL CAPACITY, When you can have BOTH!



The LaserBank Library 5-16DX multifunction optical jukebox is the fastest desktop jukebox available.

The new LaserBank Library 5-16DX optical jukebox contains the LaserBank 600MX drive, combining the fastest seek time (27ms average) with 10 GB of optical storage, and is available for AIX, DOS, Novell NetWare 386, and OS/2.

The MicroDesign LaserBank 600MX multifunction drive is available as a standalone internal or external drive, and is incorporated within the LaserBank Library 5-16DX.



See us at CeBIT
USA Networking Pavilion
Hall 14, Stand E20-21, Booth C8

CONTACT THE DISTRIBUTOR NEAR YOU


Benelux: RME (31) 36 5334636
UK, Eire: Ideal Hardware (44) 81 390 1211
Germany, Switzerland, Austria: T.I.M. (49) 611 27090
France: Opus Technologies (33) 1 46054079
Australia: SCSI Corporation (61) 2 550 4833
Poland: Copact Co., Ltd. (48) 26599061
Taiwan: Cybernetic Generator (886) 23650883

Spain: Proco (34) 1 4165700
Portugal: ESDI (35) 11 7979491
Italy: Gigatek (39) 245100370
Greece: Intellect (30) 1 647 4481
S. Africa: Starlan (27) 11 804 4701
Turkey: Komdata (90) 1791589
New Zealand: The Micro Source (64) 94440771



Micro Design International Inc.

Circle 430 on Inquiry Card.



JERRY
POURNELLE

CD-ROM SECRETS

It has been a frantically interesting month. I finished *Prince of Sparta, A Novel of Falkenberg's Legion* by Jerry Pournelle and S. M. Stirling (Baen Books) two days ago. By the time you read this, you will be able to buy copies, which is astounding. Jim Baen takes my Word for Windows text, translates it to Xy-Write for prepping, pours it into Ventura Publisher, and prints out page proofs. Copyediting corrections are fed in. The book is then formatted, printed out with the LaserJet in Baskerville typeface, and photoreduced to proper page size. Go buy a copy and compare: I'll bet you the print quality will be as good as that of any other paperback original you'll find.

I did *Prince of Sparta* in Microsoft Word for Windows (W4W for short). Steve Stirling did a partial Word-Perfect draft from my outline. Then I used Mastersoft's Word for Word to convert his files to Q&A Write format, which is what I use for creative writing; but this time the first job was extensive editing of Stirling's draft, which is a great deal more easily done in W4W. I piped everything through Word for Word again, converting files to the Word for DOS format because Word for Word doesn't recognize W4W files. However, W4W reads Word for DOS files.

Amazingly, everything went fine. On a 486/33, W4W is very fast. While I get frustrated by some of its arcane command structure, I am getting used to it; and it is very powerful. I can keep an entire book in W4W, use bookmarks at each chapter beginning or critical scene, and jump around like nobody's business. If I want to be sure of a character's name or make global changes, search and replace is very fast over the whole novel.

Jim Baen is a publisher, but he is also one of the best editors I've worked with. I'd PKZip each newly finished chapter and use ZMODEM protocol to squirt it up to BIX at 9600 bps with the USRobotics Courier HST V.32bis modem in about a minute; the whole book took under 5 minutes. Jim would download the latest version from BIX and upload editorial comments. I could then make editorial changes, such as expanding a scene to explain an apparent plot glitch or character inconsistency, and use search and replace to find the exact spot where a change was needed. Sometimes we'd work by telephone.

Toward the end, I was creating a new chapter de novo every two days. I would not have finished the book on time without W4W; and it wouldn't be typeset and in bookstores in such a short time without desktop publishing capability. Little computers are wonderful.

CD-ROM and Workgroups

I say I've been using Windows, but actually I am using Windows for Workgroups, henceforth W4WG; and it's not quite the same thing.

The primary difference is network capability. With W4WG going, I can periodically squirt off a copy of my work to another machine, which makes for great peace of mind. Writers tend to be paranoid about losing text, and I don't really feel that work is saved until there are multiple copies on multiple machines; W4WG makes that easy to do.


On the other hand, I nearly went nuts getting the CD-ROM drive to work with W4WG. The good news is that I did succeed.

My CD-ROM system ran fine with Windows 3.1. I was using a Corel driver card and software and a Toshiba CD-ROM drive, and all was well; but when I shifted to Windows so I could use W4WG, any attempt to access the CD-ROM while I was in Windows would lock up the machine. The infuriating part was that everything worked just *fine* as long as I was in DOS; but as soon as I got into Windows, accessing the CD-ROM drive locked things tight. I could recover from the lockup by doing Ctrl-Alt-Del, which would get me back to the program manager; but it certainly wasn't acceptable not to have a CD-ROM drive.

Then things got worse. I did something, I forget what, to CONFIG.SYS, and this time I was able to get the CD-ROM going in Windows. Joy. I told File Manager to share that CD-ROM drive on the network and went over to another machine on the network and accessed the CD-ROM. More joy. And then came disaster.

I got an error message I had never seen: SERIOUS DISK ERROR. Other mysterious things happened, and not even hardware reset worked. I had to turn the machine stone-cold off, and when I rebooted, CHKDSK

Integrating a CD-ROM drive with Windows for Workgroups can be tricky



For
Windows
And
DOS!

Looking For A Fast, Accurate, Color Video Frame Grabber? Check Out The 'Eyes!



ComputerEyes/RT

- Accurate, True 16 Million Color Video Frame Grabber
- Plug-and-Go Product - No Setup Hassles
- Excellent User Software For Both DOS And Windows
- Captures From Any Camcorder Or VCR - Composite and S-Video Inputs
- Supports All Common PC Image File Formats
- Includes CineMaker Movie Capture Software With Support For Popular Sound Boards
- Developers Software Package Available
- ComputerEyes/RT - \$599.95 Monochrome-only Version Also Available - \$399.95

Also Check Out The New
Low-Cost TelevEyes VGA-to-TV
Converter - Just \$299.95!

See Your Dealer Or
Call For More Information
And Free Demo Disk

Digital Vision, Inc.
270 Bridge St., Dedham, MA 02026
(617) 329-5400 (800) 346-0090

USER'S COLUMN

said my disk was a mess. That was cured by my rebooting with a floppy disk—if you haven't made a bare-bones (no CONFIG.SYS and no AUTOEXEC.BAT) boot floppy disk for your system, go do it right now! Then I let Norton Disk Doctor do its thing. I could boot up again, but now, any attempt to access Windows failed. Up would come the Windows logo, then my wallpaper (I like EGYPT.BMP), and then that hourglass would sit there, and nothing would happen. Not good.

I went back into CONFIG.SYS and REMARKed out every reference to the CD-ROM drive, rebooted, and tried again. This time Windows told me that my swap file was corrupt, and did I want to erase it? Certainly, said I. It then said that it was impossible to share the E (CD-ROM) drive, and did I want that shared on start-up in future? No, no, a thousand times no; and that fixed things so that I could access Windows again. Of course, it still didn't get me a CD-ROM drive.

By this time I was talking to half a dozen Microsoft people who were eager to help, but nothing helped. The problem was passed upstairs to a senior Microsoft technical-support official, who said, "Ah, we know about that one. He's got to use the new MSCDEX.EXE that comes with W4WG, and it must have the /S switch in the command line that loads it." Alas, while those are both important points, I was already using the new MSCDEX and W4WG Setup had automatically added the /S option in the AUTOEXEC.BAT file.

Be Relentless

I got a lot of advice from other technical-support people, but nothing worked. Time for my never-failing remedy, the relentless application of logic.

Start with when it last worked. That was under Windows 3.1, and I had carefully made no needless changes while converting to W4WG; so what changes had I made? One of them was obvious: I had added the Intel EtherExpress board that comes with the W4WG Starter Kit. Before I did that, I'd used Dariana's WinSleuth Gold to determine what port addresses and interrupts were in use and print out a report. This is one of those programs that you don't use often, but when you need it, you need it bad.

This time, though, I hadn't needed WinSleuth: the Intel Softset program looks for any conflicts and then reprograms the network board to an unused address and interrupts. It's very painless. I used WinSleuth Gold to have another look, and yep, it could see the EtherExpress board just fine, and it was indeed located in what

WinSleuth reported previously as unused locations.

It didn't look as if there were hardware conflicts; still, the first step in relentless logic is to remove all possible conflicts, so I removed the Sound Blaster card. No joy. CD-ROM worked in DOS, but it locked up in W4WG.

Next step: edit CONFIG.SYS to REMARK out all references to network driver software and run Softset again. When you do that, Softset sees the existing card and assumes that its current interrupt and address are in use; so it finds new ones and reprograms the board accordingly. Thus, if I were accidentally stepping on something already in use because Softset hadn't seen that the first time, this procedure, by relocating the board, should have cured that problem.

No joy. Symptoms unchanged. In fact, it made no difference whether I let CONFIG.SYS load the network drivers or I left them REMARKed out; meaning that it might not be the network that was causing the problem.

OK, it wasn't hardware. Microsoft technical support told me thousands of people were successfully using W4WG with CD-ROM, so it wasn't inherently impossible. Simplify the software, then. First thing, remove QEMM-386, the Quarterdeck memory manager, and stop loading things into high memory, and see if that works; and in fact it did.

The only trouble was that I now had about 400 KB of memory. While that's no problem for people who use Windows applications exclusively, about half the programs I run are DOS applications, and most of them want a lot more than 400 KB. Games, in particular, want upwards of 570 KB to run properly. Some Windows users get around that by rebooting the machine using a separate bare-bones CONFIG.SYS that doesn't load any TSR programs; then they play games and run other memory-hog programs in DOS. That doesn't appeal to me. I want big DOS sessions under Windows.

I reloaded QEMM and did more experimenting. I won't report all the tedious work that was involved. The result was that I found the secrets, some as a result of tips from Stafford Williamson of Quarterdeck's technical-support group and some by working on my own. Here, published for the first time anywhere, is the secret for CD-ROM under W4WG while retaining 600 KB of memory for DOS sessions under Windows.

The Secret

The secret of success is that in W4WG you can load MSCDEX into extended

MINUTEMAN PLUGS IN WORLDWIDE.

Now get total power protection from MINUTEMAN anywhere in the world. MINUTEMAN takes charge worldwide with instant protection when you need it most.

Every day your company relies on its voice and data communications equipment to stay productive. Unfortunately, the electricity that powers these vital systems is not reliable.

Blackouts, brownouts, spikes, surges and even lightning strikes are common. And the high cost of losing vital information and productivity due to power outages and



MINUTEMAN PRODUCTS

- On-line and standby UPS
- Shutdown software for every available operating system
- 300VA to 10KVA
- TUV approval
- Now in over 100 countries
- Regional service centers
- Automatic voltage regulators
- All international voltages

surges calls for preventive measures.

But power requirements can be confusing. And your company has unique needs that often require custom solutions.

MINUTEMAN offers the most comprehensive line

of UPS systems available, protecting all your business equipment from stand-alone workstations to the largest of the IBM AS/400s.

MINUTEMAN products are sold and serviced worldwide. Call on our skilled professionals to help you determine your exact power protection needs.

Contact our Power Professionals on the **POWER FAXLINE** below, or call (214) 446-7363 for your free Power Protection Guide.

(214) 446-9011 Fax

MINUTEMAN®
UNINTERRUPTIBLE POWER SUPPLIES

**Reduced prices
up to 36%**

Call for complete price list.

MARCH 24-31, 1993

CeBIT'93
HANNOVER



Our MINUTEMAN Global Socket (GS) Series uninterruptible power supplies accommodate the unique needs of our international customers. You no longer need to use adaptors or cut and splice on a new plug. Our GS UPS systems are universal and compatible with all major

Global Socket UPS systems are universal and compatible with these plug patterns.

- British (standard)
- European (Europlug)
- Australian
- Italian
- French

plug patterns.

Our UPS systems are ready for both the individual computer and for your network. These popular MINUTEMAN UPS systems

employ our advanced technology to create the most dependable UPS available.

By integrating the latest MOSFET technology requiring fewer components, each GS Series

model is more compact.

The result is a truly advanced and economical UPS for all your business needs, worldwide.

FOR L.A.N.
TESTED AND
APPROVED
Member's Company



Circle 121 on Inquiry Card.



memory (the /E switch works fine), but you must *not* let QEMM load MSCDEX high. I know that won't be clear to everyone, so I'll give details.

Set up your system without QEMM and get it running properly with the CD-ROM in DOS. Now install W4WG (if it wasn't already installed). When all that's done, you'll have about 400 KB of memory. Now, working in DOS, install QEMM and let its Optimize program do its thing. You may or may not need to do some memory

exclusions. In particular, nearly every system will need the line X=B000-B7FF to exclude some video areas from being used by QEMM; and if you have a caching disk drive controller or other SCSI device, you will need to exclude its address area as well.

The next time you boot up your system, you'll probably get some loud complaints. Microsoft Windows Setup generally automatically installs its SMARTDRV caching program with double buffering. Dou-

ble-buffered SMARTDRV comes in two parts: a chunk that's loaded by CONFIG.SYS and another that's loaded by AUTOEXEC.BAT. It's the CONFIG.SYS part that's causing the problem; that can't be loaded high, but Optimize will have a try at it.

The remedy is simple. Look into CONFIG.SYS (I use the little editor that's built into Norton Commander for this sort of thing). If you see a line that begins DEVICE=:QEMM\LOADHI.SYS, gives a couple of parameters, and continues \WINDOWS\SMARTDRV.EXE /DOUBLE_BUFFER, delete parts of that line so that it reads DEVICE=:QEMM\SMARTDRV.EXE /DOUBLE_BUFFER. You can also move the altered line up above the line that loads QEMM in case you need to use Optimize again.

Once that's done, it doesn't hurt to put the statement DBF=2 into the QEMM command line.

Now reboot. You shouldn't receive any more complaints, and your CD-ROM ought to work fine in DOS. Test to be sure it does. However, if you enter W4WG and try to access the CD-ROM drive, it will probably lock up (although it would work just fine in Windows 3.1). Even if it does not, don't take chances: exit Windows and edit AUTOEXEC.BAT.

In there you will find a command that begins :QEMM\LOADHI and then has some parameters, continues with \WINDOWS\MSCDEX.EXE /S /V, and then has some more stuff. There may or may not be a /E in there after the MSCDEX. If there isn't one, put one in there. Now edit the line so that all traces of the QEMM attempt to load high are gone; that is, delete until the line begins :QEMM\WINDOWS\MSCDEX.EXE and *do not* change anything after the MSCDEX except to add /E if needed. The /S is also needed, but I presume that W4WG's Setup will have added it automatically.

Now reboot. Your system should have something over 590 KB of DOS memory, and your CD-ROM will work fine in both DOS and Windows.

I don't want to take up the whole column with this, so I'll explain what's going on another time.

Adding Network Resources

You might think that a writer has no need for networked computers, but that's not so. One major reason I want a network is to access resources that I simply can't pack onto my main system. In particular, I want the Pioneer read/write optical cartridge drive (files written to a glass disk are pretty safe), a WORM drive (files burned into a good WORM drive are nearly eternal),

Picture this...

NEW

FEATURES

- Full VT340/420 Terminal emulation
- ReGIS, Tektronix & sixel graphics
- Multi-sessions
- Multilingual menus
- Copy & paste
- DDE
- File transfer
- Network interfaces
- Script language
- On-screen buttons

VT340 **GRAPHICS for WINDOWS**

WE'VE JUST ADDED A NEW DIMENSION TO VT340 FUNCTIONS—WINDOWS.

KEAterm 340 gives the power of Windows to your host applications.

KEAterm products combine the features of Windows with the features of a VT terminal for true PC-to-host integration. Control your host data just as you control PC applications—with access to the same powerful software and printers. Host data becomes truly useable.

With KEAterm 340, you can use PC graphics tools to expand the use of host graphics. Copy ReGIS, Tektronix and sixel images into desktop publishing or draw packages for further manipulation.


Picture new power for host applications with KEAterm 340 for Windows.



KEA Systems Ltd.
Call 1-800-663-8702
Phone: (604) 431-0727
Fax: (604) 431-0818

KEA Systems Ltd. 3726 North Fraser Way, Unit 101, Burnaby, BC, Canada V5J 5G1
 KEAterm, KEAterm, ZSTEM, PowerStation, KEA and their respective logos are trademarks of KEA Systems Ltd. All other brand and product names are trademarks or registered trademarks of their respective holders.
 Copyright © KEA SYSTEMS LTD. 1992. All rights reserved.

NOW BACKPACK IS SMALLER. AND FASTER.



We've just made it easier to backup your hard drive with our 250 MB parallel port tape backup unit. One model works with all PC compatibles and portables.

Here's why:

Backpack is easy to install. Plug Backpack into the parallel printer port. Then plug the printer into Backpack!

Backpack requires no cards.

Backpack is 30% smaller (1.5" h x 4" w x 7.75" l).

Backpack is easy to transport and share between computers (2.5 lbs).


Backpack can backup at a speed of up to 9 MB per minute.

Backpack is a QIC 80 compatible and can read QIC 40 tapes.

Backpack is available in 3.5" and 5.25" diskette, tape and hard disk models.


So don't get left in the dust. Call for more information today.

Micro Solutions, 132 W. Lincoln Hwy., DeKalb, IL 60115, 815-756-3411, FAX: 815-756-2928



backpack
MicroSolutions
Computer Products

36 great products save your time and energy...



Visual Basic for DOS by Microsoft Corporation

Draw forms, controls; write event-procedures; create custom controls—in DOS! Create new apps or combine with existing C/C++ or Pascal code. Highly compatible with Visual Basic for Windows. Run existing Quick Basic/Basic PDS code! 80x86 compiler creates 100% standalone .EXE files; 386 code generation; MOVE overlays; an integrated ISAM and much more!

	LIST	PS Price
PRO	\$495	\$339
Standard	\$199	\$139



FastFacts 502-408: (PRO), 502-407: (Stand.)

Visual Basic for Windows 2.0 by Microsoft Corporation

When you need to create a Windows application quickly, nothing offers the sheer productivity of Microsoft Visual Basic 2.0, Standard Edition. A visual development environment, flexible programming language, and fast runtime execution make this the shortest route to full-featured Windows applications. The Professional Edition includes messaging and data access capabilities, a wide variety of add-on tools, and more.

	LIST	PS Price
PRO	\$495	\$399
Standard	\$199	\$139

FastFacts 502-443: (PRO), 502-431: (Stand.)



ProtoGen 3.0 by Protoview

NEW VERSION! The industry standard for code generation and prototyping Windows applications. Develop the user interface of your application using Visual prototyping methods. ProtoGen generates expert level, commented code for ANSI C, Microsoft MFC C++, Borland OWL C++, Turbo Pascal, and Microsoft NT Win32. All generators included! User Code is preserved from one generation to the next. It's easy and fast.

LIST: \$199 **PS Price: \$99**


FastFacts 2115-009

WATCOM C9.0/386 by WATCOM

Develop and debug 32-bit applications for extended DOS, Windows and OS/2 2.0. Includes royalty-free 32-bit DOS extender, true 32-bit Windows GUI Application Kit, our fast, tight, and reliable 32-bit Code Optimizer, licensed Microsoft Windows SDK Components, an interactive Source-Level Debugger, an Execution Profiler and more! Now includes OS/2 2.0 support.

LIST: \$895 **PS Price: \$599**

FastFacts 1044-029



WindowsMAKER™ Professional by Blue Sky Software™

Considered the easiest and fastest way to create MS-Windows applications in C/C++. Generate the Windows .EXE w/complete source & production files (no royalties). Just Point & Click to define the Windows user interface. Lets you animate your design to instantly test look & feel and make changes on the fly without needing to compile. Custom code is preserved during code regeneration. The leading development tool for Microsoft Windows. Highly Recommended.

LIST: \$995 **PS Price: \$895**


FastFacts 2001-006

SVS C3 ANSI C, Pascal, or FORTRAN-77 by Silicon Valley Software

Only from the Programmer's Shop! ANSI compliant, optimizing, 32-bit compilers; DPMI-compliant, royalty-free DOS extender; source level debugger; utilities. Supports "flat model" code. Linker, librarian, make, i387 emulation, W31/4167 support. Interoperable languages! Call: 413-572-880

	LIST	PS Price
ANSI C	\$325	\$315
Pascal	\$325	\$315
FORTAN	\$395	\$375

FastFacts 1958-048: (C), 1958-050: (Pascal), 1958-049: (FORTRAN)



Distinct TCP/IP for Windows by Distinct Corporation

Distinct TCP/IP for Windows SDK extends the TCP/IP and RPC/XDR networking capabilities to Microsoft Windows. Includes the smallest and fastest DLLs today available for Berkeley Sockets, RPC, Telnet, and FTP. Coexists on the same board with Lan Manager, Novell and Banyan. Supports Packets, NDIS and ODI drivers. Only 5KB of DOS memory required.

(SDK) LIST: \$495 **PS Price: \$439**
(Applications) LIST: \$395 **PS Price: \$379**


FastFacts 1951-003: (SDK), 1951-007: (App.)

The PKWARE Data Compression Library by PKWARE

The PKWARE Data Compression Library allows software developers to add data compression technology to applications. The application program controls all data I/O, allowing data to be compressed or extracted to any device or area of memory. Only 35K of memory is needed to compress data, and only 12K is needed to extract data. Compatible with MSC, BC++, TC, TP 6.0, Clipper, Basic 4.5, 7.1, ASM.

LIST: \$295 **PS Price: \$275**

FastFacts 3043-011



Create and Deliver Professional Applications with New CA-Clipper 5.2

Create And Deliver Professional Applications With CA-Clipper

CA-Clipper consists of a robust language, an efficient linker, flexible preprocessor and high-performance compiler. Together with tools such as an editor, debugger and make utility, these elements form a complete development system for the creation and distribution of professional PC and LAN-based applications.

Only CA-Clipper gives you an open programming environment with high-level networking, data entry and database support. The extended memory system capability of CA-Clipper gives you additional power to build faster, more sophisticated applications.

CA-Clipper Shatters DOS Memory Barriers

- Dynamic overlay management lets you run applications that exceed available RAM—without the need to manually create overlays
- Virtual memory management allows applications to have up to several megabytes of strings and arrays

Open Architecture: Freedom to Grow

- Customize CA-Clipper with user-defined commands and functions
- Build generic libraries to eliminate repetitive programming tasks
- Build specialized libraries for applications such as accounting, real estate and personnel
- Seamlessly integrate modules from languages such as C, Assembler, dBASE™ and Pascal
- Access data transparently from foreign data sources with Replaceable Database Drivers and function libraries (available separately), including data on LAN database servers and mainframes via gateways


Simplicity and Control: The Optimal Balance

- Descriptive function/command names and concise operators promote language fluency
- Syntax ranges from simple, expressive commands to precise string and file primitives for minimal programming with maximum control
- CA-Clipper promotes disciplined, modular programming for easier debugging, simplified maintenance and greater code reusability
- High level "objects" simplify the construction of sophisticated interfaces. Build pop-up and pull-down menus, custom BROWSEs and text editors quickly and easily

Open Networking: Freedom to Connect

- Create and distribute multiuser applications without LAN Packs or workstation licenses
- Applications run on all networks which support MS-DOS 3.1 and higher
- Modest memory requirements allow smooth operation with even the largest network shells

- Full-featured record and file locking gives developers precise concurrency control
- Intelligent design permits read-through record and file locks
- Applications run quickly and reliably, even as networks evolve



- Connect to LAN database servers with Replaceable Database Drivers (available separately)

Free Distribution of Applications

- CA-Clipper produces executable applications (EXEs) that you may distribute without additional cost
- Multiuser CA-Clipper applications require NO licenses, NO runtime fees and NO LANPacks

Capacity

- Procedures per application: unlimited
- Functions per application: unlimited
- Array size: 4,096 elements per dimension, unlimited dimensions
- Expanded Memory use: 0 to 32 MB
- Virtual memory: up to 64 MB (main memory, expanded memory, hard disk space); up to 16 MB of object memory

(character strings, arrays); up to 9 MB (main memory, expanded memory) for database buffering

Supplied Database Driver (DBF Format)

- 1 billion records per data file
- 1,000 fields per record
- Over 200 open data files (limited to file handles)
- 15 active indexes per open data file
- Character fields (fixed length): 65,536 characters
- Numeric fields: 30 digits, precision up to 16 significant digits
- Support for logical fields (true/false)
- Date fields: 01/01/0100-12/31/2999
- Memo fields (variable length): 65,536 characters

System Requirements

CA-Clipper 5.2 requires an IBM PS/2, AT, XT, PC or its compatibles; 640K RAM; expanded memory requires LIM 3.2 or higher; hard disk required for development; DOS 3.1 or higher; works with all networks compatible with DOS 3.1 or higher.

For a limited time only!

Clipper users can upgrade to version 5.2 for only \$139. A competitive upgrade is also being offered for a limited time to all Xbase system users for only \$179, and you'll receive a free CA-dBFast, CA-Clipper Tools or CA-Clipper/Compiler Kit for dBASE IV (your choice).

To qualify for the competitive upgrade, fax a copy of your manual cover to 617-749-2018.

To order, call the Programmer's Shop at 800-421-8006. Hurry, time is of the essence. Call to place your order today. Mention Code BY393

To Order Call **THE PROGRAMMER'S SHOP** 1-800-421-8006

and the Pioneer six-pack CD-ROM Minichanger.

I had the Pioneer R/W optical drive and the Minichanger in a SCSI daisy chain run by a Corel interface card. They were running fine, but as a test, I had, with some help from Alan Rogers ("arog" on BIX), converted that machine to run under DR DOS 6.0. It worked fine, and I so reported, but networking a DR DOS machine into my Windows system was not something I would get done in time for this column.

Converting back turned out to be harder than you'd think, because DOS 5.0 generally comes as an upgrade, not as a stand-alone product. Somewhere I suppose there are floppy disks of the original DOS that came with that 486 machine, but this is Chaos Manor: the chances of finding them are about nil.

The solution was to boot with a bare-bones DOS floppy disk that contains SYS.COM, use Norton Commander to find and delete all the hidden system files in the machine's root directory, and use the SYS command to install the system from the boot floppy disk. I could then reboot from the hard disk and use the Microsoft DOS 5.0 and Windows upgrade

package to complete the job.

Next I restored the original CONFIG.SYS and AUTOEXEC.BAT so that the machine would access the optical and CD-ROM drives. That turned out to be a tedious job, but eventually I had it done. Moreover, when I brought up Windows and opened File Manager, there were drives D (the optical drive), and E, F, G, H, I, and J, the six CD-ROM drives on the Minichanger. Joy.

At this point I confess a lapse of faith. Remembering the problems I had with converting my main system with one CD-ROM to W4WG, I was so certain I was going to have real problems connecting up to a system with six CD-ROMs and an optical drive that I sent off E-mail to the long-suffering Microsoft PR people, who must pretend to like putting up with my problems, and a copy to the Corel people in case I needed help from them. Incidentally, when it comes to systems integration, Corel has always proved to be a tower of strength. They really understand SCSI and other peripheral devices and how to make them work with both DOS and Windows.

Having confessed my breach of faith, I


proceeded to open the machine and insert the EtherExpress board, run Softset and let it choose where to set the board, connect the Ethernet cable and terminator to the new machine, and install W4WG.

When that was done, I tested nothing: I entered Windows, opened File Manager—and Lo!, there were all my assets, and they all worked. When I told the system to share them (CD-ROM as read only, the Pioneer drive as read and write), it made no complaint. I then put Microsoft Bookshelf into one of the six CD-ROM slots, went over to my main machine, and proceeded to install Bookshelf across the network.

It works wonderfully. It's a little slower than what I can get with the Bookshelf disk in the CD-ROM drive connected to my local machine, but that's probably because my local drive is faster than the Pioneer Minichanger. That, incidentally, is about to change. At Comdex, Pioneer showed me a new Minichanger that is so blazingly fast I can hardly believe it, and I'm supposed to have one about the time you read this.

And in any event, what I've got now is Good Enough, and the installation was harder to describe than to do. Once you

...Shop the Shop.



Janus/Ada for Windows by R. R. Software


Janus/Ada for MS Windows is a complete implementation of Ada for Windows. Windows Applications can be developed in Ada when the Toolkit is used with the Janus/Ada PDS. Hosted on 80386 and 80486 platforms, the Windows toolkit with PDS includes: royalty-free runtime libraries, Ada-sensitive editor, Ada make utility, Ada syntax checker and pretty printer, Full Chapter 13 support including C interfacing, assembler, and tutorial.

LIST: \$900 PS Price: \$849
FastFacts 586-031

Q+E Database Library by Pioneer Software

Q+E Database Library provides complete database connectivity to Windows and OS/2 applications using Dynamic Link Libraries. QELIB can read, insert, update, create or delete database records for the following database formats: Btrieve, dBASE, DB2, Excel files, INGRES, NetWare SQL, Oracle, OS/2 DBM, Paradox, SQL/400, SQLBase, SQL/DS, SQL Server, Sybase, Tandem NonStop SQL, text files, and XDB.

LIST: \$399 PS Price: \$339
FastFacts 2137-012



But wait, there's more: Bargains galore!

	LIST	PS
• After Dark for Windows	50	28
• Blinker	299	269
• Borland C++ 3.1	495	319
• Btrieve for DOS	595	399
• Carbon Copy 6.1	199	165
• Clarion Prof. Developer 2.1	845	469
• CA Clipper 5.2	795	499
• DESQview 386	220	149

	LIST	PS
• DR DOS	99	59
• LapLink Pro	170	109
• Lotus 1-2-3 for Windows	495	359
• Microsoft Excel	495	329
• Microsoft Windows 3.1	150	99
• Microsoft Word (Windows)	495	339
• Norton Desktop for Windows	179	139
• Norton Utilities	179	115

	LIST	PS
• ObjectVision 2.1	150	115
• ProComm Plus	129	89
• QuattroPro	495	349
• R&R Report Writer Xbase Ed.	249	159
• WATCOM C 9.0/386	895	599
• WordPerfect	495	279
• 286/DOS Extender SDK 2.5	495	435
• 386/DOS Extender SDK	495	435

Call the Programmer's Shop today: 1-800-421-8006

Mention Code BY393

Call FastFacts for product information any time, day or night. 617-740-0025.

Get free information on all of our more than 10,000 products any time you like • Dial from a fax machine or fax-board equipped PC • Follow the voice computer's instructions • Receive literature instantly via fax

THE SHOP
PROGRAMMER'S

Canada 800-446-3846
MA 617-740-2510
FAX: 617-749-2018
90 Industrial Park Road, Hingham, MA 02043

• Credit card orders processed only when product is shipped • All prices subject to change
• International prices will vary

The only Windows™ statistics package you'll ever need.

NEW
SYSTAT® for WINDOWS

#1 for DOS and Windows

Rated "the best general-purpose statistics program" for the PC by *Software Digest*®, SYSTAT for DOS is now joined by SYSTAT for Windows. This addition to the SYSTAT family takes full advantage of Windows, with pull down menus, dialog boxes, sizable windows, and the ease of use you expect in a Windows package.

SYSTAT for Windows runs in standard and 386 enhanced modes and can take advantage of Windows advanced memory management. No matter how large or complex your analysis is, you can use SYSTAT.

SYSTAT delivers a balance of power and simplicity. It lets you analyze and manipulate data

with a comprehensive range of advanced statistical procedures, and present your results with stunning graphics.

Just point and click

SYSTAT is a full-fledged Windows application. Just point and click. SYSTAT's QuickStat™ buttons give you simple, single-click shortcuts to common statistical analyses.

More statistics, from the basic to the most sophisticated

A full range of univariate and multivariate statistics—from *t* tests to multidimensional scaling. With a few clicks you can turn most statistics into graphs and perform:

- multiway crosstabs with log linear modeling
- nonparametric statistics
- principal components and factor analysis
- cluster analysis
- time series
- nonlinear estimation
- correlation matrices
- means, effect, and dummy models
- post hoc tests

SYSTAT offers the most advanced multivariate general linear model available for Windows.

The most graphics

No other statistical or graphics package can produce all the scientific and technical graphs that SYSTAT can—nor surpass its ease of use. Graphics capabilities include:

- histograms
- single, multiple, stacked, and range bar graphs
- single and grouped box plots
- stem-and-leaf diagrams
- pie charts
- scatterplot matrices
- 3-D data and function plots
- contour plots
- control charts
- maps with geographic projections
- Chernoff faces
- complete color spectrum
- log and power scales
- confidence intervals and ellipses
- linear, quadratic, step, spline, polynomial, LOWESS, exponential, and log smoothing





A compatible family of products

Whichever you choose—SYSTAT for Windows, SYSTAT for DOS or both—you'll enjoy the most powerful statistics and scientific graphics software available for the PC.

For more information, special offers for current users, and demo disks, call:

708-864-5670

For Windows circle 150,
For IBM/DOS circle 151.



SYSTAT

For more information call or write: **SYSTAT, Inc.**, 1800 Sherman Avenue, Evanston, Illinois 60201-3793. Tel: 708.864.5670, Fax: 708.492.3567

Australia: Hearne Marketing 61.3.8661766, **BeNeLux Countries:** Oasis 31.3402.66336, **Denmark:** Agrolab 45.64.406575, **France:** Deltasoft 33.76.418508, **Germany:** STATCON 49.55.4272075, **Italy:** PiSoft 39.587.213640, **Japan:** HuLinks 81.33.5902311, **Malaysia:** Dagang Teknik 6.03.719.8299, **New Zealand:** Hoare & Assoc. 64.78.562675, **Spain:** AddLink 34.3.4590722, **Switzerland:** Fritschy & Partner 41.31.215151, **SYSTAT UK:** 44.81.4620093

© 1992 SYSTAT®, Inc. *Software Digest Ratings Report* 8.5, May, 1991. SYSTAT is a registered trademark of NSTL, Inc.

have a W4WG network running, adding assets to it really is simple.

LAN Alternatives

The major advantage to W4WG is the simplicity. You can set it up quickly, and you don't have to know about network management to use it. However, there are limits to what W4WG can do (it won't, for example, run on a 286 machine). Much more on that another time, but you should be aware of alternatives.

One is to install Novell NetWare and run W4WG on top of it. That works, but there are disadvantages, two chief ones being that it costs money and you end up with limited DOS memory.

The other is not to use W4WG, but use regular Windows and Artisoft's LANtastic for Windows. This has the added advantage that you can network in Artisoft's Central Station, which is a network hub without computer to which you can plug in your laptop and other assets for sharing

across the network. Another advantage is that you can hook up LANtastic for Windows and LANtastic for the Mac, thus networking the different platforms with something a lot faster and better than AppleTalk.

I have all the Artisoft products, and I'll set up a LANtastic network as soon as I have a bit of time. This is indeed the Year of the LAN, and I expect to be doing a lot of LAN development and testing before it's over.

Creative's Multimedia Upgrade

There hasn't been a lot of multimedia software, but I think the flood is about to begin. Even if it doesn't, there are a lot of good reasons to upgrade your system by adding a CD-ROM drive, and if you don't have a sound board, you're missing something.


Of course, you can add a CD-ROM drive to any SCSI device string, and there are a dozen sound boards ranging from expensive professional systems down to swap-meet el cheapos. For that matter, Microsoft has come out with a new Windows sound system. Interestingly, the Microsoft sound board has no joystick port: the product manager claims they consulted businesspeople, and the overwhelming opinion was that business purchasers would pay extra *not* to have a game port. One wonders what that means; after all, you can control most games quite nicely with a mouse....

Anyway, one simple way to add multimedia capability is to get the Creative Labs Sound Blaster Multimedia Upgrade Kit. This comes with a CD-ROM controller on a Sound Blaster Pro card, an internally mountable CD-ROM drive, a MIDI adapter kit, all kinds of software, lots of books about the software, and a bunch of CD-ROMs, including Windows 3.1, various sound stuff, Microsoft Works, Microsoft Bookshelf, and Sherlock Holmes, Consulting Detective. The software includes Macromedia's Authorware Star and Action programs, and they're actually pretty nifty for ginning up multimedia presentations.

The instructions for installing the Sound Blaster Pro are complete. The board comes set to IRQ (interrupt request) 7 but tells how to set it for other possibilities, including IRQ 10. Since nothing I know uses IRQ 10, and I might one day want to add something that uses 7, I set mine for 10. Otherwise, I used the default settings. Sound Blaster Pro comes with an installation disk that includes a test of whether or not the board is working: just click, and music plays. No problem, so now it was time to install the CD-ROM drive.

I already had a Corel card and CD-ROM

ARE YOU SPENDING TOO MUCH TIME DRAWING FLOWCHARTS? YOU NEED FLOW CHARTING™ 3.



Every day, professionals worldwide save time and money using Flow Charting 3. It's fast, efficient, easy to use, and always produces presentation-perfect charts and diagrams.

With Flow Charting 3's built-in flexibility, you can create customized charts using a variety of shapes, lines, and text—placed where you want them.

Plus, Flow Charting 3 is now available in a LAN version. Making it easy to share files and set up work groups for specific projects.

And it's backed with free technical support and a 90-day no-risk guarantee. So if you're spending too much time drawing charts, call for a free demo and see for yourself what makes Flow Charting 3 the best-selling flowcharting software.

See your dealer today! Or for a free interactive demo disk, call 1-800-525-0082, ext. 112

International: 408-778-6557, ext. 112

Novell is a registered trademark of Novell, Inc.

PATTON & PATTON
Software Corporation

Excellence in charting the flow of ideas!

Patton & Patton Software Corp. 485 Cochrane Circle, Morgan Hill, CA 95037

There Is Strength In Numbers.



TravelMate™ 4000 WinSX™ or WinDX™

- 486 SX/25MHz or 486 DX/25MHz
- 4MB RAM std. (20MB max.)
- 120MB HDD
- 5.6 pounds

\$2,799/\$3,299 SRP*



TravelMate 4000 WinDX2™

- 486 DX2/50MHz
- 8MB RAM std. (20MB max.)
- 200MB HDD
- 5.6 pounds

\$3,899 SRP*



TravelMate 4000 WinSX COLOR

- 486 SX/25MHz
- 4MB RAM std. (20MB max.)
- 120MB HDD
- 6.3 pounds

\$3,699 SRP*



TravelMate 4000 WinDX2 COLOR

- 486 DX2/40MHz
- 8MB RAM std. (20MB max.)
- 200MB HDD
- 6.3 pounds

\$4,499 SRP*

Texas Instruments comes on strong with the widest selection of powerful 486 notebooks at incredible prices. From 25MHz to the world's most powerful 50MHz notebook in a 5.6-pound package, there's a TI TravelMate just for you.

Take a look at these

numbers. You get superior 486 performance with an extraordinary three to five hours of battery life. On our color models, you get 256 simultaneous brilliant colors on a large 9.4" display. All these numbers add up to outstanding performance and value.

There's one more important number. For more information and the dealer nearest you, call 1-800-527-3500.



TEXAS INSTRUMENTS

TravelMate, WinSX, WinDX and WinDX2 are trademarks of Texas Instruments. The Ready-to-Run logo is a trademark of Microsoft Corporation. The Intel Inside logo is a trademark of Intel Corporation.

*Manufacturer's Suggested Retail Price. Dealer prices may vary.

© 1992 TI 76574

Circle 153 on Inquiry Card.

drive, and you have seen what I had gone through trying to get it working with W4WG, so I was a bit reluctant to change; but what the heck, it was only a couple of hours' work, and whatever happened I'd get a story for the column, so I yanked the Corel card and started in.

There were two problems: the instructions said, "refer to the instructions that came with your CD-ROM drive." There was another instruction sheet, but that got lost in the chaos. That turned out not to be a problem: it was obvious where the cables connected, and they were keyed so that it was impossible to attach them the wrong way.

The second problem was a bit more serious: there is no mounting hardware with the drive. It does come with four tiny drive screws, but there are no mounting rails, nothing to hold the drive in the drive bay. Some computers come with lots of extra mounting hardware, but my Cheetah 486 didn't. I managed a kludge that permitted me to install the drive, but be warned, if you get Creative's kit, be sure you have hardware to mount an internal drive in your computer.

That done, I ran the CD-ROM installa-

tion program. That is, there is a program on the Creative disk entitled INST-CD.EXE, and having lost the instructions, that seemed reasonable. It wouldn't work: the program would get ready to install and then suddenly announce that it couldn't find SBPCD.SYS.

This was odd, because I could see that SBPCD.SYS was on the installation floppy disk. Then I noticed a file called CD-DRIVE.BAT, and sure enough, running that did the job. The CD-ROM was installed. I rebooted, and I could read the E drive.

Since Sherlock Holmes comes with the Creative package, that looked like a good test program. So I put in the CD-ROM, logged on to E, got a directory to be sure I was properly reading the CD-ROM, and ran SHERLOCK.EXE. The system trundled for a moment and announced that I had no compatible sound card. Then it dumped me back to DOS.

It seemed very odd that a program bundled with the Sound Blaster Pro card, and running on a CD-ROM drive controlled by a Sound Blaster Pro card, would be unable to find the Sound Blaster Pro card. I tested the card, both with its test program

and with a couple of games, and there was no problem.

Eventually, I wondered if changing the IRQ from 7 to 10 had anything to do with it. I pulled the sound card and moved the jumper; and Lo!, up came the Sherlock Holmes game. Apparently the game designers hard-coded the interrupt, and no one at Creative has tested Sherlock Holmes with a Sound Blaster Pro set to IRQ 10. Sigh. I left mine set to the default IRQ 7 so that I could fool around with the Sherlock Holmes game, but that's not really very satisfactory.

Once I was sure that the CD-ROM was working in DOS, I let Optimize do its thing and then fixed AUTOEXEC.BAT so that MSCDEX.EXE wasn't trying to load high. That gives me 598-KB DOS sessions under Windows; and the CD-ROM works just fine, both on my local machine and shared across the network. It's a good, fast drive, and having the CD-ROM drive mounted internally certainly saves space. My friend Rich Heimlich, who does game testing, says that the Creative CD-ROM and Sound Blaster Pro boards are compatible with more games than any other. If you want to upgrade to multimedia, this

A PORTABLE DISK DRIVE YOU'LL NEVER OUTGROW.

Valitek sets the standard for the next generation of portable disk drives with the **new Valitek PST²-MO128**. It's a 3.5" rewritable magneto-optical system that delivers *unlimited* portable disk storage.

Simply connect it to the parallel, serial or SCSI port on any PC or Mac, and store up to 128 MB of data on a single interchangeable disk. Like every

Valitek, the PST²-MO128 features an industrial-grade steel case that stands

up to wear and tear. It's *built to last* in today's hard-knock portable environments.

If you can't afford to lose a

single bit of data, *get a Valitek* – the

new PST²-MO128 or a best-selling

Valitek high capacity tape drive.

VALITEK

100 University Drive, Amherst, MA 01002

CALL: 1-800-VALITEK or 413-549-2700

FAX: 413-549-2900



From the worldwide leader in parallel/serial technology

New Version 5.0 of Phar Lap's 386DOS-Extender™ Now Supports 32-Bit Microsoft C/C++!

Microsoft® C/C++ users: the wait is over!

Now you can finally build multi-megabyte 32-bit DOS applications with your familiar Microsoft tools! Version 5.0 of Phar Lap's 386DOS-Extender lets you run Microsoft's 32-bit Windows NT C/C++ compiler under DOS. You get all the advantages of Phar Lap's industry-leading DOS extender technology, while using the most popular C/C++ compiler available. Multi-megabyte 32-bit DOS development has never been easier.



Award-winning 32-bit technology.

386DOS-Extender turns DOS into a 32-bit operating environment with a flat, workstation-like address space. Your programs can access all the memory in the machine — up to 4 gigabytes! — and take advantage of true 32-bit speed and power. No more segmentation or overlay hassles. And in addition to 32-bit Microsoft C/C++, 386DOS-Extender supports a wide range of 32-bit languages, including Fortran, Pascal, Ada, Assembler and other C and C++ compilers. An add-on Run-Time Kit is also available for delivering Extended-DOS applications to customers.



Industry-leading compatibility.


386DOS-Extender is compatible with more than 60 popular libraries and utilities, making it easy to select the best tools on the market for your 32-bit development. Choose from user interface libraries including C-scape, DataWindows/386, WNDX and Vermont Views Plus; graphics libraries including HALO Professional, HOOPS and MetaWINDOW/PREMIUM; database libraries including AccSys, CodeBase and Raima Data Manager; class libraries including Tools.h++ and Math.h++; and many others. Only 386DOS-Extender can offer you the universal third-party support you need.

**"the highest quality 32-bit
DOS extender available"**

—Robert Wenig, Autodesk

See how much faster your 32-bit DOS version could run:

COMPARED TO 16-BIT REAL MODE VERSION



Complete Microsoft support.

386DOS-Extender, Version 5.0 gives you the full functionality of the Microsoft run-time libraries, including graphics. You can still make all your 16-bit Microsoft C/C++ calls — but now with 32-bit power!



New source-level debugger.

386DOS-Extender, Version 5.0 includes Phar Lap's new 386SRCBug, a powerful 32-bit source code debugger for protected mode 386DOS-Extender applications.

286DOS-Extender — the easy way to build multi-megabyte 16-bit DOS applications.

If you'd rather use 16-bit Microsoft C/C++, Borland C++ or Microsoft Fortran, then Phar Lap's award-winning 286DOS-Extender™ is your solution. With 286DOS-Extender, your program can break the 640K DOS barrier and access up to 16 megabytes of memory on any 80286 or higher DOS-based PC. You can even use CodeView or Turbo Debugger to debug your protected mode program.



Phar Lap Software, Inc.

60 Aberdeen Avenue, Cambridge, MA 02138 617-661-1510 FAX 617-876-2972

286DOS-Extender and 386DOS-Extender are trademarks and Phar Lap is a registered trademark of Phar Lap Software, Inc. Borland and Turbo Debugger are registered trademarks of Borland International. Windows NT is a trademark and CodeView and Microsoft are registered trademarks of Microsoft Corp. Other product and company names are trademarks or registered trademarks of their respective holders.

Circle 128 on Inquiry Card.

BEFORE PROTECTING YOUR SOFTWARE...

NEW!
TimeHASP®
Protect Your Software
Keep the Time

...against piracy and unauthorized use, make sure that your protection system has all the following qualities:

A GOOD HARDWARE KEY

Hardware-based software protection systems are now the standard worldwide. However, not all keys are the same. A good key should have all the following features:

✓ Compatibility and transparency. The key should work without any problem on your customers' computers. The user should be able to forget the key after connecting it.



✓ Unbreakable electronics. A customized ASIC (Application Specific Integrated Circuit) component should be integrated in the key. This prevents reverse engineering and makes cracking virtually impossible.



✓ A unique and inaccessible software developer's code burnt into the ASIC. (This code should not be held in the key's memory, where it can be read and altered.)

✓ A Read/Write Memory inside the key should be available on demand. The memory should be writable in the field, on any PC, without any special programming equipment.

✓ Very low power consumption, enabling the key to work even under the worst power conditions, on PCs and laptops, with or without a printer.

POWERFUL SOFTWARE

Since it's practically impossible to crack or duplicate a key having all the features mentioned above, a pirate will usually go for the software linking the protected program to the key. Therefore, check that your protection software has all of the following:

✓ A Linkable Protection Module with which calls can be made to the key from any point in the protected program.



✓ An "Envelope" installation program. Such programs enhance security while making it possible to protect a software even without its source code.

✓ Sophisticated antidebugging and encryption mechanisms.

HASP®, THE PROFESSIONAL SOFTWARE PROTECTION SYSTEM, OFFERS YOU ALL THESE FEATURES AND MORE:

HASP was designed by a team of computer experts, professional cryptologists, and electrical engineers. As a result, HASP keys are supported by what is probably the best software in the market, and the HASP system has worked on every computer it has been tried on. In addition to all the features mentioned above, HASP provides:

✓ A Full Authorization

System for protecting dozens of programs using only one key.

✓ A Pattern Code Security System (PCS)

enabling parallel processing of multiple calls by the Linkable Protection Module.

✓ A Virus Detection option that can be incorporated in the protected program to check whether it has been infected by a virus or tampered with in any way.

✓ Several HASP keys can be daisy-chained.



NETHASP, SOFTWARE PROTECTION FOR NETWORKS

✓ Only **one** NetHASP key is needed to run a protected program from many stations in a network. NetHASP provides full support for protecting DOS and WINDOWS software under network environments, including Novell dedicated & non-dedicated servers, Lan Manager, Lantastic, Banyan, DLink, and NET-BIOS based LANs.

IN A TEST CARRIED OUT BY AN INDEPENDENT LAB, HASP WAS THE ONLY KEY WHICH WAS NOT BROKEN*.

OPERATING ENVIRONMENTS

- ✓ **PC:** DOS, WINDOWS, OS/2, SCO UNIX, SCO XENIX, INTERACTIVE UNIX, AIX, AUTOCAD, DOS EXTENDERS
- ✓ **MAC (ADB Port):** System 6.0.5 and up
- ✓ **NEC (Serial Port):** DOS, WINDOWS

AND THE BOTTOM LINE:

We offer some of the most competitive prices in the market.

Since 1984, HASP has enabled thousands of software producers in more than 40 countries, including several Fortune 500 companies, to protect their software.

To learn more about why so many professionals have chosen HASP, call us for our low price evaluation package.



ALADDIN
SOFTWARE
SECURITY INC.

North America:

200 Broadhollow Rd., Suite #207
Melville, NY 11747, USA
Tel: 800-223 4277
516-424 5100
Fax: 516-424 8300

International Office:

ALADDIN KNOWLEDGE SYSTEMS LTD.
15 Beit Oved St., Tel-Aviv, Israel
P.O.Box: 11141 Tel-Aviv 61110,
Tel: 972-3-5375795
Fax: 972-3-5375796

- **Australia** Conlab Pty. Ltd., Tel: 3 8985685
- **Belgium** Akkermans bvba, Tel: 3 2338826
- **CSFR** ATLAS Ltd., Tel+Fax: 2 766085
- **Chile** Micrologica S.A., Tel: 562 222 1388
- **Denmark** SC Metric a/s, Tel: 42 804200
- **France** Logidata Intl., Tel: 50707375
- **Germany** CSS GmbH, Tel: 201 749860
- **Greece** Unibrain SA, Tel: 1 6856320
- **Holland** Akkermans BV, Tel: 45 241444
- **Italy** Partner Data S.r.l., Tel: 2 33101709
- **Korea** Dae-A Engineering, Tel: 2 848 4481
- **New Zealand** Training Solutions, Tel: 4 5666014
- **Poland** Syschem Tel: 061 45065
- **Portugal** Futurmatica Lda., Tel: 1 4116269
- **South Africa** D Le Roux, Tel: 11 886 4704
- **Spain** PC Hardware, Tel: 3 4493193
- **Switzerland** Opag AG, Tel: 61 7112245
- **Taiwan** Teco Ltd., Tel: 2-555 9676
- **Turkey** Mikrobeta Ltd., Tel: 4-4677504

* CT Magazine, May 1990.

© Aladdin Knowledge Systems Ltd. 1985-1992

See us at CeBIT '93, Hall 018, Floor 1.0G, Booth B20

Circle 63 on Inquiry Card.

USER'S COLUMN

is a good way to do it, and in fact the installation is simpler than describing it has been. Recommended.

Power Japanese

Want to learn Japanese? If so, Power Japanese looks like what you need. You get some flash cards, a dictionary, 15 high-density 3½-inch disks of software, a sound-converter gizmo to attach to your printer port, a set of headphones, some exercise books, a dictionary, and instructions.

I don't know Japanese, and at my age I'm not likely to learn a new language, so I'm not sure I'm competent to judge the effectiveness of this as a learning tool. It seems to do what you'd want it to: it shows you how to draw and pronounce different Japanese characters, both katakana and hiragana, and has workbooks for you to practice doing those in. It will also show you on-screen other styles of Japanese, including classical Ming. Meanwhile, the program talks to you. Hear the words, and see it written out on-screen.

The speech adapter is small enough that you would have no trouble with it on a portable machine, so instead of watching bad movies and drinking too much on your next flight, you could be learning Japanese.

Learning a new language is more dependent on the determination of the learner than on the instruction method, and I'm not at all sure that if you're serious about learning Japanese, you won't be better off getting human instruction; but if you'd like to try it on your own first, this looks to be the way to do it. With those caveats, recommended.

From Space to Dinosaurs

If you ever wonder what's the point of multimedia, get one of the Knowledge Adventure products. I've previously written about two of their products, Knowledge Adventure and Science Adventure; now they've got two more, Space Adventure and Dinosaur Adventure. Both are wonderful, combining beautiful VGA images, interactive maps and diagrams, and all kinds of other great stuff. I cannot imagine any kid in the world who wouldn't want to spend hours playing with either of these programs. Heck, I like playing with them.

You don't need a CD-ROM drive for Dinosaur Adventure. You do need a good bit of hard disk space and a sound board; Sound Blaster Pro works just fine. If you don't have a sound board, these programs alone justify installing one. Knowledge Adventure is a candidate for a big Orchid and a Chaos Manor User's Choice Award, and it gets a highly recommended rating. This is what educational software ought to be.

PC MEMORY
PROCESSOR & DRIVE UPGRADES

WORKSTATION MEMORY
LASER PRINTER MEMORY

MATH CO-PROCESSORS
DRIVE UPGRADES

PC MEMORY
PROCESSOR & DRIVE UPGRADES

PS/2 Processor Upgrades..

- 486 upgrades for Models 70 & 80
- 386 upgrades for Models 50, 50z & 60

NEW!
Model 70
Slotless
Hard Drive
535 Mb
340 Mb
213 Mb

33 MHz Speed! Zero-Slot Solution!

Call 800-446-4525 today for details!

Σ Sigma Data

THE UPGRADE SPECIALISTS

P.O. BOX 1790, NEW LONDON, NEW HAMPSHIRE 03257 FAX 603-526-6915

The Compleat AI

This is a CD-ROM in ISO-9660 format (meaning it is readable by PCs, Macs, Amigas, Unix systems, and almost anything not coal-powered) with hundreds of AI and related programs. Want source code to a dozen versions of the Eliza program, including one you can put on your BBS to talk to people? An artificial-life program? Expert-system builder? Neural-network builder, including source code to simulate a cockroach brain? It's all here, and more, in FORTRAN, Prolog, Lisp, and even BASIC. There are also hundreds of articles about AI and related matters and tutorials on using many of these programs. It's the most complete collection you're likely to see anywhere.

Steve and Susan Chance Rainwater, the principals of Network Cybernetics, told me about this as they drove me to the airport from a speaking engagement a few months ago; this project is more a labor of love than a profit-making venture. Incidentally, they're OS/2 and Ami Pro enthusiasts. Clearly, you can get CD-ROM systems running with OS/2, even if I've had rather bad luck with it myself.

If you have any interest whatever in AI, natural-language processing, neural networks, artificial life, or related subjects, get this disk, for either yourself or your users group; you won't be disappointed. Recommended.

Trantor MiniSCSI

This product, the T348 MiniSCSI Plus, is darned near perfect. It consists of a cable to connect your parallel port to any SCSI device, such as an external hard drive or CD-ROM; software to install the MiniSCSI; and a needless cable to connect your printer to the MiniSCSI cable so that you can print when you're not using the parallel port for SCSI. That last cable is needless because any old Centronics printer cable will do; but the FCC requires them to furnish this expensive thing because using your own cable might result in some radio noise detectable 10 feet away. Your tax dollars at work.

Installing the software is absurdly simple. In my case, I wanted to put the T348 MiniSCSI Plus on my Gateway HandBook: this wonderful little portable computer can access its floppy drive only through the parallel port, so it would be an interesting test. It turned out to be simple: I created a directory called FOO, copied the floppy disk to it, replaced the floppy drive with the MiniSCSI cable connected to a Toshiba CD-ROM, logged on to FOO, and did an automatic installation. That's it. In seconds, I was reading the CD-ROM drive.

What else can I say? It works, it's easy to install, and it's another candidate for a Chaos Manor User's Choice Award. Recommended.

continued

Winding Down

The computer books of the month are both from Sams. First, Gary Entsminger's *Secrets of the Visual Basic Masters* (Sams, 1992). An understanding of Visual Basic is important to everyone working much with Windows, since more and more Windows programs have hooks to interface with it. This is an excellent intermediate-level book on writing, debugging, and error-proofing Visual Basic programs.

Second, John M. Goodman's *Memory Management for All of Us* (Sams, 1992). The most complete exposition on memory management I know of is in Quarterdeck's manuals for QEMM and Desqview. Unfortunately, they are great for reference but unreadable for learning. Goodman's book takes a difficult subject and gives you considerable understanding of it. Reading this wouldn't have solved my CD-ROM/W4WG problem, but knowing what's in this book gave me the approach

I needed. If you wonder what the differences between 386Max and QEMM are, this is the book that will tell you, and a lot more.

The book of the month is Graham Fuller's *The Democracy Trap: Perils of the Post Cold War World* (Dutton, 1991). Fuller is a former diplomat and intelligence officer, and he has some of the clearest views on the subject of foreign policy I've seen since Stefan Possony stopped publishing.

The game of the month is Quantum Quality Productions' *Battles of Destiny*. Think of this as *Empire* died and, if not gone to heaven, then at least to heaven's anteroom. The perfect improvement to *Empire* hasn't come, but this one is a valiant attempt. There are some frustrations in the user interface, but if you want to handle enormous armies and try your hand at air/land battle planning, this will do it. A second game of the month is MicroProse's

Ancient Art of War in the Skies, and while you can play arcade sequences if you like, the fun part to me is strategic.

As is usually the case, I've still got a huge pile of really good stuff here and no space to write about it. I love it. Next month, a pile of new CD-ROMs and more about networking, including alternatives to W4WG. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerry."

ITEMS DISCUSSED

Ancient Art of War in the Skies.....\$59.95
MicroProse Software, Inc.
180 Lakefront Dr.
Hunt Valley, MD 21030
(800) 879-7529
(410) 771-1151
Circle 1153 on Inquiry Card.

Battles of Destiny.....\$59.95
Quantum Quality Productions, Inc.
1046 River Ave.
Flemington, NJ 08822
(908) 788-2799
Circle 1154 on Inquiry Card.

The Compleat AI CD-ROM.....\$129
Network Cybernetics Corp.
4201 Wingren Rd., Suite 202
Irving, TX 75062
(214) 650-2002
fax: (214) 650-1929
Circle 1155 on Inquiry Card.

Dinosaur Adventure.....\$49.95
Space Adventure.....\$99.95
Knowledge Adventure, Inc.
4502 Dyer St.
La Crescenta, CA 91214
(800) 542-4240
(818) 542-4200
fax: (818) 542-4205
Circle 1156 on Inquiry Card.

Power Japanese.....\$389
BayWare, Inc.
1720 South Amphlett Blvd., Suite 205
San Mateo, CA 94402
(800) 538-8867
(415) 312-0980
fax: (415) 578-1884
Circle 1157 on Inquiry Card.

QEMM-386 6.0.....\$99.95
Quarterdeck Office Systems, Inc.
150 Pico Blvd.
Santa Monica, CA 90405
(800) 354-3222
(310) 392-9851
fax: (310) 314-4217
Circle 1158 on Inquiry Card.


Sound Blaster Multimedia Upgrade Kit.....\$799.95
Creative Labs, Inc.
1901 McCarthy Blvd.
Milpitas, CA 95035
(800) 998-5227
(408) 428-6600
fax: (408) 428-6611
Circle 1159 on Inquiry Card.

T348 MiniSCSI Plus.....\$229
Trantor Systems, Ltd.
5415 Randall Place
Fremont, CA 94538
(800) 872-6867
(510) 770-1400
fax: (510) 770-9910
Circle 1160 on Inquiry Card.

Ventura Publisher.....\$795
Ventura Software, Inc.
15175 Innovation Dr.
San Diego, CA 92128
(800) 822-8221
(619) 673-0172
fax: (619) 673-7562
Circle 1161 on Inquiry Card.

Windows for Workgroups.....\$249.95
Windows for Workgroups Starter Kit.....\$849.95
Word for Windows 2.0.....\$495
Microsoft Corp.
1 Microsoft Way
Redmond, WA 98052
(800) 426-9400
(206) 882-8080
fax: (206) 936-7329
Circle 1162 on Inquiry Card.

WinSleuth Gold 3.04.....\$169
Dariana, Inc.
5241 Lincoln Ave., Suite B5
Cypress, CA 90630
(800) 892-9950
(714) 236-1380
fax: (714) 236-1390
Circle 1163 on Inquiry Card.



The Concise
Oxford Dictionary

The Oxford
Thesaurus

Writers. Expand your horizons!


We all use utilities like spelling and grammar-checkers, but most of them have tunnel-vision. They spot some mistakes, but remain blind to others. They can waste time by stopping at abbreviations, unusual names, and postcodes, and they rarely help when you're really struggling to find the word you want. When you need to stretch your writing to match the power of your imagination, Oxford University Press has solutions which make the sky your limit!

You can now buy one of the world's best-selling dictionaries, the *Concise Oxford Dictionary*, as a pop-up utility for use on PCs and Macs for only £49.95*. It's incredibly easy to use, and gives you access to 120,000 entries and 190,000 definitions of words and phrases quickly, right there on your screen. Because it's from Oxford University Press, you can be confident that we've got the right spelling, the concise definition, and the correct

abbreviation you need. You can search directly on words in your document, browse the dictionary, import sections into your work, and if you can't quite remember the word you want, wildcard searches will find it within seconds.

When you're looking for synonyms, try a real thesaurus for only £49.95*. The *Oxford Thesaurus* runs under the same shell as the *Concise Oxford Dictionary*, so it won't take up too much RAM on your PC or Mac. Instead of a limited selection of alternative words, we'll give you a choice of 275,000. Example sentences will show you if the word you want will fit into the context of your writing, so you can be as poetic or as business-like as you want.

So, when you're tired of the limitations of your usual utilities, call Janet Caldwell on +44 (0)865 267979, or fax on +44 (0)865 56646. She'll give you all the details you need, and can also take your order.



Telephone: +44 (0) 865 267979,
and get the word on our words.

Why The
World's Giants
Are Following
Acer's Lead.

For years, most of the world's largest computer companies have poured millions of dollars into building their "brand identity" in order to justify selling their products at higher prices.

But Acer moved in a different direction right from the start, focusing its resources on research and development that make it possible to deliver the most advanced technology at the most affordable costs.

This strategy enabled Acer to introduce the world's first single CPU

upgradable PC technology -

ChipUp™ - making it possible to upgrade from a 386SX

to a 486. So our customers could adapt quickly to fast-changing needs in a fast-

changing world. It also made it possible for Acer to maintain consistently affordable price levels that provide our cus-

tomers with value the giants of the industry are only now trying to match.

That's why more and more of those giants are following in our footsteps. They finally recognize a simple truth we've understood from day one: companies that deliver the greatest value for the money are the ones that will be around for a long, long time.

Acer



Answers For A New Age



*The 80 million
year-old iguana
survives by
adapting to change.
Successful
businesses do
the same.*



*The ChipUpgradeable
Acer 486SX
accommodates the
full range of
Intel 486 CPUs.*



SOFTLINE.® THE BEST BUYS IN OVER 170 COUNTRIES.

S O F T W A R E

*(Items in RED run under Windows)

Word Processors/Editors

AmiPro 2.0	12.40
Brief 3.1	1.02
Fazgraber 1.0	1.01
Grammarly V for Windows	6.6
Justwrite 2.0	1.66
Microsoft Word 2.0 for Windows	3.19
Microsoft Word 5.5	2.23
WordPerfect 5.2 for DOS	2.69
WordPerfect 5.2 for Windows	2.82
WordStar 7.0	2.49

Project Management

Microsoft Project 3.0 1/Windows	4.61
Superproject 2.1	5.50
Timeline 1.0	4.65

Database & Tools

Askam 5.1	2.19
B-trieve 5.10 for DOS	4.50
B-trieve 5.10 for OS/2	4.37
B-trieve 5.10 for Windows	4.47
C-tree Plus 1.0	4.78
Clarion Professional Dev 2.1	4.86
Clipper 5.01	5.01
Datasheet 4.5	5.38
Dbase IV 1.5	5.52
Obblast/Windows 1.7C	3.47
DBXL 1.3R	1.41
Foxpro 2.5	3.32
Foxpro 2.5 for Windows	3.32
Paradox 4.0	5.58
Q&A 4.0	2.65
Rbase 4.0	4.90
Rbase 3.1 for OS/2 1-3 User	5.54
Superbase 4 Windows rel 1.3	5.08

Statistics

SPSS PC+ Adv Statistics 4.0	2.77
SPSS PC+ Windows Prof Statistics	3.70
Statgraphics Plus	9.81

Desktop Publishing

Adobe Type Manager 2.0	16.3
Aldus Persuasion 2.1	3.35
Aldus Photostyle 1.1A	5.37
Arts & Letters Graphics Ed 3.12	3.42
Facelift 2.0	7.2
Microsoft Publisher 1.0	1.32
Pagemaker 4.0	5.32
Perform Pro Design+Filter 1/Windows	8.6
PFS First Publisher 3.0	9.9
Publishers' Type Foundry 1.5	3.61
Ventura Publisher Gold 4.01	5.37

Graphics

Adobe Illustrator 4.0	4.56
Adobe Streamline 3.0	4.56
Appause II 1.5	3.53
Charmista 2.1	3.35
Corel Artshow '91-CD	5.3
Corel Draw 2.5 for OS/2	3.95
Corel Draw 3.0	4.02
Designer 3.1 for Windows	3.93
Draw! Cad for Windows 2.1	4.39
DrawPerfect 1.1	2.92
Freehand Graphics 1.0 for Windows	3.60
Freehand Graphics 4.0 for DOS	3.35
GEM Draw+ w/ GEM 3 Desktop	1.76
Harvard Draw 1.0	1.82
Harvard Graphics 1.0 1/ Windows	3.76
Harvard 3.0	4.24
Hipack 1.0 for Windows	1.24
Microsoft Powerpoint 3.0	3.27
Windows Draw 3.0	1.08

Spreadsheets

Lotus 1-2-3 rel 1.1 for Windows	3.17
Lotus 1-2-3 rel 2.4	3.48
Lotus 1-2-3 rel 3.4	4.17
Lotus 1-2-3 for OS/2 1.1	5.13
Microsoft PC Excell 4.0	3.17
Quattro Pro 1.0 for Windows	3.31

Desktop Environments

Desqview 386 2.4	11.33
HP New Wave for Windows	8.3
Microsoft Windows 3.1	9.9
Sidekick 2.0	7.1

Project Management

Microsoft Project 3.0 1/Windows	4.61
Superproject 2.1	5.50
Timeline 1.0	4.65

H A R D W A R E

Display Boards

ATI Graphics/Ultra w/1MB (PCAO)	13.51
Diamond Stealth VRAM w/1MB (PCA)	2.67
Hercules Graphics STN w/1MB (PCA)	4.44
Orchid Fahrenheit 1280 w/1MB (PCA)	2.97
Paradise Accel Crd 1/Win w/1MB	1.74
STB Video X Ultra w/1MB (PCA)	2.78
Video 7 WIN VGA w/1MB (PCA)	1.71

Emulation Boards

AST 5251-11 Enhanced Plus (PCA)	5.05
DCA IRMA 3 Convertible (PCA)	4.30
Xircum Pocket 3270 Adapter 1/Win	5.51

Facsimile Hardware

Boca BocaFax 9624 Internal (PCA)	7.9
Intel Satisfaction 400 14.4 Internal	4.31
Megahearts Fax/Modem 96/96 S/R IntS 1.4	1.506

Printers & Accessories

Cann Bubblejet Printer BJ10EX	3.30
HP Deskjet 500C Color Printer (110V)S 5.5	1.506
HP Laserjet IV (110V)	1.506
HP Paintjet Color Printer (110V)	7.56
Pacific 25-In-One (all HP models)	2.73
Pacific 2MB Exp (2P, 3P, 3, 3D)	1.28
Pacific 4MB Exp (2P, 3P, 3, 3D)	2.16
PacificPage PS Cart (2P/3P/3D)	2.98

Multimedia

Asymetrix Multimedia Toolkit-CD 1.5'S 1.3	1.3
MS Multimedia Beethoven-CD 1.1	6.3
MS Multimedia Beethoven-CD 1.2.9	1.29
MS Multimedia Dev Kit-CD 1.0	3.20

OCR

Omnipage Pro 2.1	6.53
Readright 2.01	1.26
Wordscan Plus 1.1 for Windows	4.40

Network

3COM Etherlink II TP 16 bit (PCA)	11.75
3COM Etherlink II TP 16 bit 5 Pk	7.48
ASIC DGB Dsk Coprocessor Bd CH 1	3.22
Eagle NE1000 B Bit Ethnet (PCA)	1.10
Eagle NE2000 16bit Ethnet (PCA)	1.50
Eagle NE3200A 32-bit Ethnet (EISA)	6.98
Eagle Ntwre Lite Add Kit NE2000	2.15
Eagle Ntwre Lite Srt Kit NE2000	4.22
Proteon ProNet-4/16 Busmaster (PCA)	4.67
SMC PC600FS Arcnet Serv 16bit CX	2.05
SMC PC600WS Arcnet Wkstn 16bit CX	2.7
Tom Conrad Ethnet 10base-T (PCA)	1.21
Tom Conrad Ethnet 10base-T 10 Pk 1	3.55

Scanners & Input Devices

Logitech 3-button Ser Mouse w/Win	1.16
Logitech Trackman 2 Serial	9.0
MS Ballpoint Mouse	1.25
MS Bus Mouse w/Paintbrush	1.05
MS Bus Mouse w/Win 3.1	1.56
MS Ser Mouse 5-Pack	3.83
SummaSummasketch II 12x12 16bit	2.90
Thumbelina Portable	7.5
Caere Typist+ Graphics OCR Scanr	3.91
HP Scanjet IIP w/Interface (PCA)	9.14
Logitech Scanman Mod 256 (PCA)	2.73
Logitech Scanman Mod 32 (PCA)	1.37

Languages & Programming Tools

ABC Flowchart 2.0	11.82
Asymetrix Toolbook 1.5	2.91
Borland C++ 3.1 for Windows	3.53
DR DOS 6.0	8.0
Interactive Easyflow 7.0	19.3
MS Basic Comp 7.1 (DOS/OS/2)	3.28
MS C with C++ 7.0	3.27
MS Cobol Comp 4.5 (DOS/OS/2)	5.95
MS Device Driver 3.1 1/Windows	3.32
MS Pascal Comp 4.0 (DOS/OS/2)	19.9
MS Quick C 1.0 for Windows	1.32
MS Visual Basic 1.0 1/Windows	1.32
MS Windows SDK 3.0	3.30
MS-DOS 5.0 (generic)	5.9
MS-DOS 5.0 Upgrade	7.6

Utilities

386 Max Pro 6.01	7.3
Back-it 4.1.0	6.4
Central Point Antivirus 1.0 1/Win	1.00
Central Point Backup 7.2 1/Win	1.00
Checkit Plus 3.1	9.2
Fastback Plus 3.1	1.20
HDC Icon Designer for Windows	3.3
Laplink Pro 4.0	10.4
Norton Antivirus 2.1 (DOS/Win)	9.4
Norton Backup 2.0 for Windows	10.6
Norton Desktop 1.0 for DOS	11.8
Norton Desktop 2.0 for Windows	11.9
PC Tools 8.0	1.24
QDOS III	6.4
QEMM 386 Exp Mem Mgr 6.01	7.3
Stacker 3.0 (DOS/Win)	10.1
Superstor 2.0	5.3
Xtree Gold 2.5	9.7

Integrated Packages

Lotus Symphony 3.0	5.13
Lotus Works 3.0	9.2
Microsoft Works 3.0	10.6
Wings for PC	3.20
WordPerfect Works 1.0	10.2

Network/Multisuser

Norvell NetWare 2.2 10 User	1,170
Norvell NetWare 2.2 50 User	2,343
Norvell NetWare 3.11 10 User	1,481
Norvell NetWare 3.11 100 User	4,152
Norvell NetWare 3.11 20 User	2,049
Norvell Network Lite	7.9
PC-NOS 4.1 + 5 User	4.59

Productivity Tools

Dan Bricklins Demo II 3.0	2.01
Microsoft Money 2.0	2.1
Microsoft Office 3.0	4.96
Microsoft Productivity Pak 3.1	5.1
On Target 1.0	2.65
Packrat 4.0 for Windows	2.43

Communications

Carbon Copy 1.0 for Windows	11.33
Close-up Customer/Terminal 3.0	1.23
Crosstalk 3.0 for Windows	1.20
Dynacomm Term Emul Asynchronous	1.66
Microcourier	7.8
Procomm Plus 1.0 for Windows	1.08
Procomm Plus 2.1	8.1
Relay Gold 5.0	2.08
Smarter 240 3.1	2.07
Winconnect	7.3
Winfax Pro	9.0

Workgroup/Group Productivity

CC Mail 1.1 Windows Platform Pk	3.43
CC Mail 3.2 + 10 User Pack	2.39
CC Mail 4.0 MS-DOS Platform Pk	2.09
MS PC Mail 3.0 + 20 User Lic Pk	8.89
MS PC Mail 3.0 Remote Wkstn	1.29
MS PC Mail 3.0 Server	4.59
WordPerfect Office PC 3.1	9.9

Please call for items not listed

SOFTLINE MAKES BUYING AS SIMPLE AS ...

1.

Ordering



Fax your order & inquire to us 24 hours a day

1-718-438-2315



or
Call us at

1-718-438-6057

(9:00 to 17:00 U.S. EST, Mon.-Fri.)

All prices and payments are in U.S.D., and do not include shipping, insurance, and other fees. VAT and duties will be collected at delivery. Please confirm prices, availability, shipping costs and other fees at time of order. Please specify 3 1/2" or 5 1/4" diskette size.

2.

Shipping



Ask for Federal Express, DHL or UPS,

if you want 2 to 4 day service through customs to your door.



For large orders, we also ship via economic Air Freight, with 1 week delivery. Please confirm shipping costs when placing your order.

3.

Payment



For fastest Ordering, use your Visa, MasterCard, American Express, or EuroCard.

Simply provide us with your credit card number, expiration date, shipping and billing addresses when ordering. A 3% surcharge is added.



Wire Transfer funds directly to our account at Manufacturer's Hanover Trust (ABA# 021000306) 4901-13th Ave, Brooklyn, NY 11219 Account No. 1042065596065. Please add \$15.00 wire transfer fee and applicable shipping charges. Allow 1 week for confirmation of transfer.



We accept bank checks in US Dollars payable on a US Bank. Send your order with payment.

TERMS: All prices are subject to change without notice. We do not charge your credit card until your order is shipped. All returns require prior authorization and RA number from our customer service department. (Minimum 20% restocking fee on returns). All returns are to be shipped prepaid and insured.



INTERNATIONAL DIVISION

Circle 434 on Inquiry Card.

Softline International Division

1333 60th Street, Brooklyn, NY 11219 FAX: 1-718-438-2315



SHAPING UP FOR GREATER RECOGNITION

RECOGNITA PLUS 2.0

Letters come in all shapes and sizes. So do documents. Different fonts, styles and layouts. In spite of all they say about the coming of the electronic office, these mountains of paper never stop growing. Computer automation can lead to greater productivity, but one of the biggest obstacles is the never-ending need to key in all the data.

OCR provides an answer — that is Optical Character Recognition. For either private or business use, it helps you push back those avalanches of paper, scanning and reading printed text and data quickly, economically and accurately into computers.

Recognita Plus is one of the pioneers in this field. It has long been a leading European OCR product — most recently it gained the Silver Award in the 'Software for Europe' competition at CeBIT, Hannover '92.

Recognita Plus has omnifont capability — it is pre-trained and trainable. It can both create and read image and fax files. It is very light on memory and disk space and extremely fast, reaching speeds of up to 300 cps on a 486 at 50MHz — that's less than 10 seconds for an A4 page with plain text. It supports a wide range of scanners and output formats.

It's the only OCR product in its class to offer recognition of the highly accented languages of Central Europe (Polish, Hungarian, Czech, Slovak, Rumanian, Turkish, Greek etc.). Many OCR products call themselves European, but they mean only Western Europe — Recognita Plus opens up East, West and beyond with an ability to read over eighty languages.

All in all, it's a world class product, developed in Europe.

The SZKI Recognita Corporation now announces the launch of Recognita Plus 2.0. A noteworthy gain in accuracy has been

achieved by augmenting the current tried and tested contour analysis algorithm with full-page image analysis and new Self Assertion Technology. This is combined with a redesigned screen, accessing many new and enhanced features.

So, it's time for you to try out Recognita Plus 2.0. Here's a product both performing and deserving greater recognition.

NEW FEATURES OF RECOGNITA PLUS 2.0

- Improved accuracy thanks to two-step reading and Self Assertion Technology
- Dot-matrix and fax file recognition supported
- Automatic or manual page decomposition
- Full internal editor for all formats (plus deferred editing and a unique OCR-specific search and replace facility)
- Both pop-up or side-by-side verifier (word only or context) linking text file with bitmap
- Deferred processing, templates, direct connections to Windows Wordprocessors
- Development Toolkit available; TWAIN support

It's in better shape than ever!



RECOGNITA PLUS 2.0
SZKI RECOGNITA CORPORATION

Call one of these to find the address of your nearest distributor:
SZKI Recognita Corp. H-1012 Budapest, Márvány u. 17., Hungary Phone: 36-1/201-8925 Fax: 36-1/201-7607
Recognita Corp. of America 1156 Aster Avenue, Suite F Sunnyvale CA 94086 Phone: 1-408/241-5772 Fax: 1-408/241-6009
Recognita Büroautomatisierung GmbH Hainstrasse 19, Aufgang D O-7010 Leipzig Phone: 49-341/209-635 Fax: 49-341/281-643

Circle 433 on Inquiry Card.

You can find us at CeBIT '93
Hall 04/1 O.G.
F02

Smarter E-Mail Is Coming

Rebuilding your business processes to take advantage
of E-mail promises dramatic productivity gains

ANDY REINHARDT

Forget for a moment the confusing alphabet soup of E-mail acronyms. Look past the gateways, switches, and battles over APIs. Despite these hurdles, it's only a matter of time before E-mail is as pervasive and easy to use as the telephone system.


Once E-mail nirvana arrives, huge changes will occur. Organizations that have already implemented enterprise-wide E-mail find that it flattens the management hierarchy, improves project tracking, and speeds time to market for new products or services. E-mail's greatest benefit, however, goes beyond ad hoc exchange of information among employees: Messaging is the foundation for a new wave of work-group software packages that will alter traditional work structures and could dramatically boost productivity.


"Mail should not be thought of as an application," says Eugene Lee, director of product planning for mail software vendor Beyond (Cambridge, MA). "It's an enabling technology."

After years of wrangling with complicated client/server technologies such as RPCs (remote-procedure calls), users and developers are discovering that E-mail's store-and-forward, network-independent messaging provides many of the same capabilities for a fraction of the cost and complexity (see the text box "The Messaging Model" on page 92). In effect, messaging enables a type of do-it-yourself distributed computing.

"People tend to think of mail today as messages sent between people, but that's just the tip of the iceberg," says John Rymer, an analyst with the Patricia Seybold Office Computing Group (Boston, MA) and the editor of the *Distributed Computing Monitor*. E-mail can also be used for communication between people and processes—known as virtual users—or even among processes themselves; in fact, Rymer says, most communication between applications will ultimately use E-mail transports.

Applications that will build on the messaging infrastructure include multimedia mail, fax routing, database access, scheduling, and document sharing (see figure 1). Perhaps the most promising avenue is the broad category known as work flow, which encompasses information routing, task automation, and decision support. "We've spent millions of dollars on E-mail," says Larry Quinlan, the manager of LAN services for the accounting firm of Deloitte & Touche (Atlanta, GA), "and you can't get a good return on investment from simple messaging alone." Organizations





The Messaging Model

To facilitate interoperability among mail systems, vendors are decoupling the front-end mail client from the back-end mail server. Most packages today, such as cc:Mail and Microsoft Mail, supply both the client and the server in a single box and use their own proprietary message transports.

The exception is Novell (Provo, UT), whose MHS (Message Handling Service) has used a client/server architecture with a published API for more than five years; Novell doesn't market an MHS client, leaving that instead to companies such as Da Vinci Systems (Raleigh, NC) and Beyond (Cambridge, MA).

The implications of this shift are twofold. First, breaking the link between the client and server lets customers use whatever combination of front and back ends they choose. Second, an open interface exposes the mail transport for use by applications other

than a mail client; conventional productivity packages (e.g., word processors and spreadsheets) will be able to talk directly to mail engines, and new types of workgroup applications can be built on top of the mail transport.

It is often cheaper and easier to implement distributed computing with messaging than with client/server RPCs (remote procedure calls). RPCs use live "virtual circuits" between applications and require expensive equipment such as high-speed routers and private T1 phone links for WAN (wide-area network) implementations.

"The bottom line is that people want a simple method of routing information," says Rick Bohdanowicz, director of messaging for Novell. E-mail is cost-effective, he says, because users can implement their own schemes using off-the-shelf software, modems, and dial-up phone lines.

Store-and-forward is a good mechanism for remote access, because it

places less of a burden on field systems and communications links than does a client/server architecture. LAN managers concerned about network bandwidth also appreciate that using messaging instead of virtual circuits frees up network resources for time-critical tasks.

Messaging can also play a role in connecting desktop systems to host programs, says John Rymer of the Patricia Seybold Office Computing Group (Boston, MA). For example, you could communicate with a system not designed for the distributed world by giving it an interface for messaging.

Compared to the hard-wired design of client/server programs, Rymer says, the more generic messaging interface can prove to be a vital asset in today's climate of corporate mergers and divestitures. "If you're a corporate developer, you need to build applications that can interface easily to new systems," he adds.

BUILDING E-MAIL AWARENESS




Figure 1: The messaging architecture of the future will let mail-enabled applications and messaging agents communicate interchangeably with message stores and work-flow engines. This layered design permits users to use the networks, mail services, and front ends of their choice.

that use E-mail find that it quickly becomes a vital part of their information structure. E-mail is the "de facto mechanism" for moving files at the Social Security Administration (Baltimore, MD), says Jan Hoffman, director of intelligent workstations and LAN engineering. The agency has a network of 15,000 PCs running NetWare and cc:Mail. A fax server routes incoming and outgoing faxes, and staffers use E-mail to update databases. Future projects may include tracking and monitoring letters and the use of digital signatures for approving documents.

Companies such as Beyond, Action Technologies (Alameda, CA), and Reach Software (Sunnyvale, CA) are creating tools to electronically control the flow of data and forms around organizations. These "rules engines" capture existing business processes or stimulate users to pioneer new, more efficient procedures.

The results can be staggering. Most business processes have built up over the years without the advantage of modern technology. By applying both workgroup technology and modern organizational theories, says Walter Ulrich, a director of the consulting firm Arthur D. Little (Cambridge, MA), "businesses can move decision making down to the people who have immediate contact with customers and cut cycle times by up to one-third."

Building on E-Mail

Analysts expect LAN-based E-mail use to grow explosively over the next few years. Market-research firm The Yankee Group (Boston, MA) estimates that the number of LAN E-mail users in the U.S. rose 60 percent last year, from 5.9 million to 9.4 million, and will climb another 60 percent this year to 15.1 million users.

FIX YOUR PC FAST!



RECOVER DATA FROM PHYSICALLY DAMAGED FLOPPIES & HARD DRIVES!

There's no other program like it anywhere! When you have a disk that returns GENERAL FAILURE READING DRIVE (X), **RESCUE™** will read it anyway!


RESCUE™ bypasses DOS's inability to read disks that have been physically damaged and will move the drive heads directly!

RESCUE™ will even read a floppy that has a hole poked through it! You can recover all the data excluding, of course, the actual destroyed area.

This revolutionary program is now your first line of defense when it comes to recovering your valuable data. Save hundreds — even thousands — of dollars by doing your own data recovery! With **RESCUE™** you can perform miracles.* Your data is too valuable not to have **RESCUE™** within reach! **CALL NOW FOR PRICING!**

*Some failures may be beyond **RESCUE™**'s ability to recover data.

"I've never seen anything like this...I was horrified when I thought I would be unable to recover 3 years worth of my research... **RESCUE™** did exactly what you said it would...It's priceless." R.G., VP Research/TTI



THE LARGEST COMPILED REFERENCE ON HARD DRIVES AVAILABLE FOR THE PROFESSIONAL!

3 VOLUMES • OVER 1100 PAGES!

VOLUME ONE...SET-UP GUIDE

- Interface Types and Installation
- Hard Drive Specs for over 1800 drives: Make, Model, Formatted Capacity, Data Heads, Cylinders, Average Seek Times, Form Factor, Height, Interface, Encoding, Landing Zone, Sectors Per-Track, Write Precompensation Cylinder, Reduced Write Current and Mean Time Between Failure.
- BIOS Drive Type Tables
- Directory of Manufacturers
- The Floppy Drive Cable
- Power Connector
- Pin Assignments and Specifications

VOLUME TWO...DRIVE SETTINGS


- Explanation of Jumper Types, Changes in Make & Model and Default Jumper Settings
- Diagrams for over 500 drives with: Specifications, Drive Sizes, Interface Types, Jumper Settings and Locations, Terminal Resistor Locations, Pin Assignments, Pin 1 Locations, Cable Type and Locations.

VOLUME THREE...CONTROLLERS

- Over 275 Diagrams of Controllers with: Specifications, Card Sizes, Largest Head and Cylinder Sizes, Interface Type, Detailed Jumper Settings, Pin Assignments and Cable Locations.
- Controller to Drive Power Connections, Drive Activity L.E.D. Connections, Common Debug BIOS Format Codes and Default Jumper Settings

PLUS...

- 1 year subscription with quarterly printed updates • On-line Bulletin Board for immediate access to the most current updates • Plus more! **CALL NOW FOR PRICING!**



THE LARGEST COMPILED REFERENCE ON MOTHER BOARDS EVER! 5 VOLUMES! HOT OFF THE PRESS!

Over 850 diagrams showing all necessary jumper, connection and component locations! Each diagram includes technical specs such as: processor, processor speed, chip set, max. onboard DRAM, SRAM cache, BIOS, dimensions, I/O options and NPU options. Also includes easy to understand tables giving configuration for: user settings, DRAM, SRAM, CPU type jumper and CPU speed jumper. **PLUS MUCH, MUCH MORE!**

CALL NOW FOR PRICING!



EVERYTHING YOU NEED TO INSTALL, SET-UP AND OPTIMIZE HARD DRIVES!

The Hard Disk Technical Guide™ is the most complete paperback on hard drives ever published. This 1992 version has 424 pages and is ideal for in the field or office use!

- Set-up Specs for all drives from 1984 to present • Diagrams of the most common controller cards with jumper settings and functions • Diagrams and drive settings of common drives • Installation procedures • PLUS MUCH MORE!

DrivePro™ the all-in-the utility for the most efficient and correct installation and maintenance of any hard drive!

- No more DEBUG - Finds and executes controller's on-board firmware • No more FDISK - Full featured partition table creator and editor • No more SETUP - View and edit BIOS drive type table and set CMOS • No more FORMAT - High-level DOS format with operating system transfer • Drive Table Override allows almost any BIOS to have a user definable drive type • Drive boot fixer will solve drives that won't boot • Complete drive diagnostic and performance tests and much, much more!



The Hard Drive Kit™

"The most comprehensive guide of disk drive and controller card specifications I have ever seen...will save any field technician valuable time...I use it at least twice a day and it's well worth the money I paid for it!" SB, Customer Services Division, NCR Corp.

Completely tune your hard drive to last longer and run faster with **OPTune™**, the fastest file defragmenter and disk optimizer. Also optimizes DOS structure • Verifies physical surface • Adjusts interleave setting • Moves data from bad clusters and much more! Automatically optimize files every time you turn on your computer! **PC World Best Buy! CALL NOW FOR PRICING!**

PC DIAGNOSTICS THAT REALLY FIND THE BUGS!

The Troubleshooter™, a self-booting disk, is unlike other diagnostic programs that rely on DOS. The Troubleshooter™ bypasses DOS and tests all major hardware components directly for true accuracy while other programs frequently give erroneous test results. Works on DOS, UNIX, Novell, XENIX, OS/2, etc. Loaded with all the tests you need to quickly and accurately isolate the source of PC failures.

PocketPost™, the most compact and feature packed diagnostic Power-On Self Test (POST) Card in the world! You can debug dead PC's in less than 5 minutes! Jumper settings allow you to read the BIOS POST codes from 6 different addresses. Debugs XT, AT, Compaq, EISA, PS/2 (25/30) and compatible. 170 page manual includes the most complete source of BIOS codes in a single reference to allow instant translation of error codes. AND MORE! **CALL NOW FOR PRICING!**



The Troubleshooter Kit™

- Free Tech Support
- Performance Guaranteed
- Next Day Shipping

CALL (800) 65-FIXED
800-653-4933

AllMicro, Inc.

1250 Rogers St. • Suite D • Clearwater, FL 34616
(813) 446-6660 • Fax (813) 446-8075

Copyright © 1992. The Hard Drive Kit, and The Troubleshooter's Kit are trademarks of AllMicro, Inc. All Rights Reserved. Other names are trademarks of their associated owners. Specifications subject to change.




Figure 2: The number of E-mail users in the U.S. is expected to climb 60 percent this year over last year's levels; by 1995, the user base could reach 38 million. Accurate worldwide figures for E-mail are not available. (Source: The Yankee Group)

(see figure 2). By 1995, the figure could climb to 38 million. Meanwhile, the number of messages transmitted within Fortune 2000 firms in North America will surge from 6.1 billion in 1993 to 14.3 billion in 1995 (including both private E-mail and public services, such as MCI Mail and EasyLink), says the trade group the Electronic Mail Association (Arlington, VA).

The size of the potential network E-mail market is limited by the penetration of LANs. Only 42 percent of the estimated 47 million personal computers in the U.S. are connected by LANs, says market researcher Dataquest. That figure is projected to grow to 52 percent by 1996.

In the short term, the greatest problem facing enterprise-wide mail is that most of today's mail packages won't talk to one another (see "Mixed Messaging" on page 136). User woes include the inability to link different packages across heterogeneous networks and the thorny problem of how to synchronize distributed directories of network and mail users. For many, the best solutions are gateways from companies such as SoftSwitch (Wayne, PA) and Retix (Santa Monica, CA) that interconnect different mail platforms. In the long term, the emergence of mail standards (i.e., APIs, file formats, transports, and directory services) will ease the need for gateways (see the text box "Standards Coming, But Slowly" on page 96).

Aetna Life and Casualty Insurance (Hartford, CT), for example, has 36,000 employees on five E-mail systems—IBM PROFS, DEC All-In-1, cc:Mail, and Microsoft Mail for DOS and for the Mac—down from nine systems a few years ago. Kevin Ryan, director of E-mail services, says the firm uses a SoftSwitch messaging backbone to connect the different systems internally and X.400 gateways to talk with outside companies, primarily large

policyholders. But managing the system isn't easy. "E-mail directories are still cumbersome, overly complex, and not well understood by users," Ryan says. A company as large as Aetna has a lot of people coming and going. "You've got to propagate [directories] out to all post offices and keep all those changes in sync," he says. It's a labor-intensive process.

Until standards are in place, MIS managers must struggle to patch together disparate systems or force all employees to use the same software. The latter is nearly impossible for many organizations. Workgroups have already settled on different mail packages, and the MIS department must also support public services, such as MCI Mail or CompuServe, and legacy host-based mail packages, such as PROFS or All-In-1.

Integrating different software and services is technically possible. "It's just that some things are difficult or expensive," says consultant Amy Wohl of Wohl Associates (Bala Cynwyd, PA). "The real hurdles are administrative."

E-Mail Applications

The types of applications that can capitalize on the E-mail infrastructure fall into two groups: mail-enabled (or mail-aware) programs (e.g., spreadsheets or word processors that also access mail services) and messaging-centric programs built specifically around E-mail transports and store-and-forward messaging.

A few packages, such as Software Publishing's Professional Write Plus, can already talk directly to mail services through custom interfaces. Now, by virtue of standards, such as Microsoft's MAPI (Messaging API) and the VIM (Vendor-Independent Messaging) interface from a rival group headed by Lotus Development (Cambridge, MA), developers can add mail access to any program. In the near term, the most common mail-enabled programs are likely to be versions of shrink-wrapped packages such as WordPerfect, Lotus 1-2-3, Excel, and Freelance Graphics. "It sounds simple," says analyst Mike Heylin of market researcher Creative Strategies Research International (Santa Clara, CA), "but [mail-enabled versions of familiar software] are what users want right now."


When Windows applications support mail APIs, for example, you will be able to select Mail from the File menu in the same way you choose Print. A compose-mail dialog box will pop up in the application, along with fields for addressing, priority, and other options. When you send the message, the spreadsheet or word processing file is automatically attached. In Windows and Mac systems (and with some DOS packages), the recipient can then launch the creating application directly from the mail attachment; if the application isn't available, many mail clients provide a means to view the file.

By tapping into messaging transports, mail-enabled programs will also be able to communicate with each other, much as they do now through virtual-circuit mechanisms such as DDE, OLE, and Apple Events. "We're very keen on doing mail-enabled applications," says Deloitte & Touche's Quinlan. The real reward, he says, comes from the ability to move data among applications. For example, Deloitte & Touche provides electronic meeting registration. Built using cc:Mail's import/export facility, the application lets auditors sign up for company seminars via E-mail. The company also provides automated audit software to its field staff, which uses E-mail to exchange audit workpapers. By hiding the mail capability within the application, Quinlan says, auditors can exchange data without being computer jocks.

Building on the foundations of VIM, cc:Mail, and Notes, Lotus plans to enhance its applications suite with workgroup capabilities, says Irene Greif, director of workgroup technologies. For example, the mail-enabled 1-2-3 for Windows 2.0, expected to ship early this year, will include technology called Version

Computing Know How

Learn More with Computer Books from Abacus



Sound Blaster Book

This book is your guide to **Sound Blaster**, from installation to custom programming. Includes an overview of the different **Sound Blaster** cards, many specific software products and much more. Also includes simple MIDI system to use with your **Sound Blaster**.


#B164. ISBN 1-55755-164-2. Price \$34.95 with 3.5" companion diskette.



The 486 Book

Explains the features that make this processor so advantageous - the memory capabilities, the math coprocessor, the specialized software that maximizes the CPU's performance and more. PC INFO program and System Sleuth™ diagnostic software on companion diskette.


#B183. ISBN 1-55755-183-9. Price \$34.95 with 3.5" companion diskette. 420 pages.



Multimedia Mania

This book removes the hype surrounding multimedia. Learn the basics from adding CD-ROMs and sound boards to making a MPC system. Includes CD-ROM with megabytes of sounds, graphics, animations, samples and techniques to get you deep into the world of multimedia. Also includes several commercial multimedia demonstrations.


#B166. ISBN 1-55755-166-9. \$49.95 with companion CD-ROM.



Upgrading & Maintaining Your PC

Turn your PC into a high performance screamer. Whether you're adding memory or a hard drive, CD-ROM or a sound board or upgrading an XT to a 386 or 486, this book shows you how. Includes companion diskette of utilities and System Sleuth™ diagnostic software.

#B167. ISBN 1-55755-167-7. Suggested retail price \$34.95.



Wicked Sounds

This outrageous book/disk lets you sit back and have some fun with Windows' built-in sound capabilities. "Sound off" by trying a sound to any of 12 different Windows events: closing a window, etc. Includes Sound DATA BASE manager to organize and identify your growing library of wave forms.

#B168. ISBN 1-55755-168-5. Price \$29.95 with companion disk including wave forms and Sound Database Manager.




PC INTERN

The encyclopedia of DOS programming know how for the professional programmer. Includes parallel working examples in Machine Language, C, Pascal and BASIC.

- DOS and BIOS internal structures and functions

- Programming video cards, sound, TSRS

#B145. ISBN 1-55755-145-6. Price \$59.95 with over 2MB of source code on one diskette. 1300 pages.



Turbo C++ Step by Step

Teaches you step by step C++, the language of choice among professional developers.

The lessons are designed to be short, progressive and to the point, so you can learn quickly.

#B156. ISBN 1-55755-156-1. Price \$34.95 with 3.5" companion diskette. 300 pages.




Windows 3.1 Complete

Learn to optimize & customize Windows 3.1.

- Improve your productivity with built-in Windows applications
- Includes dozens of useful tips and techniques

- Includes two valuable Windows utilities: Backup & Snapshot


#B153. ISBN 1-55755-153-7. Price \$34.95 w/Windows utilities disk. 875+ pages.



Windows 3.1 INTERN

Introduces the reader to the overall concept of Windows programming and events using dozens of easy-to-follow examples. A comprehensive info source for every Windows programmer. It's a solid guide for beginning to intermediate Windows programmers who need to know more, faster.

#B159. ISBN 1-55755-159-6. Price \$49.95 with 3.5" companion diskette. 1200+ pages.



PC Assembly Language Step by Step

Teaches you machine language from the ground up, at your own pace. Learn assembly language using the unique assembly language simulator which shows how each instruction functions as the PC executes it. You'll get hands-on training with this exceptional book/disk combination.

#B096. ISBN 1-55755-096-4. Price \$34.95 with 2 5.25" companion diskettes.

**Order Toll Free
1-800-451-4319**

Available at B. Dalton, Crown Books, Software Etc., Waldenbooks, Computer City and other retailers nationwide. In Canada, Coles W.H. Smith and Classic Bookshops. In the UK, call Computer Bookshops 021-706-1188. In Australia call Pacronics 02-748-4700.

In US and Canada add \$5.00 postage. Foreign orders add \$13.00 postage per item. We accept Visa, Mastercard or American Express.

Abacus

Dept. B3, 5370 52nd Street SE, Grand Rapids, MI 49512
Phone: (616) 698-0330 • Fax: (616) 698-0325

Circle 61 on Inquiry Card

Please rush me the following books:

Sound Blaster Book \$34.95 ea.
The 486 Book \$34.95 ea.
Multimedia Mania \$49.95 ea.
Upgrading & Maintaining \$34.95 ea.
Wicked Sounds \$29.95 ea.
PC INTERN \$59.95 ea.
Turbo C++ Step by Step \$34.95 ea.
Windows 3.1 Complete \$34.95 ea.
Windows 3.1 INTERN \$49.95 ea.
PC Assembly Language \$34.95 ea.

Subtotal:

CA & MI orders include correct sales tax:

In US & Canada add \$5.00 shipping:

Foreign orders add \$13.00 per item:

Total amount (US funds):

For fast delivery Order Toll Free 1-800-451-4319 ext. 23, or FAX (616) 698-0325

Or mail this coupon to: Abacus, 5370 52nd Street SE, Grand Rapids, MI 49512

Method of Payment: ☐ Visa ☐ Master Card ☐ Am. Express ☐ Check / M.O.

Card#: _____ Expires: ____/____/____

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone#: _____ Fax#: _____

☐ Yes, please rush your free catalog of PC books and software.

Dept. B3

Standards Coming, But Slowly

An industry executive once quipped that there was no clearer sign of the failure of E-mail than the success of the fax. People needed a fast, standardized way to exchange data and were willing to sacrifice the benefits of editable documents for the one-touch convenience of a fax.

Today the situation has improved, but it will be years before standards are established that make E-mail as easy to use as the phone or the fax. The charge toward standards is being fought on three fronts: mail APIs, transports, and file formats. A fourth category—directory services—is so complex that proprietary solutions may continue to dominate for the rest of this decade.

Easy Access

The fight over mail APIs has garnered the most attention, perhaps out of proportion to its long-term importance. Microsoft touts the Windows-based MAPI (Messaging API), parts of which have already been added to Windows for Workgroups, while Lotus (Cambridge, MA) and others are promoting the cross-platform VIM (Vendor-Independent Messaging) API. Apple offers OCE (Open Collaborative Environment), but it also intends to support VIM. Novell (Provo, UT), IBM, and Borland (Scotts Valley, CA) back VIM, too.

The mail API battle has generated open hostility among the camps, but many observers view it as a red herring. "It doesn't matter what the mail API does," says Eugene Lee of Beyond (Cambridge, MA), "as long as I can run my application on your mail server."

The premise of MAPI is similar to that of the Windows printer architecture: It's an intervening layer that abstracts the behavior of the device on the other side of the interface (see figure A). MAPI specifies a series of 60 operating-system calls that invoke common mail actions such as send, receive, and mailbox management. A DLL performs the client mail services and interfaces to mail engines through what Microsoft calls the SPI (Service Provider Interface). Consequently, any MAPI-compliant Windows application can talk

through the DLL to any SPI-compliant mail engine. Hewlett-Packard, WordPerfect, DEC, SoftSwitch, Novell, Banyan, and AT&T have already committed to MAPI-enabling their mail engines.

Microsoft is shipping a subset of MAPI, known as Simple MAPI, in Windows for Workgroups, but it works only with the Microsoft Mail engine. The complete MAPI subsystem, known as Full MAPI, will operate only in Windows for DOS and Windows NT, and it won't be bundled with any operating system until late this year.

VIM takes a different approach. Instead of a set of routines that ship with the operating system, VIM is a specification for directly accessing mail engines from various client environments. Lotus will offer implementations for Windows and OS/2 clients talking to the cc:Mail engine, but other parties will have to provide VIM hooks for their respective engines or client environments. For example, Apple is expected to support OCE for Mac-only users but enable VIM access from the Mac for users who want to address other mail engines on other platforms.

Lotus promises to provide a subsystem to remap VIM calls to a MAPI back end, thus allowing VIM-compliant applications to talk to MAPI mail engines. Also, Microsoft and VIM supporters joined forces in a group called the XAPIA (X.400 API Association), which is creating a set of multiplatform Common Mail Calls that offer capabilities analogous to Simple MAPI.

But Suzan Fine, the MAPI product manager at Microsoft, argues that when standards are made generic enough to work across platforms, they forfeit richness and specificity. She says that developers writing complex messaging-based applications such as BBSees or work-flow systems will probably choose to work within a single environment, such as Windows with Extended MAPI. This offers them advanced features, such as folder management, while still allowing access from non-Windows systems via XAPIA.

Microsoft's main criticism of VIM, that it is too firmly tied into the cc:Mail

engine, rings hollow as long as MAPI works only with Microsoft Mail. For the balance of 1993, software developers will rewrite their applications to one or both of the mail APIs, and users will eventually be able to invoke mail capabilities from within their programs without giving a thought to what engine lies in the background.

Free E-Mail

The inclusion of Simple MAPI in Windows for Workgroups points to a controversial result of separating mail clients and servers. To an increasing extent, the client will become a standard part of the operating system. Microsoft and Apple are moving in this direction. "What this means is that basic E-mail is free in the long run," says Beyond's Lee. In the future, he says, vendors will have to compete based on advanced features such as Beyond's rules engine, which helps users route E-mail and cope with message overload.

Not everybody agrees that the operating system is the best place for the mail client, however. Novell argues that, as a network function, mail needs to be cross-platform. Analyst Mike Heylin of Creative Strategies Research International (Santa Clara, CA) says that integrating E-mail into the operating system could discourage innovation by third parties. "Personal computing is not a monolithic structure," he says, "and Windows is starting to look more and more monolithic."

Servers and Formats

VIM and MAPI do not address the issue of mail engines talking to one another. The solution is likely to come from international standards, specifically X.400, which defines a universal mail-transport protocol. Until now, X.400 hasn't been widely adopted for PC LAN-based mail systems, because it is complex and vendors were already committed to proprietary transports. The protocol is more widely applied outside the U.S., where there is greater demand for international standards.

People use X.400 mostly for mail backbones. Through a gateway such as

MAPI VS. VIM




Figure A: Microsoft's MAPI and Lotus's VIM specifications offer top-level APIs that let applications talk to mail back ends. In the Windows-only MAPI, the layer interfaces to mail engines via drivers, while in the cross-platform VIM, the layer is actually part of the engine itself.

the Retix OpenServer 400, mail messages are translated from their native format into X.400 and then back to the same or a different format on the other side. But native X.400 mail servers are growing in popularity; for example, Microsoft is developing an X.400-based mail server for Windows NT.

Not everybody agrees that X.400 is the ultimate solution. Consultant David Ferris calls it the "lowest common denominator" and projects that it will be three to four years before X.400 becomes attractive. In today's market, he says, customers often decide that they are better off using proprietary mail switches from SoftSwitch (Wayne, PA) or DEC (Maynard, MA).

Even if you use X.400 natively or as a backbone, you face yet another problem for which no clear solution is in sight. "If the protocol situation is OK, and you've carefully unified the APIs and mail services, you still have to deal with incompatible file formats," says Nina Lytton, president of the consulting firm Open Systems Advisors (Boston, MA). "This is the big smoking gun."

For example, Lytton says, efforts are under way to standardize Windows and Mac calendar formats in group scheduling programs. But these efforts aren't

cross-platform, nor do they address access to Unix- and host-based calendaring systems. However, some vendors offer point-to-point file conversions, such as between Microsoft Schedule+ and IBM PROFS calendars.

One technology that may ease the file-format problem is Adobe's (Mountain View, CA) Acrobat, a portable document format that renders WYSIWYG documents correctly across platforms. Acrobat will make it possible to distribute complex documents via E-mail to users on an incompatible system. But while it provides accurate document display, its files won't be editable in initial releases of the software. You will still need file converters to collaborate on projects across platforms.

Directory Assistance

Most mail systems use incompatible naming conventions and addressing schemes. Naming inconsistencies mean that sometimes messages crossing gateways get lost and aren't delivered. To make matters worse, many LANs can't share their user directories with the mail systems that ride on top of them, which means that lists of LAN and mail users must be separately maintained and propagated throughout the network.

Help is on the way. NetWare 4.0 will replace the server-based Bindary user directory, which requires manual propagation from one server to another, with NetWare Directory Services, an open, networkwide, self-propagating user directory. For users of earlier versions of NetWare, Novell will also offer NetWare Global Messaging, an NLM (NetWare Loadable Module) implementation of MHS (Message Handling Service) that taps into the Bindary. Banyan will also target pre-NetWare 4.0 customers with a port of its directory services, StreetTalk, to the NetWare environment.

The long-term solution to directory services is another international standard, called X.500, that codifies directory structures and provides a way for directories on linked systems to find and query each other. X.500 is even further from wide-scale implementation than X.400 because it is complex and poses unresolved problems, such as how to limit the extent of a distributed search. Most analysts don't expect X.500 to be widely adopted until the late 1990s. Microsoft plans to use X.500 natively in its Windows NT-based messaging server, but many other mail and network software companies are taking a wait-and-see attitude.

The Vines Advantage

JON UDELL

Vines users view the chaotic mail situation that prevails on most PC networks with Olympian detachment. They have enjoyed seamless global E-mail for eight years, thanks to Banyan's (Westboro, MA) legendary distributed name service, StreetTalk. As a result, Vines' modest 8 percent share of the PC network market includes several of the world's most sophisticated wide-area installations. "We see a lot of Fortune 1000 customers who use Vines as a backbone, with pockets of NetWare at the department level," says Robert Hankin, director of marketing for CCOM Information Systems (Iselin, NJ). CCOM's HelpLine is a mail-enabled help desk application that supports Vines mail, cc:Mail, and Microsoft Mail.

When an operator logs a call, HelpLine automatically mails the user a call reference number and then follows up with additional messages as the operator researches the problem. Running on Vines, HelpDesk exploits the fact that a user's StreetTalk ID is both a network address and an E-mail address. That identity eliminates the directory synchronization woes so vexing to administrators of other PC networks. Moreover, Vines' mail system exhibits a simplicity and robustness that so far eludes the Unix mail systems to which it is distantly related. "The mail engine and transports just work, without any fuss, on local- and wide-area networks," says Ted Kull, project manager for systems engineering at the Educational Testing Service (Princeton, NJ).

Has Vines, with its superb mail services, fostered a rich set of mail-enabled applications? Ironically, not yet. In part, that's because Banyan only recently released its Intelligent Messaging mod-

ule, which offers message compression, restartable transmission, multithreaded processing, and network management. These features make Vines mail an efficient handler of not only interpersonal message traffic but also the huge file transfer load that companies like Compaq were placing on it. Mostly, though, Vines users, like their Novell counterparts, are tire-kicking Reach Software's Workman, Beyond's BeyondMail, and Lotus's Notes, looking for ways to model organizational paper flow and transform it into mail-enabled software.

Some Vines developers have built custom forms-routing applications using the Vines gateway API, which, unlike the mail client API, can access all users' mailboxes. LANshark Systems (Reynoldsburg, OH), a developer of Vines utilities, has exploited the gateway API to build simple information servers that receive mailed requests for information and mail back files or the results of database queries. Because the data repository (e.g., a Paradox database) is not typically mail-enabled, this kind of application requires homegrown protocols and polling of shared directories. When mail awareness is as common as DDE support, says Scott Sharkey, president of LANshark Systems, you will see several more systems of communicating applications built on a mail substrate.

Sharkey is skeptical that Banyan's promised support for VIM (Vendor Independent Messaging) and MAPI (Messaging API) will smooth the way for Vines developers. "It would be like looking at the world through a periscope," he says. Neither API accommodates the richness of StreetTalk. Users of Vines 5.5, for example, can

attach a wealth of attributes to each item in the StreetTalk database. That means an application that encodes the rule "send a copy to Joe's supervisor" can look up the boss's name at run time. Until the APIs and directory services catch up with Vines, Sharkey plans to continue developing two versions of his software: one that fully exploits Vines and one for the rest of the world.

Sharkey may not have to wait long. The Vines ENS (Enterprise Network Services), which shipped last December, brings StreetTalk and the Vines mail APIs to NetWare 2.x and 3.x. Implemented as a dedicated Vines server, a NetWare VAP (value-added process) or NLM (NetWare loadable module) and a small DOS TSR program, Vines ENS threatens to steal the thunder of Novell's (Provo, UT) forthcoming NetWare 4.0. Automatically synchronizing StreetTalk with the NetWare bindery, ENS gives existing NetWare 2.x and 3.x installations the unified network view that would otherwise require an upgrade to NetWare 4.0.

Some Vines services may even run better on NetWare than on Vines. For example, the optional Intelligent Messaging module can use high-performance NetWare threads for its multithreaded message processing. Moreover, while mail-aware applications will need to be rewritten to exploit 4.0's new API, Sharkey says that his Vines applications run on ENS today as is. It's a smart move on Banyan's part, and one that brightens the future of mail-enabled software on NetWare LANs.

Jon Udell is a BYTE senior technical editor at large. You can contact him on BIX as "judell."

Manager, formerly code-named Chronicle, that facilitates sharing worksheet data.

Version Manager provides a new format for spreadsheet cell ranges that lets users import and export them as objects with attached properties such as version number, author name, and assumptions. For example, a colleague could mail a range object, not to your personal in-box, but to 1-2-3's in-box, from which the application would fetch it and incorporate it into a worksheet.

For workgroups, Version Manager lets you publish cell ranges into the Lotus Notes database, where they become separate entries. Greif says this will let groups work in parallel on spreadsheet projects while taking advantage of Lotus Notes features—data replication across servers, security, and the ability to sort and view messages by criteria such as author or region. The payoff comes for projects that require consolidating spreadsheets. Greif says, "Instead of waiting for everybody to finish and then doing

THE BENCHMARK FOR HIGH PERFORMANCE

3.5-Inch Disk Drives

Have It Your Way

Upgrade your AT™ system without changing the interface using a Model 2112A drive with IDE interface; upgrade any Workstation with the Model 2112 with Fast SCSI-2 interface

Super Fast Performance

A 10ms Average Seek, a 5.56ms Average Latency and a 512K Buffer with Advanced Cache Management (SCSI models only)

Multi-Segmented, Read-Ahead Cache

Permits multiple seeks to be serviced from the buffer without the delay of mechanical seeks and latency

Write-Behind Cache

Provides up to a 300% improvement in write performance by managing writes to the disk

Tagged Command Queuing

Increases data throughput by optimizing seek and latency and minimizing other delays (SCSI models only)

Fast Command Processing

Cuts command processing time to as low as 180μs (IDE) or 350μs (SCSI)

Call 1-800-395-3748 for the name of your nearest Micropolis Authorized Distributor

IDE (AT) INTERFACE

Model Number	Formatted Capacity	Average Seek	Transfer Rate (MB/s)	5-Year Warranty
2105 A	560 MB	10 ms	5 max*	Yes
2112 A	1,050 MB	10 ms	5 max*	Yes

*Asynchronous



FAST SCSI-2 INTERFACE

Model Number	Formatted Capacity	Average Seek	Transfer Rate (MB/s)	5-Year Warranty
2105	560 MB	10 ms	10 max	Yes
2112	1,050 MB	10 ms	10 max	Yes

MICROPOLIS®

Micropolis is a registered trademark of Micropolis Corporation. AT is a registered trademark of IBM

Circle 107 on Inquiry Card.

a massive roll-up, you'll be able to see incremental changes."

The same model could be applied to Ami Pro documents or Freelance Graphics slide shows, but Lotus hasn't committed to delivery dates for workgroup-enabled versions of these packages. "Our goal is to do more than just mail-enable our products," says Greif. "We want to build on the communications infrastructure by using both mail and databases."

Borland (Scotts Valley, CA) is keeping quiet about its E-mail strategy, but it is known to be developing a software architecture that will support an upcoming line of workgroup applications. Called Object Exchange, or OBEX, the architecture is built on BOCA (Borland's Object Component Architecture), which builds on the company's InterBase database engine. Borland will likely use VIM as the interface between applications and mail services.

As with other vendors' products, Borland's mail-enabled applications will let users send messages without exiting to a separate mail client. But the company's ultimate ambition is to harness mail as a medium for IAC (Interapplication Communication). The link to InterBase suggests that Borland has set its sights on work flow.

Meetings, Meetings

The leading category of messaging-centric applications is group scheduling and calendaring, which lets you plan meetings and allocate the use of resources such as conference rooms or audio-visual equipment. Microsoft's Schedule+, shipped as a part of Windows for Workgroups, may help grow the market, which is already addressed by PowerCore's Network Scheduler, Da Vinci's Coordinator, Futurus's Team, On Technology's ScheduleMaker, and Attachmate's ZipOffice.

While scheduling seems an ideal application for store-and-forward messaging, not everyone sees it that way. Campbell Services' (Southfield, MI) OnTime for Networks relies on Banyan (Westboro, MA) Vines RPCs to ensure the real-time response needed to reach quick consensus (see the text box "The Vines Advantage" on page 98).

"Message-based scheduling systems today don't do a good job of handling conflicts," says Anik Ganguly, vice president of product development at Campbell Services. However, OnTime does support a store-and-forward transport, because many Vines users can't afford the full-time WAN (wide-area network) links necessary for a true client/server system. Messaging also serves remote users who dial in to collect and send mail and then read and respond off-line.

Another promising application for messaging is user notification; for example, Texaco (Tulsa, OK) uses E-mail to coordinate employee activities when a tanker pulls into port. A series of synchronized actions must occur among oil terminal workers, ship crew, salespeople, and headquarters; the company uses the mail system to send automatic assignments and updates to employees. The goal is to reduce the potential for costly mistakes and sea-port overtime charges of \$10,000 per hour, says consultant David Ferris of Ferris Networks (San Francisco, CA). User notification can also advertise job openings, company events, or changes in personnel policy.

Fort Howard (Green Bay, WI) has instituted an application that uses messaging to remotely manage the laptops that its field sales force uses. Rob Williams, a personal computer analyst for the firm, says that by using BeyondMail rules scripts and

DOS batch files, he can upgrade software in the field, change menu screens, and distribute new E-mail directories. Williams broadcasts mail containing codes that trigger BeyondMail rules running on the laptops. The rules uncompress the attached batch file, execute it while piping the screen to a DOS file, and send a message back with the screen-capture file attached. Williams can verify that the update has succeeded, or he can diagnose and fix any failures.

Work Flow

Among the many potential applications for E-mail, the one that has sparked the most interest—and could provide the biggest payoff—is work-flow automation. Datapro Research (Delran, NJ) says that work-flow software will be a \$250 million market this year, while related hardware and software sales will amount to \$1.6 billion.

Work-flow packages digitally replicate existing business processes that involve routing paper or forms among employees (see figure 3). By using electronic forms riding on E-mail transports, users save paper, boost efficiency, and add intelligence to data distribution. But equally important, according to a Datapro report, organizations look to work flow as a means to reinvent the way they do business and create new structures.

"The whole way we work and manage will change," agrees Tom White, president of Action Technologies. "Work flow lets your work become more decision-related and less paper-related."

A frequently cited example of work flow is in processing travel expense reports. In such a system, an employee fills out an electronic expense form that is automatically routed to his or her manager for approval. After that, the form goes directly to accounting, or if the expense level is high enough to require additional approval, it is sent to the manager's boss. The routing of the form follows preprogrammed rules, typically described graphically or with scripts or both.

Other basic work-flow applications include purchase-order and invoice processing, vacation and leave requests, creation of sales proposals, engineering change orders, and editorial production flow. Beyond's Lee says that the company uses its own software for an automated sales-lead routing system. Names are entered into forms and sent to a virtual user acting on behalf of the firm's Paradox database. From the "application mailbox," BeyondMail's rules engine retrieves a message, extracts data values, and imports them into Paradox.

Work flow is a subset of groupware, which also includes shared-information systems such as Lotus Notes (see "Collaborative Computing" on page 112). The difference, says Esther Dyson, editor of the industry newsletter *Release 1.0*, is that Lotus Notes is a fundamentally passive system that makes no effort to track who gets what information or what they do with it, whereas work-flow systems play an active role in disseminating data to the people who need it. She adds that intelligent routing is based on a combination of rules, events, and time.

Dyson divides the universe of work-flow applications into two categories: scripted work flows (also known as forms-based or E-mail-based routing) and work-flow tools that enforce process integrity. Into the first category she places BeyondMail and Reach Software's Workman; in the latter category, she calls Action "the conceptual leader." Says Dyson, "Action alone understands the relationships that underlie the flow

Work-Flow Applications

- purchase-order processing
- travel expense reports
- sales-lead routing
- sales-proposal creation
- document management
- field sales-force automation
- non-real-time database access

The death Has been greatly exaggerated of DOS

DOS is still the preferred operating system on over 80% of the PCs in Fortune 1,000 companies, according to recent studies.

Bring Windowing Advantages to DOS.

Many Fortune 1,000 companies are using DESQview™ as the best solution for keeping the dependability and familiarity of DOS programs and adding multitasking, windowing productivity. DESQview users give up nothing—since it actually runs MS Windows better


should users wish to run Windows programs.

As you may know, DESQview 386 has been around for years, evolving into a highly efficient multitasking, windowing environment that extends the power of DOS, giving you increased productivity while conserving precious memory and disk space. In fact, the vast majority of 386 and 486 PCs need no additional memory or disk space to run DESQview.

DESQview 386 gives you pre-emptive multitasking like OS/2, but with 1/10th of the disk space and 1/10th of the memory requirements. It gives you windowing like MS Windows, but with greater speed and efficiency and fewer 'crashes.' And DESQview lets you use a mouse or stick to the keyboard.

You Create the Standards; We Follow.

We've never been confused about our role. We believe software companies exist to make your job easier and your working day more productive. When publishers step out of that mold and begin to tell you what hardware you need and that you should throw out



DESQview adds multi-windowing, multitasking productivity to DOS

somebody else's perfectly good software—well, they simply are not operating in your best interest.

Software publishers don't create standards. You do. And whatever standard you choose, we support it.

If you like a program that only runs in MS Windows, like Wordperfect for Windows, DESQview 386 supports your choice. If you prefer a spreadsheet that runs in DOS, Lotus 1-2-3 Release 3, for example, we support that too. In fact, DESQview 386 lets you run

your favorite DOS and Windows programs side-by-side.

Have Your Cake and Eat It, Too.

DESQview 386 comes with QEMM-386, the number one memory management utility, and Quarterdeck Manifest, the award-winning memory analysis and monitoring program. Between them, they assure you every last 'K' of memory is put to use*. In many cases, QEMM can mean the difference between running the TSRs you want and not having enough memory.

And DESQview is an open doorway to the future, too. Our next step up, DESQview/X, opens your PC to a network full of possibilities, including graphic workstation standards—X Window System software—all while retaining the compatibility of DESQview.

If you're as committed to DOS as we are, and feeling left out by the so-called industry leaders, take heart. There's no reason to leave DOS. If more productivity is what you need, we can provide it.

Quarterdeck helps you get the most out of the hardware and software you own today.

Quarterdeck

Quarterdeck Office Systems, 150 Pico Boulevard, Santa Monica, CA 90405 (310) 392-9851 Fax (310) 314-4219
Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel.(353) (1) 284-1444 Fax: (353) (1) 284-4380

* DESQview makes multitasking and windowing available to users of 286-class machines with similar memory efficiencies through QEMM-50/60 for IBM™ PS/® 50 and 60 users and QRAM for other 286 users.

©1992 Quarterdeck Office Systems. Trademarks are property of their respective owners.

of work and provide the framework for completion of tasks, as opposed to stepping through actions."

Dyson identifies three basic architectures for work-flow systems. BeyondMail typifies the first type: user- or client-based. Systems such as Beyond's, she says, are tools for individuals to automate their interactions with other people and applications (see screen 1). While Beyond doesn't use a centralized model, you can create virtual users in the mail system (e.g., Beyond's use of Paradox) that receive messages and act on them according to rules.

Beyond's work-flow capabilities spring from the rules engine it provides for filtering and sorting mail. Company president and CEO Chuck Digate says that BeyondMail offers a bottom-up, ad hoc approach to automation: Using the BeyondRules scripting language and BeyondMail Forms Designer, users set up their own rules for tasks ranging from personal mail management to complex forms routing. The package is available for DOS and Windows clients, and it supports Novell MHS and Banyan Vines mail engines. The company also sells a version of BeyondMail that acts as a front end for Lotus Notes.

BeyondMail lacks graphical tools for diagramming work flow, such as those supported by Reach Software's Workman. But Workman requires a more top-down approach, in which processes are targeted for automation and then work flows are engineered. With BeyondMail, "users get mail first, and then they

can add incremental functions," says Digate.

The second type of work-flow system is object- or agent-based, exemplified by Workman. Forms in Workman carry the intelligence that each client needs to process the form correctly (see screen 2). Workman treats data as objects, letting you view the underlying values through a variety of forms. Each form has active fields that can invoke specific actions, such as calling an external database; the form design decides which fields are active or even visible to each user.

As with user-based systems, agent-based systems usually use E-mail transports. But Hewlett-Packard's NewWave, for example, uses an object repository and proprietary internal circuits to pass agents around the Windows environment. While Workman doesn't use a central database to manage the work flow, information about the status of each form is reported back to a database for tracking and reporting. Workman runs under Windows and supports MHS, NetWare Global Messaging, and Vines mail systems.

The routing engine, which lives on client systems, is programmed through a combination of graphics tools and scripts; objects can flow on paths through the organization—serial, parallel, or looped, depending on actions taken at each step. The status of objects is stored in a Btrieve database (Reach Software plans to support a SQL engine this year as well), and a Query/Select tool lets you define management views of work-flow status.

continued




Figure 3: A prototypical work flow is processing check requisitions. In this example, Bob submits a request by filling out an electronic form, which is automatically routed to his manager, Sandra, who can approve or deny the request. If the amount is greater than \$1000, Sandra's boss Frank must also add his digital signature. The approved form is forwarded automatically to accounts payables. At several steps along the way, information about the transaction is sent to other software packages, such as a spreadsheet and the finance department's database.



Don't Shoot It, Troubleshoot It.

LANDMARK... the widest selection of PC diagnostic software, firmware, and hardware in the world!

PC WON'T BOOT? KICKSTART IT!

Don't replace your motherboard, use **KickStart 2™**. When serious hardware problems occur, nothing gets you up and running as fast. KickStart 2 *measures power within 2.5% on all four voltages, shows Power-On Self-Test (POST) failure codes, and features on-board ROM-based diagnostics* allowing you to determine and remedy the problem quickly, easily, and inexpensively!

Built-in serial and parallel I/O *allows for testing remote via modem, or simply logging results to a remote terminal, printer, or laptop.* You can configure your own test routines and store them in KickStart 2's battery backed-up CMOS RAM for quick future use. On-board switches, LEDs, and digital displays allow complete control over testing in systems lacking video or disk.

KickStart 2 is the ultimate **SECURITY CARD**, too. With two levels of password protection and pre-O/S activation, you can confidently prevent unauthorized use of your PC.


Includes serial and parallel loopback plugs and the Landmark **JumpStart™** AT ROM BIOS for testing ATs that don't issue POST codes. KickStart 2 works independent of your operating system. You can use it on DOS or UNIX systems. **CALL for current pricing.**



THE 5 MINUTE SOLUTION TO FLOPPY DRIVE FAILURE

With **AlignIt™** you can clean, diagnose, and align your floppy drives in minutes without a scope. Patented technology requires only a screwdriver to perform ANSI-accurate alignments (.3 mils).

AlignIt is ideal for corporate users with multiple PCs. The **GOLD STANDARD** feature allows you to align all your PCs to the same in-house standard, guaranteeing that all your floppies are perfectly interchangeable between PCs! Available in 3.5" or 5.25" for both high and low densities. **CALL for current pricing.**



"The number of tests KickStart 2 can perform is mind-boggling... **IF THE KICKSTART 2 CAN'T FIND THE PROBLEM, IT PROBABLY EXISTS IN YOUR HEAD, not in the hardware.**"

Rich Santalessa, Computer Shopper

"KickStart 2 system diagnostics board helps users check out virtually every aspect of a PC's hardware system... **THE BOARD IS A WORTHY INVESTMENT** for computer maintenance."

David Claiborne, PC Week

PROFESSIONAL LEVEL PC TROUBLESHOOTING

Landmark **Service Diagnostics™** is ideal for professionals requiring the most exhaustive diagnostic test capabilities.

Service Diagnostics is not just a single product, but a complete LINE of products. It's comprised of software, hardware, and firmware so you can choose the best "tool" for the job.

When your PC won't boot, you'll need **ROM POST** firmware, a plug-in chip that virtually "jumpstarts" the system to determine what's wrong. And, when your printer isn't working, you won't know whether it's the LPT port, cable, or printer without hardware, like our loopback plugs (which together with our software completely test the COM ports).

To provide you a complete troubleshooting resource, Service Diagnostics is offered in single modules or in "kits." Components include; CPU-specific software (PC, XT, AT, 386/486, PS/2), ROM POSTS (PC, XT, AT) and floppy alignment disks (3.5" and 5.25").

All the Service Diagnostics software modules are available in self-booting versions for use with non-DOS operating systems like UNIX.

Service Diagnostics is powerful and flexible. Hundreds of tests can be performed on your motherboard, memory, video, COM ports, floppy and hard drives, printer, and more. **CALL for a customized quote on the kit that's right for you!**



Overall, Service Diagnostics: The Kit was the best performer, you're running a service department. **SERVICE DIAGNOSTICS IS NOT AN OPTION, IT'S A NECESSITY.**


Bill O'Brien, PC Magazine

PC DIAGNOSTICS MADE EASY

You don't need to be technical to use **PC Probe™**. With clear, intuitive, pull-down menus and 206 pages of on-line help, troubleshooting your PC is truly **MADE EASY!**

And, you don't have to be handy with a screwdriver to make PC Probe pay for itself. Just by providing a diagnostic report to your service and repair shop, you'll save money and receive quicker service.

PC Probe runs over 150 tests including; motherboard and CPU, memory, video card and display, keyboard, COM ports, floppy drive and controller, hard drive and controller, and more. Includes **VirusCure**, Landmark **Speed Test**, **AT SetUp** & loopback plugs. **CALL for current pricing!**



SLASH HARD DISK SET-UP TIME

If you install, upgrade, or maintain hard drives, then you need **DiskBase™**. It'll save you boat-loads of time and money by putting the exact hard disk information you need at your fingertips... whenever you need it.

DiskBase reveals 12 technical specs on over 2500 hard disk drive models and 8 technical specs on over 220 controllers. Once you've located the correct hard disk model, you can instantly bring up a listing of all compatible controllers. **CALL for current pricing!**

- TOLL FREE TECH SUPPORT
- 90 DAY PERFORMANCE GUARANTEE
- ORDER DIRECT: NEW HOURS EST
- Mon - Thur: 8AM - 9PM, Fri: 8AM - 6PM, Sat: 10AM - 3PM

CALL (800) 683-6696

FAX (813) 443-6603 • Int'l (813) 443-1331

LANDMARK
RESEARCH INTERNATIONAL CORPORATION
703 Grand Central Street • Clearwater, FL 34616

Copyright © 1992, PC Probe, AlignIt, KickStart, JumpStart, ROM POST, Service Diagnostics, DiskBase, and Speed Test are trademarks of Landmark Research International Corp. All Rights Reserved. Other names are trademarks of their associated owners.

Circle 148 on Inquiry Card (RESELLERS: 149)

Waiting for the ultimate UNIX system?

MEET YOUR DESTINY...

Consensys V4.2 is a licensed implementation of UNIX®SVR4.2 developed by USL and Consensys Corp. Its new features include:

- Veritas Journaling Filesystem for high performance and reliability.
- Desktop Manager with a point-and-click X-based interface to applications and system administration.
- Full iBCS2 support, including compatibility for XENIX and SCO UNIX applications.
- NFS- and RFS-based TCP/IP networking (client & server) with simple network administration.
- PC-Interface for DOS/Windows network connectivity.
- ANSI C Language Development System, with enhanced graphical debugger.
- Simplified Installation.
- Online Manual Pages.
- Support for a wide range of disk controllers, network cards and other peripherals.

For more information about V4.2, including details of special upgrade prices for users of older versions of UNIX, please call or fax us.


CONSENSYS UK P.O. Box 9
Riseley, Reading
UK RG7 1YR

Phone: 44-734-833241
FAX: 44-734-833391


CONSENSYS 35 Riviera Dr.
Markham, ON.
Canada L3R 8N4


Phone: 416-940-2900
FAX: 416-940-2903

Trademarks/Owner: Consensys, V4.2/Consensys Corp.; UNIX and the UNIX SVR4.2 wave symbol/UNIX System Laboratories, Inc.; SCO/The Santa Cruz Operation; XENIX/Microsoft Corp.



The retail price for Consensys V4.2 starts at US\$695 for the Desktop Platform and \$995 for the Unlimited User Platform. A complete V4.2 system, including Networking and C Development, is priced at \$1150 for the Desktop version and \$1650 for Unlimited Users.





Screen 1: *BeyondMail's Urgent Request rule takes advantage of the product's forms capability. If a form is marked urgent, the Urgent Request rule informs the sender that the form was received, alerts the recipient that an urgent request has arrived, and moves the request message to the recipient's urgent folder.*

Workman also supports easy connections to other programs, through DDE scripts, calls to SQL databases, and support for DLLs. Mike Spies, vice president of marketing for Reach Software, says, "It's not enough just to move things around; you have to provide a means to process information through integration with other applications."

Spies says that one major difference between Workman and Action's work-flow tools is that Workman is client-based. "Server-based technology is limited to those who can gain access to the server," he says. Store-and-forward allows easier implementation and administration, relieves bandwidth crunch on LANs, and makes it easier for remote users to use the system.

Inventa (Cupertino, CA), a consulting firm specializing in software development, uses Workman to help implement work-flow systems for clients. "Most people aren't thinking 'I'm going to buy a work-flow engine,'" says Ken Santoro, vice president of the firm. "They want to automate purchase orders or sales leads." To make work flow successful, he adds, "you have to build applications that automate processes, not just tasks."

Action represents the third type of work-flow architecture—server-based systems. These systems build around a single logical center, although the database itself can be physically distributed. By actively monitoring the status of tasks throughout a system, Dyson says, a server-based system makes it easier for a central administrator to track work flow (see screen 3). Systems built this way also enjoy benefits from piggybacking on a relational database engine, including the availability of tools for managing transaction processing.

Best known for developing MHS and The Coordinator, Action is concentrating its efforts solely on work-flow software. An implementation of the company's Workflow Management System tools will be sold by Lotus as an add-on for Lotus Notes 3.0. Action's software is available only on an OEM basis.

Action's Workflow Management System includes a work-flow designer and an applications builder for connecting work flows into external applications, such as E-mail or databases. The work-flow server stores information about the status of work flows in a relational database, and the reporting tool lets you manage work flows and inspect your performance.

An Action customer and a maker of document-imaging systems

The league's toughest expansion team.

Introducing a full range of rugged slot solutions.



When it comes to PC expansion, Texas Micro offers the best computer systems in the field.

We now offer systems that have 5, 10, 14 or 20 ISA or EISA slots. So there's a system for applications with space restrictions, such as embedded control, all the way up to applications that require numerous peripherals and option boards.



These chassis are not only ruggedized for industrial environments, but they have passive backplanes to make option board and CPU upgrades easy. Desktop, tower and rackmount configurations are available. And each is competitively priced.

So call today for price and specification literature. And find out what makes Texas Micro so hard to beat.



Call 1-800-627-8700.

©1993 Texas Micro, Inc. The Intel Inside logo is a registered trademark of Intel Corporation.

Circle 154 on Inquiry Card.

PROTECT YOUR SOFTWARE

FREE!

Authorization Button.
Call 800-258-5061



**NO BUTTON,
NO ACCESS.**

Dallas Semiconductor is re-shaping the world of software protection and distribution control with a new family of microchips called Buttons. We put the lid on software piracy by packaging microchips in button-shaped, stainless steel cans. The chips contain missing but critical information to make the software run.

We offer a variety of Authorization Buttons and features so you can select the level of protection and price point that are right for you.

Security Continuum

Button Type	Unique Serial #	Read/Write Memory	Password Protection	Expiration Timer	Decoy Responses
DS1420 ID Button	X				
DS1427 Time Button	X	4K bits		X	
DS1425 Multi Button	X	2K bits	X		X

Snap In, Snap Out

Authorization Buttons interface to the installed base of 100+ million PC's via the DS1410 Button Holder. They simply snap in and out. The DS1410 accepts two Buttons concurrently.

Toward a Dongleless World

New computers that accept Buttons directly, including palm and notebooks, are being designed at OEM's today. Our Dongle Trade-In Program will help in your transition to this world. With an approved application, we'll pay you \$7.00 for each dongle that you trade in for an Authorization Button and Holder. This offer is good until August 31, 1993. The one-piece price for the DS1420 is \$4.35; volume discounts apply.

**Dongle
Trade-In
Program**

We're Serious About Security


At Dallas Semiconductor, we design and manufacture our own microchips. And we're the only ones in the software protection business who do. Sixty intricate process steps and a 64-bit unique registration number lasered into each chip prevent duplication.

To learn how to button down your software, give us a call.


**DALLAS
SEMICONDUCTOR**

4401 South Beltwood Parkway, Dallas, Texas 75244-3292
Telephone: 214-450-8170 FAX: 214-450-3715

E-MAIL



Screen 2: Workman adds to forms the intelligence needed to process them correctly. Active fields can invoke specific actions, such as calling an external database. The form editor, shown here, lets the form designer decide which fields are active or even visible to each user.



Screen 3: Action's Workflow Management System is server-based, which allows easier tracking of work flow. It includes a work-flow designer and an applications builder for connecting work flows into external applications, such as E-mail or databases.

for PC LANs, LaserData (Tyngsboro, MA) plans to resell Action's tools starting in the second half of this year, and it is also incorporating work-flow technology into a document management system set for release by the third quarter. Rodney Rogers, vice president of engineering for LaserData, says Action's advantage is that the work flow and task status are monitored and controlled by a central database. "Coded into its design is the knowledge of what is to be done," he says. By comparison, client-based products offer less control. "Nothing [in client-based systems] tracks the state of completion of tasks," he says. "This can be built, but it's part of the application, not the underlying work-flow engine."

Another Action customer is Verimation AB, a Swedish maker of PC LAN and host-based E-mail systems and a pioneer in developing intelligent electronic forms and routing systems for

"Recommended."
Jerry Pournelle, Byte, July 1992

Inside Out



SupraFAXModem V.32bis Internal
\$349.95 Dos/Windows

SupraFAXModem V.32bis External
\$399.95 Stand Alone
\$439.95 Dos/Windows

The Best Choice: SupraFAXModem

Inside or Out, now you can choose the hot-selling SupraFAXModem technology that best fits your computer. Either way, Supra can turn your PC into a communications powerhouse!

SupraFAXModems come in a wide range of models, from our budget-minded SupraFAXModem 24/96i to the fastest fax modem available: the SupraFAXModem V32bis. Whichever model you choose, you will get Supra's proven technology and reputation for high-quality, reliable modems.

Supra modems are designed for novice and expert communicators alike. Whether you use DOS™, Windows™, or a Macintosh™, we've got a package for you — and our

packages include everything you need. Plus our easy-to-follow Getting Started manuals will help you install your modem and start using it in just a few minutes! Imagine sending and receiving perfect faxes, exploring the world of on-line databases, or retrieving an important work file — all from the convenience of your desk. And advanced users will appreciate the error-correction and data-compression features that can save you money!

No matter what your needs, a Supra modem is your best choice. Call us today at **1-800-727-8647**, and find out why!



Supra Corporation

MODEL	INT./EXT.	FAX	DATA	V.42bis & MNP 5	MAX THROUGHPUT
SupraFAXModem V.32bis	E,I	14,400 S / R	14,400	yes	57,600
SupraFAXModem V.32	E	9600 S / R	9600	yes	38,400
SupraFAXModem Plus	E	9600 S / R	2400	yes	9600
SupraFAXModem 24/96i	I	9600 S / 4800R	2400	w/ software	9600
DOS Package includes modem, Fax Talk™ Plus, COMit™, cables, manuals • Windows Package includes modem, Winfax™, cables, manuals					

All trademarks belong to their respective companies. 7101 Supra Drive S.W., Albany, OR 97321 USA • 503-967-2410 • Fax: 503-967-2401



Featuring
Rockwell
Modem Technology

CALLER ID
AVAILABLE NOW



The Time Has Come...

...to send for the latest copy of the free Consumer Information Catalog.

It lists more than 200 free or low-cost government publications on topics like money, food, jobs, children, cars, health, and federal benefits.

Don't waste another minute, send today for the latest free Catalog and a free sample booklet. Send your name and address to:

**Consumer Information Center
Department TH
Pueblo, Colorado 81009**



A public service of this publication and the Consumer Information Center of the U.S. General Services Administration

108 BYTE • MARCH 1993

E-MAIL

mainframes. Adam Sroczynski, president of Verimation's U.S. subsidiary, says that his company chose Action because its features met customer demand for process management capabilities. "I don't think you can take BeyondMail very far in terms of reengineering your business," he says. "How can you manage and improve a process that's controlled by the user? You need a more top-down approach."

Sroczynski says that work-flow customers typically have two demands. First, they want a tool that helps to improve processes, find bottlenecks, and reduce cycle times. Second, "they want to remove the definition of routing from the form application itself and put it into a server process so that they can replicate those functions elsewhere." Verimation is shipping an E-mail package called Memo LAN that incorporates Action tools for creating ad hoc work flows; in the third or fourth quarter of this year, new releases will add Action's front-end work-flow design and management tools, as well as the ability to access the Action work-flow server from a mainframe.

In addition to Beyond, Reach Software, and Action, other players in the work-flow software market include HP, Recognition Equipment/Plexus (Dallas, TX) (which supplies the Unix-based technology used in NCR's ProcessIt work-flow system), and Workhorse (Dublin, Ireland). Keyfile (Nashua, NH) and FileNet (Costa Mesa, CA) market work-flow-oriented document-image-processing systems, while JetForm (Ottawa, Ont.), Da Vinci Systems, and Delrina (Toronto, Ont.) offer forms-routing packages. The recently merged PowerCore (Manteno, IL) and Finansa (London, U.K.) plan to deliver a work-flow package in the third quarter, and Microsoft is rumored to be developing a work-flow capability for Windows, code-named Calvin and Hobbes. In the host world, IBM's OfficeVision/VM and DEC's All-In-1 offer mail management and forms-routing capabilities.

Users Lead the Way


At many firms, says consultant Ferris, the people installing E-mail are technical-support staff more focused on making the hardware and software work than on its potential for reducing costs or enabling new applications. Without the involvement of senior information executives, he says, the investment in E-mail infrastructure may not be fully harvested.

Fortunately, says Reach Software's Spies, a growing number of customers are realizing that messaging applications afford an opportunity to reengineer their businesses. "This whole thing is being driven by users who have needs and are looking for solutions," he says. "Instead of having something foisted on them by vendors, this is a rare instance where users are way ahead." Messaging is becoming the foundation of a new information infrastructure, because it's simple and cheap compared to other techniques for IAC and distributed computing. The pending arrival of mail-enabled applications will expose users as never before to E-mail's power as a data distribution medium. The next step is to implement work-flow automation.

Best of all, messaging and work flow build naturally on the most important resource of all—human capital—by giving employees tools to do their jobs better. "You don't even have to explain this stuff to people," says Nick Rudd, the chief information officer for advertising agency Young & Rubicam (New York). "It mirrors the reality of what they deal with every day." ■

Editor's note: Also contributing to this story were BYTE senior news editor Tom Halfhill, senior technical editor Jon Udell, and news editors Dave Andrews and Ed Perratore.

Andy Reinhardt is BYTE's West Coast bureau chief. You can reach him on BIX as "areinhardt."



How much longer can you afford to wait?

Create Overlaid Programs-Fast.

BLINKER™, the world's first and fastest dynamic overlay linker, reduces your link time to seconds and reduces program memory requirements. Now you can use one linker for all your software projects.

One Linker, Many Languages.


BLINKER 2.0 links and automatically overlays DOS programs written in Microsoft® C, BASIC, Assembler, QuickBASIC™, Fortran, Pascal, Watcom™ C, Zortech® C++, Clipper®, FORCE® and in Borland® C, C++, Assembler, and more.

Save Time and Memory.

BLINKER removes the need for overlay structures, simplifies program design and reduces memory requirements to save you time, effort and memory.

Memory Swap Function.

BLINKER is the ONLY linker to offer an integrated memory swap function, so you can run other large programs from within your program, with negligible memory overhead.



BLINKER™
High Performance Dynamic Overlay Linker

Don't Settle for Less.

Other major features include full CodeView® support, use of EMS/XMS at program run time, and enhanced execution speed of overlaid code.

Time is Money.

BLINKER offers all this in a fraction of the time it takes to link with your current overlay linker. You know time is money, and link time is no exception.

Free Demo

To try our free demo on your own code



Call: 804-747-6700
FAX: 804-747-4200 or

Order now!

If you can't wait any longer, we offer a risk free 30 day money back guarantee. Available in 5.25" or 3.5" diskette format.

Price \$299

plus shipping & handling



Blinkinc
P.O. Box 7154
Richmond VA
23221

© 1991 Blinkinc. Blinker is a trademark of ASM, Inc. Offer only applicable in US and Canada.

Circle 171 on Inquiry Card (RESELLERS: 172).

WE'RE ONLINE. AND IN LINE WITH YOUR OBJECTIVES.

BUSINESS WEEK

AEROSPACE DAILY

AIRPORTS

AVIATION DAILY

AVIATION WEEK &
SPACE TECHNOLOGY

BIOTECHNOLOGY NEWSWATCH

BYTE

CHEMICAL ENGINEERING

CLEAN-COAL/SYNFUELS LETTER

COAL WEEK

DATA COMMUNICATIONS

ELECTRIC UTILITY WEEK

ENGINEERING NEWS-RECORD

HAZARDOUS WASTE BUSINESS

INDEPENDENT POWER REPORT

INDUSTRIAL ENERGY BULLETIN

INSIDE ENERGY/
WITH FEDERAL LANDS

INSIDE F.E.R.C.

INSIDE N.R.C.

INTEGRATED WASTE MANAGEMENT

LAN TIMES

NUCLEONICS WEEK

POSTGRADUATE MEDICINE

PLATT'S INTERNATIONAL
PETROCHEMICAL REPORT

PLATT'S OILGRAM NEWS

PLATT'S OILGRAM PRICE REPORT

S&P'S EMERGING & SPECIAL
SITUATIONS

S&P'S REVIEW OF BANKING
& FINANCIAL SERVICES

S&P'S REVIEW OF SECURITIES
& COMMODITIES REGULATION

SECURITIES WEEK

TECH TRANSFER REPORT

UTILITY ENVIRONMENT REPORT

THE WEEKLY OF BUSINESS AVIATION

UNIXWORLD

AND MORE...

When you need business information, why not get the total story, instantly! Word for word. The McGraw-Hill Publications Online database gives you just that. Unedited, full-text retrieval (except graphics) of articles exactly as they are published in McGraw-Hill magazines and newsletters.

Now you can get information on companies, people and products on any topic — pertaining to one particular industry, or search the entire McGraw-Hill library (over 35 leading publications online) for diverse editorial perspectives. Only McGraw-Hill, the world's foremost business information publisher, can deliver it all so completely — immediately! McGraw-Hill unabridged.

Access an entire universe of business information. Go online with our line. McGraw-Hill Publications OnLine. For more information, including our latest list of publications, contact Andrea Broadbent at (609) 426-5523. Or fax this coupon to (609) 426-7352.

Or send it to the address below.

Available through Dialog®, Dow Jones News/Retrieval®, NewsNet® and Nexis®.

McGRAW-HILL PUBLICATIONS ONLINE



Princeton-Hightstown Road
Hightstown, NJ 08520 U.S.A.

Please send me the complete 1992 list of your publications online.

BY

Name _____

Title _____

Company _____

Address _____

City _____

State _____

Zip/Postal Code _____



Country _____

Tel. _____

GO ON LINE WITH OUR LINE.

Your network buy for today's business technology market.

McGraw-Hill TechNet



McGraw-Hill Magazines. Your Best Business Partners.

- 4- Architectural Record ■ 7- A/C Flyer, Aviation Week & Space Technology, AW & ST China Quarterly, AW & ST USSR, Business & Commercial Aviation, World Aviation Directory and Buyer's Guide ■ 20- Business Week, Business Week China, Business Week Hungary, Business Week International, Business Week USSR ■ 28- Chemical Engineering ■ 32C- BYTE, Data Communications, Data Communications International, LAN Times, UnixWorld ■ 39-Electrical World ■ 41- ENR, Construction News Publishing Network (11 magazines, 4 newspapers) ■ 46- Global Finance ■ H6- The Physician & Sportsmedicine, Postgraduate Medicine ■ 114- Modern Plastics, Modern Plastics International ■ 117- Power, Power International





COLLABORATIVE COMPUTING

Computer-aided teamwork will change your office culture forever

JEFFREY HSU AND TONY LOCKWOOD

Collaborative computing is a catchphrase for a new body of software and hardware that helps people work better together. A collaborative system creates an environment in which people can share information without the constraints of time and space.

Network groupware applications link workgroups across a room or across the globe. The software gives the group a common, on-line venue for meetings, and it lets all members labor on the same data simultaneously.

Collaborative applications include calendar management, video teleconferencing, computer teleconferencing, integrated team support, and support for business meetings and group authoring. Messaging and E-mail systems represent the most basic type of groupware.

"I hear of new groupware products every day," says David Coleman, conference chair of Groupware '93, a trade show to be held this August in Palo Alto, California. Coleman expects to list more than 400 products from over 250 companies in a catalog scheduled to be published later this year.

Sales of workgroup software are soaring, according to WorkGroup Technologies (Hampton, NH). Sales for 1992 were \$1.3 billion worldwide; this year, projections call for \$1.93 billion in worldwide sales.

No Commander Datas

The best that any of these products can do is to put text, data, and graphics together in an integrated groupware package, creating what's known as *comprehensive workgroup support*. For example, Instant Update from On Technologies (Cambridge, MA) is a product for the Mac that lets you create and manipulate tabular data as well as import graphics into your documents. Some packages, such as GroupSystems from Ventana (Tucson, AZ), provide transparent access to other applications residing on your server.

Although an integrated groupware system allows you to bring supporting applications and information into your collaborative environment, some researchers, such as Robert Johansen from the Institute for the Future and Mark Stefik

from Xerox's PARC (Palo Alto Research Center), hope to extend this support by bringing in artificial team members that can interact with a workgroup. These expert-system and AI technologies provide you with software entities called *agents* that constantly rummage through information warehouses, seeking the data that you need. These info-houses are part of your collaborative work environment and are continually fed new information from the workgroup and other data streams that you develop. Like parts constantly arriving at a busy factory, data flows non-stop into your info-house. The agents serve as receiving clerks, routing data to you and your workgroup.

"In the short run, it's more likely that, instead of a Commander Data [the android on the TV show *Star Trek: The Next Generation*], you're going to have an information refinery that will be a part of your collaborative work environment," says Johansen. "You would have individual agents, programmed by team members, pulling out that information they want."

Designed to Help

There are three fundamental aspects of collaborative systems: common task, shared environment, and time/space. The first measures the extent to which the members of a

Collaborative Computing

BY JEFFREY HSU AND TONY LOCKWOOD

112

Hitting Warp Speed for LANs


BY MARK A. CLARKSON

123


Better Than Being There

BY TOM YAGER

129



TYPES OF COLLABORATIVE INTERACTION



Workgroup interaction can occur in the following dimensions of time and space: face-to-face, same place at different times, same time at different places, and different times and places.

workgroup can work on the same task. If the system allows many people to work on the same task, it ranks high on the common-task spectrum (e.g., a software design system that lets programmers interact frequently in real time on a module of code).

A strong shared-environment system keeps you informed of what a project's condition is, what your coparticipants are doing, and what atmosphere or setting is supported. An E-mail system that simply sends messages back and forth isn't high on the shared-environment scale. However, an electronic classroom—with its

emulation of traditional classroom settings, including blackboard windows, lists of students, and questions/responses—rates much higher.

Time/space collaborative systems focus on the time and place of the interaction (see the figure). Face-to-face, or *synchronous*, interaction is at the same time and place. *Asynchronous* interaction occurs at one place at different times. If the interaction is at the same time but at different places, it's *distributed synchronous* interaction. And interaction at different places and times is *distributed asynchronous* interaction.

System Types

E-mail, computer-teleconferencing, real-time-teleconferencing, and video-teleconferencing systems all help to create or to support electronic meetings. Meeting environments are created through text and graphics on computer terminals or via audio and video transmitted from one location to another. Computer-teleconferencing systems (e.g., BIX and CompuServe) represent an extension of the messaging and E-mail system models.

Real-time teleconferencing—such as Team WorkStation, a research system designed by Hiroshi Ishii of the Nippon Telegraph & Telephone's Human Interface Laboratories (Kanagawa, Japan)—is an example of distributed synchronous interaction. It allows participants in different locations to interact.

Another approach to real-time teleconferencing places a single-user application in a computer-teleconferencing environment. Information is exchanged among multiple users using a protocol that determines who has the floor at any given time.

Unlike computer teleconferencing, in video teleconferencing, video and audio connections link meeting rooms or networked workgroups. Participants can see and hear other members of the dispersed group (see "Better Than Being There" on page 129).

Electronic whiteboards, or live boards, electronically mimic the whiteboard that you find in many conference rooms. In this working environment, each member of a workgroup has a terminal on which to work and can broadcast results to everyone else's screen.

Xerox PARC developed an advanced electronic whiteboard that uses a projected LCD. Each participant in a meeting gets a stylus that allows him or her to write on the whiteboard from anywhere in the room. Xerox has connected the system to a network and has even used it to connect remote sites (see "The Electronic Whiteboard," July 1992 BYTE, page 166). At this writing, Xerox is in the process of setting up a commercial unit to sell the system.

Notable Technologies (Foster City, CA) recently announced Shared Whiteboard, communications software for Go Corp.'s PenPoint operating system that creates a real-time connection between two pen systems. It uses a phone line to transmit graphics and text between remote locations. A second phone line is needed for voice communications. David Larson, Notable Technologies' vice president of sales and marketing, says the company is working on a version that will allow more than two users to participate.

continued

PICTURE WINDOWS.

Picture This... a real-time television monitor built right into your PC...Now, picture using this monitor while running Windows™ 3 applications at the same time... And, picture taking that video image and resizing, (right down to crystal-clear icon size!) or clicking and dragging it to any position on the screen as easily as moving any other Window...

Picture Perfect. With Win/TV's "frame grabber" you capture and save any "still" frame and save it to disk. Using Win/TV and Microsoft® Video for Windows™, you capture FULL MOTION VIDEO, saving synchronized video and audio clips to disk. You can then send those video and audio files across the network. Seamlessly integrate still and full motion video images into productive multimedia applications such as databases or training and marketing presentations... or give your E-mail a powerful new dimension!

Any Windows 3 user can access 122 channel television reception with the built-in tuner, PLUS two additional video sources, (such as VCR, video camera, laser disk, etc.), all with stereo audio capability! Automatically fit real-time video images into any size Window while running your other Windows 3 programs. **Hauppage Computer Works** introduces **Win/TV™**, the Windows television adapter

Picture Yourself owning your own "Windows on the World"! Maybe you want to work on your spreadsheets but don't want to miss an important news flash or a current stock market report. **Win/TV** is perfect for you. Keep an eye on current events while keeping control of your inventory... No problem!

Get the new Win/TV and open a window on some fresh, new, and exciting possibilities.

Suggested Retail: \$495.00

PC Connection®

PC Connection, call:
1-800-243-8088

MicroWAREHOUSE


Micro Warehouse, call:
1-800-367-7080

Trademarks: Win/TV is a
trademark of Hauppage
Computer Works, Inc., Windows 3
is a trademark of Microsoft Corp.



PC Zone: 1-800-258-0270
Please mention code 21244 when ordering.

Now
Available With
Microsoft Video For Windows



You're never out of touch with your own personal "Windows on the World"!



Resize or reposition your Win/TV Window anywhere on the screen—while running other Windows applications.




Capture the perfect "still" with "Frame Grabber" feature—great for presentations with impact.

Hauppage!

Hauppage Computer Works, Inc.
91 Cabot Court • Hauppage, N.Y. 11788
In N.Y. Tel: (516) 434-1600 • Fax (516) 434-3198
Toll Free: 800-443-6284 • In Europe: (49)-2161-17063

Circle 88 on Inquiry Card.



Instant Update uses arrows to indicate updated documents. In the foreground, you see who made changes and when. (Screen courtesy of On Technology)

Collaborative Writing

Multiuser editors and group-authoring systems are able to bring a workgroup's collective input to bear during the creation and editing of a document. Such collaborative systems can be either real-time or asynchronous.

If the authoring system is real-time, it lets several participants edit a document at the same time by parceling out logical segments of the document to members of the group. The system controls the read/write access to the various segments (e.g., the Group Writer facility in GroupSystems).

Asynchronous editors, such as Instant Update, store both the original text and the reviewers' comments. This allows a document manager to evaluate all comments before making final changes (see the screen).

Thomas W. Malone, director of the MIT Center for Coordination Science (Cambridge, MA) and developer of the research collaborative systems Information Lense and Oval, sees group-authoring systems evolving beyond document creation/editing systems. Malone envisions workgroups collectively creating knowledge networks that describe real-world objects or ideas. The networks would connect those ideas and objects and use hypertext-like links to represent the relationships and dependencies among the items. "These knowledge networks will be viewable through a variety of displaying and summarizing tools," says Malone. "They will be shareable across global networks and readable, browsable, and searchable" by you and

your computer.

Conversational structuring, used in Coordinator II, an asynchronous groupware application published by Da Vinci Systems (Raleigh, NC), allows the structure of a workgroup's conversations to be developed and used during what is normally an unstructured meeting. You can see at a glance those messages that are most urgent.

Coordinator II comes with seven conversational paradigms (e.g., an informal note, an action proposal, and a what-if scenario) and prompts you to put your message into one of them. But it's fluid: Your responses need not follow the original message's paradigm. For example, you could reply to a what-if message using a for-your-information response.

This approach works well for Woods Wire Products (Carmel, IN), according to Robert L. Bogue, its LAN/wide-area network manager. Woods Wire Products, a manufacturer of electronic components and telephone accessories, uses Coordinator II to keep in touch with its offices

in Canada, Mexico, Europe, and the Far East. "The conversation types that Coordinator II comes with are the basic building blocks of business communications," Bogue says. "I have not encountered any deficiencies in the conversation structures provided."

Group Decision Making

GDSSes (group decision support systems) are designed to facilitate face-to-face meetings (see the text box "The Public Reacts to GDSS" on page 118). They provide tools for decision structuring, idea generation, voting, and ranking. GDSS meetings are frequently conducted by a facilitator.

GDSSes have three feature levels, but individual systems can have features in more than one level. Level 1 emphasizes the improvement of communication, idea formation and discussion, and messaging. Tools for Level 1 include messaging, screen viewing, rating/ranking scales, agendas, and voting.

For example, VisionQuest, which was developed by Collaborative Technologies (Austin, TX), provides an agenda structure that a workgroup can use to collaborate on documents and to generate, prioritize, and evaluate ideas. VisionQuest allows comments on ideas to be anonymous, and it manages all communications and document proceedings.

Level 2 systems incorporate the strengths of decision-support modeling and group-decision techniques to enhance the system. Examples of these techniques include project planning and control/operations research tools such as CPM (critical path method) and PERT; probability and decision-tree software; and statistical features and decision techniques that are designed to solve complex, unstructured problems and to help to coordinate information exchange in asynchronous problem-solving groups.

When equipped with its optional Advanced Tools, GroupSystems V provides a Level 2 environment on desktop computers linked by an Ethernet or token-ring LAN or in a specialized meeting room (see the photo). An outliner lets a group analyze ideas by constructing an eight-level outline. Its Idea Organization facility lets a workgroup build a list of ideas or categories and attach or import unstructured comments to any item on the list. You can rearrange, edit, and consolidate items and comments. Its group matrix feature helps establish relationships between rows and columns in a matrix format. Ventana's TeamGraphics, which runs on Microsoft's Windows 3.1 or Windows for Workgroups, features collaborative design of graphical

Workgroup Goals and Tasks

- generate ideas
- develop action plans
- refine data, graphics, and text
- make decisions
- negotiate solutions

What You Want,



**JAMECO
ServiceLine™**
Computer/Printer
Repair and Support
1-800-831-8020

Keyboards

Fujitsu 101-key enhanced keyboard
Part no.: 2B17128
Product no.: FKB4700
\$79.95

Floppy Disk Drives

Toshiba 1.44MB
3.5" Internal Floppy Disk Drive
Part no.: 2B40774
Product no.: 356KU
\$99.95

Computer Cards

16-bit VGA Card
Part no.: 2B67459
Product no.: VG7700
\$99.95

Cables, Gender Changers, and Adapters

6-foot parallel DB25-pin male
to Centronics male printer cable
Part no.: 2B28716
Product no.: PPC6
\$7.95

DE9 female to DB25
male serial adapter
Part no.: 2B10305
Product no.: AD925
\$4.95

Memory

SIMM Module
Function: 1MBx9 80ns
Part no.: 2B41769
Product no.: 421000A9B-80
\$47.95

DRAM
Function: 1MBx1 80ns
Part no.: 2B42251
Product no.: 511000P-80
\$4.99

Hard Drives (IDE)

Capacity: 120MB
Speed: 19ms
Part no.: 2B14074
Product no.: CP30104
\$389.95

Metex Digital Multimeters

4.5 digit w/frequency &
capacitance & data hold switch
Part no.: 2B27158
Product no.: M4650
\$99.95

Power Supplies

150 watt 8088
Part no.: 2B19465
Product no.: JE1030
\$69.95


**Over 5000
Products in
Stock**

When You Want It.

Jameco offers a full line of competitively priced computer products for immediate delivery. Select what you want from our 100-page catalog. Priority orders placed before 2:00PM(PST) are shipped the same day. All products are backed by our customer service experts and a 30-day full-refund guarantee. Once you buy, you'll understand why millions of customers have been choosing Jameco for over 20 years.

**GET A FREE JAMECO CATALOG
CALL 1-800-637-8471** Mention V.I.P.#2B3

© 2/93 Jameco Electronic Components Computer Products.
All trademarks are registered trademarks of their respective companies.
Terms: Prices are subject to change without notice. Items subject to availability
and prior sale. Complete list of terms/warranties is available upon request.



JAMECO™
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

1355 Shoreway Road, Belmont, CA 94002

Sales: 1-800-831-4242

Jameco ServiceLine™: 1-800-831-8020

Technical Support: 1-800-831-0084

Circle 95 on Inquiry Card.

The Public Reacts to GDSS

JAMES D. GANTT AND CATHERINE M. BEISE

When was the last time you enjoyed a meeting and looked forward to your next one? Surprisingly, these sentiments were expressed by the participants in several tests of GDSS (group decision support system) software.

Early in 1992, we tested reactions to GDSS for the U.S. Army. Test-group sizes ranged from six to 20 members. Participants represented military (20 percent), government (23 percent), and civilian (58 percent) organizations. About one-third of the people were members of minorities, and one-fifth were women. Computer literacy levels ranged from none to expert. Participants were connected by a LAN running GroupSystems V software from Ventana (Tucson, AZ). GroupSystems provides anonymous, real-time, text-based interaction for workgroups.

We collected quantitative data and open-ended comments from participants. Participants used a five-point scale to rate their reactions; 5 was the highest score (see the table).

Our posttest interviews indicated that the less computer literate found GDSS meetings more effective than did their high-powered colleagues, perhaps reflecting lower expectations on the part of the former. More participants commented on GDSS's speed and efficiency than on anything else. And an additional benefit cited was the way GDSS forces a structure on meetings.

Participants believed that learning GDSS was a barrier. But many felt that it would be beneficial after frequent use.

Some participants initially feared using a computer, but they overcame this trepidation, perhaps in their desire to

join in the discussion. Others felt interaction was limited by the system's structure. The meeting facilitator's skill affected whether the GDSS system structure was viewed negatively or positively.

One of our more interesting sessions involved members of an academic department with a reputation for raucous meetings. At the end of their test, they were amazed: They had reached a consensus on a touchy curriculum issue with everyone participating but with no one yelling in anger.

In most groups, the participants believed there was a benefit to the level playing field offered by anonymous communication. But this was put to the test by a group of managers. A gentleman in the group began to type his messages in uppercase, perhaps to differentiate himself from others. To his frustration, someone else opted to do the same. We don't know if these actions were deliberate, but one group

member said, "I need to know who made a comment to evaluate it."

Overall, our test results indicate that people react positively to GDSS. Its ability to provide anonymity seemed to increase everyone's participation. More important, groups are more likely to achieve consensus and commit to following through on action plans developed at a GDSS meeting.

ACKNOWLEDGMENT

The authors thank Rick Watson and Alan Dennis of the University of Georgia for their contributions.

James D. Gantt is the director of groupware research at the U.S. Army Research Laboratory in Atlanta, Georgia. Catherine M. Beise is an assistant professor of information systems at West Georgia College and a member of the staff at the Army's research laboratory in Atlanta. You can reach them on BIX c/o "editors."

PUBLIC REACTIONS TO GDSS

A test group of individuals ranging from computer novices to experts reacted favorably to a GDSS trial run by the U.S. Army. Participants rated each category on a scale of 1 to 5, with 5 being the most favorable rating.

Willingness to use GDSS tools again	4.4
Task accomplishment	4.3
Even participation	4.2
Satisfaction with process	4.1
Satisfaction with outcome	4.1
Good outcome	3.9
Commitment to results	3.8

diagrams, graphical what-if brainstorming, and a group whiteboard to share text and ideas.

Level 3 systems, which are in the developmental stage, automate group communications patterns. They allow you to select and arrange meeting rules and include such tools as an automated counselor and Robert's Rules of Order.

Lotus Notes

Notes from Lotus Development (Cambridge, MA) is a different type of collaborative system, but its effects are far-reaching. "Lotus legitimized groupware with its introduction of Notes," says Groupware '93's Coleman.

Notes can best be described as a group communications environment that lets you

access and create shared information. It gives your workgroup E-mail, distributed databases, bulletin boards, text editing, document management, and various applications development tools, all integrated into an environment with a graphical, menu-based user interface. "It's the Swiss Army knife of tools," says Tim Deagan, manager of the services tools development

CodeBase 5.0


Discover why FoxPro, Clipper, and dBASE were all written in C.

There is a good reason why your database language was developed in C. In fact, there are many good reasons.

C code is small. C code is fast. C code is portable. C code is flexible. C is the language of choice for today's professional developer. With the growing complexity of database applications, C is a realistic alternative. Now with CodeBase 5.0, you can have all the functionality, simplicity and power of traditional database languages together with the benefits of C/C++.

C speed - fast code, true executables...

FoxPro, Clipper, and dBASE were written in C primarily for speed. But those compilers don't really compile, they combine imbedded language interpreters into your .EXE. Now that's slow. For dazzling performance you need the true executables of C. With CodeBase you get the real thing, C code. Consider the following statistics, from the publisher of Clipper:



"Sieve of Eratosthenes"
Benchmark for Prime Number Generation
Shows C to be incredibly faster!

C size - small executables, no added overhead...

FoxPro, Clipper and dBASE would like you to believe you need their entire development system to build database applications. But

remember, those products are all written in C. So why do you need to lug all their extra code around? You don't. CodeBase is a complete DBMS, in C. No fat executables stuffed with unused code. No runtime modules. No royalties. Just quality C code. CodeBase is just what you need.

C portability - ANSI C/C++ on every hardware platform...

No other language exists on more platforms than C/C++. Why rewrite your entire application for DOS, Windows, Windows NT, OS/2 or UNIX? With CodeBase the complete C source code is included, so you can port to any platform with an ANSI C or C++ compiler. Now and in the future.

dBASE Compatible data, index and memo files...

You want the industry standard. You need compatibility. Sure, dBASE is the standard, but every dBASE compatible DBMS product uses its own unique index and memo file formats. Only CodeBase has them all: FoxPro (.cdx), Clipper (.ntx), dBASE IV (.mdx) and dBASE III (.ndx). Now it's your choice, we're compatible with you.

Announcing CodeBase 5.0

The power of a complete DBMS, the benefits of C

NEW - Multi-user sharing with FoxPro, Clipper and dBASE...

Now your multi-user C/C++ programs can share data, index and memo files at the same time as concurrently running FoxPro, Clipper and dBASE programs. No incompatibilities. No waiting.

NEW - Queries & Relations 1000 times faster...

CodeBase 5.0 now lets you query related

data files with any logical dBASE expression. Our new Bit Optimization Technology (similar to FoxPro's Rushmore technology) uses index files to return a query on a 1/2 million record data file in just a second. Automatically take advantage of this query performance by using our new CodeReporter:

File	Alpha	Database	Groups	Global	Print	Query	Styles	Help
------	-------	----------	--------	--------	-------	-------	--------	------

Title: Objects: 1: Height: 35.0 Points

Product Sales Summary

Month: Header: Objects: 5: Height: 48.0 Points

Month of:	Nov, 1992
-----------	-----------

Product	Quantity	Value
Database	53	\$25,137.00
Spread Sheet	58	\$21,886.00
Monthly Summary	121	\$47,063.00

Body: Header: Objects: 3: Height: 14.0 Points

Nov, 1992	Nov, 1992	Nov, 1992
-----------	-----------	-----------

Month: Footer: Objects: 4: Height: 48.0 Points

Monthly Summ	MTOTAL	MDOLA
--------------	--------	-------

Summary: Objects: 3: Height: 36.0 Points

Summ	TOTAL	SOLATI
------	-------	--------

Product Sales Summary

Month of: Nov, 1992

Product	Quantity	Value
Database	53	\$25,137.00
Spread Sheet	58	\$21,886.00
Monthly Summary	121	\$47,063.00

Month of: Dec, 1992

Product	Quantity	Value
Database	62	\$24,082.00
Spread Sheet	53	\$19,875.00
Monthly Summary	115	\$44,737.00

Summary

236	\$51,748.00
-----	-------------

To use CodeReporter, simply draw your report, then include it in any program you write. Call 403/437-2410 now for your FREE working model of CodeReporter.

New - Design complex reports in just minutes...

Our new CodeReporter takes the painstaking work out of reports. Now simply design and draw reports interactively under Windows 3.1, then print or display them from any DOS, Windows or UNIX application.

SPECIAL - FREE CodeReporter

Order CodeBase 5 before April 30, 1993 and receive CodeReporter for free! This offer includes our no-risk, 90-day money back guarantee, so order today!



CodeBase 5.0
The C/C++ Library for DataBase Management

Call Now
403-437-2410

SEQUIER SOFTWARE INC. FAX 403-436-2999
Europe 33.20.24.20.14
#209,9844-54 AVE., EDMONTON, AB, CANADA T6E-5V1

©1992 Sequiter Software Inc. All rights reserved. CodeBase is a trademark of Sequiter Software Inc. All other trade names referenced herein are property of their respective companies. Advertiser by MicroArts

Circle 142 on Inquiry Card.



Workgroups connect with each other from remote sites via a LAN or meet in special conference rooms, as pictured here. (Photo courtesy of Ventana Corp.)

group at Dell Computer (Austin, TX).

Deagan's group at the time, the R&D department, was among the first Notes takers at Dell, where it flourished. However, Deagan says, other department managers, especially those responsible for cost containment, were hesitant to spend the money (i.e., license fees of \$395 per user) for a tool that seemed to many not to have a clear mission.

MIT's Malone also sees this as a problem for Notes. "Precisely because Notes is so general, it is often hard to understand at first what it is useful for," says Malone.

Notes has gained acceptance at Dell, says Deagan, finding uses in such diverse areas as database development, training, and quality control. But it was a long journey: "You have to lure people to Notes," he says. "Its versatility has kept Notes above water, but its versatility smothers it."

Windows for Workgroups

Windows for Workgroups integrates groupware into the network environment. It gives you E-mail; group scheduling; real-time conference facilities; network-monitoring utilities; and file, printer, and Clipboard sharing (see "Windows for Workgroups," November 1992 BYTE).

The Windows GUI is an important part of Windows for Workgroups. Its ClipBook Clipboard sharing facility lets you cut, paste, and share pages of data, such as when you transfer pages of information directly into someone's Clipboard. The Schedule+ feature helps you plan meetings on-line by merging prospective attendees' schedules, finding a suitable time, and mailing out invitations.

Brian Howden, a technical specialist working for the British Columbia Ministry of Forests (Victoria, BC, Canada), says that his organization is conducting

pilot programs to determine if Windows for Workgroups will solve some of the ministry's connectivity and API problems.

At the ministry, more than 1500 desktop computers run Windows. Dozens of LANs provide shared resources for these and other types of computers, and an IBM mainframe provides ministrywide E-mail. Ensuring connectivity among all workstations and peripherals is a costly and ongoing problem. But Windows for Workgroups supports the Windows Open Services Architecture, so it provides out-of-box standard APIs for applications development. "Anything that provides a standard API is attractive to us," Howden says.

If Howden is apprehensive about anything in Windows for Workgroups, it's that the groupware has its own mail application, which could disturb the ministry's existing E-mail service. Unless the ministry migrates to Microsoft Mail, Windows for Workgroups mail could "entice users to set up noncompatible islands of E-mail within our organization," says Howden (see "Smarter E-Mail Is Coming" on page 90).

Cultural Challenges

Collaborative systems can meet stubborn resistance when they are introduced in a company, because they challenge the organizational culture with a new means of communication. "Groupware moves a company from a very hierarchical structure to one where each individual's input is accepted regardless of sex, race, or office status," says Harold J. Gallagher, CEO of Collaborative Technologies.

Some managers have problems with this because collaborative systems can upset a company's unique environment for getting work done. You must take this into account when planning your collaborative information system. "The collaborative

environment adds a new, on-line culture to your organization," says John Donovan, an analyst with Workgroup Technologies. As manager, your "challenge is to define that culture so that you have a more effective organization."

But the higher you climb in a company's organization, the more you can encounter resistance to collaborative computing, says Bernard DeKoven, a management consultant based in Palo Alto, California. DeKoven argues that the monetary incentive systems of upper management are often disincentives to sharing ideas and data, because personal information is an individual's powerbase. "If you don't acknowledge the incentives for competition that exist in your organization, any effort at creating a collaborative system will be sabotaged" by office politics, says DeKoven.

Groupware and collaborative efforts are most successful at the lower levels of an organization, says DeKoven. Lower-echelon employees are used to workgroup projects, have fewer incentives for competitive behavior, and usually are so disempowered that they prefer to wrap their comments, ideas, and suggestions in anonymity, says DeKoven.

DeKoven has worked with several companies that have successfully integrated collaborative systems into their environments. Mostly, they've been companies that have adopted flat organizational structures, where everyone has access to information, and high-tech companies, where workgroups are the norm. In more traditional businesses, collaborative systems succeed best when they spread above and below from middle management, according to DeKoven.

But "the technology is not going to drive the cultural changes," says DeKoven. "As long as there are incentives for competition and control, people will use groupware only to further their individual goals."

For collaborative systems to be truly successful, you must change the way you operate. According to Groupware '93's Coleman, collaborative systems can provide that incentive to change: "Often people perceive their value to a company as their expertise, and if they share that expertise, they've lost their value. But frequently it turns out to be the other way around—their coworkers find out just how valuable they are to the company." ■

Jeffrey Hsu is a computer consultant and a professor of information systems at Montclair State College in Upper Montclair, New Jersey. You can reach him at JHSU on MCI Mail. Tony Lockwood is a BYTE technical editor. You can contact him on BIX as "lockwood."



Reflection : your passport to multivendor connectivity.

The computing world is changing. Now, Reflection® and the Reflection Network Series® software extend the reach of your desktop computers in multivendor environments.

Together, Reflection and the Reflection Network Series link all your systems. Reflection provides the user interface, offering the most precise VT and HP text and graphics terminal emulators for DOS, Macintosh, and MS-Windows. Reflection also delivers fast file transfer, keyboard mapping, and a powerful command language to automate the most complex tasks.

Using Reflection with the Reflection Network Series lets you work on host and server applications at the same time. Access is provided to Digital VAX, UNIX, HP, and IBM hosts, *concurrently*, along with Novell and other LANs. You can run multiple protocols simultaneously on a single PC, and switch among them without rebooting. Because protocols are loaded only as needed, memory is saved as well. It's the software solution that operates without a lot of additional hardware.

Reflection and the Reflection Network Series—the connectivity choices for a changing world.

ADE/F	(61) 73 32 49
Wick Hill IMX Ltd./GB	(0483) 772280
GFK Hamburg/D	(040) 23 73010
Salcom/SF	(90) 804 1789
Computing & Systems Consultants/NL	(040) 434 957
SIS Datenverarbeitung/A	(1) 376316
Siosistemi/I	(030) 2421074
Silicon/P	(1) 8151234
Scorpion Systems/E	(93) 485 40 44
Nocom AB/S	(018) 32 1090
Nocom Norge AS/N	(034) 70494
Bodeind/IS	(1) 612061
CommCare/CH	(01) 730 24 31
Megatec/AUS	(3) 874 3633
Brazil Software/BRA	(21) 240 3143
One to Seven Products/NZ	(9) 3580758
Singapore Computer Systems Pte. Ltd./SIN	441 2688
A-line Technologies/B	(02) 718 3611
Tempest Europe/DK	(44) 94 89 02
Cybernet Systems/JPN	(03) 3982 3701

REFLECTION
SERIES
SOFTWARE

Walker Richer & Quinn, Inc.

2815 Eastlake Avenue East, Seattle, Washington 98102 / 206.324.0407 / FAX: 206.322.8151 / Buitenhof, 2513 AH Den Haag, The Netherlands / +31.(0)70.356.09.63 / FAX: +31.(0)70.356.12.44
Reflection and Reflection Network Series are registered trademarks of Walker Richer & Quinn, Inc. All other trademarks are the property of their respective holders.

Circle 439 on Inquiry Card.

MARCH 1993 • BYTE 120IS-1

See us at CeBIT '93
Hannover-Germany, March 24th - 31st
Hall 4, Stand 105

dBsee 3.0


See us at Roma Ufficio '93
Rome-Italy, March 6th - 10th
Hall 22, Stand 78

The standard CASE for Clipper

The ideal instrument for software development and maintenance in Clipper,
and for the production of technical and user documentation.

dBsee 3.0 brings cost and time savings of up to 90% compared to traditional development methods.

The proven solution for companies who want to optimize and standardize
their software development projects.



dBsee 3.0 is the complete development environment for clipper, able to support every stage in the development of an entire software project in Clipper, to maintain it and to produce the related technical and user documentation.

The prototype definition, source generation and software documentation stages are supported by perfectly integrated and dedicated instruments. The user interface is easy to understand and simple to use. The many available functions, which vary with the context, are selected using a pushbutton menu or hot keys for the more experienced operator. dBsee 3.0 generates sources using special files known as **Templates**, using one for each type of source that needs to be developed (data entry forms, windows, queries, reports, etc...). The programmer can access and modify the templates to align automatic software development with different company development standards.

The highly modular structure of the whole development environment and of the generated sources makes it possible for the programmer to manually enter source

code blocks in many points of the automatically generated sources. The modifications are identified, saved and restored in successive automatic generations using **Reverse Engineering** techniques.

Technical features

The design of the data entry forms allows one to use: say - get - functions - expressions - memo fields

- semi graphic fonts - boxes etc. - conditional display and edit - multi-level look-up windows on every encoded field with data-entry facility for data not present in file - selective refresh of screen fields - possibility to automatically execute Replace and Append on relationed files (TRANSACTIONS) - windows with horizontal and vertical scroll - printer/screen/color configuration. The generated applications feature **Contextual Help** and windows which facilitate the search on encoded information.

Reports. Unlimited number of scanned files - up to 9 grouping levels plus general total. Print attributes for every item (-bold, underline, italic, etc) - Summarizing computations (min, max, total, mean, variance, standard deviation, range).

Local Area Network. The developed applications can be generated to operate in Local Area Networks. File/record/logical lock for multiuser access.

Complete technical documentation on developed projects: data dictionary, symbols, cross-references of screens and reports, User Manual.



Circle 445 on Inquiry Card.

Call us for a free demonstration disk.
For further information please call
++39-323-922066/925356 (ask for David or Grace)

ISA srl Italian Software Agency Via Torino, 2 28042 Baveno (NO) Italy
Tel. ++39 - 323 - 922066 - 924239 - 925356 Fax: ++39 - 323 - 925208

Distributor for Australia, New Zealand and Papua New Guinea:
Sherwood Compliance Software-Salisbury (Australia) Tel 08/2503330 Fax 08/2588232

AT \$345 IT DOESN'T PAY TO BUY DUMB.



NEW COMPLEX TP3000 UPGRADEABLE 6-PORT HUB.

Dumb hubs are, well, pretty dumb. But intelligent hubs cost too much. Now there's an alternative. New Complex TP3000™ modular, upgradeable 6-port hub system.

At \$345 it's a pretty smart solution for a dumb price.



*TP3000
hubs stack
in groups
of four.*

Stack the TP3000 in groups of four practically indefinitely. And here's the really smart part. Add the IN3000™ external intelligent module and you get all the hardware for SNMP and HMI hub management of up to 28 ports for only \$745. When you figure the math, you're getting an upgradeable hub at under \$50/port

and a fully managed system for less than \$76/port.

Basically, the TP3000 system lets a network start small and then grow indefinitely. Two ports at the back of the compact unit let you daisy chain the hub. Six RJ45 connectors, status LEDs and one coax connector are located on the front. Unlike other hubs, the TP3000 doesn't use data ports for expansion, so all ports are available for node connection.

The payoff? You can easily start with a minimum network, then efficiently grow to a large fully managed network in low cost steps. So why buy dumb? With the Complex



Hubs combine with IN3000 intelligent module.

TP3000 and IN3000 hub system resellers and users have still another smart way to out-connect the rest.

Find out more!



COMPLEX Inc., U.S.A.

Out-connecting the rest

COMPLEX, Inc., U.S.A.

4055 E. La Palma Unit C
Anaheim, CA 92807 USA

Tel: (714) 630-7302 Fax: (714) 630-6521

Europe and Asia inquiries:

COMPLEX Systems Pte Ltd

4 Kim Chuan Terrace Singapore 1953

Tel: (65) 288-8220 Fax: (65) 280-9947

Tlx: RS 35551 POWMAT

© 1992 Complex, Inc. Complex is a registered trademark of Complex, Inc.
TP3000 and IN3000 are trademarks of Complex, Inc.
All other trademarks and copyrights acknowledged.

Add-In/Add-On

ATI Graphics Ultra + 2MB	340
ATI Graphics Ultra Pro 2MB	545
Digichannel PC 8-port	375
Fahrenheit 1280 - 1MB	295
Scanman 256	275
Matrox Hiper VGA	525
Mitsumi CD-ROM Kit	230
Mouse with Windows 3.1	60
Multimedia Upgrade Kit	555
Mylex GXE020C	1295
NEC CD-Gallery	575
Paradise Win Accelerator	160
Proaudio Spectrum 16	195
Prodesigner II-S 1MB	185
Soundblaster Pro	195
Stealth VRAM Hicolor	230
Truevision 1024/32	1500
Volante AT1000	720
Winsprint 400	1300

CAD & Graphics

Autocad Rel 11 & 12	CALL
Calcomp Digitizer/Plotter	CALL
Corel Draw upgrade	220
Design CAD 2D/3D	175/240
Drafts CAD for Windows	430
Microtek 600G/600Z	785/1350
Numerics GraphicMaster	CALL
OmniPage Pro Win	619
Summasketch	CALL
VinylCAD 2.0	430
Xerox GS+ Scanner AT	1360

Chips & Memory

All Upgrades - ALR, AST, Apple, Compaq, DEC, Epson, HP, IBM, Silicon Gr., Sun, Toshiba	
387DX - 33/40	80
486DX-50/2-66	CALL
SIMM 1MB/4MB 70ns	30/120
ALL CHIPS AND SIMMS	CALL
HP Laser 2MB/4MB	120/200

Windows Accelerator S3 Hicolor 80mhz . . . \$235

Panasonic CD ROM-AT bus \$240

Upgradable Mother Boards for IBM-AT and Compaq 286, 286e

COMPUTER QUICK™

Computers

ALR	CALL
Apple	CALL
AST	CALL
COMPAQ	CALL
Everex	CALL
IBM	CALL
NEC	CALL

ALL LAPTOPS AVAILABLE

Controllers

Adaptec 1542BK/1742AK	260/410
DPT Smartcache EISA/SCSI	575
IDE caching with 4.5MB	550
Mylex EISA/SCSI cache	660
Ultrastor IDE cache	200
Ultrastor EISA/SCSI cache	450

Database

Clarion Pro Developer	450
Clipper 5.01	480
Database 4.5	525
DBase IV/Developers	489/839
Foxpro Single/LAN	469/565
Oracle V6	CALL
Paradox 4.0 Upgrade	180
Rbase 4	465
Superbase 4 for Windows	460

Disk Drives

Conner/Maxtor 80MB	210
Conner/Maxtor 120MB	290
Quantum 123MB 15ms	360
Conner 170MB	340
Maxtor 213MB	390
Quantum 245MB	650
Conner/Maxtor 340	705
Fujitsu 425MB	965
Conner 543MB	965
Maxtor 675MB	1125
Micropolis 668MB	1340
Toshiba 880MB SCSI 3.5"	1200
Maxtor 1.2/1.7GB	1400/1730
Fujitsu 1.7GB	2500
Micropolis 1.7/2.1G	2200/2860
Syquest 44/80MB	CALL
Pinnacle 130S AT	1880
CD-ROM - Optical - WORM	CALL

Modem/FAX

Modem 2400 internal	55
FAX 9600 & Modem 2400	85
Hayes Ultra 14.4	CALL
Intel Satisfaxtion 400	450
Pocket FAX96/Modem24	150
Suprafaxmodem14.4 Ext	300
USR V.32bis+fax-Int/Ext	430/465
USR Dual 16.8 Int/Ext	765/795

Software

Desqview 2.2/386/X	75/130/150
MS DOS 3.3/4.01/5.0	40
IBM OS/2 2.0	128
IBM OS/2 Extensions 2.0	128
XENIX/UNIX	CALL
Windows 3.1	CALL
Windows NT	CALL
ALL SOFTWARE - WE HAVE EVERYTHING!	

Tape Backup

Colorado 250MB	250
HP DAT Tape Backup 2/5GB	1225/1370
Irwin A120/A250	185/245
Irwin A250 EP	645

Software for DOS/UNIX/LAN

**20,000 Items
Price Diskette**

Shipped with order

Networking

3COM Etherlink III 5-pack	600
3COM Multiconnect base unit	900
Arcserve 250 user	1150
AST 5251-11 Enh Plus	515
DLink Pocket Ethernet	225
Everex Ethernet 8/16	87/135
Faxit LAN unlimited	650
IBM 3270 Used/New	225/410
IBM 5250 AT/MC	495
IBM TR 16/4 used/new	CALL
Intel EtherExpress 16 20-pak	1900
IRMA 3	435
Lantastic 10MB Starter	485
Mylex EISA Ethernet	309
NE-2000 5-pack	620
NE-2100	155
NE-2132	520
NE-3200 EISA	665
Novell Netware	CALL
Shiva Netmodem 9600	1020
SMC EtherElite 16 6-pack	660
Elite MC	216
Elite 32	650
Synoptics Concentrator 2800	690
Thomas Conrad 16-bit fiber card	735
8-port fiber hub	1550

USED IBM !!LOW!!

Quantity & Dealer Discounts

PHONE: (415) 861-8330

Español (415) 861-8376


FAX: (415) 861-8380

C-Serve 76360,3624

Computer Quick, 165 - 8th Street, No. 309
San Francisco, CA 94103, USA

Y O U R B E S T C O N T A C T I N N O R T H A M E R I C A

Software is hard work



Get rid of those parasites!



Eutron

THE SECURITY KNOW-HOW

via Gandhi 12 - 24048 Treviolo Bergamo - Italy
Tel. +39-35-201003 - Fax +39-35-692229

PARASITE: "...an organism that lives off others, causing them harm".

You can find parasites in software, too: they are people who pirate programs that cost software houses years of study and research. Now the time has come to put a stop to software stealing and to start using **SMARTKEY**, the *smart* protection key.

SMARTKEY is connected transparently to the PC's parallel port and lets you protect your .EXE format files in a matter of seconds. Or you can act on source programs, for which drivers are available for a large number of languages and operating systems (DOS, WINDOWS 3, OS/2, UNIX, NOVELL, etc).

And because parasites are widespread in all software environments, **SMARTKEY** comes in a wide range of models to meet any software protection needs:

■ **FX** : with fixed programmed access codes

- **PR** : with internal memory and user-programmable access codes
- **EP** : with programmable codes, memory and capability to detect any attempts to break in
- **NET**: for local network applications
- **SR** : for software protection on workstations, mini and mainframes (on serial ports)

Please contact us for full details and documentation. Our technical staff is at your disposal to work out the best solution to the software protection problems. And you will be pleasantly surprised at the cost. Please call us for the address of a local distributor.

- ✓ No minimum quantities required
- ✓ Average delivery time 24 hours
- ✓ Technical support via hot line



Decisions, decisions, decisions.

Decider, decider, decider.

Down-sizing, upgrading, multi-platform environments. Today's computer hardware issues are more numerous, more difficult, more critical than ever. So how do companies make decisions?

According to a new IntelliQuest study, they turn to the only person qualified to decide. Someone like Bob Barrett. A person with 18 years in computers. Who oversees a technical staff of 75. And whose buying decisions and approvals affect nearly 3,000 users worldwide.

In other words, they turn to the BYTE reader. A full 92% of whom control the products and brands their companies buy.

If you want to reach an audience as influential as this, then yours is an easy decision—advertise in BYTE.

BYTE reader Robert N. Barrett, Vice President Management Information Systems, M/A-COM, Inc.

It doesn't get bought without

© 1992 BYTE, a McGraw-Hill publication. For a presentation of the March 1992 IntelliQuest study, call (603) 924-2635.



Now Even Bad Reports Can Look Good.

New CA-RET™ 1.0: The Friendliest, Most Powerful Report Writer Ever.

Add bitmapped images anywhere in your report for graphic impact.

Using different fonts adds pizzazz to your reports. CA-RET makes it a snap.

Create exciting output from your CA-Clipper, dBASE and text files.

The allure of color: You get it in an easy, WYSIWYG environment.

Dozens of built-in number-crunching functions are available for powerful data analysis.

You can even turn your data into eye-catching graphs.

The United States House Of Representatives
THE HOUSE BANK MONTHLY BANK STATEMENT-APRIL, 1993

Phil A. Buster Acct. # D 3320 67 55509
14 E. Pork Barrel Lane, Potomac, MD 20519
(301) 555-0269
District: 153 Party: Frequently
Campaign Slogan: "A Vote For Buster Is A Vote For Me"

YTD SUMMARY	AMOUNT
Total Number of Bad Checks	6014
Average Daily Balance	-\$41,449.00
Average Amount of Bad Checks	\$19,242.00
Largest Overdraft	\$49,650.00
Outstanding Loans	\$85,320.00
Overdraft Fees (Waived)	\$1,250.00
Interest Owed (Waived)	\$5,360.43

ACTIVITY SUMMARY

Date	No.	Memo/Category	Payment	Deposit	Balance
3/17	5261	The Watergate Hotel	1,526.35		-25,623.00
3/21	5262	The Hair Club For Men	21,530.00		-47,153.00
3/28	5263	Club Med	3,850.79		-51,003.79
4/7	5264	Larry's Lexus Dealer	49,650.00		-97,653.79
4/15	5265	Burning Tree Country Club Annual Dues	10,000.00		-107,653.79
4/17	5266	American Express	23,400.09		-131,053.88

PREVIOUS BALANCE	\$25,623.00	TOTAL PAYMENTS	\$0.00
NEW BALANCE	\$131,053.88	AMOUNT DUE	\$0.00

On The House CREDIT CARD
123 4567 8910 0000
I authorize my card.

House Bank Special of the Month!
This month we're offering a special no-interest, no-fee credit card that offers you unlimited credit without the inconvenience of monthly payments. In fact, you'll make no payments whatsoever with your pre-approved House Bank Credit card. Order extra for the family.

Employee Of The Month
Bill Overdu
VP Bounced Checks Dept.

Whatever the news, make it look great with new CA-RET/Xbase, the visual report writer for Windows.

With drag and drop, WYSIWYG design, it's as easy to use as a word processor, yet powerful enough to produce stunning results. Choose a wide variety of pre-formatted tabular layouts, labels and form letters — or create your own. Now you can add dazzling color, fonts and bitmaps to any report.

Place database fields, computed fields and aggregate computations anywhere and use the more than 40 built-in functions for extensive analysis.

And CA-RET's single-pass computation engine is the

most efficient available.

From dBASE to Clipper, CA-RET/Xbase works with top databases (or text files) and acts as a DDE server so you

can include reports in other Windows applications. And the unlimited use runtime license lets you distribute report applications for free.

SPECIAL OFFER FOR R&R USERS.

Registered users of R&R Report Writer for Xbase can upgrade to CA-RET for just \$79 (\$89 in Canada). Call 1-800-531-5236 (Canada: 1-800-665-5449) or see your local dealer.

Call today and find out how easy it is to turn the mundane into the magnificent.

COMPUTER ASSOCIATES
Software superior by design.

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000.
All product names referenced herein are trademarks of their respective companies.

HITTING WARP SPEED FOR LANS

High-speed networks promise the performance that collaborative computing needs—at a price

MARK A. CLARKSON


Brian Lyles, a researcher at Xerox PARC (Palo Alto Research Center), designs collaborative applications of the future in areas such as scientific visualization, desktop teleconferencing, and advanced document management. The feasibility of these applications depends on the resolution of formidable problems.

LANs provide limited data-carrying capacity (i.e., bandwidth)—10 Mbps on an Ethernet and 4 to 16 Mbps on a token-ring network. But collaborative applications require moving huge data sets that can overwhelm a network's bandwidth. For example, broadcast-quality video, even at 20-to-1 compression, requires a 6-Mbps data transfer rate. At that rate, a 10-minute broadcast represents half a gigabyte of data, the equivalent of five sets of the *Encyclopaedia Britannica*.

The applications that Lyles envisions involve continuous streams of high-quality audio and video data. "We're not going to settle for one stream of video to the desktop. We have applications that use many streams," says Lyles.

To make matters worse, LANs such as token-ring and Ethernet networks are shared-media networks. They allow only one conversation to take place at a time. And their bandwidth must be shared by all the users on a network.

Shared-media networks work best with short bursts of data (e.g., E-mail messages). In a client-server environment, for example, a number of workstations might share the same server. Because the server can talk to only one workstation at a time, it scarcely matters that the conversation takes place over a shared-media LAN. A network that primarily handles E-mail traffic will do






Figure 1: LANs connect to each other over a backbone network. In this example, FDDI, a 100-Mbps optical-fiber network, provides the connection. Backbone networks can be connected to each other via a variety of private and public services, including leased lines and satellite links.

just fine at token-ring speeds, but shared-media networks are not good at handling continuous data streams, like those created by a video teleconference.

Collaborative computing presupposes more interactive use of networks than just providing a medium for E-mail traffic. Much of the use is workstation-to-workstation (many-to-many) rather than client-server (many-to-one).

Because you might want to collaborate with someone across town or across the Pacific, your LANs must be connected to each other, and your bandwidth demands grow with every step. To link the slower 10-Mbps LANs, you use the faster 100-Mbps backbone networks. And to tie these together into a WAN (wide-area network), you use an even faster network, say something with a 1-Gbps or higher data transfer rate (see figure 1).

Although today's networks are too slow for advanced collaborative applications, a number of network-bandwidth boosters are coming into their own and may provide solutions to the problem. These technologies include FDDI (Fiber Distributed Data Interface), ATM (Asynchronous Transfer Mode), and switching hubs.

Video a Problem

"Video is the data type that will force the commercial networking business to come

to grips with the bandwidth issue," says Jim Long, president of Starlight Networks (Mountain View, CA), a maker of video software for Ethernet networks.

Video is a key component of the next generation of collaborative applications, whether for desktop videoconferencing, training, or visualization. Other data (e.g., CAD drawings and true-color scanned images) may gobble up great chunks of network bandwidth, but none so voraciously as video.

"Video is not only huge, but it's con-

tinuous," says Long. Unlike a still image, which is finite and will be on the network for a short time, video just keeps coming. Single frames of broadcast-quality video—with compression—are about 12 KB each, and a new frame is shipped 60 times a second. Meanwhile, other devices sit idle because the network hasn't any bandwidth to spare for them. "Even a low-grade teleconference," says Long, "sends more data over your network in an hour than it has ever seen before." Studio-quality video requires 10-Mbps or faster data streams, which overwhelms a typical LAN.

Advanced High-Speed Networks

The Promise:

- variable bandwidth on demand
- new kinds of workgroup applications
- studio-quality desktop audio and video

The Reality:

- incomplete standards
- three to 10 times more expensive
- possible software incompatibility


Token Ring on Steroids

How do you increase your bandwidth? One way is to switch to a faster network, such as FDDI. "FDDI is really a token ring on steroids," says Long. Like token-ring networks, FDDI passes data around a ring, but its bandwidth is 100 Mbps, far faster than a token-ring or Ethernet network. For example, at 100 Mbps, you could ship this article around a network 1000 times a second.

But FDDI has problems. It's a new network with new protocols, and your software may not run on it. FDDI is also 10 times more expensive than an Ethernet network. Pricing for adapter cards starts at around \$1000; Ethernet cards begin at about \$100.

If FDDI is too expensive, how about

The VESA Local Bus Has Arrived!



Call today for pricing.
1-800-93-GENOA
(SALES ONLY PLEASE)

Speed And 16.8 Million Colors With The TurboBahn Combo From Genoa

The Combo includes -

Windows VGA 24 (Model 8500VL) - Fast 24-bit graphics accelerator at 32-bit speed. 16.8 Million colors at up to 640 x 480 and 64K colors with up to 800 x 600 resolution. 1MB DRAM display memory. VESA, IBM VGA, EGA, CGA, MDA and Hercules compatible. Advanced drivers include AutoCAD®, AutoShade™, Lotus® 1-2-3, OS/2® 2.0, Microsoft Windows™ 3.1, and more. Flickerfree™ 70 or 72Hz vertical refresh rate. Two year warranty.



WindowsVGA 24
(8500VL Model)



TurboExpress 486VL

TurboExpress 486VL - Fast motherboard performance (300% increase over ISA bus) incorporating the latest in VESA Local Bus technology. Supports up to 50MHz and 256 cache. CPU-486 SX-20, 25 / 486 DX-33, 50 / 486DX2-50, 66 combinations. Seven 16-bit expansion slots consisting of two VESA local bus slots. Two year warranty.

Accelerator / Driver Combination	Winmark (16.8 Million colors in 640 x 480 Resolution*)
Genoa Model 8500VL with Genoa Driver	2.159 Million 1.42
S3 86C805 Adapter + S3 Driver	0.828 Million .55

Genoa
SYSTEMS CORPORATION
The Ultimate Graphics Solution

* Benchmark results were collected using 640 x 480 resolution in 16.8 Million color mode, Winbench 3.1 on a 486DX / 33 VESA local bus. Other Color and resolutions will vary. ©Genoa Systems Corporation 75 East Trimble Road, San Jose, CA. 95131 all rights reserved. TurboBahn, TurboExpress and WindowsVGA are trademarks of Genoa Systems. All other registered trademarks and un-registered trademarks are the property of their respective owners. Specifications are subject to change without notice.

Circle 84 on Inquiry Card (RESELLERS: 85).

Rolling the DICE

DICE (Distributed Interactive Collaboration Environment) is a research project under way at the National Center for Supercomputing Applications (Champaign, IL). DICE allows researchers—who may be physically far apart—to collaborate on large visualizations, which they can all view and with which they can all interact simultaneously. Several people can steer and control the parameters of the visualization.

The project was conceived as an environment in which to develop applications that exploit gigabit networks. Although the image processing and number crunching in DICE run primarily on supercomputers, the interactive user interface and the graphical output run on workstations.

Sending a continuous stream of high-definition images can consume more than 500 Mbps of bandwidth for each workstation viewing the simulation. "Nothing has been geared up to support these speeds," says DICE author Jeff Terstriep. "Every step you take, you hit another bottleneck."

As fast as computer speeds have increased, network speeds have grown faster. "All of a sudden, we've got a network that's faster than the VME bus that these workstations are built around," says Terstriep. "Even supercomputers don't necessarily have as much I/O speed as you'd like. It's a challenge."

For a network to support an advanced, interactive, collaborative environment, says Terstriep, it must be fast and exhibit low latency—outgoing data must not sit at your workstation, waiting for an opening in net-

work traffic. Without low latency, the value of a fast network diminishes.

One intent of DICE research is to develop methods of efficiently moving large data sets on networks. DICE uses a message-passing system designed to move scientific data sets that range in size from 8 MB to 2 GB (e.g., multi-dimensional arrays of data) through various pipelines. It uses both high-bandwidth and low-latency networks, splitting the message to achieve the highest performance possible.

For example, the handshaking and control information has low latency. It doesn't require the high data transfer rate that a 2-KB by 2-KB by 24-bit image requires. DICE sends the handshake information through an Ethernet or FDDI (Fiber Distributed Data Interface) network and the image through a high-performance parallel-interface network. DICE ensures that these multiple networks operate in harmony and that the operation is transparent to the application and to the end user.

"Current high-speed networks have relatively high latency. I think you'll see ATM take over, because it offers very low latency at very high bandwidth," says Terstriep.

But better machine architectures are needed to exploit gigabit networks. The speed at which you can read and write to the RAM on your workstation becomes an issue.

"You find you can't afford to copy data from the user space to the operating system, to the networking card, and out on the wire," says Terstriep. All those copies take time and CPU cycles, and at gigabit speeds, time is precious.

speeding up your existing LAN? Grand Junction Networks (Union City, CA) is developing a product called Fast Ethernet, which is an Ethernet standard that matches FDDI's 100 Mbps. Also, IBM has reportedly pushed Token Ring to 64 Mbps.

The idea behind such pumped-up versions of familiar networks is to preserve your investments in network wiring and software while boosting network capacity to meet increased demands. But these so-

called fast LANs are up to three times more expensive per installation, although they are far less expensive than FDDI.

In addition, all these fast networks—including FDDI—have flaws that may prove fatal over time. For example, none guarantee real-time data delivery. When audio and video are shipped as separate data streams, it's important that they arrive at the same time. The question becomes: Will 100 Mbps be enough?

"Some people say 100 Mbps is plenty of bandwidth," says Steve Krause, a technology analyst at SRI (Menlo Park, CA), an independent research institute. "But when Ethernet was introduced, people said, 'Ten megabits! No one will need more than this.'" Krause believes that as applications become more LAN-intensive they will need more than 100 Mbps.

Near-Unlimited Bandwidth

If 100 Mbps is not enough, there is a way to achieve almost unlimited bandwidth: *switching*. To understand switching, think about making a telephone call. You dial my number. I answer. We talk. In effect, we have a dedicated line linking us. In fact, our telephones are connected through one or more switches—universal connections—and can be similarly connected to any of millions of other telephones across the U.S. Millions of other telephone conversations are going on concurrently with ours. Even though the telephone lines have a low bandwidth, the capacity of this huge switched network—its *aggregate bandwidth*—is astronomical.

In a shared-media LAN, the aggregate bandwidth is the same as the peak bandwidth of the individual lines. For example, an Ethernet's aggregate and peak bandwidths are both 10 Mbps. Thus, adding nodes to your network increases its load, but not its capacity.


The aggregate bandwidth of a switched network is equal to the peak bandwidth of each line *times* the number of lines going into the switch divided by two. For example, 100 10-Mbps lines equals 0.5 Gbps (i.e., $100 \times 10 \text{ Mbps} \div 2 = 0.5 \text{ Gbps}$).

"That's why I like switched technology like ATM," says Xerox PARC's Lyles. "Switched networks tend to have an aggregate bandwidth that is much higher than their peak bandwidth." When the ATM standard is finalized, says Lyles, ATM should provide sufficient bandwidth for most collaborative applications.

ATM is isochronous (i.e., real-time) and provides high bandwidth on demand. Because it's a *packet-switched* network, it divides data into small clusters, called packets; moves them around the network; and reassembles the packets at their destination. ATM lets you mix and match channels of varying bandwidths and data types (e.g., video, data, and voice). You can have 150-Mbps, 600-Mbps, and 2.4-Gbps links on the same network. "ATM allows you to stop asking, 'What video quality can I get over the network?' and start asking, 'What video quality do I want?'" says Lyles.

Some companies, such as DEC (Maynard, MA), are developing ATM LANs. But the technology is sophisticated and

45 SECONDS OF COLOR VIDEO ON 1.44 MB !!!




VIDEO SEQUENCE CAPTURE: 1st MPEG SOLUTION

VIDEOMAKER

PROFESSIONAL
FRAME CAPTURE:
16 MILLIONS
OF COLORS

\$695

Dealers are welcome !!



VIDEO SOURCE



Capture & MPEG
Storage



MPEG decoding
& display



VIDEOMAKER™ is delivered with the best software under WINDOWS:

COMPARISON	VIDEO MAKER	THE MARKET
Movies capture	yes	no
MPEG compression	yes (about 30 Kbytes per second)	no
Digital VCR (100 % software)	yes	no
Frame capture	high professional quality	medium quality
Colors	16 millions colors per pixel 4:2:2 (2 times more color samples)	16 millions colors per pixel 4:1:1
Video standard	NTSC, PAL and SECAM	NTSC, PAL
Spatial definition	768 x 576 (PAL and SECAM) 640x480 (NTSC)	720x512 (PAL) 640x480 (NTSC)
Aspect ratio	square pixel	rectangular pixel
Size of the board	short: compatible with desktop PCs	long
Technology	miniaturized: SMT	classic
Installation	no switches at all	many switches
IRQ, DMA	none: high compatibility	several IRQ and DMA
SVGA modes	all	limited
Video feature connector	not needed	absolutely necessary
RAM limitation in your PC	unlimited	conflict above 8 MB
Cable: 2 meters with RCA, BNC, SCART connectors		

- **IMAGER™**: frame capture, video sequence capture, MPEG compression, image edition (color controls, text overlay, cropping, zoom, vertical & horizontal flip, numerous filters, contour extraction, ...), save images in .BMP (8 bits or 24 bits), .TIF (G, P, RGB, YUV, CMYK, ...), .PCX, .VSF, .MPG, ...
- **MPEG PLAYER™**: veritable digital VCR, letting you play MPEG-compressed sequences in normal mode or single-step forward or backward under WINDOWS 3.0 and 3.1.
- **MULTIMEDIA MANAGER™ from MULTIMEDIA TELECOM**: true generator of multimedia and hypermedia applications with the following main features:
 - intuitive icon-based interactive multimedia scenarios,
 - directly compatible with **VIDEOMAKER™**,
 - compatible with all the MPC audio cards (ex.: **SOUND BLASTER™**),
 - manages multimedia libraries with sound, image, ...
 - manages active regions in the images.

VIDEO MAKER

MANUFACTURER

U.S. & CANADA
Ph.: 404 921 61 67 - Fax.: 404 921 92 43
E.E.C. Ph.: 33 1.46.29.03.06
Fax.: 33.1.46.29.03.04

Circle 177 on Inquiry Card.

CONVENTIONAL AND SWITCHED ETHERNETS




Figure 2: In a conventional Ethernet network with three file servers shared among 30 workstations, only one conversation can take place at a time. With a three-by-three switch added to the network, you can have three conversations on the network at once.

expensive—about \$6000 per connection, says Howard Salwen, president of Proteon (Westborough, MA), a company that makes networking equipment and plans to deliver its first ATM-based products late this year. Given its cost and that the standard has yet to be finalized, ATM will probably not be a major player in the desktop arena for at least five years—pundits are reluctant to guess exactly how long. “ATM is a wonderful technology,” says Salwen, “but it isn’t soup yet.”

Ethernet for Everyone

Switched-hub technology is already being added to Ethernet. It can turn a single Ethernet into an Ethernet for every network user (see figure 2). The upgrade is simple: You replace the old hub in your wiring closet with a new one. Instead of 100 people sharing 10 Mbps, you have 100 people sharing 1 Gbps. You haven’t restrung any wires. You are still using the same adapter cards and software as before. And it’s still Ethernet.

“This could mean a new life for Ethernet,” says Avi Fogel of Lannet (Huntington Beach, CA), a manufacturer of LAN hardware products. “It’s no longer a shared medium—it provides each user with bandwidth on demand up to the full capacity of the network.”

EtherSwitch from Kalpana (Santa Clara, CA) adds ATM-like packet switching to

existing Ethernet LANs. It is similar to ATM in that it’s a packet-switched technology, says Larry Blair, Kalpana’s vice president of marketing. EtherSwitch is intended to boost throughput between desktops and servers.

Seeq Technology (Fremont, CA) adds another dimension to switched-hub Ethernet. Its 80C04 LAN-controller chip set provides Ethernet with two-way, or full-duplex, capabilities. Normally, Ethernet networks are one-way—only one node at a time can transmit, and a node cannot receive data while transmitting. By enabling full-duplex, the 80C04 doubles Ethernet’s bandwidth to 20 Mbps (i.e., 10 Mbps to send data, and 10 Mbps to receive data).

A switching hub is about an order of magnitude more expensive than standard Ethernet, say \$700 versus \$70 per connection, but you preserve a significant part of your network investment. The Ethernet switched-hub approach is so powerful, says Starlight Networks’ Long, “that many networking companies are abandoning FDDI for the desktop.”

Ethernet may become the ubiquitous connection between computers and peripherals. “Ethernet could become the RS-232 of the nineties,” says Long.

FDDI Squeezed

“Ninety-five percent of all computer users will do just fine for the next five years

with 10 Mbps,” says Long. “Shared servers and backbone networks—that’s the arena where the battle for high-speed networks will take place first.”

“It’s hard to justify investing in a 100-Mbps ATM or FDDI for the desktop,” says Lannet’s Fogel. “But what if you can find a way at well under \$1000 per user for each user to have a full, dedicated 10-Mbps network available? That’s a different story.”

For those that need 100 Mbps to run the advanced collaborative applications that Lyles is dreaming up in Palo Alto, what will the LAN of choice be? FDDI? Not according to SRI’s Krause. “FDDI is in danger of being squeezed out of the desktop marketplace by faster Ethernets and token rings from below and ATM from above.”

Most experts agree that the eventual winner in high-speed networks of all sizes will be ATM. According to Proteon’s Salwen, ATM delivers bandwidth on demand; synchronous delivery of voice, video, and data; and the possibility of seamless connection between public and private networks (because it’s a global standard). “We can do lots of things with ATM that we haven’t been able to do before,” says Salwen. ■

Mark A. Clarkson is a freelance science writer living in Wichita, Kansas. You can reach him on BIX c/o “editors.”

PUT AN END TO SOFTWARE PIRACY!

Meet the growing family of security keys from Software Security.


Each one a specialist at enforcing your license agreement in virtually any user environment you can think of. Whether it's DOS, UNIX, Macintosh or OS/2. Whether it's a single user installation or LAN.

Simply connect the appropriate key to a single user computer, or a non-dedicated file server in a network, and you control all access to your protected application.

Users, however, won't even know it's there. The keys are transparent and won't impact software functionality or the ability to make back-up copies. Normal node and LAN operations are unaffected.

Simple. Unassuming. Ever vigilant. Easy to incorporate into your application package. And quite possibly the most profitable hardware investment a software developer can make.

To find out more, call: (0784) 430060
fax: (0784) 430050
International telephone: +44 784 430060
fax: +44 784 430050
U.S. (203) 329-8870
fax: (203) 329-7428



Software Security

International Ltd.

21a The Precinct
High Street
Egham
Surrey
United Kingdom
TW20 9HN

Circle 435 on Inquiry Card.

Software Security Inc.'s International Distributors:
Australia, 09 316 2846; Austria, 49 62 237 41 00; Denmark, 53 51 70 33;
Finland, 90 505 33 77; France (1) 46 22 99 88; Germany, 062 23-74100;
Hungary, (1) 138 4933; Italy (02) 21 30 450; Netherlands, 02 67776;
Norway, 02 11 09 50; Russia, (7) 0172 45 21 03; Switzerland, 01 341 95 50.


The Ultimate Protection for Software Publishers

MARCH 24-31, 1993



See us at Hall 18, stand 1.06

NOW
AVAILABLE!
NETWORK
PROTECTION
WITH REMOTE
UPDATING!



DON'T GO TOO FAR!



Computers

Floppydrives

LAN products

Mainboards

Keyboards

Cases

U.P.S.

Plotters

Printers

Peripherals

Notebooks

Harddisks

Monitors

Digitizers

ECG

EUROPEAN COMPUTER GROUP

YOUR EUROPEAN PARTNER

UNITRON
UNITRON COMPUTER PRODUCTS

**DEALERS OEMS
DISTRIBUTORS WANTED**

Your business is safe with us!



European Headquarters:
European Computer Group B.V.
P.O. Box 116
5710 AC Someren
Netherlands
Tel.: 31-4937-90005
Fax: 31-4937-96808

Circle 444 on Inquiry Card.

MARCH 24 - 31, 1993



Hall 6, Booth E5/E6
U.S. Pavilion

THE MOST POWERFUL RANGE OF PRINTERS IN THE WORLD



Make your printer choice: if it's laser printers or bubble-jets, we've got them. We have a 12-model range of matrix printers (up to 900 cps), and line printers up to 1400 lines per minute.

Add to this our range of specialist printers and portable printers and you can soon see why our printer range is second to none. If you require a range of printers, look no further...

MANNESMANN
TALLY

SEE US AT
CeBIT
Hall 1
Stand 5G4

Mannesmann Tally Limited, Molly Millars Lane, Wokingham, Berks RG11 2QT • Fax: 0734 791491.

Circle 459 on Inquiry Card.

QUALITY



RELIABILITY




SUPPORT



ISO 9001/
EN 29001
BS 5750
Part 1: 1987
Certificate No.
FS 13645

M
T

Integrated SPARCstation Solutions



integrix

Engineered by Fanatics

BUILD YOUR OWN SPARCSTATION® OR...BUY ONE OF OURS!

Now you can design, upgrade, expand or purchase a workstation from the world class Integrix family of workstations and award-winning peripherals. We can provide you with solutions for all your SPARC® needs from system boards to the highest resolution single-slot graphics accelerators on the market. So for unequalled personal service and price performance value, contact us today.

Integrix...engineering solutions for today's challenges.

SPARCstations: 2, 10 & Classics • System Boards • Chassis

Graphics Accelerators: 1152x900, 1280x1024, 1600x1280

Monitors • Flat Panel Displays • Power Supplies

Award-Winning SBus Expansion Chassis • Keyboard

For Information and to Order, Call Today:

Tel: (805) 375-1055

Fax: (805) 375-2799

Integrix, Inc. • 1200 Lawrence Drive • Suite 150
Newbury Park • CA • 91320 • USA

© 1993 Integrix, Inc. All trademarks mentioned are the property of their respective companies.

If You Need to Communicate...



Sample of DEC VT-340 ReGIS graphics, configurable toolbar, and keyboard mapper.

DynaComm 3.1 Includes:

- ♦ DEC VT-340
- ♦ 16 terminal emulations
- ♦ 19 network connectors including TCP/IP
- ♦ 10 transfer protocols
- ♦ 300+ script commands
- ♦ Technical support

Also distributed
by Dynamic
Communications(UK)
(0272) 255465

WINDOWS is a trademark of Microsoft Corporation. FutureSoft and DynaComm are registered trademarks of Future Soft Engineering, Inc.



FutureSoft

1001 South Dairy Ashford, Suite 101 • Houston, Texas 77077
713.496.9400 713.496.1090 FAX


Retail \$249 (Network pricing available)

And who doesn't? Today's fast moving corporate world demands quick, easy access to mainframes, minis or other PCs.

DynaComm®

provides the most powerful WINDOWS™-based communication features. Microsoft® agrees: they selected DynaComm as their worldwide standard for data communications. So if you need to be in touch with the rest of the world or just the rest of your company...

...We Need to Communicate.



**LOW COST
Interface & Data
Acquisition/
Control Cards
for PC/XT/AT**

IEEE-488 Card [PC488A/C]\$145/295

- Includes DOS Device Driver & Sample Comm. program
- PC488C card contains Built-In Bus Analyzer hrdwr & swtfr

RS-485/422 Card [PC485A/B]\$125/175

- Serial Async. Comm up to 4,000 ft; 2 or 4 wires; NS16450
- PC485B card has 2 independent channels (UARTs); Com1-4
- Protected vers. uses trans. volt suppress. & auto reset fuses
- High speed AF version (256KB) - \$165; All include software

Digital I/O & Counter [PCL720]\$175

- 32 Digital Input / Output Channels, 3 channel programmable counter/timer; User-configurable clock source; Breadboard area

12BIT A/D/A Digit. I/O [PCL711s]\$295


- 8 single-ended Anlg IN, 2 Anlg OUT; AD574; Conv. time 25µs
- 16 Digital Input/Output channels; Wiring Terminal Board incl.

12Bit A/D/A & Counter [PCL812].....\$395

- 16 single-ended Anlg IN, 2 Anlg OUT; AD574; Conv. time 25µs
- ± 10V, ± 5V, ± 1V; Programmable counter/timer (8254)
- DMA and interrupt capability; Utility software for Basic incl.

Call for more Information.

MC/VISA/AMEX



750 N. Pastoria Ave. Sunnyvale, CA 94086 USA
Tel: (408) 730-5511 Fax: (408) 730-5521

IEEE 488 and VXIbus Control, Data Acquisition, and Analysis

1993



Measurement and Instrumentation

Hardware

- ▶ IEEE 488.2 Interfaces
- ▶ Data Acquisition Boards
- ▶ VXI Controllers
- ▶ DSP Boards
- ▶ GPIB Support Products
- ▶ SCXI Signal Conditioning

Software

- ▶ **NEW!** LabVIEW® for Windows
- ▶ **NEW!** LabVIEW for Sun
- ▶ LabVIEW for Macintosh
- ▶ LabWindows® for DOS

DATA ACQUISITION
RS-232
Plug-in Data Acquisition
GPIB
VXI

DATA ANALYSIS
DSP
Statistics
Curve Fitting
Array Operations

DATA PRESENTATION
Graphical User Interface
Hardcopy Output
File I/O

For your FREE catalogue, return this card or call:
(512) 794 • 0100



**FREE
CATALOGUE**

Sell Your Product Direct to BYTE's 275,000 Technically Advanced Business Buyers in the U.S. for Only \$4,700 when you advertise in the BYTE Deck!

The BYTE Deck is indispensable for high-quality sales leads at low cost! To place your order in the next BYTE Deck, or for more information, call Brad Dixon in the U.S. at 603/924-2596 or fill in the reverse side and return today!

Next Mailing: April 22, 1993

Materials Due: March 24, 1993

BYTE DECK



Here's What Our Advertisers Say:

"Since January 1990, we've tried several different computer card decks, and the BYTE Deck has produced more leads than all of the others combined. The number of quality leads is evident by the number of sales we've generated from the deck. The BYTE Deck has become a constant in our marketing program simply due to the conversions we generate through the use of the deck. In our eyes, the BYTE Deck is 'Best in the Show.'"

—Mark F. Gonda, Director of Marketing/Sales
Carrier Current Technologies, Inc. Charlotte, N.C.

"Our response was great! We received 2,500 cards on our first mailing!"

—Michael Benoit, President
Vista Micro Systems, North Attleboro, MA

"We had a very high response the first time we were in the BYTE Deck! Count us in on all six decks in 1991!"


—Karen Tacy, Marketing Manager
Rainbow Technologies, Irvine, CA

"We received almost 50 orders to date—the BYTE Deck really performs for us!"

—Debbie Polsin, Marketing Manager
Tab Books, Blue Ridge Summit, PA

C++ REPORT

THE INTERNATIONAL AUTHORITY ON C++ DEVELOPMENT



Now in its 4th year of publication with
17,000 readers in 56 countries!
Get programming tips and advice, hot product
news, analysis & design strategies, ANSI C++
updates, and case studies.

Upcoming Editorial Topics:

- C++ Programming Guidelines
- Reusability When Moving From C To C++
- Application Frameworks With C++
- Exploring The Power of Exceptions
- Templates: More Than Just Container Classes
- Effective Memory Management in C++

Insightful articles from Bjarne Stroustrup, Stan Lippman, Grady Booch, Bruce Eckel, Rob Murray.

Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____
 Zip/Postal Code _____ Country _____
 Phone _____ Fax _____

© Copyright 1992 National Instruments Corporation. All rights reserved. Product and company names listed are trademarks or trade names of their respective companies.

BYTI 3/93



TNT Mailfast
 FRG/BOS/700252/M01
 P.O. Box 66
 Hounslow
 TW5 9RT
 England

Place
 Postage
 Stamp
 Here

**For information on how to
 advertise in the BYTE Deck,
 fill in the information below
 and return this card.**

Name _____
 Company _____
 Street _____
 City _____
 Country _____ Code _____
 Telephone _____
 Fax _____
 Product/Service _____

**Contact Brad Dixon in the
 U.S. at 603-924-2596,
 (FAX 603-924-2683) for
 MORE INFORMATION**

BYTI 3/93

PLACE
 STAMP
 HERE



Attn: Brad Dixon
 One Phoenix Mill Lane
 PO Box 809
 Peterborough, NH 03458-0809

☐ **Yes! Please enter my subscription
 to The C++ Report
 at the following term:**

☐ 1yr(9 issues) \$94 ☐ 2yrs(18 issues) \$178

Prices include air service. All orders must be prepaid in U.S. dollars
 drawn on a U.S. bank, payable to The C++ Report.

☐ Payment enclosed

☐ Charge my: ☐ Visa ☐ Mastercard

_____ Exp. _____

Signature _____

Order by phone 212•274•0640 fax 212•274•0646

Name _____

Title _____

Company _____

Street _____

City/State _____

Country/Zip _____

Phone _____

BYTI 3/93

Postage
 Required



TNT Mailfast
 FRG/BOS/700251/MO1
 P.O. Box 66
 Hounslow
 TW5 9RT
 England

Use these Postcards for Fast Response

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. Circle the Numbers on Your Direct Link Card

Circle the numbers which are found on ads and articles in this issue or circle the product category number and receive information on all advertisers listed in that category.

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. Please Print.

Name _____

Title _____

Company _____

Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

A. What is your primary job function/principal area of responsibility? (Check one)

- 1 ☐ MIS/DIP
2 ☐ Programmer/Systems Analyst
3 ☐ Administration/Management
4 ☐ Sales/Marketing
5 ☐ Engineer/Scientist
6 ☐ Other

B. What is your level of management responsibility?

- 7 ☐ Senior-level 9 ☐ Professional
8 ☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply)

- 12 ☐ PC/MS-DOS 15 ☐ Unix
13 ☐ DOS + Windows 16 ☐ MacOS
14 ☐ OS/2 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25 20 ☐ 51-99
19 ☐ 26-50 21 ☐ 100 or more

March 1993

90 96 98

Product Category Information

Circle the numbers below for information on the entire category of products you're interested in.

- Hardware
Accessories/Supplies 1
Add-in Boards 2
Bar Coding 3
Communications/Networking 4
Computer Systems 5
Data Acquisition 6

- Disks & Optical Drives 7
Diskettes/Duplicators 8
Fax Boards/Machines 9
Graphics Tablets/Mice/ Pen Input 10
Keyboards 11
LAN Hardware 12
Laptops & Notebooks 13
Mail Order 14
Memory/Chips/Upgrades 15
Miscellaneous Hardware 16
Modems/Multiplexers 17
Monitors & Terminals 18

- Multimedia 19
Printers/Plotters 20
Programmable Hardware 21
Scanners/OCR/Digitizers 22
Tape Drives 23
UPS 24
Software
Business 25
CAD/CAM 26
Communications/Networking 27
Data Acquisition 28
Database 29

- Educational 30
Engineering/Scientific 31
Entertainment 32
Graphics 33
Macintosh 34
Mail Order 35
Mathematical/Statistical 36
Miscellaneous Software 37
On-Line Services 38
Operating Systems 39
Programming Languages/Tools 40
Security 41

- Shareware 42
Software Duplication 43
Spreadsheets 44
Unix 45
Utilities 46
Windows 47
Word Processing 48
General
Books/Publications 49
Recruitment 50
Miscellaneous 51

Inquiry Numbers 52-233

52	78	104	130	156	182	208
53	79	105	131	157	183	209
54	80	106	132	158	184	210
55	81	107	133	159	185	211
56	82	108	134	160	186	212
57	83	109	135	161	187	213
58	84	110	136	162	188	214
59	85	111	137	163	189	215
60	86	112	138	164	190	216
61	87	113	139	165	191	217
62	88	114	140	166	192	218
63	89	115	141	167	193	219
64	90	116	142	168	194	220
65	91	117	143	169	195	221
66	92	118	144	170	196	222
67	93	119	145	171	197	223
68	94	120	146	172	198	224
69	95	121	147	173	199	225
70	96	122	148	174	200	226
71	97	123	149	175	201	227
72	98	124	150	176	202	228
73	99	125	151	177	203	229
74	100	126	152	178	204	230
75	101	127	153	179	205	231
76	102	128	154	180	206	232
77	103	129	155	181	207	233

Inquiry Numbers 409-590

409	435	461	487	513	539	565
410	436	462	488	514	540	566
411	437	463	489	515	541	567
412	438	464	490	516	542	568
413	439	465	491	517	543	569
414	440	466	492	518	544	570
415	441	467	493	519	545	571
416	442	468	494	520	546	572
417	443	469	495	521	547	573
418	444	470	496	522	548	574
419	445	471	497	523	549	575
420	446	472	498	524	550	576
421	447	473	499	525	551	577
422	448	474	500	526	552	578
423	449	475	501	527	553	579
424	450	476	502	528	554	580
425	451	477	503	529	555	581
426	452	478	504	530	556	582
427	453	479	505	531	557	583
428	454	480	506	532	558	584
429	455	481	507	533	559	585
430	456	482	508	534	560	586
431	457	483	509	535	561	587
432	458	484	510	536	562	588
433	459	485	511	537	563	589
434	460	486	512	538	564	590

Inquiry Numbers 766-947

766	792	818	844	870	896	922
767	793	819	845	871	897	923
768	794	820	846	872	898	924
769	795	821	847	873	899	925
770	796	822	848	874	900	926
771	797	823	849	875	901	927
772	798	824	850	876	902	928
773	799	825	851	877	903	929
774	800	826	852	878	904	930
775	801	827	853	879	905	931
776	802	828	854	880	906	932
777	803	829	855	881	907	933
778	804	830	856	882	908	934
779	805	831	857	883	909	935
780	806	832	858	884	910	936
781	807	833	859	885	911	937
782	808	834	860	886	912	938
783	809	835	861	887	913	939
784	810	836	862	888	914	940
785	811	837	863	889	915	941
786	812	838	864	890	916	942
787	813	839	865	891	917	943
788	814	840	866	892	918	944
789	815	841	867	893	919	945
790	816	842	868	894	920	946
791	817	843	869	895	921	947

Inquiry Numbers 1123-1304

1123	1149	1175	1201	1227	1253	1279
1124	1150	1176	1202	1228	1254	1280
1125	1151	1177	1203	1229	1255	1281
1126	1152	1178	1204	1230	1256	1282
1127	1153	1179	1205	1231	1257	1283
1128	1154	1180	1206	1232	1258	1284
1129	1155	1181	1207	1233	1259	1285
1130	1156	1182	1208	1234	1260	1286
1131	1157	1183	1209	1235	1261	1287
1132	1158	1184	1210	1236	1262	1288
1133	1159	1185	1211	1237	1263	1289
1134	1160	1186	1212	1238	1264	1290
1135	1161	1187	1213	1239	1265	1291
1136	1162	1188	1214	1240	1266	1292
1137	1163	1189	1215	1241	1267	1293
1138	1164	1190	1216	1242	1268	1294
1139	1165	1191	1217	1243	1269	1295
1140	1166	1192	1218	1244	1270	1296
1141	1167	1193	1219	1245	1271	1297
1142	1168	1194	1220	1246	1272	1298
1143	1169	1195	1221	1247	1273	1299
1144	1170	1196	1222	1248	1274	1300
1145	1171	1197	1223	1249	1275	1301
1146	1172	1198	1224	1250	1276	1302
1147	1173	1199	1225	1251	1277	1303
1148	1174	1200	1226	1252	1278	1304

Inquiry Numbers 234-408

234	259	284	309	334	359	384
235	260	285	310	335	360	385
236	261	286	311	336	361	386
237	262	287	312	337	362	387
238	263	288	313	338	363	388
239	264	289	314	339	364	389
240	265	290	315	340	365	390
241	266	291	316	341	366	391
242	267	292	317	342	367	392
243	268	293	318	343	368	393
244	269	294	319	344	369	394
245	270	295	320	345	370	395
246	271	296	321	346	371	396
247	272	297	322	347	372	397
248	273	298	323	348	373	398
249	274	299	324	349	374	399
250	275	300	325	350	375	400
251	276	301	326	351	376	401
252	277	302	327	352	377	402
253	278	303	328	353	378	403
254	279	304	329	354	379	404
255	280	305	330	355	380	405
256	281	306	331	356	381	406
257	282	307	332	357	382	407
258	283	308	333	358	383	408

Inquiry Numbers 591-765

591	616	641	666	691	716	741
592	617	642	667	692	717	742
593	618	643	668	693	718	743
594	619	644	669	694	719	744
595	620	645	670	695	720	745
596	621	646	671	696	721	746
597	622	647	672	697	722	747
598	623	648	673	698	723	748
599	624	649	674	699	724	749
600	625	650	675	700	725	750
601	626	651	676	701	726	751
602	627	652	677	702	727	752
603	628	653	678	703	728	753
604	629	654	679	704	729	754
605	630	655	680	705	730	755
606	631	656	681	706	731	756
607	632	657	682	707	732	757
608	633	658	683	708	733	758
609	634	659	684	709	734	759
610	635	660	685	710	735	760
611	636	661	686	711	736	761
612	637	662	687	712	737	762
613	638	663	688	713	738	763
614	639	664	689	714	739	764
615	640	665	690	715	740	765

Inquiry Numbers 948-1122

948	974	998	1023	1048	1073	1098
949	974	999	1024	1049	1074	1099
950	975	1000	1025	1050	1075	1100
951	976	1001	1026	1051	1076	1101
952	977	1002	1027	1052	1077	1102
953	978	1003	1028	1053	1078	1103
954	979	1004	1029	1054	1079	1104
955	980	1005	1030	1055	1080	1105
956	981	1006	1031	1056	1081	1106
957	982	1007	1032	1057	1082	1107
958	983	1008	1033	1058	1083	1108
959	984	1009	1034	1059	1084	1109
960	985	1010	1035	1060	1085	1110
961	986	1011	1036	1061	1086	1111
962	987	1012	1037	1062	1087	1112
963	988	1013	1038	1063	1088	1113
964	989	1014	1039	1064	1089	1114
965	990	1015	1040	1065	1090	1115
966	991	1016	1041	1066	1091	1116
967	992	1017	1042	1067	1092	1117
968	993	1018	1043	1068	1093	1118
969	994	1019	1044	1069	1094	1119
970	995	1020	1045	1070	1095	1120
971	996	1021	1046	1071	1096	1121
972	997	1022	1047	1072	1097	1122

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. Circle the Numbers on Your Direct Link Card

Circle the numbers which are found on ads and articles in this issue or circle the product category number and receive information on all advertisers listed in that category.

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

BYTE
TNT MAILFAST
FRG/BOS/700252/MO1
P.O. Box 66
Hounslow
TW5 9RT
England

PLACE
POSTAGE
HERE



BYTE 

BETTER THAN BEING THERE

Desktop video teleconferencing could change how you do business

TOM YAGER

Companies labor under primitive notions when it comes to transacting business. Employees commute to and from offices, spend countless wasted hours on airplanes and in hotel rooms, and generally make bad use of time because people insist on doing business face-to-face.


Telephones help, and fax machines and modems help more, but these limited technologies support only one form of communication at a time. Business leaders are reluctant to buy into telecommuting because they understand that *true* communication hinges on the full range of human contact: expressions, sights, and sounds. Yet bringing people together for meetings is costly, both in time and money.

Big outfits like IBM and AT&T are applying technology to solving this problem. They're using expensive satellite-based video-teleconferencing systems to create "virtual meetings" with people in multiple locations. But those without massive resources are in a bind; even scaled-down video-teleconferencing systems cost tens of thousands of dollars. Perhaps more important, they don't offer a complete solution: You still have to go to the video-teleconferencing center.

Why can't video teleconferencing be something you do from your own desk, just like making a telephone call? That's the objective of many companies working on desktop video-teleconferencing solutions. The technology has a long way to go before it's practical, but today's solutions suggest plenty of reason for hope.

Say What You Will

Today's teleconferencing technology falls into one of three categories: voice or data



"WORLD'S SMALLEST COMPUTER" CREDIT CARD SIZE PC

Now embed a 14MHz DOS compatible PC board in places where you thought it was impossible. It is now simple and inexpensive to build a low power consumption

Palmtop, Data Collection Unit, Portable Communications Device, PDA, Pen based handheld unit, and more...



CAT-3000

- 8086/80186 CPU, Full 16-bit
- Runs at 14MHz
- Fully compatible with DOS 3.0+,
- 1MB RAM, 256K SRAM, 512K EPROM (Optional larger size DRAM, SRAM available)
- Socket for PCMCIA memory card CGA and LCD support
- Keyboard, serial port RS-232 or RS485 support
- Low power consumption
- Optional peripheral board for FDD, IDE, controller, parallel, mouse port, analog to digital converter, sophisticated control functions.

Call for sample unit and complete development kit pricing.

**Phone (800) 662-8904
Int'l 1-508-975-4392
Fax (508) 689-8351**

*Custom hardware
and software
designs available.*

DSP DESIGNS INTERNATIONAL
70 Flagship Drive, N. Andover, MA 01845

BETTER THAN BEING THERE

**Photo 1: The
PictureTel video-
teleconferencing
system.**
(Photo courtesy
of PictureTel)



only; voice and video; and voice, video, and data. Everyone is familiar with the first category; it has been around for years in the form of telephone conference calls—an uncontrolled exchange with notoriously poor quality.

Combining voice and video is advanced technically when compared to an ordinary telephone call. But most commercial video phones support only one video and audio connection (with a maximum of two participants). That's too limited for most business uses.

Once you add the ability to pass binary data with the voice and video, the possibilities are limited only by communications-channel bandwidth, data compression, and applications software (see "Hitting Warp Speed for LANs" on page 123). With the right application, you can start a meeting with a colleague in another office and, without making another call or breaking the conversation, send the colleague a document containing a color chart simply by dragging the document into the appropriate folder icon. In addition to that one-shot use of a data channel, you are able to have a constant binary data stream passing other information, such as the data streaming to and from sensory I/O devices (see the text box "Being Here and There" on page 132).

To enhance your productivity, a teleconferencing solution must at least provide the benefits available in an in-person meeting. You want to be able to distribute a written agenda or a proposal for consideration, scribble on an electronic whiteboard, or even pound on a virtual table to get attention. Without electronic equivalents for the things that happen in a face-to-face meeting, teleconferencing comes up short. But more than that, if a computer's going to be involved in the process, you expect it to let you do things *better* than you can in person.

Both Sides Now

Video teleconferencing is a new spin on an old idea. A dial-up computer service's chat mode is a bottom-rung, multiparticipant teleconference. Participants talk through keyboards instead of with their voices.

More serious versions of text teleconferencing are in widespread use. For example, the U.S. Army Missile Command at the Redstone military base in Alabama uses GroupSystems, a text-based teleconferencing system from Ventana (Tucson, AZ). This system links participants in graphically managed meetings. Files can be shared among participants, and the system's group-writing feature lets them mark up and comment on shared documents. Meetings can be for brainstorming, voting, and alternative evaluation, according to Danny Washington, one of the system's implementers. External participants can dial in and participate in meetings.

In general, Washington believes that electronic meetings are adequate replacements for in-person encounters and that they may be better than face-to-face meetings for large numbers of people. Washington's group plans to add video capability to its electronic-meeting system, but the text-based side will be maintained.

Others at Redstone use MediaMax from

Video Teleconferencing

- integrates data, voice, and video
- can be used by workgroups
- can reduce business travel expenses
- speeds decision making
- is migrating to the desktop

The Evolution of CAD

From the beginning of time, we have tried to express ourselves through graphics.

the beginning of time people had to use primitive design tools for creating any type of graphics.




In the 15th Century design tools were quill ink pens and crude styles of paper.



300 to 400% less \$ than AutoCAD!

Faster and easier to use than AutoCAD!

By the 18th Century we had advanced to the drafting table with T-squares, and the dreaded eraser.



In the 20th Century the first CAD programs were very slow and extremely difficult to use, not to mention the expense of buying them.



Now step into the 21st Century...

DesignCAD

NEW

Professional Version

PC MAGAZINE
EDITORS' CHOICE
October 17, 1991
DesignCAD 3-D, Ver. 3.0



PC MAGAZINE
EDITORS' CHOICE
December 11, 1990
DesignCAD 3-D, Ver. 3.1



DesignCAD Professional is the only complete CAD solution. It's **6** packages in one!

- **DesignCAD 2D** has all the tools and power necessary to produce professional architectural or mechanical blueprints. With DesignCAD 2D you will become extremely productive!
- **DesignCAD 3D** gives you the power to create and manipulate solid or wireframe objects with quick and easy commands. Render your designs with outstanding photorealistic color!
- **Video Training Tapes** for DesignCAD Professional, are produced in a state-of-the-art facility using award winning writers, and professional technicians. Using these video tapes will assure you of learning faster with higher retention, while becoming more productive!
- **SmartEST** quickly generates a spread sheet from your DesignCAD drawings so you may estimate cost, and do take-offs for accurate bidding.
- **Symbol Libraries** contain over 6700 pre-drawn Architectural and industry standard symbols. These alone will save you a tremendous amount of time and money!
- **ScanPRO** converts (Raster to Vector), scanned images into files that can be read by DesignCAD or most other CAD programs.

Circle 67 on Inquiry Card.

Call, fax or write for a **FREE** brochure & demo!



American
Small Business Computers

One American Way
Pryor, OK 74361

ph: (918) 825-4844 fax: (918) 825-6359

Being Here and There

DAVID H. MITCHELL

Tele-presence is like the old-time radio broadcasts in which actors re-created the actions of a distant event, except that with this technology you are a part of the action. With tele-presence, you can be in your office in San Francisco and with your colleagues in London at the same time.

Tele-presence uses virtual-reality technology to simulate objects, people, sounds, and worlds (see photo A). You are hooked to your computer through tactile-sensor-equipped gloves and head-mounted displays (see photo B). Your computer (an Amiga 4000 or a Sun Sparcstation 2 is muscular enough) brings to life events in a distant, virtual world using databases or real-time objects and sounds.

Modem-to-modem links or a packet network convey the distant event's essence to you. High-speed (i.e., 19,200 bps) modems are sufficient for two users. ISDN channels are recommended when large amounts of data must be moved quickly for true tele-presence. "With the proliferation of broadband ISDN, virtual worlds will be able to be shared over the phone lines," says Dave Blackburn, founder of The Virtual Reality Institute (Santa Monica, CA).

The output from the digital databases of real objects and sounds are sent to your head-mounted display, depicting scenes such as the one in photo A. Your senses are immersed in an illusionary, yet sensate, world.

These databases are key: They minimize the amount of information that has to be sent to you through your communications pipeline. "With a tele-presence database, you simulate virtual reality without having to pass horrendous amounts of data back and forth," explains Clint Woeltjen, a virtual-reality



Photos A and B: Photo A (above) is a virtual model of San Francisco. Photo B (right) shows a man wearing tele-presence equipment. (Photo courtesy of Sense8 Corp.)

researcher and developer.

Photo B shows a man wearing a head-mounted display and a tactile-sensor-equipped glove, with which he is reaching out to manipulate a remote object. The roller panels underneath his wheelchair measure direction and velocity, which are used to create a viewpoint in his virtual world. As the man moves, his viewpoint of the world he's seeing changes.

Today, this equipment is as rare as it is expensive. A typical setup like this requires remotely operable hands to manipulate objects, two-way microphones for conversations, and stereoscopic TV cameras so that you can see what's going on. Costs can start at more than \$100,000 per user.

In spite of the high costs, tele-presence's proponents are increasingly optimistic. Programs that let you design custom databases of real-world objects are already beginning to show up on the market. For example, the WorldToolKit from Sense8 (Sausalito, CA) gives you a set of C functions that you



use to build interactive, 3-D, real-time graphical simulations. WorldToolKit runs on IBM ATs, Sun Sparcstations, and Silicon Graphics Indigo computers. It costs \$3500.

Tele-presence is "going to be on-line by the end of 1993 in several large corporations," says Mike J. Donahue, president and CEO of Ono-Sendai (San Francisco, CA), a start-up company specializing in virtual-reality products. Industry insiders anticipate that the first generation of mass-market, affordable tele-presence gear will enter the market in 1994.

David H. Mitchell is president of the Diaspar Virtual Reality Network (Laguna Beach, CA), an on-line system devoted to providing an experimental platform for virtual-reality development.

VideoTelecom (Austin, TX) for video meetings. This conferencing system works with DOS-based PCs and ISDN connections to manage multiple-participant video teleconferencing. Tim Bell, a communications officer, finds that MediaMax is able to handle five or six participants simultaneously

before the group's size becomes unmanageable. Participants see color images of each other, accompanied by audio, and they can pass around data through the ISDN link. "The productivity gains are tremendous," says Bell. The video allows them to exchange graphical information

and to see facial expressions.

Redstone conference members have to trek to specially equipped video-teleconferencing rooms. There are no plans to equip every desk with video, but offices big enough for small meetings may be set up for video teleconferencing, says Bell.

BETTER THAN BEING THERE

Alison Raffalovich, marketing communications manager for VideoTelecom, credits her company with pioneering the type of video teleconferencing that is being adopted by emerging desktop products. The MediaMax system that is in use at Redstone operates over any digital link (telephone and satellite links are preferred) with a bandwidth of 56,000 bps or higher. MediaMax is not a desktop solution—at least not yet. Some VideoTelecom customers wire multiple rooms and cart the gear from one location to another, says Raffalovich.

With each site costing from \$35,000 to \$80,000 to equip, it's likely to be some time before MediaMax or something of its ilk lands on your desktop. But when video-digitizing and compression/decompression chips become less expensive, standards for passing large amounts of data through networks are solidified, and ISDN becomes more available, VideoTelecom's strategy should map well to a desktop or small-group environment.

To Your Desktop

The goal shared by those with a stake in video teleconferencing's success is to make a video call as simple to place as a telephone call while retaining all the benefits that high-speed digital channels offer. As with most things, there's more than one worthwhile approach.

PictureTel (Danvers, MA) is shunning the low end of the market, preferring instead to sell smaller systems that equal the quality of their conference-room gear (see photo 1). "People need systems that deliver good-quality video in a 5-inch window or a 27-inch boardroom monitor," says Ron Taylor, manager of media relations for PictureTel. The company's least expensive system costs about \$20,000 and requires an under-the-desk processor unit, but future plans call for personal computer board-based systems and stand-alone video-phones.

PictureTel's goal, according to Taylor, is to ensure complete cross-product compatibility. Video-teleconferencing systems "must have a certain level of quality and performance that makes them more than a toy," says Taylor. PictureTel will eventually compete in the low-end market, but for now it seems content to take the high road.

If Taylor's predictions are correct, PictureTel has plenty to look forward to. He estimates that the worldwide video-teleconferencing market will be worth about \$7 billion by 1997, with 30 percent to 40 percent of those dollars invested in desktop systems. Because desktop solutions cost less, the share of the market occupied by

desktop systems will be closer to 80 percent, says Taylor.

In the meantime, Northern Telecom (Research Triangle Park, NC) is exploring the market with its own full-featured, card-based desktop video-teleconferencing system. Best known as a supplier of corporate telephone equipment, Northern Telecom has long enabled companies to meld their data and voice networks. The advent of ISDN (and its counterparts, such as Switched 56) paved the way for Northern Telecom to extend its connection model to a dial-up video-teleconferencing system that it calls Visit.




With all its options, Visit equips a PC or a Mac to manage both video teleconferencing and ordinary voice telephone calls (with voice mail). After connecting with another Visit-equipped computer, Visit produces a resizable window displaying a gray-scale moving video of the person you're calling. You also see your own image, which lets you keep yourself properly framed. Both participants can bring up drawings and documents in a shared work space, and Visit has annotation tools for simultaneous markup and written comments. In addition, two-way file transfers are supported.

Visit dynamically manages the data channel. When nothing else is going on, the video and audio occupy the channel's full bandwidth, delivering 8 to 14 video frames per second, depending on the size of the viewing window and the transmission medium. Once you initiate a file transfer or do something in the shared work space, Visit multiplexes the channel, trimming the video frame rate and giving the freed bandwidth to the nonvideo activity. If you want faster file transfers, you can put your video window on hold—whatever you're not doing makes everything else go faster.

Visit works with a PBX, which solves one of video teleconferencing's dickest problems: how to get connections to multiple desks (see the figure). Rather than investing in ISDN or Switched 56 for every desk in the company, you have to buy only enough technology to support all simultaneous video users. Visit communicates with a PBX to allocate line resources and route them to the appropriate desk. It doesn't require a Northern Telecom PBX, but its capabilities are said to be enhanced by the pairing.

Jeff Benson, Northern Telecom's market development manager, says that Visit offers robustness, low cost, ease of use, and performance. The per-seat cost of \$3899 (this does not include the expense of the computer or the hardware for the telephone connection, which adds from

Just Add Code.



(800) 548-4778


Free, Unlimited Technical Support
30-Day Money-Back Guarantee
Same-Day Shipping

Lahey
Computer Systems, Inc.

Fortran is our forte

(702) 831-2500
Fax: (702) 831-8123
P.O. Box 6091
Incline Village NV 89450

A TYPICAL VIDEO-TELECONFERENCE SETUP



In video teleconferencing, your images are captured by computer-mounted cameras. Video processors digitize and compress images, which are transmitted over a network bidirectionally. Audio travels via telephone lines or through your network.

\$300 to \$1500) seems to bear out at least the low-cost portion of that claim.

Benson is not optimistic that Visit or something like it will run on an ordinary voice-grade telephone line. Although he allows that modem and compression technology might advance far enough to make it possible, "the real answer has more to do with market requirements than technology." Users, he says, expect a video-teleconferencing link to deliver good-quality video and snappy performance for data-sharing exercises. Thus, even though they cost more, digital-grade transmission lines will be the favored pipeline for systems like this.

No Longer on Hold

The future of video teleconferencing looks bright. The rush of interest in multimedia is driving the development of custom hardware and software to digitize and compress video signals. And video teleconferencing is helping to drive the proliferation of ISDN in the U.S. Assuming the future will offer accessible digital telephone connections and inexpensive video-processing hardware, how far can this technology take us?

Brett Boston, president of Group Solu-

tions (Atlanta, GA), a teleconferencing consulting firm, sees the limited implementation of ISDN as a barrier to widespread acceptance of teleconferencing, "but only in the U.S.—Europe is already there." Small private carriers are already building fiber loops through major U.S. cities. In addition, cellular communications will soon gain enough bandwidth for high-speed data transfer and possibly for low-speed video, he says.

Another impediment to the acceptance of teleconferencing is the lack of conference-capable environments and applications. Of the popular computer operating environments, only the X Window System is inherently able to provide the support for the networked user interface that teleconferencing and groupware require. "More vendors have to put better hooks in their software so stuff works together over a network link," says Boston.

Boston believes that Unix will win out because it already supports most of the cooperative attributes that other environments are struggling to acquire. A Unix application, whether text or graphical, can be run almost effortlessly through any kind of digital data link. It's a short hop from there to the connection of multiple

parties in a shared session.

But the biggest problem has nothing to do with technology. "People are just now learning to use voice and electronic mail," says Boston. "Groupware is damn scary for some because it is, by design, quick and completely democratic." That goes against the cultural philosophy of most managers, who are accustomed to central decision making and waiting for paperwork and travel arrangements.

On the other hand, success is often determined by the speed with which a company can make key decisions. Video teleconferencing has the power to reduce or eliminate paperwork delays and commuting and travel time and offers the potential of reducing operating costs by making an employee's work location irrelevant. "Within seven years," says Boston, "there won't be any companies with 3000-person staffs all in one place." ■

Tom Yager is a multimedia consultant and the author of The Multimedia Production Handbook for the PC, Macintosh and Amiga (Academic Press, forthcoming). You can contact him on BIX as "tyager" or on the Internet at tyager@bytepb.byte.com.

Get a hold of the best value in LAN power protection

Now just \$139!

suggested list price

Blackouts, brownouts, sags...
Your data and hardware are vulnerable to problems that surge suppressors and power directors are just not equipped to handle.

Now there's a complete Uninterruptible Power Supply solution to suit any budget. The Back-UPS™ 250 is reliable protection for LAN nodes, 386SX machines, 286, small PS/2 systems, and internetworking hardware such as routers, bridges, gateways and repeaters.

From the largest server to the smallest router, the Back-UPS Series will increase your productivity by providing a cost-effective solution to power problems. Call for your free power protection handbook.



The **Back-UPS 250** offers even more cost-effective protection for LAN nodes (typical runtime for a 386SX system is 10 minutes).

NEW!



■ **ABSOLUTE™** Protection guarantees repair or replacement of equipment (up to \$25,000) if damaged by a surge while protected by a properly installed Back-UPS (See warranty for details).

■ UL, CSA and Novell approved with a 2 year warranty

■ Full-time surge protection and line filtering

■ Most models include LAN interface for automatic-shutdown of Novell, LAN Manager, LAN Server, LANtastic, Banyan, SCO Unix, and others

■ Ask about PowerChute® UPS monitoring software and Novell compatible UPS monitoring boards

■ 230V models available



1991, 1990

The Back-UPS™
by American Power Conversion
(800)800-4APC, Dpt. A2

Model	Application	List	New List
Back-UPS 250	LAN nodes, 386SX, 286, internet hardware, POS	~~\$169~~	\$139
Back-UPS 400	Desktop 386, 486 systems, 286 servers	~~\$249~~	\$229
Back-UPS 450	Tower 386, 486 systems, servers	~~\$329~~	\$279
Back-UPS 600	Heavily configured systems, CAD/CAM workstations	~~\$449~~	\$399
Back-UPS 900	Multiple systems, longer runtime applications		\$599
Back-UPS 1250	Multiple systems, LAN hubs, small minis, telecom equipment		\$799

NEW!
NEW!

APC Europe TEL: (+33)1.64.62.59.00 FAX: (+33)1.60.17.80.29
Latin American TEL: (401)789-9771 Asia/Pacific FAX: (401)789-1631

©1992, Back-UPS, PowerChute, Guaranteed ABSOLUTE Protection are trademarks of APC. All other trademarks are property of their respective owners.

MIXED MESSAGING

Multiplatform internetwork mail links diverse network clients

**HOWARD EGLOWSTEIN
AND BEN SMITH**

working requirements in mind. Unix mail is a viable solution, but it's one that doesn't readily lend itself to extensive existing PC or Mac networks. For a look at the state of Unix E-mail, see the text box "The Unix Mail Story" on page 148. (Our cover story, "Smarter E-Mail Is Coming" on page 90, explores how E-mail can automate workflow.)

It's the third category, single-vendor mail systems, that we've focused on in this article. We've reviewed E-mail systems that are part of a family of products that promise a full solution to the complex problem of internetwork E-mail. In a shrinking world, where communicating with dissimilar systems at various sites is an everyday requirement, these systems look particularly attractive.

We've selected five E-mail systems that provide both multiplatform client support and a generous allotment of external gateways. Lotus Development's cc:Mail is a network-based system that relies on a shared-file network connection to share mail among Macs, PCs, and Unix systems. Da Vinci Systems' Da Vinci eMail provides client support for PCs and Macs through Novell's MHS (Message Handling Service). Microsoft Mail comes in two flavors, a Macintosh network version (which connects Macs and PCs through AppleTalk) and a PC network version (which connects similar clients through shared files). We tested the PC network version only. CE Software's QuickMail is an AppleShare-based mail system that supports Mac and PC clients. Finally, WordPerfect Office works through various networks and supports many different workstation platforms. The table presents details of client support and lists other features of each product.

Naturally, all these interconnections and all this rampant interoperability create a testing challenge. Our test setup included a battery of Macs and PC compatibles,

If you want to build a multiplatform internetwork mail system today, you have three basic choices. First, you can establish a Unix network and use standard Unix mail protocols. Second, you can mix and match client modules for each platform with vendor-supplied gateways and third-party mail routers. Or, third, you can set up an integrated mail system designed with multiplatform internetworking requirements in mind.



■ **WHAT MULTIPLATFORM E-MAIL IS**
Multiplatform E-mail systems offer support for clients on various operating systems and network platforms and provide extensive gateway links to other E-mail systems.

■ **LIKES**
Gateway connections to virtually every mail system; good user interfaces common among platforms.

■ **DISLIKES**
Client support is uneven on different platforms, and some client user interfaces are poor. Configuring and connecting mail systems is very complex.

■ **RECOMMENDATIONS**
For a wide range of client platforms and for connecting to the most diverse systems, cc:Mail excels. For Mac-specific applications, QuickMail is the best choice.

plus a few Unix workstations, all connected over a mixed Ethernet and LocalTalk network. Cayman Systems' GatorBox CS provided the connection between LocalTalk and Ethernet, and a NetWare 3.11 file server running NetWare NFS and NetWare for Macintosh provided a common shared-file system. For wide-area connections, we relied on three Hayes V-Series Ultra (9600-bps) modems.

Each E-mail system that we tested used these resources in a different way; we discuss the configurations in the individual product descriptions. We also describe what it's like to set up, administer, and use each E-mail package in a mixed-client, mixed E-mail configuration.

There's one piece of the internetwork E-mail puzzle that these systems, for all their flexibility, don't totally address—the issue of multiprotocol mail gateways and mail backbones. We get into that subject, with some hands-on experience with Retix Open Server 400, in the text box "Gateways and Backbones" on page 146.

Gateways are likely to become more important as more companies install E-mail systems. At the very least, having gateways in place can save you from having to dial into several commercial systems each day to pick up all your mail. And a fax gateway would allow anyone in your department to send and receive faxes from his or her desk.

continued

FEATURES SUMMARY: MULTIPLATFORM E-MAIL

Gateway support and user-interface features are the concerns we concentrated on during our review, but security and configuration issues are also critical. (● = yes; ○ = no.)

	cc:Mail	Da Vinci eMail 2.0	Microsoft Mail for PC Networks 3.0	QuickMail 2.5	Wordperfect Office 3.0
Configuration					
Workstation environments	Mac, DOS, Windows, Open Look, OS/2	Mac, DOS, Windows, OS/2	Mac, DOS, Windows	Mac, DOS	Mac, DOS, Windows, SunOS, SCO Unix, Interactive Unix, DEC VMS
Requires dedicated mail server	○	○	○	Mac only	● ¹
Conferencing	●	○	○	AppleTalk clients only	○
On-line conferencing	○	○	○	AppleTalk clients only	Mac networks only
Remote-user access	●	●	●	Mac or terminal	PCs only
Mail-center forwarding	●	●	●	●	●
Message creation					
Text editor	●	●	●	●	●
Graphics editor	●	○	○	○	○
Custom forms	Third party	○	○	●	Mac only
Voice mail	Third party	●	○	Mac only	Mac and Windows only
Attachments per message	20	Unlimited	Unlimited	16	100
Message priority levels	3	3	5	5	3 ²
Return receipts	●	●	●	●	●
Message receipt					
Audio alert	Mac, DOS, Unix	All clients	All clients	All clients	All clients
Pop-up	Mac, DOS, Unix	All clients	All clients	All clients (icon)	All clients
TSR/INIT size	32 KB (Mac), 17 KB (DOS)	4 KB (DOS)	42 KB (Mac), 12 KB (DOS)	96 KB (Mac), 9 KB (DOS)	7 KB (DOS), 76 KB (Mac)
View attachments	●	Launches application	Text only	○	Launches application
Administration					
Read any message	○	○	○	○	○
Delete any message	○	○	●	●	●
Purge old messages	●	○	●	●	○ ³
Message tracking	○	○	○	●	●
Security					
Message encryption	●	○	●	●	●
Administrator can access mail	○	●	○	●	○
External mail can be restricted	○	●	●	○	●
Gateways					
MHS	Optional	Native transport	Optional	Third party	Optional
X.400	Third party	Third party	Optional	Third party	Optional
Fax	Optional	Third party	Optional	Third party	Optional
SMTP	Optional	Third party	Optional	Third party	Optional
MCI Mail	Optional	Third party	Optional	Through script	Optional
EasyLink	Third party	Third party	○	○	Optional
AT&T Mail	Optional	Third party	○	Through script	○
CompuServe	○	Third party	○	Through script	○
SprintMail	Optional	Third party	○	Through script	○
DEC All-in-one	Third party	Third party	○	Third party	○
IBM PROFS	Optional	Third party	Optional	Third party	Optional
IBM DISOSS/SNADS	Optional/third party	Third party	Optional	Third party	Optional
Banyan Vines Mail	Third party	Third party	○	Third party	○
VMS Mail	Third party	Third party	○	Third party	○
User-definable	○	○	○	●	○
Others	X.25 networks, GE Quick-Comm, Wang VS, Lotus Notes, Voice/PBX, Telex		Microsoft Mail for AppleTalk	Microsoft Mail	OfficeVision/VM, Verimemo Memo
Price					
	Open Look, \$895 ⁴ Mac, Windows, OS/2, \$495 ⁴ DOS, \$295 ⁴ 10 users, \$345 25 users, \$845 100 users, \$3295 cc:Mail Remote for Mac or DOS, \$295 MCI Mail gateway, \$1295 cc:Mail Router, \$1295 SMTPLink, \$2995	DOS Starter (10 users), \$499 DOS/Windows Starter (10 users), \$799 5 users, \$249 30 users, \$1299 100 users, \$2999 1000 users, \$19,999 MacAccess (5 users), \$395	Microsoft Mail Server (10 users), \$695 5 users, \$395 20 users, \$1349 100 users, \$5500 500 users, \$22,500 (All clients included in server price)	1 user, \$199 5 users, \$399 10 users, \$599 50 users, \$2499 100 users, \$4699 1-user add-on, \$99	5 users, \$495

Notes:

¹ Dedicated server required if more than one post office.

² There are 27 priority levels for Mac clients.

³ Connection server queues only.

⁴ Prices are per post office.

SOME FEAR IT. ALL RESPECT IT.



WE BUILD IT.

HAMMERHEAD

THE PERFECT PRINTING MACHINE.

QMS has just released a serious predator into the sea of ordinary printers. The QMS® 860 Hammerhead printer is the first to feed on a Canon® LBP®- BX engine to give you true 600x600 dpi output in up to 11x17/A3 format. Its 25MHz RISC processor and optional EtherTalk®, NetWare®, or a host of other network support make it sleek, fast, and capable. It has everything you've asked for in a desktop printer— high resolution, PostScript™ Level 1 and 2 compatibility, HP PCL® and HP-GL® emulation, and up to 11x17/A3 output. It's fast, compact, compatible with all major platforms, and so affordable that it's causing a frenzy among the competition. The QMS 860 Hammerhead™ is the perfect printing machine. Get it. Call **800 841-0760** or **205 639-4400** for your nearest QMS dealer.

True 600x600 dpi • 11x17/A3 • \$4595*




* Suggested retail price, U.S.



QMS, the QMS logo, and Hammerhead are trademarks or registered trademarks of QMS, Inc. PostScript is a trademark of Adobe Systems Incorporated which may be registered in certain jurisdictions. All other product and company names are trademarks or registered trademarks of their respective companies.

Circle 98 on Inquiry Card (RESELLERS: 99).



Screen 1: *cc:Mail's DOS interface (left) is straightforward after a little practice. After you select a message from your in box, cc:Mail displays the message and presents you with the Action menu. From here you can reply to, delete, or file the message.*


cc:Mail

In the BYTE Lab's last review of E-mail systems ("Please, Mister Postman," March 1991), we found a lot to like in cc:Mail 3.15. We judge the latest cc:Mail, now under the auspices of Lotus Development, to be much improved. In addition to the DOS, Mac, and Unix clients, we also tested an alpha version of a client for the OS/2 Workplace Shell (see the text box "E-Mail from the Workplace Shell" on page 142).

The central cc:Mail engine remains unchanged. On either Mac or PC servers, cc:Mail uses a shared file area on your network for mail exchange, providing BBS and user-to-user communication. All network users access the same mail database, and cc:Mail relies on file locks to control the mail system. We tested cc:Mail in a NetWare environment to make Unix connectivity easier, but the system should work just as well with an AppleShare file server.

You buy cc:Mail in a "platform pack," which consists of an administration package, client software for any one platform, and the ability to create one user, the system administrator. To add more users to your mail system, you buy user packs that add another 10, 25, or 100 users. The administrator copies serialized data from the pack disks to expand the system's capabilities.

The administration utilities are much better than they were in the older version, and they're now available for either Mac or PC platforms. Most of the user interface (see screens 1, 2, and 3) is unchanged. The Mac interface has clear, easy-to-follow icons to lead you through creating and reading your mail. The DOS version mimics the Mac's functionality through a menu system. Once you've spent some time with the DOS interface, it's




Screen 2: *With cc:Mail for the Mac (left), clearly labeled icons are the norm. The second window shows the buttons used to prepare new messages. Even the user directory uses icons to show you the location of each user. The large mailboxes are local LAN users; the smaller ones are users at another post office. The blue postal drop box is another post office—in this case, an Internet mail gateway.*

perfectly usable—it's not a Mac, but not much can compare to a good Mac interface.

The Windows client software is brand new. While it has some attributes of the Mac version, there are a few important differences. Lotus's influence shows in the incorporation of SmartIcons in the Windows interface. "Smart" is something of a misnomer, though, because the icons themselves are small and obscure. The Mac interface has fewer icons and a word or two under each icon to describe its function. The Windows SmartIcons are simply clumped together in a single row, with no label, leaving you to guess what they might mean.

The system administrator manages a system directory, which is the complete list of all users and post offices available to system users. Users can be local (they have mailboxes on the LAN), remote (they have no mailboxes but call in using remote software), or remote via a post office (their mailboxes are not on this LAN but on another). The administrator adds users by name and assigns each a mailbox or a remote address.

Perhaps the most powerful feature of cc:Mail is its wide variety of external gateway support and the ease with which you local users can send external mail. The cc:Mail gateways are typically programs that run on dedicated PCs on your network. When you address mail to a gateway, the gateway machine picks it up, readdresses it, and sends it out via modem, network, or whatever mechanism is appropriate.



Screen 3: *The Windows user interface (above) has many features in common with the Mac screen, but it suffers from extensive reliance on obscure icons.*

For example, cc:Mail's SMTPLink gateway provides transparent two-way access to the worldwide Internet mail system. In the cc:Mail directory, the gateway appears as the post office "SMTPLink." Suppose that your site and ours are both equipped with cc:Mail and an SMTP gateway but don't have a direct cc:Mail connection. If you wanted to send mail to us at BYTE, you'd simply select the SMTP post office and, when prompted, enter the address as letters@bytepb.byte.com. The SMTP gateway sees the message, retrieves it from the network, and forwards it to the local mail relay (you need an existing Internet mail link to use the gateway). The Internet brings the mail to our link, bytepb.

The bytepb link sees the message and forwards it to our SMTP gateway via TCP/IP. Our gateway sees the incoming message, recognizes the addressee as a cc:Mail user, and places the message in our cc:Mail mailbox. A similar mechanism provides for dial-up cc:Mail-to-cc:Mail post office communication, communication between



A chain is as strong as its weakest link.

Picture your Hardlock™ key as a bike lock, and the accompanying software routines used to implement the copy protection as the chain. You can own the best lock that money can buy, but that lock is useless if the chain is weak.

Introducing **HL-Crypt**, a major breakthrough in copy protection. HL-Crypt is not just a shell or simple conditional response checker. Using our proprietary Patcher Technology, HL-Crypt encrypts and binds the application to your Hardlock™ device. HL-Crypt features many protection modules that secure the application against piracy, reverse engineering, and debugging, to name a few.

Picture HL-Crypt as an ironclad chain. The only ironclad chain in the industry today. For more information, call

1-800-562-2543

HL-Crypt

**The Fortified Protection Linker
for Hardlock**

GLENCO 
ENGINEERING INC.

SERVING THE SOFTWARE INDUSTRY SINCE 1979

270 Lexington Drive
Buffalo Grove, IL 60089-6930
Phone 708/808-0300
Fax 708/808-0313



SHOWN ACTUAL SIZE

The only product that combines fortified software encryption with the Hardlock™ family of copy protection devices for single user and network implementation. Made in the USA.

For a distributor in Europe contact Fast Electronic GmbH, Tel: 49-89-539-800-20 Fax: 49-89-539-800-40
In Korea contact Finecom Tel: 82-2-490-5911 Fax: 82-2-605-5729
In Brazil contact HTMACH Tel: 21-257-0914 Fax: 21-235-6808
In Chile contact Datasoft S.A. Tel: 562-246-7448 Fax: 562-208-0591
In Peru contact Y.C.H.I. Tel: 51-14-440537 Fax: 51-14-475984
In Uruguay contact Softec Tel: 90-60-10-92-30-08 Fax: 0598-2-92-16-18

E-Mail from the Workplace Shell

JON UDELL

Testing cc:Mail in the BYTE Lab gave us the opportunity to explore an alpha version of cc:Mail's OS/2 2.0 client (see screen A). We ran the client on an IBM PS/2 Model 90 running OS/2 2.0, which was connected to our NetWare host via the NetWare requester for OS/2 and an SMC (Standard Microsystems Corp.) EtherCard Plus Elite/A Ethernet adapter. We found that cc:Mail for the OS/2 Workplace Shell (the client's official name) lives up to its lengthy title—it is one of the first applications we've seen that truly exploits the WPS (Workplace Shell).

Because the cc:Mail folder is a standard WPS folder, you can use the normal Control-Shift-drag procedure to "shadow" the objects it contains (i.e., an in box, public and private mailing lists, a folder list, and a message template) to the desktop for quick access. But just dragging these objects to the desktop, without the Control-Shift modifier, achieves the same result, because objects in the cc:Mail folder exhibit shadowing as their default drag behavior. This is just one example of the useful customization available through the WPS API. If you check the cc:Mail folder's "work area" option (another standard feature of WPS folders), the shell will retain the state of your cc:Mail objects and restore them—opening and placing windows as needed—when you reopen the folder.

As with the Windows cc:Mail client,



Screen A: cc:Mail provides excellent WPS integration, including "mail-enabling" of the desktop.

each of the cc:Mail folder's child windows presents a row of SmartIcons that make nearly every function locally available. However, right-clickable context menus localize control even further. In Windows you create a new folder by way of the MDI (Multiple Document Interface) parent's File/Create Folder menu option. Under OS/2, the folder list floats free of a containing MDI parent; you create a new folder by right-clicking and choosing Create Another. You can also reorder any of the list-style displays (messages, folders, addresses) by clicking at the top of the column that you want to be the primary key.

Drag-and-drop behaviors abound in the OS/2 cc:Mail client. To add a user to a private mailing list, you drag an entry from the address book and drop it onto the list. To move a message from

the in box to a folder, or between folders, you drag and drop. This internal drag-and-drop capability resembles that of the cc:Mail Windows client. But the OS/2 client goes further: There are various drag-and-drop operations that extend past the boundaries of the cc:Mail folder and the objects it owns. To mail someone a file, you can drag a file icon from a folder and drop it on a message template. (The Windows version can in principle accept drops from File Manager, but currently it does not.) Or you can drag individual messages to the desktop or to other WPS fold-

ers, where they can freely intermingle with data objects that represent ordinary files.

You can also drag a cc:Mail message template from the Templates folder. The resulting customizable object acts as a new kind of private mailing list that can contain boilerplate text and attachments and can accept dropped files. Moreover, cc:Mail makes the entire WPS mail-aware: Every file object's context menu offers a "cc:Mail It!" option that invokes a message template containing that file as an attachment. It's a pleasure to see the WPS's rich programming model exploited to such good effect.

Jon Udell is a BYTE senior technical editor at large. You can reach him on BIX as "judell" or on the Internet at judell@byteph.byte.com.

cc:Mail and MCI Mail, or communication between cc:Mail and a long list of supported systems.

When you travel away from the office, you'll want a copy of cc:Mail Remote for either DOS or the Mac. It has essentially the same interface as the local version, but it allows you only to read new messages.

You can't access the BBSes or stay on-line while you write your replies. When you make a connection, Remote snags your new messages and sends out any you've written; you read your mail offline and post your reply to your portable's hard drive.


Sending a reply to a new cc:Mail mes-

sage requires two connections: one to receive the message and one to send back the reply. Although this might be the most cost-effective way to handle remote mail, it would be handy if cc:Mail allowed you to stay on-line and respond. That way, you could avoid having to establish two connections.


continued

How to provide dial-in, dial-out access for every user on your LAN

The \$10,000 way



The \$350 way



CO/Session™ ACS modem sharing software. The only communication software a LAN needs.

Data exchange from one location to another is a vital part of daily business operation. Until now, you had to buy thousands of dollars worth of modems, phone lines and software to provide the necessary communication access to LAN users. Not anymore! CO/Session ACS lets all network users share from one to twenty modems on your LAN with full communication capabilities — all for as little as \$350.

Remotely dial into any PC on the LAN through shared modems

CO/Session ACS' easy-to-use selection menu lists all available PCs on the LAN. Simply dial in with CO/Session remote control software and select the network PC you want to control — even PCs without attached modems. You can run that PC as if you were sitting at its keyboard — to access the company database, transfer files, or check E-mail. CO/Session is PC Magazine Editors' Choice, so you'll be assured the fastest, most reliable remote access for both DOS and Windows.

Use shared modems to dial out from your network PC

Use CO/Session ACS to connect to bulletin boards, online services or other PCs. Or, use any communication software that supports Interrupt 14 including PROCOMM™ and Crosstalk®.

The Best Value

Unlike other solutions, there's no need to dedicate a PC for sharing modems. Requiring fewer modems, phone lines and software, CO/Session ACS handles all your network communication needs and will save you thousands of dollars!

For more information on
CO/Session ACS call toll free:

800-322-9440



TRITON TECHNOLOGIES, INC.

200 Middlesex Turnpike, Iselin, NJ 08830
908-855-9440 / Fax: 908-855-9608




Da Vinci eMail 2.0

Da Vinci eMail relies on NetWare MHS as its mail carrier, so it's inherently a PC-centric mail package (see screen 4). However, Da Vinci provides support for Macintosh clients through Da Vinci MacAccess (see screen 5), a Mac MHS client.

Relying on a specific network configuration limits the applicability of the system, but it also greatly simplifies its installation and maintenance. Exploiting MHS also gives you the advantage of not requiring a dedicated mail server. Of course, as with all the DOS E-mail systems, you will need separate computers for each gateway.

Da Vinci eMail's Windows user interface is very good. It includes all the standard tools for composing messages, selecting addresses, searching the mailbox

Screens 4 and 5: *Da Vinci eMail provides an excellent Windows user interface (left). It includes tools for composing messages, selecting addresses, and other common functions. Da Vinci MacAccess (below) provides Mac clients with access to MHS-based Da Vinci eMail.*



or folders for messages, and building personal mailing lists. You can include enclosures with your messages; Da Vinci gives you a long list of predefined scripts for launching applications associated with enclosures. If your Windows system can record voice messages, you can easily attach voice components (i.e., .WAV files) to your E-mail messages. Da Vinci for Win-


dows can also send strings and Clipboard contents as E-mail messages through DDE. There are two E-mail DDE request commands: one that finds the current user name, and one that brings up the address list.

The Windows client also includes predefined forms (e.g., While You Were Out slips). These forms make an excellent addition to standard mail. Unfortunately, there are two critical drawbacks: First, you can share forms only among Windows clients (DOS and Mac clients see only the text), and second, you can't define your own forms.

When you send a message, you can request a return receipt (Da Vinci calls this "Certified Mail"). This forces the recipient's E-mail post office to send you a message when the addressee reads the message or deletes it without reading it.

Under DOS or Windows, Da Vinci eMail notifies you of incoming messages through a separate application that periodically checks your mailbox for new mail. Da Vinci MacAccess clients get notification only when they make connection.

Da Vinci eMail has long excelled in ease of use for both users and administrators. Mail gateway support is outstanding; MHS-based, Da Vinci eMail offers easy access to other mail systems through a long list of third-party MHS gateways.



Screens 6 and 7: *Microsoft Mail provides a good measure of user control over outgoing mail. When you mail from one post office to another, the gateway will notify you if your mail isn't delivered in a timely fashion. Both DOS (above) and Mac (right) mail clients are simple and easy to use. The Windows client provides similar functions.*


Microsoft Mail for PC Networks 3.0

When we last looked at Microsoft Mail (March 1991), there was only a Mac network version. The Mac version uses a dedicated Macintosh on your AppleShare network to store all the mail. To use a PC client, you have to in-

stall an AppleTalk board in the PC.

The Mac version (Microsoft Mail for Macintosh Networks) is still out there, but this time we reviewed the PC Network version. The primary difference between the two is that in the PC Network version the shared files reside on a file server, not a dedicated machine. The user interface and gateway issues are essentially the same.

Version 3.0 has an improved interface (see screens 6 and 7). The main window gives you clearly labeled icons for the functions you will use most often. We will not go into elaborate detail, as the interface items are mostly self-explanatory. What we found most useful is the rich variety of administration tools. Of the five E-mail systems in this review, Microsoft Mail gives the



WEIGH THE OPTIONS

**New Plus Series
with 19.2Kbps &
Voice Capability
starting at \$649**

ZyXEL U-1496E
V.32b/42b/FAX

14.4 Kbps - V.32bis + V.42bis High Speed Modem/Fax

Model	Price	Fast Renegotiation Online Fall Back/Forward	Remote Configuration	Call Back Security With Password Protection	FAX V.17 14.4 Kbps S/R	Caller ID	Distinctive Ring
Digicom 9624LE+	\$695	NO	NO	NO	NO	NO	NO
Practical 14.4 SA	\$549	YES	NO	NO	NO	NO	NO
Microcom QX/4232bis	\$899	YES	YES	NO	NO	NO	NO
Hayes Ultra 14.4	\$999	YES	NO	NO	NO	NO	NO
U.S. Robotics Courier V.32bis	\$995	YES	YES	NO	NO	NO	NO
Telebit T3000	\$949	YES	YES	YES	NO	NO	NO
Multimodem MT1432BA	\$899	YES	YES	YES	NO	NO	NO
ZyXEL U-1496E	\$469	YES	YES	YES	YES	YES	YES

14.4Kbps-V.32bis/V.32 + V.42bis/MNP[®] 5, V.42/MNP[®] 4,3

ONLY!
\$469
Also Available:
PC Plug-In Card
U-1496 B \$449

The features you want in a High Speed-14.4Kbps Modem/Fax. At nearly half the Price!

ZyXEL's U-1496E offers all the standard features available in a 14.4Kbps- V.32bis+V.42bis modem/fax with DTE speeds up to 57.6Kbps. But you'll also find features you'd expect in only the "top-of-the-line" modems. So why pay more for the features you want, when you can get the best value from ZyXEL for less?

Caller ID/Distinctive Ring

Displays the caller's phone number, time and date stamp directly on your screen, and responds to the distinctive rings for incoming fax or modem calls.

Enhanced FAX

14.4Kbps G3 fax with automatic detection of fax or modem calls. Automatically receives, stores and/or prints faxes with our FREE ZFAX software.

Automatic Fast Rate Renegotiation

Online automatic speed fall-back/fall-forward allows the highest throughput achievable during poor line conditions.

Multi-Level Security

Security password protection and automatic call-back features are designed so only authorized callers can access your system.

Nonvolatile Memory Storage

Store up to 4 user configuration profiles in NVRAM, plus up to 10 user phone numbers and their associated passwords.

Software/System Compatible

Supports V.25bis autodial and enhanced AT Command Set, ensuring compatibility with popular communications/fax software. Available with MAC[™], Windows[™] and DOS fax software packages.

Guarantees

We offer a Full 5 year Parts and Labor Warranty, a 30 day money back guarantee and full BBS technical support line.

Once you've weighed the options, you'll agree: ZyXel's U-1496E offers the best value for less than any other modem/fax in its class. So, don't hesitate. **Call Today.**

ZyXEL USA
(800) 255-4101
Reseller discounts available

TEL (714) 693-0808
FAX (714) 693-0705
BBS/Tech.Support
(714) 693-0762



Editor's Choice: ZyXEL U-1496E
German Edition, 4/92

ZyXEL USA, 4920 E. LaPalma Ave., Anaheim, CA 92807
All brand names and trademarks are the property of their respective owners.
Comparison chart was completed in May, 1992.

Circle 178 on Inquiry Card (RESELLERS: 179).

Gateways and Backbones

When all your E-mail communication is local, life is simple. You can easily build a robust and secure mail system with any of the packages we've reviewed here. But this simple case is also a trivial one—it's not until your E-mail system can reach out and talk to the rest of the world that you can take full advantage of it.

Reaching out to other sites and other organizations often involves communicating between different E-mail systems, for which you need gateways. All the E-mail systems that we reviewed for this article have gateways to other E-mail systems, at least as options. Besides these, there are also third-


party gateways: For example, Computer Mail Services (Southfield, MI) markets M-Bridge (an SMTP-to-MCI Mail gateway) and S-Bridge (an MHS [Message Handling Service]-to-SMTP gateway).

The two most common gateways are to SMTP, the Unix/Internet E-mail protocol, and to X.400, the CCITT-standard E-mail protocol (see "X.400: Standardizing E-Mail" in the December 1990 BYTE). SMTP is important because it is the protocol of the Internet—some 10 million to 15 million mail users. X.400 is important because it is the behemoth of E-mail addressing protocols and a common superset between disparate mail systems. SMTP and

X.400 are the protocols that come closest to establishing a common "language" for E-mail systems.

The basic role of an E-mail gateway is to translate address headers between two different mail systems, leaving messages intact. If you have five different E-mail systems and no common denominator among them, you need 10 different gateways, one for each pair. If one of the E-mail systems changes, you must modify four of the 10 gateways. From the perspective of software installation and maintenance alone, this is obviously a nightmare.

An E-mail backbone can help to alleviate this problem. A backbone is a single-protocol connection among dif-



BYTE's network topology, which we used for testing Retix Open Server 400.

UPGRADE TO v6.5
\$19.95 — 1-800-344-4323

Hard Drive Installation and Diagnostics



Made Easy.

Now, adding a hard drive to your system is as easy as typing "install." There's no need to know DOS or complicated commands. SpeedStor automatically performs all of the operations to make your drive "data ready." And to keep your drive "data safe," SpeedStor contains critical diagnostics not found in DOS — diagnostics that safeguard your valuable data and ensure your hard drive is trouble free.

Available at Best Buy, Egghead Software, Computer City Supercenter, CompUSA, Elek-Tek and Software Etc. Order today, call 1-800-344-4323.

 **STORAGE DIMENSIONS**

SpeedStor
Storage Installation And Diagnostic Software

SpeedStor is a registered trademark of Storage Dimensions.
©1992 Storage Dimensions

MARCH 1993 • BYTE 147

ferent systems. Each system has a gateway to the common backbone protocol. An X.400 mail server, such as Retix's Open Server 400 (see below), serves this purpose well. X.400 mail servers also have an advantage in being well suited for X.25 wide-area links.

Of course, there are other mail-routing systems, based on proprietary backbone protocols. The most famous of these is a mail-switch system from Soft-Switch (Wayne, PA) that runs on IBM mainframes and the Data General Aviiion.

Even though a backbone system may simplify the overall administration of multiprotocol E-mail networks, it is never a trivial task to set one up. E-mail networks of this complexity are much more complicated than a single homogeneous LAN-based system. If it is at all possible, getting everyone to use the same protocol will probably result in the easiest design, both for installation and maintenance.

Running Retix Open Server 400

To better understand the complexities and requirements of installing a mail backbone, we evaluated Retix's Open Server 400 with gateways to WordPerfect Office, cc:Mail, SMTP, and MHS. We weren't able to get our installation fully operational in the week or so we spent on the project; the major hurdle was understanding X.400 requirements and nomenclature.

Retix requires a "hub-and-spoke" network topology. The Retix server system communicates via X.400 links with each gateway (see the figure). In addition to serving as the local hub, the Retix server is responsible for internetwork mail connections. You need a Retix server system at each non-X.400 site.

We installed Retix Open Server, a software-only product, on an Advanced Logic Research Powerpro running DOS. This was far more machine than was needed for the task.

The MHS gateway ran on the same machine as the MHS server. We installed the cc:Mail gateway on a ded-

icated low-end PC. The SMTP gateway to X.400 (a Retix product) ran on an SCO Unix system also tied to the Internet. The WordPerfect Office X.400 gateway for Retix Open Server (a product from WordPerfect) required a high-end dedicated PC. However, you can run other WordPerfect gateways on this system.

Installing the Retix server and gateways was easy, at least within the context of configuring the X.400 system. The entire configuration process was very difficult. If you are inexperienced with X.400, count on spending several days studying the concepts and grappling with acronyms before getting under way.

Retix simplifies the task with excellent help screens for every field of every form in its Windows-based configuration utilities. But the help windows are not enough to teach the concepts; Retix's manuals fill this role. In fact, despite the complexity of X.400, a novice network or mail administrator can expect to grasp all the crucial concepts from Retix's manuals alone.

Each Retix gateway performs the same function: mapping the addresses of its mail system to X.400. For users, the entire universe of mail connected to the Retix server appears to fit within the addressing scheme of the host E-mail system, and users can connect to local and remote mail systems using familiar methods.

The user benefit of not having to deal with an address of unknown syntax is nothing to be sniffed at, particularly with X.400 addresses, usually something like G=ben;S=smith;P=byte;A=telemail;C=us. Contrast that with the comparable Internet-domain mail address ben@bytepb.byte.com, which can even be shortened to ben@byte.com.

But the most obvious benefit is for the network mail administrator. With Open Server, you can connect far-flung sites together through any of a multitude of commercial or private transport services. Open Server also simplifies a heterogeneous set of mail systems.

The Unix Mail Story

You may have noticed that the E-mail systems we reviewed for this Solutions Focus are either PC- or Mac-based systems. Where then, you might ask, are the Unix E-mail systems? The answer is: where they have always been—bundled with the operating system.

There are commercial third-party E-mail systems for Unix, but the most common type of Unix E-mail product is merely an enhanced E-mail user agent, the front-end mail component used for sending and reading mail. The underlying routing and transport parts of the system remain untouched. Even the most elaborate Unix user agents (e.g., Next Computer's E-mail, Asterix's E-mail, Z-Code Software's Z-Mail, and Alfalfa Software's Poste) use standard SMTP transports.

E-mail is such an integral part of the Unix world that well-established standards are more easily accepted. This isn't to say that routing and transport components can't be improved on or enhanced. The most commonly distributed routing component for Unix, Sendmail, is an obnoxious kludge. To understand and respect Sendmail, you have to appreciate that significant parts of Unix have grown through accretion of academic endeavors rather than purposeful commercial design.

Sendmail was developed as an experimental project that was distributed and accepted because it fulfilled a need. Understanding and modifying Sendmail's addressing and routing rules is more akin to playing Adventure than to building a structured rule table.

On the other hand, MMDF (the router distributed with SCO Unix) is a very flexible and well-organized system that offers better security and organization than Sendmail. What

MMDF lacks is the simplicity of adding connections that Sendmail (and its little brother, Smail) offers. With MMDF, you have to edit and rebuild tables every time you add a new connection. With Sendmail and Smail, you just add the new sites to standard tables.

It's only when you add a new *kind* of connection to Sendmail that you end up getting lost in its twisty little passages, all alike. And it's with this aspect of E-mail—communication in a heterogeneous E-mail world—that Unix mail systems have the most difficulty.

Unix E-Mail Transport

The most common transport mechanism is a temporary asynchronous communication link established through UUCP. This mechanism is the most consistent with the "store-and-forward" model of E-mail. Messages bounce from machine to machine as systems establish connections. The second most common transport mechanism is via an IP network connection using SMTP.

The use of UUCP and SMTP for E-mail is governed by RFC 822, a message-format specification. RFC 822 indicates that the message header and body can consist only of 7-bit ASCII characters. But next to PC-based E-mail systems that allow binary enclosures, Unix mail systems that adhere to RFC 822 seem dated. Users want to send sound and video clips, as well as spreadsheet, word processor, and desktop publishing files. To stay within RFC 822 guidelines, any binary files must first be converted to a 7-bit printable character equivalent. Once a message is received, it must be converted back (traditionally by the programs `uuencode` and `uudecode`). Most E-mail user agents that provide for binary enclosures automate this process.

The other Unix approach is not to send the binary file at all, but just a file that notes where the binary file is located and appropriate methods for retrieving it from the sender's computer. This is the approach that is taken by MIME (Multipurpose Internet Mail Extensions), an emerging standard for attaching enclosures.

One great advantage to MIME is that no files are sent until the recipient explicitly requests them. Since these files can be very large, there is a substantial saving of resources when the attachment isn't retrieved. The other advantages are that existing routing and transport mechanisms need not be changed. Only the user agents have to deal with the details. Older user-agent programs can still be used: If you receive a MIME message with a non-MIME-enhanced user agent, you can retrieve the attachment manually by using the human-readable instructions that are part of the MIME message body.

Internet and OSI

If the Internet can make up for its only real E-mail weakness (binary attachments) with MIME, does it need the complexity of X.400 messaging? This is a hotly debated question. After all, the Internet is the great mother of all electronic-message backbones.

But it is the success and growth of the Internet that makes it look to OSI (Open Systems Interconnection) standards. The Internet addressing scheme is too limited; the Internet is running out of addresses. As long as users are protected from the complexity of X.400 addressing, there is no reason not to implement X.400 gateways on all Internet systems. With X.400 addressing and MIME, Unix E-mail will be as flexible as the rest of the E-mail world.

system administrator the most control over user access.

As an administrator, you assign rights to users as you create them. Some users in your organization may not need to create mail, only receive it, or vice versa. Or you may decide to restrict Urgent mail priority to senior management or to keep some

staff from sending mail externally. No other package we reviewed gives you this level of control.

Also new in this version is an automatic directory update feature. On a set schedule, Microsoft Mail can automatically exchange user directories with other post offices. This can come in handy if you're

working with people who are on the move (e.g., senior engineers who might spend a few weeks at each of your R&D centers). You don't have to burden your mail administrator with making all the address changes. In cc:Mail, the only other package with this feature, it comes as an extra-cost option.

continued

Up to Date. Down to Earth.



UNIX is changing the world of computers, the world of business – quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.


That's why you need *UNIXWORLD* – the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the biggest high-tech companies. Easy-to-understand programming tips and tutorials that can

help your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

UNIXWORLD's in-depth features go beyond dry technical facts to show how the pieces fit together – to tell you what's important about the advances and strategies that are changing your world. And *UNIXWORLD* consistently offers the freshest, most down-to-earth writing that you'll find in any computer publication.

Subscribe today and receive the next 12 issues of *UNIXWORLD* for just \$51.00—including air delivery. Save money by

ordering for two or three years. You can't lose—every subscription to *UNIXWORLD* comes with a no-risk guarantee*.



If you're into UNIX, you need

UNIXWORLD

McGraw-Hill's Magazine of OPEN SYSTEMS COMPUTING

*UNIXWORLD's no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription. UNIX is a registered trademark of UNIX System Laboratories, Inc.

THIS IS YOUR DRIVE



THIS IS YOUR DRIVE ON winSTORE™



ANY QUESTIONS?



It doubles your performance.
It doubles your disk capacity.
It's fast and easy to install.
It's priced right.

It's winSTORE™, created for the Windows™ user. The first product of its kind, winSTORE combines two award-winning technologies: high-speed disk control from Perceptive Solutions and advanced Stacker™ data compression from Stac, in a plug-and-play solution.

It's winSTORE—think of it as overdrive for Windows!


Perceptive Solutions, Inc.
800-486-FAST

Main: 214-954-1774 · FAX: 214-953-1774

©1992 by Perceptive Solutions, Inc. winSTORE and the Perceptive Solutions logo are trademarks of Perceptive Solutions, Inc. Windows is a trademark of Microsoft Corp. Stacker is a trademark and Stac is a registered trademark of Stac Electronics, Inc.

Circle 125 on Inquiry Card

MULTIPLATFORM E-MAIL




QuickMail 2.5

If E-mail can be called fun, CE Software's QuickMail (see screens 8 and 9), a Mac-based mail system, neatly fits the description. Macintosh clients use AppleTalk protocols to communicate directly with the dedicated Mac mail server. The mail server stores messages; it's also where you install gateway software and physical connections to other networks.

If you need PC clients, you can add them to the AppleTalk network with a LocalTalk card or create a separate post office (a "mail center") to handle the PC side of the network. With mail centers, DOS clients access a shared file area on a server that's accessible to the Mac mail server (in our test environment, a NetWare server running NetWare for Macintosh). The DOS mail center acts as a gateway between the shared file area and the Mac-based mail server. You end up with two separate mail systems, which means that your messages may be delayed crossing platforms.

More important, the two mail centers maintain their own separate user lists. If you set up Bill as a user on the Mac mail center and Ted as a user on the DOS mail center, Bill can't read his mail from a DOS client and Ted can't read his from a Mac.

By running the Mac clients over AppleTalk, QuickMail can take advantage of the direct user-to-user link and provide real-time conferencing. From your Mac, you can get a list of other active Mac QuickMail users on your LAN. Select from the list, and you're in a Quick-Conference, where everything you type appears immediately on the other users' screens. It's not a replacement for a face-to-face meeting, but it's better than



Screens 8 and 9: QuickMail for the Mac (left) and for DOS (below) use a similar command structure. The Mac version provides labeled icon push buttons, while the DOS version uses a character-based interface. The DOS functions appear in roughly the same place on the screen. Both versions can share forms that you create with the Mac-based forms editor.

waiting for an E-mail reply, and it sure beats walking across the building to find somebody. Unfortunately, (file-based) PC clients are reduced to second-class citizenship, as QuickConferences work only on Macs.

For remote access, QM Remote gives Mac users the same mailbox access they enjoy from the LAN. You can read any message and reply to it while still on-line. CE Software doesn't offer a DOS version of its remote package but goes one better by providing character terminal access. If you dial into the server via generic communications software, you get a simplified ASCII interface. Any remote user with an ID and a password can send and receive mail without special software.


As with Microsoft Mail, QuickMail's gateways give you good control over external mail. The mail server can display a list of messages in the send queue and give you the choice of canceling any message or returning it to the sender. We also liked QuickMail's catchall gateway, QM-

Script, which allows you to define a script to parse your way through any mail system with an ASCII interface.

We have used QM-Script as a gateway to handle BIX mail, and we also spent a few days trying to get it to handle our Opus BBS system. The prompts from an Opus BBS are pretty typical



Create an Enterprise-Wide Mail Network with OpenServer 400™ from Retix.



**NOW WITH
DIRECTORY
SYNCHRONIZATION
AND REMOTE
MANAGEMENT**



TIE YOUR PC LAN APPLICATIONS TO ALL-IN-1 AND VMS MAIL VIA X.400

OpenServer 400 ties all of your e-mail systems together. Users see one integrated mail system with the added benefit of convenient, enterprise-wide connectivity.

There's no need for users to leave their favorite mail program. No need to replace existing equipment. No need to limit the possibilities of their current e-mail system.

OpenServer 400 works in conjunction with e-mail gateways, operating behind the scenes to automatically translate and transfer information using standard X.400 format.

With OpenServer 400, your LAN-based e-mail users can instantly communicate with ALL-IN-1 and VMS Mail

users, as well as users of other main-frame and minicomputer mail systems like IBM's PROFS. Connecting to public mail networks like CompuServe and MCI Mail is just as easy.

OpenServer 400 uses the power of X.400 to link virtually every e-mail application your company may be using—whether it's Lotus/cc:Mail, Da Vinci eMail, Microsoft Mail, NetWare MHS, Oracle*Mail, WordPerfect Office, or one of the many other popular mail programs. Users can send text, graphics, and virtually any type of binary file with maximum ease and reliability.

Put the pieces of your e-mail system together. In the U.S., call Retix at 1-800-255-2333.

YES! We want to create an integrated mail system. Please send more information including the "OpenServer 400 Application Guide."

Name _____
Title _____
Company _____
Address _____

Telephone _____

Return to:
Retix, MarCom Dept. D, 2401 Colorado Ave.
Santa Monica, CA 90404-3563 USA BYTE 0383

Circle 140 on Inquiry Card.


 **Retix**
The OPENNetworking Company™

for BBS systems, and it seemed simple enough to set up QM-Script to handle the menu system. Alas, it turned out to be trickier than we thought. A number of the user prompts look similar from menu to menu, and the QM-Script string-matching utilities had some difficulty distinguish-

ing between some of the prompts.

Also, QM-Script doesn't offer any sort of debugger for testing out a new script. You can put comments in the script that get written to a log, but we would have liked an interactive debugging mode. We never were able to get the QM-Script-

to-Opus BBS gateway completely ironed out. Still, QM-Script offers a flexible gateway alternative that is not matched in other mail packages. QuickMail and QM-Script represent a good solution to any application that requires linking proprietary messaging systems.



Screens 10 and 11: WordPerfect Mail, the E-mail component of WordPerfect Office, runs on a host of systems. The Windows (left) and Mac (below) clients are shown. With WordPerfect Office, Mac clients enjoy many capabilities that don't extend to other platforms.

WordPerfect Office 3.0

WordPerfect Mail is the base component of WordPerfect Office, an all-around groupware package for Mac LANs, PC LANs, VAX (VMS) systems, Sun-4 and Sun Sparcstations, and SCO Unix systems. The WordPerfect Office mail host runs on all these platforms, and WordPerfect Office includes gateways connecting each of them. WordPerfect also offers gateways to Unix- (SMTP) and VMS-based E-mail.

On the PC network side, you administer E-mail through a complex collection of menu-controlled forms and DOS scripts; WordPerfect Mail is difficult to install and configure. The only saving grace is WordPerfect's excellent technical-support crew, who can walk you through all the nuances of this system.

In contrast, WordPerfect Office is easy to install and configure on Mac networks. The interface to the administration tools is very similar to that of AppleShare Admin, right down to the icons. But building the Mac-to-PC LAN mail gateway is a complex, difficult process, again mainly because of the problems with the PC LAN configuration.

Surprisingly, WordPerfect Mail for Windows (see screen 10) has the prettiest user interface of any client on any E-mail system we looked at. You can forget about all the unfathomable function-key combinations and convoluted procedures of the WordPerfect word processor. The Windows client has the eas-



iest and most flexible window widgets and gadgets: resizable, movable, tear-off report labels for reports and lists; drag-and-drop selection lists; and hypertext-based, context-sensitive help windows. This interface could well be the flagship for future WordPerfect products on Windows.

You can send and receive attachments as well as messages. The mail reader can launch an application for each attachment based on file extension, and you can add to and modify the list of associations. There is a mail-list manager and message archiving, as well as folders for holding messages.

WordPerfect Mail for Windows supports DDE for Interapplication Communication. However, WordPerfect Mail's documentation of DDE limits the discussion to integration with the WordPerfect word processor.

WordPerfect Office is not balanced between platforms; in addition to a nice client interface of its own, the Macintosh version has significant features that the other versions lack (see screen 11). It includes a forms

generator, broadcast capability, and the ability to carry on multiway real-time conversations with other Mac clients. You must observe one caution when using the broadcast feature: The mail notifier locks up any operations on the receiving Mac until it has been cleared.

The varying capability of each client is unfortunate. It's understandable that the chat mode doesn't exist on some networks, but it would be nice if forms generation were supported at least on both the Mac and Windows.

The DOS version of WordPerfect Mail and Office is the same old maddening WordPerfect world of inconsistent and incomprehensible menus. This interface fronts the Unix version, too, with the additional aggravation of a nonstandard terminal-naming scheme and weird screen controls.

One very nice feature of all the clients (even the DOS and Unix versions) is status tracking for outgoing mail. You can see if messages have been received, read, or deleted. What WordPerfect Mail lacks most significantly is a mechanism for automatic mail handling (e.g., an automatic reply when you are on vacation).

First-Class Mail

Choosing one of these systems over the others requires a bit of study. If your organization is already using an E-mail system, that should form the foundation for your choice. Gateways from one system to another aren't always available, and installing universal backbones and multi-protocol mail routers is a very complex task.

If you're not using an E-mail system now, look around and see if you could benefit from store and forward. Even small workgroups can gain productivity through the off-hours and remote communication that E-mail offers.

Despite their multiplatform flair, most of these systems are better on some platforms than others. If you can live with a Mac-centric mail server, choose QuickMail. It doesn't offer a lot for DOS users, and its

Share a single LaserJet® 4 with up to 10 people, simultaneously

Easy to use—includes all the cables, adapters, and software needed

- Provides fast printed output
- Low priced sharing solution—up to \$800 less than competitive products
- Unbeatable customer support—lifetime warranty, unlimited technical support at no cost, 60-day money back guarantee of satisfaction
- Supports both PCs and Macintoshes



Installation couldn't be easier! Just plug the card into the I/O slot of your LaserJet. Easy front panel configuration.

Pacific Connect Xi and the HP LaserJet

LaserJet Series II, IID, III, IIID

5 port (4 serial, 1 parallel) \$399
10 port (10 serial) \$599

LaserJet 4 and IIISi*

7 port (6 serial, 1 parallel) \$599
10 port (10 serial) \$699

* Also compatible with HP PaintJet® XL300 and DesignJet® plotter

SAN DIEGO—Pacific Connect Xi available on the LaserJet II, IID, III and IIID. This includes the price of the adapter and the cables.

The new LaserJet 4 has arrived. Pacific Connect® Xi lets you share the good news.

If you'd like more information on the best way to share your LaserJet printer, or about our Pacific 4 SIMM Memory™ upgrades for the LaserJet 4, call Pacific Data Products at (619) 625-3593, Fax (619) 552-0889.



Pacific Data Products, Inc., 9125 Rehco Road, San Diego, CA 92121. Pacific Connect is a registered trademark and Pacific 4 SIMM Memory is a trademark of Pacific Data Products, Inc. HP, LaserJet, PaintJet and DesignJet are registered trademarks of Hewlett-Packard Co. All other trade names referenced are the trademarks or registered trademarks of the respective manufacturer. EUROPEAN OFFICES: England Tel 0800 51 5511, Fax (44) 442 236540; France Tel 05 90 65 09, Fax (33) 1 39 63 20 41; Germany Tel 0130 81 3685; Ireland Tel (353) 61 475609, Fax (353) 61 475608; Switzerland Tel (41) 22 341 26 50, Fax (41) 22 341 06 82; Belgium Tel 078 111292; Netherlands Tel 06 0223065. © 1992 Pacific Data Products, Inc.

reliance on the mail server as a gateway is limiting. Still, on-line conferencing is a great feature, and QuickMail's remote access and QM-Script are far better than any similar features we've seen.

If mixed-client platforms and internet-

working are truly crucial components, choose between Microsoft Mail and cc:Mail. Our choice is cc:Mail. It supports all the major platforms, offers gateways to just about everything, and garners support from dozens of third parties. ■

Howard Eglowstein and Ben Smith are testing editors for the BYTE Lab. You can contact Howard on BIX as "heglowstein" and on the Internet at howard@bytepb.byte.com. Ben is the author of UNIX Step-

by-Step (Howard W. Sams, 1990) and UNIX E-Mail and Usenet News (Howard W. Sams, forthcoming). You can contact him on BIX as "bensmith" and on the Internet at ben@bytepb.byte.com.

A MESSAGE TO ALL UNIX MAIL USERS DON'T MISS OUT ON MAIL-IT

PC to UNIX E-mail for Windows 3

Interested in an easy-to-use email package that works under Windows, is fully SMTP, POP-2 and UUCP-compliant, and without need for expensive gateways, can put you directly in touch with thirty million Internet, Usenet and UUCP mailboxes worldwide?

Then don't miss out on Mail-it, from Unipalm. It works with all leading TCP/IP and NFS transport packages for Windows, including PC-NFS, PC/TCP, LAN WorkPlace, and WINSOCK. Call toll-free for more details.

1-800-563-6245
(or email: mail-it@unipalm.co.uk)

Call toll-free in US & Canada only. Elsewhere, call Unipalm direct on +44 223 420002. Mail-it is a trademark of Unipalm Limited.



COMPANY INFORMATION

cc:Mail, Inc.
(division of Lotus Development Corp.)
(cc:Mail)
2141 Landings Dr.
Mountain View, CA 94043
(415) 961-8800
fax: (415) 961-8400
Circle 1273 on Inquiry Card.

CE Software, Inc.
(QuickMail 2.5)
1801 Industrial Cir.
West Des Moines, IA 50265
(800) 523-7638
(515) 224-1995
fax: (515) 224-4534
Circle 1271 on Inquiry Card.

Da Vinci Systems Corp.
(Da Vinci eMail 2.0)
4200 Six Forks Rd.
Raleigh, NC 27609
(800) 328-4624
(919) 881-4320
fax: (919) 787-3550
Circle 1272 on Inquiry Card.

Microsoft Corp.
(Microsoft Mail for PC Networks 3.0)
1 Microsoft Way
Redmond, WA 98052
(206) 882-8080
fax: (206) 936-7329
Circle 1274 on Inquiry Card.


Novell, Inc.
(NetWare MHS 1.5)
122 East 1700 South
Provo, UT 84606
(801) 429-7000
Circle 1275 on Inquiry Card.

Retix Corp.
(Retix Open Server 400)
2401 Colorado Ave.
Santa Monica, CA 90404
(310) 828-3400
fax: (310) 828-2255
Circle 1276 on Inquiry Card.

WordPerfect Corp.
(WordPerfect Office 3.0)
1555 North Technology Way
Orem, UT 84057
(800) 451-5151
(801) 225-5000
fax: (801) 222-5077
Circle 1277 on Inquiry Card.

Mathematica

THE COMPLETE SOLUTION FOR TECHNICAL COMPUTING



When it was released in 1988, the *New York Times* wrote that *Mathematica* "fundamentally alters the mechanics of mathematics." Four and a half years later, with several hundred thousand scientists, engineers, students, financial analysts, medical researchers, and others using the system, *Mathematica* is firmly established as the standard environment for technical computing.

Starting Out

When you first get started, you can use *Mathematica* just like a calculator. But it is a calculator that lets you do calculations as large as you want, and that can handle the full

range of mathematical functions, matrices, algebraic manipulation, and calculus as well as creating publication-quality 2D and 3D graphics.

Flexible Programming

The easy-to-use language that is built into *Mathematica* requires no learning

for simple calculations, but has the power to let you create even the most sophisticated programs. And with the Notebook concept pioneered by *Mathematica*, you can create interactive documents that mix text, graphics, animations, and sounds with live formulas and programs.

A Range of Applications

Whether you design airplanes, solve quantum field theories, analyze medical experiments, or just want to do your algebra homework, *Mathematica* provides a unique environment for solving your problems.

And you can run your same *Mathematica* programs without change on everything from Macintosh and PCs (with or without Windows) to Unix workstations and supercomputers.

To get the latest information call:

1-800-441-MATH
Extension 400



Wolfram Research

Wolfram Research, Inc.

100 Trade Center Drive, Champaign, IL 61820-7237, USA
+1-217-398-0700; fax: +1-217-398-0747; email: info@wri.com

Wolfram Research Ltd.

Evenlode Court, Main Road, Long Hanborough, Oxon OX8 2LA, UK
+44-(0)993-883400; fax: +44-(0)993-883600; email: info-euro@wri.com

Representatives in over 30 countries; contact main office.

Technical Information:

Numerical computation with unlimited precision integer, real, and complex numbers. Exact symbolic computation. Wide range of mathematical functions, including hypergeometric special functions, number theory functions, statistics. Numerical and symbolic matrix operations. Numerical and symbolic equation solving, root finding, integration, differential equations, optimization. 2D and 3D color graphics, animation, and sound generation. Graphics language for representation of arbitrary structures. Output in standard PostScript. Data importing and exporting. External program linkages. Full built-in symbolic programming language, with procedural, functional, and rule-based capabilities. Notebook front end with hierarchical documents, style sheets, importing and exporting of graphics, sound, animations, and typesetting. Network operation supported. Journal, newsletters, more than 30 books on *Mathematica* available. Add-on packages; free *MathSource* electronic resource. Versions: Microsoft Windows • Macintosh • MS-DOS • NEC PC • SPARC • DEC RISC, VAX • HP • IBM RISC • NeXT • SGI • Convex • and others. Student versions available. Now shipping Version 2.1.

HARDWARE

A New Resolution for Desktop Lasers

G. ARMOUR VAN HORN

Although the 300-dot-per-inch laser printers of the last several years were a dramatic improvement over the dot-matrix and daisy-wheel printers that preceded them, the increasing sophistication of graphics used in business have made them seem slow and coarse. To solve these problems, new 600-dpi laser printers have come to market with better resolutions than typical laser printers, but with price tags that keep them within the range of general office budgets.

In this roundup, I look at five such printers. All of them offer true 600-dpi resolution, multiple interfaces, multiple PDLs (page-description languages), and high base memory configurations at prices ranging from about \$2200 to \$4600 (see the table on page 158).

Three of these units—the Dataproducts LZR-965, the Hewlett-Packard LaserJet 4M, and the QMS 860 Print System—are good choices for small workgroups using both Macintosh and DOS/Windows systems, because they offer three active ports ready to respond to users over parallel, serial, or AppleTalk connections. The QMS 860 accepts simultaneous print jobs from its three ports. At 10 pages per minute, the Lexmark LaserPrinter 4029 10A and 10P printers offer the fastest engine-speed ratings in the test group.

A Graphic Difference

None of these printers was designed specifically to serve the needs of graphic artists, although most artists will be delighted with the results. These printers won't threaten imagesetters for reproduction work that includes photographs, but documents comprising text, line art, and screen captures can be published economically with speed and minimal loss of quality.

The geometry of the 600-dpi grid al-

lows for both a finer halftone dot when printing photographs and more gray levels. Most 300-dpi printers offer a choice of 53- or 60-line-per-inch halftones, with more gray levels and better appearance coming from the lower value. These values were replaced by 71 and 85 lines with these higher-resolution units, and the 71-line screen offers a less-visible dot structure and greater tonal range than 300-dpi printers using a 53-line screen. The higher screen value still sacrifices too much tonal range for photographic images, but the less-apparent dots would be useful for illustrations with multiple gray values or graduated tints of small range. Graduated or radial fills that extend over large areas still need the extra gray tones that come with the larger dot size.

A 600-dpi engine creating 71-line halftones should be able to produce 72 gray tones; 53-line screens from a 300-dpi printer have 33 possible tones. Imagesetters operating at 2540 dpi can create all 256 possible PostScript grays with screens of over 200 lines per inch.

The Performance Penalty

The BYTE Lab ran a complete suite of compatibility and performance tests that consisted of a custom version of the Genoa Technologies suite (see the graph on page 160). The results are indexed on the 300-dpi LaserWriter IINTX, so longer bars indicate better performance. Because these printers stock more processing power to deal with higher-resolution output, the performance penalty for better quality is minimal.


In other tests, I strung all the printers on a LocalTalk network attached to my Mac SE/30 and a 386-based PC running Farallon Computing's PhoneNet Talk PC. I sent documents to each printer from a



typical range of applications: Word, Free-Hand, and PageMaker on the Mac; and Word for Windows, Excel, CorelDraw, and FoxPro on the PC.

There were copious minor problems with device driver files, but each manufacturer said it was working to eliminate them. At press time, Adobe had published a new standard for PPD (printer page description) files to support PostScript Level 2, which Hewlett-Packard had dutifully followed but most software doesn't properly support yet. Adobe had not yet released its Level 2 drivers, and three of these printers support Level 2. The QMS 860 has three selectable options for PostScript support. Printing with Level 2 selected almost doubled the time to print a tabloid page, but color images would not print with Level 1 selected. The promised speed advantages of Level 2 presumably will require the final drivers. In most cases, either the manufacturer or I came up with a reasonable workaround.

All PostScript Level 2 printers will present some of these problems for the next



BYTE ACTION SUMMARY

- **WHAT 600-DPI LASER PRINTERS ARE**
Laser printers with true 600-dpi resolution supported in the engine, not via software algorithms.
- **LIKES**
Print quality is clearly superior to that of 300-dpi printers, but prices are in the same range as lower-resolution printers.
- **DISLIKES**
These printers can't match imagesetters for reproduction work that includes photographs.
- **RECOMMENDATIONS**
Choose the LaserJet 4M for image quality and ensured support for third-party add-ons, consumables, and drivers.

several months, possibly years, until complete support for Level 2 becomes commonplace. One Level 2 feature, cached forms, will allow blank forms to be downloaded to the printer. The computer will then send the specific data for an invoice or purchase order along with a request for a specific form, drastically cutting down on the network traffic. Until all Level 2 features are widely supported, printer drivers and PPD files will probably need to be updated frequently.

The HP LaserJet 4M and the QMS 860 both use new Canon P270 engines rated at 8 ppm; the Dataproducts LZR-965 uses a Sharp engine rated at 9 ppm; and the Lexmark 10A and 10P are built on Lexmark's own 10-ppm engine. That said, these ratings are generally irrelevant. They come into play only on the very simplest of pages, or when printing multiple copies of a single page. In daily use, the speed of a laser printer depends on the performance of the CPU on the printer's controller.

By the same token, I am mostly ignoring life-expectancy ratings for toner and other

consumables. The actual rate depends on your images, and the estimates from the manufacturers are not strictly comparable.



Dataproducts LZR-965

Based on Dataproducts' history in the large-computer market, I expected more of an industrial feel to the LZR-965. In reality, this was the smallest and lightest printer of the group. With the paper tray at the bottom of the unit, the only protrusions during normal operation are the cables, of which there can be several.

The rear panel on the LZR-965 is very clean, with connectors for an external SCSI drive, an RS-232 serial port, Centronics, and LocalTalk, all of which are active until a print job is sent to one of the ports. The printer ships with 8 MB of memory, expandable to 16 MB, and it contains the Weitek 8200 RISC chip. Running at only 7.5 MHz, the chip was specifically designed for printers, so the LZR-965 performs acceptably even when printing complex graphics. Although I did not test this printer with an external disk drive, my experience is that even a small drive attached to a printer—when loaded with the most commonly used fonts—can dramatically speed printing.

The LZR-965 is built around a Sharp engine, the only model in this review to use multiple consumable cartridges. The documentation has clear diagrams for setup, and a 20-minute VHS cassette covers first-time setup, including installing the photoreceptor drum, developer unit, toner tray, toner collector, and fuser roll cleaner. The first four of those parts are combined in the other printers tested, as they have been in all Apple LaserWriters and HP LaserJets. The individual components should reduce the operating cost of the printer, as the drum has a life expectancy of 50,000 pages; the other printers call for replacement or exchange of the toner cartridge when the toner runs out, typically after 3000 to 5000 pages.

continued

600-DPI PERFORMANCE


All the printers reviewed include true 600- by 600-dpi resolution supported in hardware. A SCSI drive, when loaded with the most commonly used fonts, can dramatically speed printing.

	Dataproducts LZR-965	HP LaserJet 4	HP LaserJet 4M	Lexmark 4029 10A	Lexmark 4029 10P	QMS 860 Print System
Price	\$2995	\$2199	\$2999	\$2799	\$2499	\$4595
RAM (min./max.; MB)	8/16	2/34	6/22	5/9	5/9	12/32
CPU	Weitek 8200 at 7.5 MHz	Intel 960 at 20 MHz	Intel 960 at 20 MHz	Motorola 68020 at 16.7 MHz	Motorola 68020 at 16.7 MHz	Intel 960 at 25 MHz
SCSI drive support	Yes	No	No	No	No	Yes
Interfaces	LocalTalk, RS-232, Centronics, SCSI drive	RS-232/422, Centronics	LocalTalk, RS-232/422, Centronics	LocalTalk	RS-232, Centronics	LocalTalk, RS-232, Centronics, SCSI drive
Emulations	PostScript Level 2, HP PCL 4	HP PCL 5+ ¹	PostScript Level 2, HP PCL 5+ ¹	PostScript	PostScript, PCL 5, IBM PPDS, PCL 4, HPGL standard HPGL/2 optional	PostScript Level 1 and Level 2, HP PCL 4, HPGL
Page sizes (*Standard)	Letter*, legal, executive, statement	Letter*, legal, A4, executive	Letter*, legal, A4, executive	Letter*, legal, A5	Letter*, legal, A5	Letter*, legal, tabloid*, A3, A4, A5, A6, B5, B6, executive
Fonts	35	45 ²	80	39	39	39
Paper	16- to 21-pound bond, 250 sheets ³	16- to 36-pound bond, 350 sheets	16- to 36-pound bond, 350 sheets	200 sheets	200 sheets	16- to 36-pound bond, 350 sheets

¹ PCL 5 enhanced with TrueType rasterizer.

² 35 Intellifont faces, 10 TrueType.

³ From cassette; 16- to 31-pound stock from manual feed slot.



Hewlett-Packard LaserJet 4M

The newest member of the LaserJet family was the first to arrive, and it set my expectations for the other printers. It also earned a Best Printer honor in the 1992 Best of Comdex/Fall awards sponsored by BYTE and the Interface Group (see "A New LaserJet, a New Standard," December 1992 BYTE). I received the 4M printer, which includes LocalTalk and PostScript built-in, but the table also lists information on the standard LaserJet 4.

The printer opens so that you can easily install the toner cartridge without having to contend with any glaring or obtrusive labels or release buttons. A small lever extends from the paper tray to the front, indicating the level of paper remaining in the tray. The design was so clear, so obvi-

ous, that the first page of 600-dpi text rolled out of the printer 7 minutes after I opened the box, and I never referred to the documentation. (When you need detailed information for configuring options, setting up the printer for DOS applications, or maintenance, the manuals are clear.)

The I/O ports—including LocalTalk, Centronics, and RS-232—are clearly labeled and accessible, and all are active. The LocalTalk interface is installed in the MIO (modular I/O) port and can be replaced by interfaces for Ethernet, Token Ring, TCP/IP, and EtherTalk from HP, and third parties are sure to support other specialized network options.

HP's Resolution Enhancement Technology, first introduced on the LaserJet III, is even more dramatic when applied to a true 600-dpi image. The edge quality of text from this printer is the sharpest I've seen. Unfortunately, this only applies to line art and has no impact on the quality of halftones.

Font support is very strong: the standard model comes loaded with 35 Intellifont (HP) and 10 TrueType typefaces; in addition to these 45, the 4M includes the standard 35 PostScript typefaces. An industry-standard cartridge slot adds support for the substantial library of font cartridges developed for past LaserJets.



Lexmark LaserPrinter 4029 10A and 10P

IBM's Lexmark unit was the first of this group to market; Lexmark should have waited until an industrial designer could be brought into the process. Attention to the way printers are used would have warranted substantial redesign. This unit is just not attractive—especially when compared to the others. Three contrasting colors were used in such a way as to emphasize every lump and protuberance. The printer's ivory body is about the same size as the LZR-965's, but the elements that protrude from the shell cause it to take up more space than the LaserJet 4M.

Inattention to the design process didn't stop with the appearance. This is the only printer in the test that required the manual

"Does Maynard®
really offer the
MaynStream® 4 GB
DAT tape system
at a 2 GB price?"

"Yes."

"And MaynStream
systems come with
software that supports
DOS, Microsoft®
Windows, OS/2®, and
NetWare® NLM®?"

"Yes."

"I know I can
depend on toll-free
support and 48 hour
repair/replacement†
for any MaynStream
system."

Enough said.

For product literature, including your
free Networking Disaster Prevention
Information Kit, call 1 800 755-0535.

For specific sales or product
assistance, call 1 800 845-3125.




Maynard®
An ARCHIVE® Company



Maynard, a division of Archive Corporation • Marketing Communications • 36 Skyline Drive • Lake Mary, FL 32746 • FAX (407) 263-3638 • (407) 263-3500 (USA) • 44-494-473-434 (UK)
Maynard and MaynStream are registered trademarks of Archive Corporation. All other products herein mentioned are trademarks or registered trademarks of their respective corporations.
†Domestic U.S. Only.

600-DPI PERFORMANCE



The First-Page Index tests how fast a printer can produce short memos and letters. The Application Index tests common jobs from popular spreadsheets, drawing and design packages, and word processors. Tests are indexed on the LaserWriter IINTX, which has an index of 1 for each test; longer bars indicate better performance.

for basic use. The Lexmark printers share one unusual feature: The toner cartridge is shipped installed. After lifting the printer from the carton, you open the printer

and withdraw a laminated foam pad that prevents vibration from damaging the toner cartridge or the contacts with the printer. This almost compensated for the need to

attach various feed and delivery guides.

The LocalTalk interface plugs into the Centronics connector, receives power from a separate connector, and is lashed to the

PRINT THIS

THE LOWELL DAVIS FARM GAZETTE

Volume Five

Presenting Another Peek at the 1992 Lineup!

As promised, this issue of the Gazette continues our ongoing look at the 1992 lineup of Mr. Lowell's figurines and collectibles. Our promise does present a bit of a problem, though, because each of these pieces is so exceptional it's hard to decide which one to talk about first. Well, perhaps we should start with something completely new and different in the line: the Lowell Davis profile. It is a wonderful likeness of the artist, and some- thing we are sure every Lowell Davis collector would love to have. Of course, no Lowell Davis devotee will be able to resist "Miss Private Time," a 1992 debut in the witty collection Lowell calls "Like World Of The Little Critters." Like last year's "Private Time," this hilarious figurine finds one of Lowell's critters relaxing on the chamber pot — caught, quite literally, with her pants down.



Miss Private Time

Another wonderful new "Little Critter" figurine is "A Wolf In Sheep's Clothing," which captures a wolf strolling gaily along with a sheepskin tied to its back.



A Wolf In Sheep's Clothing

"Although I have never seen a wolf dressed up in sheep's clothing myself," says Lowell, "I have heard that this is practiced in the World of the Little Critters." A slice of real life is presented on "The Grass Is Always Greener..." "The Grass Is Always Greener..." through a wire fence into the vegetable garden. "One of the worst sounds on the farm is the moaning of the cows in the middle of a cold and rainy night," declares Lowell. "Jolted awake, you realize that they are trampling the vegetable garden and flower beds. Of course, you have to get out of bed, put the fence-cows back in and fix the fence — all in the dark. When it happens here on the farm, you can always bet that the culprit is Blossom."

1200 dpi TEXT

2400 dpi PHOTOS



115/100/90/75 FEATURES

Heavy-duty electrical system components are more durable. Better insulated, mounted to absorb shock and be more reliable in rough water.

Optional QuickSilver® HighGuide® Power Steering kit available on all models shows here. Less vibration, better control and quicker response than with unassisted systems. Less than 3 turns lock-to-lock vs. up to 8 turns with some single- and dual-engine applications, on 75-200 hp models.

Optional factory-installed tiller handle model available on both 75 and 90 hp models.

Loop-charged induction for best power and economy.

Thunderbolt® CD ignition delivers up to 40,000 volts to spark plugs for smooth starts.

Integral power trim is totally self-contained within engine mounting bracket, eliminating hydraulic line breakage and leakage at fittings.

High-output 16-amp regulated alternator, nearly twice the output of some competitive engines.

Reliable, single-point, variable-ratio oil injection mixes gas and oil at correct ratio for economy and efficiency.

MERCURY OUTBOARDS

back of the printer housing like freight on-board an oil tanker. The 10A version, intended for Mac users, supports only LocalTalk; the 10P, intended for DOS/Windows users, supports only Centronics and RS-232. While the 10P supports PCL (Printer Control Language) 4 and HPGL (Hewlett-Packard Graphics Language), neither of these is available on the 10A. Mac users aren't likely to miss PCL, but CAD and sign-making applications can make good use of HPGL in a laser printer prior to running full-size plots.

Printing from the Mac required more attention than with the other units, even though this printer is driven by a 16.7-MHz Motorola 68020 that has been in use in laser printers for several years. Rather than use the LaserWriter driver to allow printer options to be chosen when printing, a DA (desk accessory) is used to configure the printer. Using this slow CPU could have been justified if easy backward compatibility had been the goal, but there seems to be none.

During my evaluation cycle, Lexmark dropped the 10A's price by \$1200, putting it a little below the LZR-965 and the LaserJet 4M. The slow printing speeds, awk-

ward use, and lack of multiple PDLs in the Mac configuration suggest that this printer should be priced with personal laser printers instead of with these workgroup printers.



QMS 860 Print System

The QMS 860 is priced at \$4595, 50 percent above the other printers in this review and over twice the price when in the test configuration. However, it offers immediate value: This printer can satisfy some formidable printing needs.

The new Canon LBP-BX engine supports tabloid (11- by 17-inch) paper at 4 ppm, and letter size output at 8 ppm. The base memory configuration is 12 MB, with

expansion to 32 MB possible. My testing was done with 28 MB installed, although the formal benchmarks were run with the base configuration.

All four printers included warnings not to lift the printer out of the carton without help. At 50 pounds for the QMS 860, it would be wise to obey the warning. Although I did need the manual to install the additional RAM and paper tray, I was able to print without it.

As with the other printers, the primary paper tray slides into the bottom of the printer from the front. The test unit came with the 500-page letter-size tray, which installs below the printer in a special feed module. These options attach without tools and are only difficult to install if you insist on doing it alone. After installing the second tray, I ignored the upper and lower feed cassette choice in the printer driver, and the printer correctly determined the proper tray automatically.

Along with the large-format printing, this unit stands apart on the basis of its operating system, QMS Crown. Based on the Intel 960 RISC processor running at 25 MHz, QMS Crown can accept simultaneous printing jobs from the three

FROM THIS

FOR THIS.

\$2995

Introducing the Image Xpert 1000. Windows™ output that looks like a million at a price that looks like a typo.

XLI's new desktop printer just pushed the PC publishing revolution into overdrive. For less than the price of most new generation 600 dpi printers, the Image Xpert 1000 delivers 1200 dpi for text and graphics, plus an incredible 2400 dpi equivalent with 256 gray levels for halftones, all on a single page. Type prints crisp and clean; photos

show amazing detail. That means business and professional users at all levels can now produce high resolution plain paper masters and proofs without outside services, saving time and money.

The Image Xpert 1000 is the first laser printer to incorporate XLI's acclaimed LaserPix 5.0, the image controller board with patented SUPER LGA™ technology that has taken the world of Windows desktop imaging by storm.

Circle 218 on Inquiry Card (RESELLERS: 219).

Before you spend a dime upgrading your output, call us for the whole story on how the competitively-priced Image Xpert 1000 can produce high resolution documents for your application. **1-800-433-8040**



XLI Corp., 800 West Cummings Park, Suite 6650, Woburn, MA 01801.

HOW DO YOU GET A JOB WITHOUT EXPERIENCE? AND HOW DO YOU GET EXPERIENCE WITHOUT A JOB?

Most young people have one answer to this problem. They avoid it until they're out of college. But they could be getting solid work experience while they're still in college. With your company's help. And ours.

We're Co-op Education. A nationwide program that helps college students get real jobs for real pay, while they're getting an education.

But we can't do it without you. Those real jobs have to come from real companies. Like yours.

For more information on how you can participate in this valuable program, write Co-op Education, Box 775E, Boston, MA 02115.

Not only will you be giving students a chance to earn money and pick up the most valuable kind of knowledge, you'll be giving yourselves a chance to pick up the most valuable kind of employee.

Co-op Education.

You earn a future when you earn a degree.



A Public Service of This Publication ©1987 National Commission for Cooperative Education

DESKTOP LASERS

standard interfaces. Adding a network interface board does not require removing or disabling any of the three standard ports. Utilities are included that allow the installed memory to be configured as buffers for each port, font caches, or, with application support for PostScript Level 2, logo and form storage. If one or more SCSI hard drives are installed for font storage, the controller can be programmed to use space on the hard drive as additional print spooling.

This system features an intermediate page-description format that is more compact than the bit maps that printers ultimately generate. Information received as PostScript, PCL, or HPGL from the computers is interpreted and converted to this display-list format and queued for printing, increasing the speed at which jobs can be accepted and enhancing the capacity of the printer's installed RAM. Once the print job has been converted to the QMS display-list format, the generation of the bit maps can then take place at the printer's rated engine speed. This will allow multiple-copy printing of collated sets without the time penalty other printers suffer, as the computer normally sends the complete sequence of pages several times when collated output is required.

The QMS 860 includes the basic 35 PostScript fonts, plus the Helvetica Condensed family.

The Remaining Field

One printer that was intended to be part of this comparison is the NewGen Turbo 660 PS, which uses the AMD 29000 processor and the same engine and case as the QMS 860. NewGen was unable to solve my concerns about print quality in time for this review and withdrew the printer from the market until final debugging was accomplished. I expect that it will have printing characteristics very similar to the QMS 860, without the multi-tasking interface system, and should be available for a price roughly midway between the tabloid 860 and the letter-size printers I reviewed here. I recommend taking a good look at this printer when it is released.

True 600-dpi printers are also expected soon from such vendors as Calcomp, Xante, and LaserMaster.

Final Resolutions

I can't recommend the Lexmark printers. These models simply aren't competitive with other available models at the same or similar price levels.

The LZR-965 is fast, sharp, and compact. It supports hard disk storage to facilitate rapid printing as your type collection

The Killer 'B's



NewGen's B Series
11" x 17" Paper Format
Automatic Paper Sensing
Resolution Up To 1200 dpi +IET

When it comes to productivity nothing works harder than the B. That's because NewGen's B Series was designed to deliver the value and quality that experienced PostScript® users demand.

The affordable B Series wide format laser printers offer you powerful Ethernet capability, innovative paper handling, and the sharp graphics and high resolution that have made NewGen famous.

Call us today for more information at:

1-800-756-0556

**Now Showing At A
Dealer Near You!**

*See us at CeBIT
Hall 6, Booth B63*

newgen

The Hi-Res People™

17580 Newhope Street, Fountain Valley, CA 92708
Telephone 714-641-8600 • Fax 714-641-2800

© 1992, NewGen Systems Corporation. All trademarks and registered trademarks are of their respective companies.



No Wild, No Wildlife.

The California desert tortoise is losing ground. Its young are being crushed by motorcycles and off-road vehicles. Sheep and cattle grazing are diminishing an already scant supply of food while mining and road building are destroying the tortoise's natural habitat.

The fact is that the tortoise population has declined as much as 90% over the last fifty years. This drop is a true biological indicator of how severely the desert ecosystem is at risk.

The Sierra Club works to save wildlife by saving the wilderness. We have a history of victories. And, we believe with your help, the three-million-year-old desert tortoise can win back its native turf.

For information on how you can help:



Sierra Club
Dept. DT
730 Polk Street
San Francisco, CA 94109
(415) 776-2211

DESKTOP LASERS

grows beyond the 35 fonts in ROM, and you'll be able to store forms on a hard drive when that component of PostScript Level 2 is implemented.

If you need to print tabloid pages, the QMS 860 offers print speed barely slower than the LZR-965 and the LaserJet 4M. It also offers the greatest flexibility in memory, interfaces, emulations, and paper handling.

Overall, my vote goes to the LaserJet 4M. It is flexible and offers the best image quality of the group. It also will be supported by a host of third parties offering supplies and enhancements in addition to HP's offerings, and very few software vendors will omit drivers and other support for this model. ■

G. Armour Van Horn is a writer and graphics consultant based in Freeland, Washington. He can be reached on BIX as "vanhorn."

COMPANY INFORMATION

Dataproducts Corp.

(LZR-965)
6219 De Soto Ave.
P.O. Box 746
Woodland Hills, CA 91365
(818) 887-8000
fax: (818) 887-4789
Circle 1229 on Inquiry Card.

Hewlett-Packard Co.

(LaserJet 4 and LaserJet 4M)
Direct Marketing Organization
P.O. Box 58059
MS 511L-SJ
Santa Clara, CA 95051
(800) 752-0900
fax: (208) 344-4809
Circle 1230 on Inquiry Card.

Lexmark International, Inc.

(LaserPrinter 4029 10A and 10P)
740 New Circle Rd. NW
Lexington, KY 40511
(800) 358-5835
(606) 232-2000
fax: (606) 232-2380
Circle 1231 on Inquiry Card.

QMS, Inc.

(860 Print System)
1 Magnum Pass
Mobile, AL 36618
(800) 631-2692
(205) 639-4400
fax: (205) 633-0013
Circle 1232 on Inquiry Card.

In the 2nd Annual Developers Competition, **MAGIC™** Made the Other 52 Teams Look Like Beginners.



What separates the men from the boys in application development is productivity and power. That's why Magic had no problem walking off with a victory in the 2nd Annual Developers Competition. With Magic, you develop sophisticated, mission-critical applications completely in a table-driven environment using fast incremental, RAD technology. This saves up to 90% in development and maintenance

time, putting Magic years ahead of all other programming tools.

OPEN ENVIRONMENT ARCHITECTURE:

- Instant portability and transparent interoperability
- Strong client/server support
- Database independence
- Rapid downsizing capability
- Post-4GL automated technology

To join the growing Magic community of over 125,000 users in such companies as Texas Instruments, Club Med and U.S.Trust, contact any of the numbers listed below.

MAGIC
Magic Software Enterprises
PRODUCTIVITY BEYOND 4GL

Int. H.Q. Tel:(972-3) 751-1914, Fax:(972-3) 751-1901 • U.S. Tel:(714) 250-1718, Fax:(714) 250-7404 • U.K. Tel:(0344) 303-045, Fax:(0344) 303-024 • Canada. Tel:(416) 677-7777, Fax:(416) 677-7778


Austria Tel: (222) 535-9860, Fax: (222) 535-9861 Denmark Tel: 4291-9555, Fax: 4291-5556 France Tel: (1) 4204-2118, Fax: (1) 4772-9183 Germany Tel: (06131) 995000, Fax: (06131) 995024

Hungary Tel: (1) 165-3325, Fax: (1) 165-3325 Italy Tel: 3035-81838, Fax: 3035-81807 Netherlands Tel: 3405-71888, Fax: 3405-71766 New Zealand Tel: (9) 309-3156, Fax: (9) 309-3195

Poland Tel: 48-52776, Fax: 48-25019 Spain Tel: (1) 442-1244, Fax: (1) 441-6856 Switzerland Tel: 22-738-1188, Fax: 22-738-1190

Databases: RMS, Rdb, Btrieve, c-tree, xBASE, C-ISAM, Sybase, and Oracle. Operating Systems: VMS, DOS, UNIX, CTOS plus Windows Deployment. Competition held at Duke University. For detailed results, contact organizer Droege Computing Services: tel (919) 383-9749, fax (919) 382-7422. All names are registered trademarks of their respective companies.

ONLY THE WEIGHT OF ID



Maybe it would be better for Henry to get a little exercise. I could lend him my Olivetti Quaderno, then he'd have its 20 MB hard disk available, with the possibility of consulting or creating 12,000 pages

of text. He'd be able to work wherever he wanted to for up to 8 hours. Or he could record or listen to 90 minutes of digital audio. And if he happened to feel like sitting down again, he could simply connect Olivetti Quaderno to his desktop.

See Olivetti Quaderno and all the Olivetti Portables at stand n° 4I2-4K3

MARCH 24-31, 1993
 **CeBIT '93**
HANNOVER

AS

olivetti

Q U A D E R N O



MS-DOS is a trademark of Microsoft Corp.



*Dimensions: A5 • Weight: 1 kg
Hard disk: 20 MB • MS-DOS 5.0
Digital audio recording and playback:
0 minutes • Ergonomic sculpted
keyboard with numeric keypad
and function keys • Autonomy: 8 hours*

The Ultraportable PC

Don't worry, just pay for our good name.



You can certainly afford it!

Even if it sounds immodest:

CPS is a leading voice in the world of MultiMedia. You can hear it when you listen to CPS sound cards

or compose songs using one of our music programs.

Of course, as a leading MultiMedia manufacturer, we also develop innovative products for image / video processing, animation and speech.

Our name represents not only quality and innovation, it also

stands for outstanding service: Our Hotline offers answers to tricky

questions, and the CPS mailbox contains all the latest from the MultiMedia branch.

As you can see we are immodest in our demands of ourselves.

We are only modest in one area – price.

You can see what our name stands for at the Cebit'93 in hall 9.



APPLICATION

How to Deal with Taxing Questions

KATHLEEN LARIVIÈRE AND STAN MIASTKOWSKI

The approach of April 15 is looked upon with much fear and loathing in the U.S., as yearly income tax returns are due to the IRS. If you're a typical taxpayer—an hourly or salaried worker with perhaps a house and a few investments—tax-preparation software can help in a big way. These programs guide you through the procedure of calculating your taxes and filling out IRS forms, help you make sure you get what refund is due you, and keep you from filing an incomplete form.

We looked at four families of tax-preparation programs for DOS, Windows, and the Macintosh: Meca Software's Andrew Tobias' TaxCut for DOS, TaxCut for Windows, and TaxCut for the Macintosh; Parsons Technology's Personal Tax Edge and Personal Tax Edge for Windows; Intex Solutions' Tax Solver (for Excel, Lotus 1-2-3, and Symphony); and ChipSoft's TurboTax for DOS, TurboTax for Windows, and MacInTax. Prices range from \$49 to \$80.

At their heart, all these tax-preparation programs are actually spreadsheets using complex links to interrelate numbers and calculations from various IRS forms, schedules, and worksheets. These interrelationships are a big advantage of tax software. You don't need a calculator; most numerical calculations are done for you, and most packages have a pop-up calculator. The programs automatically enter calculated numbers in the correct locations on the related forms, schedules, and worksheets. This capability alone is almost worth the price of admission.

Because there are so many individual items that go into the preparation of a tax return, taxpayers can easily miss common deductions that reduce the tax they owe. To maximize the return, the best of today's tax-preparation programs use a step-by-step interview technique—much like what would happen if you sat down with an experienced tax preparer. This on-line interview approach isn't perfect, but it goes a long way toward making the preparation of your taxes less headache-provoking.

After using one of these packages, you end up with a completed tax return. Instead of filling out printed IRS forms, these programs use printer graphics (laser or dot-matrix) to create a finished package that the IRS will accept in lieu of its own

Screen 1: Andrew Tobias' TaxCut, available for DOS, Windows (shown here), and the Mac, features an easy-to-use interview process, although you can't see the forms as you answer questions.

forms. With a complex return, the package can run to many pages.

Because the IRS will not release all the necessary tax forms until around the first of the year (after this article went to press), we used the prerelease version of each package. All the companies offer early versions that taxpayers can use for planning and then ship final versions to customers during January.

We tested the packages as if we were three hypothetical taxpayers: two had relatively simple returns, and one was slightly more complex (with self-employment income). All the scenarios involved several gotchas—common yet often-missed income and deductions that can make a substantial bottom-line difference on tax liability.

Filing Electronically

The best tax-preparation packages also offer you the option of filing your return electronically, sending it via modem (or by mailing a disk), but not directly to the IRS. Because of security considerations and other requirements, the IRS does not encourage individual taxpayers to become "direct transmitters." Instead, you send your return to an IRS-authorized service bureau, which then transmits it to the IRS. (Technically, it is possible to become authorized to file returns directly, but it requires a special 4800-bps modem and a testing process. It's simply not worth the trouble for an individual taxpayer.)

Electronic filing costs extra (costs vary by package, usually \$10 to \$20), and these packages allow electronic filing only if you have a refund coming to you. The bottom line is, you'll get your refund weeks

earlier. If you owe money, you'll have to find a professional who handles balance-due returns electronically, or simply mail your return in the usual manner.

Andrew Tobias' TaxCut

Meca Software's TaxCut carries the moniker of well-known financial planner and

BYTE ACTION SUMMARY

- **WHAT TAX SOFTWARE DOES**
It guides you through the task of preparing income tax returns.
- **LIKES**
Interview techniques (usually) help you avoid mistakes that can cost you money; programs perform automatic calculations; links with forms put numbers in the right places.
- **DISLIKES**
All programs require some tax knowledge, but that's a function of the complex U.S. Tax Code. Some low-cost packages don't give enough help or explanation.
- **RECOMMENDATIONS**
TurboTax and MacInTax are the best designed and most comprehensive. TaxCut and Personal Tax Edge are also fine, especially in their ability to import a wide range of data.

Screen 2: Parsons Technology's Personal Tax Edge has a useful toolbar and allows you to see forms as you answer questions. It's available in both DOS and Windows (shown here) versions.

author Andrew Tobias, who's involved in the design of the program. TaxCut is actually one of the oldest of the personal tax-preparation programs, and it's now available in versions for DOS, Windows, and the Mac.

Internally, all three versions are virtually identical, with, of course, slight differences in the look and feel for each platform. Not surprisingly, the graphics-oriented interfaces for Windows and the Mac result in tax forms that look like the real thing on-screen. But the text and details are identical across the three versions.

Of the packages we looked at, TaxCut has by far the most informative interview process (see screen 1). Its friendly tone and positive approach almost make preparing your taxes a pleasure—almost. As you go through the interview process, TaxCut keeps you informed of what it's doing and why. For example, it tells you what form it's filling in and shows the calculations, points you to further information (e.g., advantages of filing a joint return), and gives you progress reports on how much of the return you've filled out. TaxCut also allows you to jump easily between the form and the interview. Particularly handy is a mini-worksheet that appears between the lines of the form you're working on, giving handy tips and information on what's been calculated and where the numbers came from. In a complex tax return, this can be useful indeed.

TaxCut's interview process isn't perfect. One of our test returns included a scholarship, but the interview never asked about it. If you go directly to the 1040 line 7, where this information would be entered, the program essentially ignores that scholarship income exists; TurboTax, on the other hand, asks specifically about it. TaxCut's failure to flag scholarship income resulted in a miscalculation that (in our test) would have cost the taxpayer an

additional \$150 of unnecessary tax liability. (It can be fixed, but only if you know how.)

Not surprisingly, TaxCut is tightly integrated with Managing Your Money. If you've used that package to keep track of your finances throughout the year, TaxCut will import the files, do the calculations, and place the right numbers in the right places. Except for very complex situations, it makes tax preparation almost automatic. TaxCut also imports files from Quicken, Microsoft Money, CheckFree, TurboTax, and the TXF (Tax Exchange Format) used by popular accounting programs.

TaxCut's on-line help is very useful, but it fell down on describing inventory and accounting methods used by small businesses, providing a simplistic (and incomplete) explanation. And the definition of handling bad debt was misleading.

TaxCut features almost every possible form, schedule, and worksheet you'll ever need—about 95. But it balked at filling in page 2 of Form 2210, which covers cal-

culating the penalty for underpaying estimated tax. This is not an unusual form for self-employed individuals, but TaxCut refused to calculate it, with a message saying it's "too complex." Other packages handle it with no problems.

You can electronically file your finished TaxCut tax return, with or without a modem. (If you don't have a modem, you can send a disk to the service bureau.) Either way, it costs \$19.95.

Personal Tax Edge

Personal Tax Edge from Parsons Technology is available for both DOS and Windows. Because of its newness, we focused our testing on the Windows version (see screen 2). The interface is clean, and the forms and instructions are easy to read, even on a standard 640- by 480-pixel VGA screen.

PTE has a unique approach to the interview process compared to the other packages we reviewed. Other packages do not show you the forms until you're done with the interview; PTE shows you the actual forms and source documents as they're being filled out. This is a handy way of keeping track of your progress.

On the negative side, PTE's interview isn't as comprehensive as the others. In some cases, PTE assumes that you have enough tax knowledge to know where to go. For example, while filling out Schedule C (business profit and loss), line 10, the program leads you directly to the related Form 4562 (depreciation), but it gives you no help on how to fill out the form correctly.

PTE ties in most directly with Parson's MoneyCounts financial package, and it will also handle data from Quicken, Managing Your Money, Microsoft Money, and ASCII text. The program has about 70 forms, schedules, and worksheets. You

Screen 3: Tax Solver from Intex Solutions has a selection of 147 linked forms, schedules, and worksheets available for Lotus 1-2-3 and Symphony, as well as Microsoft Excel (shown here).

There's Sound...

"vroom, vroom"

...And There's SoundMan.TM

GUARANTEED COMPATIBLE
or your money back



SoundManTM 16. Get Real.

SoundMan 16 delivers sound so real, 85% of the time people can't tell the difference from live sound. That's because it's packed with the absolute latest in sound board technology: up to 16-bit/44KHz record/playback, Yamaha OPL-3 stereo synthesis 20-voice chip, 100% Sound Blaster[™] and Ad Lib[®] compatibility, and more. SoundMan brings you the highest CD-quality sound available, for all your games and applications, in Windows[™] and DOS. From Logitech, the peripherals leader. At your dealer, or call

1-800-231-7717. TM/® Trademarks belong to their respective owners.



The Senseware[™] Company

Screen 4: ChipSoft's TurboTax is the most comprehensive tax-preparation package. It's available in DOS and Windows (shown here) versions. MacInTax is its equivalent for the Mac.

can also file forms electronically through PTE for only \$10.

Tax Solver

This package, also designed for the experienced tax preparer, is an unusual animal. It's the only package we looked at that doesn't stand alone. Different versions of Tax Solver are available for Microsoft Excel, Lotus 1-2-3 (DOS or Windows), and Lotus Symphony.

To use Tax Solver, you need to know how to use the related spreadsheet packages, and the more you know about them, the better. Tax Solver also has the largest selection of forms: 147 (see screen 3). Essentially, Tax Solver is a collection of linked spreadsheets that take up about 4 MB of disk space.

Tax Solver is recommended for the experienced number cruncher who is also comfortable with taxes. It doesn't have an interview form, and it doesn't import from other tax or financial programs (unless they export to spreadsheet formats). And there are no help screens for any of the schedules.

The advantage of Tax Solver is that you can use the advanced what-if capabilities of the underlying spreadsheet. The other packages reviewed here have worksheets for looking at alternative tax scenarios, but they don't have the extensive conjectural capabilities of Excel or 1-2-3.

TurboTax and MacInTax

ChipSoft's TurboTax is available for DOS and Windows (see screen 4); MacInTax is for the Mac. Both programs offer an extensive and helpful interview process, although they tend to assume some knowledge of tax law. For example, they rightly ask if you have any "nominee interest," but they don't explain what that is.

TurboTax and MacInTax also offer the most comprehensive final review of your

tax return of any of the packages reviewed here. They are chock-full of hints and suggestions, including steps you can take to reduce your tax liability during the next year. Both offer electronic filing (via modem or disk) for \$19.95.

TurboTax and MacInTax neglect to give you a running update on your tax liability until you're done with the entire interview, unless you specifically switch to the forms. And they import data only from Quicken and TXF formats.

Despite minor shortcomings, TurboTax and MacInTax stand out among the packages here in their ability to handle virtually any tax situation. The packages effortlessly and correctly calculate even the most complicated of tax returns. They offer extensive help and hints on advanced tax matters and even point you to IRS publications for further reading.

ChipSoft is the only company here that also sells versions of its programs specifically designed for professional tax preparers. In fact, if you prepare your return with TurboTax and bring it to professional preparers who use the pro packages, they can import your return and check or complete it for you.

Taxing Choices

For taxpayers who want to spend the least amount of time dealing with Uncle Sam (and aren't interested in becoming tax experts), any of the packages offering interviews are logical choices. TaxCut's interview process is thorough, but it has some limitations for complex returns. And while TurboTax's interview has its drawbacks, it's most effective and accurate for all types of returns. Interview-type programs are most effective when used with the financial management packages whose data they can import. That can eliminate the dreaded Shoebox Syndrome as you sift through piles of receipts as the tax deadline nears.

While the DOS versions of these programs are just as functional, we recommend that PC users buy the Windows versions: They put on-screen what looks like an actual IRS form, which is definitely helpful. And surprisingly, we found that the Windows versions were just as fast as their DOS counterparts.

A dose of reality: Because of the complexity of the U.S. Tax Code, the more complex your tax situation, the less cut-and-dried the "answers" are. Like law, taxes require interpretation and opinions, dependent on "facts and circumstances," as the IRS likes to say. Given any complex situation, all these packages could deliver slightly different bottom lines based on the interview. Programs like we've reviewed here are designed for the vast majority of taxpayers and are no substitute for a one-on-one interview with a real tax professional. ■

Kathleen LaRivière has over 14 years' experience as a tax professional; she owns and operates a tax practice in Peterborough, New Hampshire. Stan Miastkowski is a BYTE consulting editor and a freelance writer specializing in computer technology. Both can be reached on BIX c/o "stanm" or via MCI Mail at 530-9979.

ITEMS DISCUSSED

Andrew Tobias' TaxCut for DOS, TaxCut for Windows, TaxCut for the Macintosh\$50
Meca Software, Inc.
(203) 256-5000
fax: (203) 255-6300
Circle 1225 on Inquiry Card.

Personal Tax Edge, Personal Tax Edge for Windows\$49
Parsons Technology
(319) 395-9626
fax: (319) 393-1002
Circle 1226 on Inquiry Card.

Tax Solver for Excel, Tax Solver for 1-2-3, Tax Solver for Symphony\$79.95
Intex Solutions, Inc.
(617) 449-6222
Circle 1227 on Inquiry Card.

TurboTax for DOS, TurboTax for Windows, MacInTax\$79.95
ChipSoft, Inc.
(619) 453-4446
Circle 1228 on Inquiry Card.

SYSTEM

Compaq Stakes Out Both Ends of the Server Spectrum

BARRY NANCE

When it comes to the network server market, one size most definitely does not fit all. One shop may require nonstop operation, another excellent I/O performance for a large LAN, and a third high-speed processing for a database server. And some companies just need reasonable performance at a reasonable price.

Compaq has addressed both ends of the server spectrum with two recent server introductions. The Systempro/XL (see the photo) is a high-end, dual-processor system with fault-tolerant and management features; Compaq's new ProSignia is a new low-end, single-processor server.

I tested both servers for speed in two environments. In my lab, I alternated between Ethernet and Token Ring to connect up to eight workstations. For a larger-scale test, I used a battery of 50 PCs on 16-Mbps Token Ring to give the XL and ProSignia servers more of a workout. I used the BYTE LAN Benchmarks (for NetWare and Unix) to measure performance on NetWare 3.11 from Compaq and SCO Unix 3.2.4. Figure 1 shows results for varying workstation levels on a Token Ring network.

In the following sections, I'll discuss performance and reliability aspects of the XL. You'll find details on the ProSignia in the text box "You're Not Going to Pay a Lot for This Server," page 172.

Inside the XL

The XL is based on Compaq's new TriFlex system architecture, which Compaq designed to be upwardly compatible with Intel's entire family of fast CPUs. A natural extension to Flex/MP, TriFlex separates system operations among the 64-bit processor bus, the 128-bit memory bus, and the 32-bit EISA bus. The TriFlex DataFlow Manager coordinates the work of EISA adapters and the CPU, providing a 267-MBps path to and from main memory. (For comparison, the IBM Model 295 operates at 200 MBps.)

DataFlow Manager is Compaq's solution to a performance problem that sometimes plagues bus-master adapters. Ironically, as a bus-master adapter uses more memory bandwidth, it reduces the CPU's ability to access main memory during instruction fetch cycles. According to Compaq, the DataFlow Manager lets proces-



The Systempro/XL features dual processors and advanced system architecture for high performance.

sors and EISA bus-masters access main memory simultaneously more than 70 percent of the time.

The XL can accept an optional second processor board. The two CPUs in my review unit were 50-MHz 486s, but Compaq says that the XL's 64-bit processor architecture will readily accommodate Intel's future high-speed CPUs—Pentium and beyond. The XL's processor boards also add 256 KB of two-way set-associative, write-back cache.

NetWare can take advantage of the large CPU cache, but it can't make use of the second CPU. Novell says it's still in the design stages of multiprocessor support for NetWare and that SMP (symmetric multiprocessing) support may appear in a subsequent release of NetWare 4.0 late in 1993. Until then, you'll find the dual-processor architecture most useful in an application or database server running SCO Unix with MPX (multiprocessor extension) or Banyan Vines SMP.

The XL comes bundled with a new Compaq network interface card. The NetFlex dual-physical-layer-protocol adapter

BYTE ACTION SUMMARY

WHAT THE SYSTEMPRO/XL AND PROSIGNIA ARE

The XL is a new high-end server with fault-tolerant features. The ProSignia is a fast, low-cost server.

LIKES

Fault tolerance and excellent capacity on the XL; low cost but good performance on the ProSignia.

DISLIKES

No hot-swap capability for the XL; multiprocessing practical only on Unix networks.

RECOMMENDATIONS

Both servers fit their niches well.

PRICE

Systempro/XL (with SCSI, four 550-MB hard drives, dual 486/50s, 16 MB of RAM, Token Ring), \$22,014

ProSignia (with SCSI, one 550-MB hard drive, one 486DX2/66, 16 MB of RAM, Token Ring), \$6097

FOR MORE INFORMATION

Compaq Computer Corp.
P.O. Box 692000
Houston, TX 77269
(800) 345-1518
(713) 370-0670
fax: (713) 374-1740

Circle 1223 on Inquiry Card.

BYTE NETWORK BENCHMARKS





Figure 1: NetWare benchmark results show that both servers are fast but that the Systempro/XL has considerably higher capacity than the ProSignia. The XL shows no degradation at all with two NICs installed. It ran in a dual-processor configuration on the Unix tests, but because I/O is such a significant component of the BYTE Unix Network Benchmarks, the XL doesn't show much benefit.

Figure 2: The Systempro/XL shows a linear increase in processing power when adding an additional CPU running Dhrystones under MPX.



We made this ad the same way some people still do calculations.

Aside from the quarter million or so people who already use Mathcad®, most engineers and scientists continue to do calculations by hand. Using calculators and

And print presentation quality documents complete with text, graphics and equations in real math notation.

Mathcad comes with more

than 200 commonly used functions built-in, including exponentials, differentials, cubic splines, FFTs and more. Full symbolic capabilities are available with a menu pick, so you can evaluate any integral, Taylor series or infinite

to fully interactive formulas, diagrams and data tables directly from popular reference books. Work with them right in the handbook itself. Or

click and paste them for use in your Mathcad documents.

Plus optional

Applications Packs with modifiable templates are available for all major engineering and science fields.


So put down your pencil, pick up the phone and call now to get a free Mathcad Working Model and complete information. Or mail or fax the coupon below.

Once you get your hands on Mathcad, you'll never do math the same way again.

Call: 617-577-1017

Fax: 617-577-8829

1-800-MATHCAD



scratch pads. Or jamming them into spreadsheets. Or pounding away at code on their keyboards.

Which is all quite unnecessary when you consider that Mathcad provides a faster, more natural, less error-prone alternative. Simply enter equations anywhere on the worksheet. Graph results in 2-D and 3-D. Change variables and instantly update answers. Add text to support your work.

Sum just by clicking.

Optional Electronic Handbooks* give you instant access

FREE Mathcad Working Model.



The Mathcad Working Model includes a concise demonstration and a fully functioning version of the product. It's the best way to introduce yourself to the power and ease of Mathcad.

396

Name _____

Title _____

Company _____

Address _____

City _____

State _____

Zip _____

Country _____

Phone _____

SPECIFY:

- ☐ PC Windows™
☐ PC DOS ☐ UNIX®
☐ Macintosh®
☐ 3½" ☐ 5¼" Diskette

MathSoft, Inc. 201 Broadway, Cambridge, MA 02139 USA • Phone: 1-800-628-4223 • 617-577-1017 • Fax: 617-577-8829

For information on Mathcad distributors outside of the U.S., contact MathSoft USA © 1992 MathSoft, Inc. TM and ® signify manufacturer's trademark or registered trademark respectively.
 *Electronic Handbooks require Mathcad 3.1.

You're Not Going to Pay a Lot for This Server

Compaq's ProSignia is a midrange EISA server, a little smaller than your average Systempro. With a 66-MHz 486DX2 CPU, 16 MB of RAM, a 550-MB hard drive, a network card, and the usual peripherals, the ProSignia costs \$6097.

You can choose either a 33-MHz 486 or the clock-doubled 66-MHz 486DX2, boosted by a 256-KB cache. The large CPU socket will support a CPU chip upgrade to a 32-bit Pentium (P24T) chip. You can in-



However, the standard ProSignia does include Rapid Recovery Services and

stall up to 128 MB of RAM in the ProSignia. It doesn't have the Systempro XL's TriFlex architecture, but it still held its own on the benchmarks at low usage levels.

The ProSignia server also doesn't have ECC (error-correction code) or other fault-tolerant features of the Systempro/XL, although you can optionally add an IDA-2 (Intelligent Drive Array).

Compaq's Insight. Standard features of the ProSignia include a 32-bit SCSI-2 controller designed especially for NetWare, built-in server monitoring and recovery, and the 32-bit NetFlex EISA network adapter capable of either Ethernet or Token Ring.

The ProSignia is a fast file server, almost as fast as the XL when equipped with the 66-MHz 486DX2 processor. For networks where fault tolerance and killer capacity aren't critical, the ProSignia is a good investment. It would be an unusual setup, but you could even use DOS 5.x and either LANtastic or Windows for Workgroups 3.1 to turn an XL into a server on a peer LAN.

is based on Texas Instruments' Super Eagle controller. The bus-mastering 32-bit EISA NetFlex provides an RJ-45 port for UTP (unshielded twisted-pair) connection to either Token Ring or Ethernet, an AUI (attachment unit interface) port for thick Ethernet, and a nine-pin port for STP (shielded twisted-pair) Type 1 Token Ring.

I tested the XL with its fast SCSI-2 array controller. This controller gave excellent performance and of course will work with the fault-tolerant features of NetWare, such as mirroring and controller duplexing. To get full fault tolerance, however, you need an optional \$2499 IDA-2 (Intelligent Drive Array) controller. The IDA-2 controller supports RAID levels 0 (mirroring), 4 (data-guarding with parity drive), and 5 (data-guarding with distributed parity).

For faster, easier maintenance, disk drives snap into the XL chassis. However, you can't hot-swap; you have to power down the XL to replace internal drives (or any other failed system module).

In addition to fault tolerance at the drive controller level, the XL also includes fault-tolerant memory features. The XL supports up to 512 MB of ECC (error-correction code) RAM. The XL also incorporates memory tracking, which catches ECC RAM faults.

Software for Servers

Compaq offers NetWare 3.11 as an option for both the XL and ProSignia. Compaq supplies the disks; you choose your own configuration options and preferences as

you install NetWare. Compaq provides all the necessary drivers, as well as a set of NLMs (NetWare loadable modules) for diagnostic purposes.

The diagnostic NLMs turn the XL into an SNMP agent. You can use Insight Manager, a Windows-based utility for over-the-network management of Compaq PC servers, to collect information from the SNMP agent NLMs.

Rapid Recovery Services, a built-in management feature, monitors for hardware failures and network-operating-system crashes, including specific NetWare ABEND conditions. The diagnostics reside on a separate disk partition.

Measuring the XL's Speed

A faster CPU in a server generally means capacity for more users rather than faster response times for fewer users. A single workstation's response times depend mostly on the speed of the server's I/O subsystems: the hard drives, controller, disk cache, and network adapters.

Figure 1 graphs server throughput for four, eight, 12, 24, and 48 workstations under NetWare 3.11. With one NIC, the XL's server performance degraded somewhat between 24 and 48 workstations. When I added a second NetFlex, the XL performed spectacularly. At up to 48 very heavy, simultaneous users, the XL shows no saturation with two NICs.

The lower row of graphs shows results for Unix at the same usage levels. I didn't run the Unix tests with multiple NICs, but

I would expect to see no saturation at these levels (as with NetWare). Although the XL used both processors on this test, the I/O-heavy benchmarks didn't show much advantage. However, if you designate the XL as an application or database server, you should see the benefit of the extra processor as MPX distributes client/server tasks across the CPUs.


I ran Dhrystone tests to more fully test the XL's MP features (see figure 2). The graph shows that performance simply doubles with two processors; you wouldn't see that kind of linear performance gain on an MP system that wasn't symmetric.

More Capacity, Brighter Future

The XL isn't much faster than fast low-end servers like the ProSignia, but it offers much higher capacity for large networks. It's also worth considering as a high-performance application server.

A two-CPU XL is overkill right now for NetWare servers. Further down the road, however, MP NetWare and the XL's support for 64-bit Intel processors should make the Systempro/XL an excellent long-term solution. ■

Barry Nance, a programmer for the past 20 years and a BYTE contributing editor, is the author of Using OS/2 2.0 (Que, 1992), Network Programming in C (Que, 1990), and Introduction to Networking (Que, 1992). He is the editor for the IBM Exchange on BIX, where you can reach him as "barryn."



DATAPRO
INTERNATIONAL

The Answer to all your IT Questions

For more than twenty years, Datapro International has been providing technology users, buyers, vendors, industry consultants and sales and marketing professionals with the information and analysis they need to make better business decisions.

Our expert analysts continually expand and update our vast database of product and technology information in order to provide services which meet the specific needs of businesses like yours. The result is an unrivalled range of information services.

☐ YES I WANT MY IT QUESTIONS ANSWERED

ADO48

Name: _____

Company: _____

Address: _____

Post Code: _____

Telephone No: _____ Fax No: _____

Datapro International, McGraw-Hill House, Shoppenhangers Road, Maidenhead, Berkshire SL6 2QL England
Telephone +44 (0) 628 773277 Fax +44 (0) 628 773628

Datapro USA, 600 Delran Parkway, Delran, New Jersey, USA 08075 Tel: 609 764 0100 Fax: 609 764 2812

Circle 414 on Reader Service Card

BYTE BACK ISSUES FOR SALE

1989

1990

1991

1992

1993

January

February

March

April

May

June

July

August

September

October

November

December

Special
Issues

IBM

IBM

Issues Available

Rates (postage and handling included):

Holland

Df1 18.00

Switzerland

SwFr 14.00

United Kingdom

£ 5.75

France

FFr 54.50

West Germany

DM 16.50

Sweden

SEK 58.00

No other currencies will be accepted other than those mentioned above.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

BYTE Back Issues, c/o Dynamic Graphics International, P.O. Box 25, 3950 AA Maarn, The Netherlands

☐ Check enclosed

Charge: ☐ MasterCard ☐ Eurocard ☐ American Express ☐ VISA

Card # _____

Exp. Date _____

Signature _____


Name _____

Address _____


Postcode _____ City _____

Country

All orders must be prepaid. Pay only in currencies given. Please allow three weeks for delivery by surface mail.



Need to schedule drilling rigs, supplies and crews to find environmental contamination? With DataBoss, you can. This 13-file, 4-screen system was built in 18 hours.



DataBoss was even used to build itself!

With DataBoss, you can build relational database applications in minutes.

For more complex applications, your time savings will be even more dramatic.

As one of our users reported last week, "I just finished a project with DataBoss in 1 day and a half. Before DataBoss, it would have taken me a month."

Developer Stephen Moore writes, "DataBoss has saved my company hundreds of hours of programming time and thousands of dollars."


Data Based Advisor magazine agrees: "Using DataBoss is a lot faster than writing applications from scratch, even with a good selection of libraries."

DataBoss builds systems for you


DataBoss generates *all parts* of your application: menus, files (with file linking), data entry screens, reports, utilities.

Your applications look professional, with multi-window data entry, table entry, memo fields, scrollable fields, mouse support, look-up tables, context-sensitive help, and even an online manual.

Byte reports, "The applications generated are very sophisticated, with all the usual features, including full field edit-



Want to make a slick-looking system to track recording artists, sales and royalty payments? With DataBoss, you can.



Can you customize how your applications work and look, like this wild game? With DataBoss, you can. Note the online help.

Want to build C or Pascal database applications *in minutes*?

With DataBoss, you can.

Amazing product cuts your development time in half, builds relational database systems in Pascal or C

ing, field default and validation checking, user-defined queries, automatic index maintenance, customization capabilities and user-defined error messages."

No extra language or macros to learn

DataBoss writes programs in *customizable Pascal or C*. Then, with your compiler, it creates executable applications. You get customizable source code to the libraries and files that DataBoss uses to generate your programs. So you can change the libraries, or use your own.

If you're a veteran programmer or a novice, DataBoss lets you *choose* your level of involvement with source code. You're supported by DataBoss menus, online help, and our friendly support staff.

Maintenance tools for your applications

Your applications evolve with time. So DataBoss generates systems documentation for each part *as you build it*. You have all the information when you need it.

If the structure of your database changes, DataBoss lets you update existing data without writing a single line of code.

There are *no runtime fees* or royalties, so you can develop as many systems as you want. You don't owe us another cent.

Be an "Ace" network programmer

DataBoss builds both single-user and *networked* systems. Just choose "Multi-User;" DataBoss adds record locking and other network functions. It's that simple.

Use your favorite compiler. *DataBoss C* works with Turbo C/C++, Borland C/

C++, Microsoft C/C++, QuickC. *DataBoss Pascal* works with Turbo Pascal.

Call today and give a big boost to your productivity.

Get DataBoss now!
Only \$695
AUTHORISED DEALERS

England:
GREY MATTER LTD.
Prigg Meadow, Ashburton
Devon TQ13 7DU
Tel: 44 (0)364 53499
Fax: 44 (0)36453071

France:
INNOESOFT
2 Rue Des Bourets
92510 Suresnes
Tel: 33 (1) 40 99 28 00
Fax: 33 (1) 40 99 28 88

Germany:
ELV
Postfach 1000
W-2950 Leer
Tel: 49 (0491) 600 8-0
Fax: 49 (0491) 7 20 30

Finland & Scandinavia:
RAVENHOLM COMPUTING
PL 14
41661 Toivakka
Tel: 358-(9)41-871-871
Fax: 358-(9)41-871-471

The Netherlands:
PROTOCOLS SOFTWARE
P.O. Box 503
1180 AM Amstelveen
Tel: 31 (0)20-6455023
Fax: 31 (0)20-6403341

FRENCH
LANGUAGE EDITION
AVAILABLE

GERMAN
LANGUAGE EDITION
AVAILABLE

Kedwell Software

78 Fleet St., Portsmouth, NH 03801

(603) 433-4777

Fax (603) 433-4222

Dealer Enquiries Welcome!

The First Step is the Easiest !

... with Allegro

Allegro

Allegro - the new composer program with score notation, mixer, sample editor and now with OPL3 FM sound editor. Compose your own songs and use your sound card to its full capacity. Use all your creativity in programming new musical instruments; insert notes and text directly into the score. Record on multiple tracks using your own instruments and external MIDI synthesizers.



Program components: Mixer, note editor, sample editor, FM instrument editor, panel. **Notation:** Easy input of notes: Drag and drop with the mouse directly to the staves, or use an external MIDI keyboard. Output the score to a selection of printers. **Editing:** Transpose, quantize, cut, copy, edit single notes, place text anywhere. **Sequencer:** The sequencer functions like a tape recorder with 48 tracks. The volume, panorama, chorus and reverb for each track can be controlled. Add your own digitized drum samples or sounds. **Following standards are supported:** Sound Blaster, Adlib Gold, MPU, SCC1.

Real-Time Multitasking

for Microsoft C, Borland C, Turbo Pascal

Develop Real-Time Multitasking Applications with RTKernel!

RTKernel is a professional, high-performance real-time multitasking kernel. It runs under MS-DOS and supports Microsoft C, Borland C++, Turbo Pascal, and Stony Brook Pascal*. RTKernel is a library you can link to your application. It lets you run several functions / procedures as parallel tasks. RTKernel offers these advanced features:

- pre-emptive, event-/interrupt-driven scheduling
- number of tasks only limited by RAM
- task-switch time of approx. 6 µsecs on a 33-MHz 486
- speed independent of the number of tasks
- use up to 64 priorities (changeable at run-time) to control your tasks
- time-slicing can be activated
- programmable timer interrupt rate
- inter-task communications using semaphores, mailboxes, and message-passing
- call DOS without re-entrance problems
- activate tasks out of interrupt handlers
- interrupt handlers for keyboard and COM ports included with source code
- supports math coprocessor and emulator

- resident multi-tasking applications (TSRs)
- keyboard, hard disk, floppy disk idle times usable by other tasks
- runs under MS-DOS 3.0 to 5.0, DR-DOS, Novell, etc., or without operating system
- ROMable
- supports CodeView and Turbo Debugger

New Features of Version 3.0:

- supports 36 COM ports (and NS16550)
- fast, inter-network communication using Novell's IPX services
- runs Windows or DOS Extenders as a task
- programmable interrupt priorities
- full source code available
- no run-time royalties
- free technical support by phone or fax

RTKernel-C (MSC 6.0/7.0, BC 1.0/2.0/3.0/3.1) DM 795 (for source code, add DM 695)
RTKernel-Pascal (TP 5.0/5.5/6.0/7.0, SBP 6.0) .. DM 695 (for source code, add DM 595)


For international orders, add DM 50 for shipping and handling. 30-day money-back guarantee available to qualified customers.
MasterCard, Visa, check, bank transfer, COD (in Europe) accepted.

Please call or fax for our free demo disk.

On Time
MARKETING
KARSTEN PETERSEN

Karolinenstrasse 32 · D-2000 Hamburg 36 · Germany
Phone +49 - 40 - 43 74 72 · Fax +49 - 40 - 43 51 96

POS-EQUIPMENT



Printers
Displays
Scanners
Drawers

PC Card which turns your PC
into a POS Terminal

dietrich SINCE 1928

Zaehringstr. 326
D-7800 FREIBURG / Germany
Phone 49-761-552719 • 54915
FAX 49-761- 5 68 81

SYSTEM

Two PowerBooks Great and Small

TOM THOMPSON

Apple's latest round of PowerBook introductions splits the product line into two distinct branches—the high-end, self-contained machines (the PowerBook 160 and 180) and the lightweight, dockable Duo family.

Most of the specifications for these notebooks can be found in my First Impression "New Macs for the Desktop and Road," December 1992 BYTE. Since then, I've had a chance to really live with a PowerBook 180 and a PowerBook Duo 230 for a few weeks, and I've had time to test their performance mettle with the latest revision of BYTE's Macintosh benchmarks.

What They've Got

The PowerBook 180 shares its 6.8-pound, clamshell design with previous PowerBooks. Like the older 145, it has a built-in 1.44-MB SuperDrive floppy drive and includes the usual entourage of I/O ports for ADB (Apple Desktop Bus), serial, sound I/O, and SCSI. Where the 180 breaks from the pack is in performance; its 33-MHz 68030, combined with a 33-MHz 68882 FPU, makes it the fastest portable Mac on the market. The 180 also has a new 10-inch, backlit, 640- by 400-pixel, active-matrix LCD panel that supports 16 gray levels. Finally, the 180 directly supports external video (8-bit color monitors of up to 16 inches) through a display port and a bundled adapter cable (see photo 1).

The PowerBook 180 is a trim machine, but it's a behemoth next to the PowerBook Duo 230. The latter is a svelte slab that weighs only 4.2 pounds, measures somewhat smaller than a notebook page (10.8 by 8.5 inches), and clears only 1.4 inches. The clamshell Duo 230 opens to reveal a 9-inch, backlit screen—a 640- by 400-pixel, supertwist LCD panel that supports 16 gray levels. But to pack that much computer into such a small frame means making compromises.

The system has neither an FPU nor a SuperDrive. The only I/O ports are a mini-DIN-8 LocalTalk/serial connector and an RJ-11 connector for an internal modem. To access floppy disks while on the road, you'll need an optional Mac Duo Floppy Adapter (\$135) and Floppy Drive (\$199).

However, the Duo 230 is really designed to park inside a Duo Dock docking sta-




Photo 1: The PowerBook 180, shown here with an external color monitor, bundles more performance than a Mac IIci into a 9.3- by 11.25- by 2.25-inch package.

tion, which provides the balance of the features you'd expect in a desktop Mac (see photo 2). A 152-pin docking connector at the back of the Duo 230 acts as a Processor Direct Slot and conveys processor and I/O signals into the Duo Dock. The Duo Dock routes these signals to two NuBus slots, an army of I/O ports (ADB, sound I/O, two serial, SCSI), a SuperDrive floppy drive, an FPU socket, and an optional internal hard drive. The Duo Dock provides 8-bit color output for 12- to 16-inch monitors (16-bit color with additional video RAM).

A motorized mechanism in the Duo Dock pulls the Duo 230 into the dock when you insert it and ejects it when you press an eject button (almost exactly like a videocassette). This arrangement makes



Photo 2: The Duo Dock turns the svelte PowerBook Duo 230 into an uncompromising desktop Mac.

for a reliable electrical connection, and it also provides safeguards that prevent you from accidentally clobbering files. For example, you can't insert the Duo 230 into the dock while it's in sleep mode: The Duo Dock ejects the computer, and a dialog box appears on the notebook's screen advising you to shut down the Duo 230. When

you press the eject button, the Duo Dock issues a Shut Down command to the Duo 230, which closes all running applications and prompts you to save any open files before ejecting the computer.

The Duo/Duo Dock combination gives you a powerful computer that you can leave parked on a desk, equipped with a keyboard, a mouse, and an external color monitor, and with access to the office network. But at a moment's notice, you can punch the eject button, grab the Duo 230 out of the Duo Dock, and carry it away on a company mission, secure that all your work is in your hands.

Checking Out the Books

I looked at a PowerBook 180 equipped with 4 MB of RAM, a 120-MB hard drive, and an Apple 2400-bps fax modem. The PowerBook Duo 230 was equipped with 12 MB of RAM and a 120-MB hard drive. It packs more processing power, storage, and memory than the Mac IIci I use at the office.

My first job was to install System 7.1, included with each machine. Along with the usual pack of six high-density System software disks, you also get an Install Me First disk that contains a System file, the Installer application, and a System Enabler file. This System Enabler file contains hardware-specific code and resources required to run System 7.1 on each machine.

You boot the PowerBook with Install Me First; the Installer copies the System

Enabler file to the computer's hard drive, and then the installation process runs as usual. The important thing to note here is not to toss the System Enabler file into the Trash: Your PowerBook 180 or Duo 230 won't start without it, and you'll be forced to copy the file off the bootable Disk Tools floppy disk.

The PowerBook 180 supports a SCSI disk mode, in which it acts as a SCSI disk when connected to a desktop Mac with a System Adapter cable. This cable has an extra pin and a female 50-pin SCSI connector; it fits between a standard SCSI cable and the PowerBook. The extra pin signals the PowerBook to operate as a slave SCSI device. I used the System Adapter to copy all my applications and utilities from my IIci to the PowerBook 180. The Duo 230 also supports this SCSI function through an optional MiniDock that provides a SCSI connection. Since the Duo 230 lacks built-in SCSI, I parked it in the Duo Dock and copied the files from the IIci via the network.

The Duo Dock works superbly. It recharges the Duo 230's battery while the notebook is docked—a nice touch. However, there are some mechanical difficulties in working with the Duo Dock. First, the SuperDrive is mounted on the right side of the chassis, and I didn't like having to reach around to insert floppy disks. Second, adding NuBus boards is a chore: You have to remove the cover, loosen some screws, and then flip over a panel covered

with electronics to add the boards.

One additional note of caution regarding the Duo Floppy Adapter: Once you get used to the idiot-proof protection mechanisms of the Duo Dock, it's hard to go back to less-tolerant hardware. Plugging in the Duo Floppy Adapter while the Duo 230 is awake causes it to lose power—and any active files.

Software Compatibility Problems

Normally you expect minor software-compatibility problems with any new Mac, but with these PowerBooks the problems are compounded by changes brought on by System 7.1. Specifically, fonts are now located in a Fonts folder rather than in the System file. This makes managing your fonts easier, but it freaks out any software that makes assumptions about font location. Therefore, you'll need to update some applications.

Fifth Generation Systems electronically distributes an update that patches Suitcase 2.1.1 to work with System 7.1. Adobe Type Manager 2.0.3 crashes, because it expects to find its outline fonts in the Extensions folder. Adam Stein's ATM Fixer is an on-line patch that fixes this problem. ATM 3.0 and a beta version of SuperATM (3.5b13) worked just fine.

There were some other software snags. Adobe Photoshop 2.0.1 works, displaying images adequately in 16 grays, but the Mac Desktop palette shifts into a black-and-white mode when you exit the application. Connectix's PowerBook Utilities (CPU) requires version 1.0j to work with the new PowerBooks' gray-scale screens and new hardware. However, there's an interaction between CPU and Suitcase that hangs the PowerBook when you open the CPU Control Panel. Connectix has traced the problem to a bug in the Resource Manager and suggests rebooting with Extensions disabled when you change settings.

Despite these glitches, most software worked fine on both machines, including Adobe Illustrator 3.2 and Adobe Dimensions 1.0, ZTerm 0.9, NOW Utilities Super Boomerang 4.0.1 and WYSIWYG Menus 4.0.1, plus Claris Resolve and MacWrite II. Shiva's NetModem and NetSerial software also worked when hooked to a LAN.

Portable Performers

The BYTE CPU benchmarks show that both the PowerBook 180 and the Duo 230 are about 20 percent faster than a 25-MHz Mac IIci for some operations (see the figure). The Duo 230 didn't do as well on the floating-point tests because it lacks an FPU, but you can install one in the Duo Dock. These notebooks provide full mid-range processing power that will satisfy

BYTE ACTION SUMMARY

■ WHAT THE POWERBOOK 180 AND POWERBOOK DUO 230 ARE

Both are 33-MHz, 68030-based portable Macs. The PowerBook 180 is a high-end stand-alone portable; the PowerBook Duo 230 is small and light and mates with a docking station.

■ LIKES

Both are fast and powerful. They have display support for 16 gray levels.

■ DISLIKES

The PowerBook 180's high price; the PowerBook Duo 230's lack of an FPU and a floppy drive.

■ RECOMMENDATIONS

For those who need a self-contained Mac with a sharp display, the PowerBook 180 is ideal. For those who won't compromise on weight and size, yet need desktop power, the PowerBook Duo 230 is excellent.

■ PRICE (AS TESTED)

PowerBook 180, \$4788
PowerBook Duo 230, \$3439
Mac Duo Dock, \$1079

■ FOR MORE INFORMATION

Apple Computer, Inc.
20525 Mariani Ave.
Cupertino, CA 95014
(800) 776-2333
(408) 996-1010
fax: (408) 974-6412

Circle 1224 on Inquiry Card.

STATISTICA/w

See us at CeBit, Hannover:
Hall 4, 1st Floor, Booth C 60 (33)

Windows,
DOS, Macintosh

STATISTICA/w™ (for Windows) Complete Statistical System with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Complete Windows 3.1 support, DDE, OLE, TT-fonts, multiple toolbars, right mouse button support ■ Unlimited numbers of data-, results-, and graph-windows

Inter-window integration: data, results, and graphs can be treated as objects and converted into one another in a number of ways ■ the largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi); and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Extensive data management facilities (spreadsheet with long formulas, block operations, advanced Clipboard support, DDE hot links, relational merge, data verification, powerful programming language) ■ Batch command language and macros also supported, "turn-key system" options ■ All output displayed in Scrollsheets™ (dynamic, customizable, presentation-quality tables with toolbars, pop-up windows, and instant D, 3D and multiple graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE or an extensive selection of file import/export facilities ■ Hundreds of types of graphs, including categorized multiple 2D and 3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom design new graphs and add them permanently to menu ■ On-screen graph customization with advanced drawing tools, interactive stretching and resizing of complex objects, interactive embedding of graphs and artwork, special effects, icons, maps, multi-graphics management, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of all 3D and 4D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price **\$995**.

Quick STATISTICA/w™ (for Windows) A comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/w ■ Price **\$495**.

STATISTICA/dos™ (for DOS) A STATISTICA/w-compatible data analysis system ■ Price **\$795**.

Quick STATISTICA/dos™ (for DOS) A subset of STATISTICA/dos statistics and graphics ■ Price **\$295**.


Domestic sh/h \$10 per product; 14-day money back guarantee.
Circle 145 on Inquiry Card.



StatSoft™

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376


Overseas Offices: Statsoft of Europe (Hamburg, FRG), ph: 040/200347, fax: 040/4911310; StatSoft UK (London, UK), ph: 0462/482822, fax: 0462/482855; StatSoft Pacific (Melbourne, Australia), ph: (03) 663 580, fax: (03) 663 6117; StatSoft Canada-CO (Ontario), ph: 416-849-0737, fax: 416-849-0918. Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: MAB Julsing, 071-230410; France: Version US (1) 40590913; Sweden: AkademiData 018-240035; Hungary: Dagent Kft 186-5782; Belgium: TEXMA 10 61 16 28; South Africa: Osiris 12 663-4500; Japan (Macintosh): Three's Company, Inc., 03-3770-7600; Japan (DOS and Windows): Design Technologies, Inc., 03-3667-1110.



STATISTICA/Mac™ (for Macintosh) A STATISTICA/w-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Full support for System 7, incl. "Publish and Subscribe" ■ Price **\$595**.

Quick STATISTICA/Mac™ (for Macintosh) A subset of STATISTICA/Mac: a comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/Mac ■ Price **\$295**.

BYTE MACINTOSH BENCHMARKS



BENCHMARK SUMMARY

	PowerBook 180	PowerBook Duo 230	Mac IIci	Mac IIx	Mac Classic II
Low-level performance					
CPU index	2.60	2.70	2.18	3.36	1.00
FPU index	10.68	2.22	2.66	4.10	1.00
Disk index	1.47	1.38	1.04	1.51	1.00
Video index	2.00	2.14	2.17	2.68	1.00
Application performance					
Word processing index	2.76	2.90	2.99	4.39	1.00
DTP index	1.81	1.86	1.80	2.44	1.00
Database index	2.50	2.59	2.67	3.46	1.00
Development index	2.19	2.27	2.06	2.83	1.00
Graphics applications index	2.63	2.63	2.63	3.63	1.00
Scientific index	4.46	2.67	4.33	6.81	1.00
Spreadsheet index	5.54	3.02	5.98	8.52	1.00
Overall application index	21.91	17.93	22.47	32.08	7.00
Dhrystone	5555	6250	5555	10,000	2000

All machines were tested using System 7.1. Except for the Dhrystone and battery-life tests, all results are indexed, and higher numbers indicate better performance. For each indexed test, a Mac Classic II = 1. Comprehensive test results and detailed configurations are available for all machines on request.

The 33-MHz PowerBook 180 and PowerBook Duo 230 are about 20 percent faster than a 25-MHz Mac IIci in some operations.

the needs of all but the most demanding users.

Both computers' screens were bright and clear, but I especially enjoyed the crystal sharpness of the 180's active-matrix display. As for the Duo, there are a lot of little features to like: the LED in the Caps Lock key, the easy-to-reach Power On button (it's by the keyboard rather than in the rear), and its going into sleep mode when you close the lid. However, its smaller, recessed trackball takes some getting used to.

The trackball got mixed reviews among other BYTE editors.

Which computer should you choose? That depends on what you need on the road, and your working style. I have to admit my bias toward the complete, self-contained system represented by the PowerBook 180, and I can't praise the display enough.

There's a lot to like about the Duo 230's smaller size and lighter weight. Nevertheless, its lack of a floppy drive scares me.

While the Duo Floppy Adapter and external SuperDrive are a good solution, it requires keeping track of too many little parts on the road. If the Duo 230 had a built-in floppy drive, I'd like it a lot better. As it is, I'll stick with the PowerBook 180. ■

Tom Thompson is a BYTE senior technical editor at large with a B.S.E.E. from Memphis State University. You can contact him on BIX as "tom_thompson" or on the Internet at tomt@bytpeb.byte.com.

APPLICATION

Visual Basic for Windows Gets a Face-Lift

TOM YAGER

Until the arrival of Microsoft's Visual Basic for Windows, programmers had to spend hours learning complex development tools just to work in Windows. Visual Basic simplified working in Windows and gave the rewards of custom programming to even occasional programmers. However, its limited feature set was deficient for some, particularly when a large application needed to be created. At those times, many programmers were forced to write portions of their programs in C or another language.

The latest release, version 2.0, removes many but not all of the original version's limitations. Improved performance and new capabilities make custom Windows programming easier than ever. However, Visual Basic still lacks some pieces that I consider important, including a native-code compiler.

Greater Magnitude


I tested Visual Basic for Windows 2.0 on three machines: a Toshiba T2000SX laptop (a 16-MHz 386SX), an ALR Flyer 32LCT with a 66-MHz 486DX2, and a Uniq file server with a 50-MHz 486. I spread the testing around to get a feel for the new Visual Basic's performance. However, I did most of my test work on the laptop because I wanted to see how Visual Basic's changes played on a system with minimal display resolution and color depth, limited CPU speed, and relatively limited memory (5 MB). If Visual Basic 2.0 could make it there, it could make it anywhere.

The first thing that struck me about Visual Basic 2.0 was its magnitude. I installed the Professional Edition, which occupied about 22 MB of disk space and took close to an hour to load on the T2000SX. The installation lets you selectively leave out parts of the package and does a fine job of comparing and displaying required and available disk space.

The appearance of Visual Basic 2.0 has changed noticeably (see the screen). Most obvious is Microsoft's ubiquitous toolbar. The toolbar is where the old properties combo box pair used to be; Visual Basic 1.0 users might find the change a little confusing at first. Properties are now managed through a floating window.

I wasn't sure I'd like the new setup until I loaded a project I created in the old

Visual Basic 2.0 sports a new toolbar and floating window, where you can see multiple properties at once and change properties for multiple selected controls.



Visual Basic. The new properties window has a spreadsheet-like feel to it, with one column each for names and values. The type and name of the selected control are always visible at the top, and a single interface gives you access to all the properties of all the controls in your application. Double-clicking on a cell in the properties window cycles that property's value—true becomes false, numerics get incremented, and so on. When you select multiple controls, the values column in the properties window goes blank and the properties list is trimmed to only those shared by all the selected controls.

Reduced Tedium

Veterans of Visual Basic 1.0 will recognize the properties window as a blessing because it puts an end to the familiar and tedious "select control—change property—select control..." cycle. Also, Visual Basic 1.0 allowed changes to only one property at a time through the toolbar. Multiple controls can now be selected by dragging a marquee around them, and properties shared by those controls can be changed with a single action.

I recommend that you get used to the new properties window's approach (a two-column grid topped by a combo box) because it appears elsewhere in the new Visual Basic, including the environment and project options dialog boxes. The only drawback of the properties window is that it takes up more screen space than the old method. On my laptop's display, I had to keep popping the properties window up and down because there wasn't room for it to be on-screen constantly. All my non-

portable systems have at least 1024- by 768-pixel screens, and I leave the window permanently popped up. Even when you're not actively changing properties, the window holds a lot of useful information.

Once I loaded code into Visual Basic 2.0, I found it easier to find my way around this version than previous releases. A dialog box pops up with a key press and lets you zip to any procedure in your application by name. The syntactic color coding in the edit windows is an aid, particularly for large projects or big edit windows. Although there's multilevel undo and redo, the undo stack is strictly last-in, first-out. There's undo/redo in the forms builder as well, but that's only one level deep.

Overall, the new Visual Basic environment is at least as comfortable as the old one. The properties window is a big improvement if you can afford to leave it on-screen most of the time.

Some Performance Improvement

Microsoft says it improved performance through faster application starts, smaller .EXE files, and faster access to those attributes of objects called *properties*. In addition, version 2.0 lifts the barriers on array sizes, so you can use all available memory in your system. (Arrays also can now be resized without discarding their contents.) Other arbitrary limits have been raised, including the number of procedures in a program and the number of controls (i.e., interface elements) per form.

My testing turned up mostly positive results, but there were a few questionable areas. The size of my test projects didn't benefit from the claimed reduction in .EXE

What good is a cheap Keyboard,
when it turns an "e" into "eeeeee"?
With the European Alternative to Low-Cost-Keyboards,
you can enjoy the
Feeling of Reliability.
With Cherry.



MARCH 24-31, 1993




Hall 8.1, Booth D36/E35

Circle 406 on Inquiry Card.


CHERRY 
Keyboards Made in Europe.

Austria: Steinberger Ges. m. b. H. ☎ (02 22) 34 35 85 • Belgium: Multiprox NV ☎ (053) 78 77 78 • CSFR: Nepras Consulting and Marketing Services ☎ 1 64 30 92 • Denmark: E. V. Johansen Elektronik A/S ☎ 0 31 83 90 22 • Finland: ReplComp OY ☎ (0) 7 55 72 01 • France: Cherry ☎ (01) 43 77 29 51 • Germany: Cherry ☎ (0 96 43) 18 206 • Great Britain: Cherry ☎ (05 82) 76 31 04 • Greece: G. Parpanelas & Co. ☎ (0 31) 51 84 85 • Italy: Silverstar S. p. A. ☎ 02 66 12 51 • Luxembourg: Multiprox NV ☎ (053) 78 77 78 • Netherlands: Vierpool B. V. ☎ 0 34 65 94 51 • Norway: Tahon

There is a standard for reliability that the entire market sets its sights by: ours. And that of our top products in the field of standard mechanical keyboards. Dependable contact, freedom from problems, shielding, protection against electrostatic discharge, and reliable communication with leading software products. These are the benefits our customers can expect. Over 10 million such Cherry keyboards are already in use. Worldwide. And they are now available in European CFC-free environmentally friendly quality. With 100% testing, 90% recyclable. In all language versions. With all approvals and certifications. The bottom line is: Cherry quality won't stand for compromises. Send today for further technical details!



long life: 100 million operations per key.



high quality full-travel sealed-contact system with mechanical keymodules.

VISUAL BASIC FOR WINDOWS

file size. The faster loading and displaying of a program's initial form *did* show itself: All the applications I ported from the old Visual Basic to the new one had their load delay time cut almost in half.

The lifting of data size limitations seems more dramatic than it actually is; many kinds of data still suffer from limits imposed by segmentation. Individual strings are still limited to 64 KB each, and the manual paints a confusing picture of how segment limits affect other data types.

Among the other enhancements for version 2.0 is the program's support for the MDI (Multiple Document Interface) to provide access to the MDI services and events that the previous version wouldn't let you near. Standard now is 256-color support, as are access to DOS file I/O functions and the `hWnd` property of every windowed control (primarily for use with Windows API routines). Also, you can independently set the Z-order (i.e., stacking

order) of each control and form.

The language itself has some significant changes as well. There is a new data type, called *variant*, that you can use practically anywhere a typed variable will serve. Controls can now have default values—data returned when the control name is referenced alone in a program. A single form can exist in multiple instances as well (particularly useful with MDI applications), and variable type declarations and global definitions can exist anywhere in the program. Programs, forms, and projects can all be stored in ASCII representation, making room for the use of code management tools and code generators.

Finally, buyers of the Professional Edition will find an assortment of custom controls similar to those included in Visual Basic 1.0's Professional Toolkit. New to this release are Windows 3.1 support (the help compiler and on-line API reference), MAPI (Messaging API) support for E-mail links, ODBC (Open Database Connectivity) support for database access, a communications control for serial communications including file transfer, and a host of other features. Two parts of Visual Basic 1.0's Professional Toolkit have been moved to 2.0's Standard Edition: the spreadsheet-like grid control and the OLE client control.

Missing Pieces

For all the changes Microsoft made, it still didn't address some of the areas I consider important and missing in Visual Basic. To name a few, there still isn't a native-code compiler, and there's no option to produce single .EXE files (Visual Basic .EXEs require separate DLLs at run time, sometimes several). The program also lacks integration of an ISAM (indexed sequential-access method) or other database engine into the Professional Edition (Visual Basic for DOS has this, and the Windows version will communicate with optional, external databases through ODBC).

Even with those areas in mind, Microsoft has taken giant strides toward making Visual Basic palatable to programmers. The need to run off to C or some other language to get the work done has been diminished somewhat. While I'm not packing up my compilers just yet, I am a fan of the new Visual Basic for the same reason that I like the old: It's still the quickest, most painless way to create professional-looking Windows applications. ■

Tom Yager is a former BYTE technical editor and consultant for multimedia and Unix applications. He can be reached on BIX as "tyager" and on the Internet at tyager@byteph.byte.com.

BYTE ACTION SUMMARY

■ WHAT VISUAL BASIC 2.0 IS

A new release of Microsoft's programming system for Windows applications.

■ LIKES

Floating properties window; huge arrays; faster application loading and display.

■ DISLIKES

Still lacks some features that professional developers expect; runs best at screen resolutions of 800 by 600 pixels or better.

■ RECOMMENDATIONS

The best choice for the development of non-performance-critical Windows applications.

■ PRICE

Standard Edition: \$199
(upgrade from version 1.0, \$79);
Professional Edition: \$495
(upgrade from version 1.0, \$99)

■ FOR MORE INFORMATION

Microsoft Corp.
1 Microsoft Way
Redmond, WA 98052
(206) 882-8080
fax: (206) 936-7329
Circle 1131 on Inquiry Card.

Where Do You Go for Help When You're the Expert?

BIX is the collective computing power of thousands of hardware and software engineers, independent consultants, systems designers, technology buffs, and computer industry celebrities. With BIX and the people you'll meet online, you'll have access to information, software, source code, news reports, and advice. And BIX now offers an optional access program that lets you take advantage of WindowsTM while you're online.*

BIX is a Great Deal!

Subscribe to BIX for only \$13 per month! You can access BIX via SprintNet or Tymnet from over 600 locations in the continental US. Connect for only \$3 per hour in the evening and on weekends. Daytime rates are \$9 per hour. **International users:** access from many international locations at 9600 bps for \$24 per hour using SprintNet.

Join BIX Now!


Using any communications program:

- Dial by modem: 1-800-695-4882
- At "login" enter **bix**
- At "Name?" enter **bix.byte**

Further details and rate information will be provided during the toll-free registration.

BIX

- Access at **9600 bps** with **NO SURCHARGE**
- Search the full text of **BYTE** online
- Get quick answers to tough coding questions from industry experts
- Download source code, utilities, & other programs from **BYTE**
- Chat with other BIX members in real time
- Access via telnet over the Internet - telnet x25.bix.com, then type bix



*Optional WindowsTM access program — just \$9.95


Money-Back Guarantee: If for any reason you aren't happy with BIX, simply cancel your account and request a refund of your first monthly fee.

Questions? Call 1-800-695-4775; fax: 617-491-6642; or send Internet mail to: bix@genvid.com

GO BEYOND CLIPPER 5

MARCH 24-31, 1993

CeBIT '93
 HANNOVER

 See us at
 Hall 4, 1. Floor, G38


CLText is a fully featured word processor that you can link as into your Clipper programs. Included is a demo application just like MS-Word 5. CLText offers various text manipulations and attributes and allows output on over 350 popular printers.

CLReport provides a linkable Runtime-module for reports and listings together with a comfortable WYSIWYG Report Generator. Your users can, without prior programming knowledge, design and implement their own reports in record time, without royalty.

CLTools I presents the professional with countless fast and compact functions for general purposes. CLTools I offers use of VMM, Blinker overlay capability and OOPs Syntax plus highlights like a compact window management, File Packer, PostScript driver, serial interfaces for interrupt driven communication up to 115,200 Baud, XModem protocol and much more.

With **CLGraph** you can develop sophisticated graphical applications simple pixel graphics to extremely complex business charts. The integrated coordinate system al-

Professional

lows you to set up and use a view port with world coordinates and to perform every mathematic transformation required. Included is import/export of PCX-Files, graphic input methods and a free standing rotational, scaleable and modifiable vector graphic character set. The dynamic duo - together with **CL3D** - allows you to build 3-dimensional graphics on-line or in printed form. CL3D works in true color with dithering algorithms for multiple colors and allows to create graphics with various predefined objects or with the editable geometric language.

CLWindow gives your applications the professional SAA/CUA look: with multiple, sub and relational windows in graphic mode where you can freely navigate through fully developed Clipper 5 objects; with PullDown Menus, CheckBoxes, PushButtons, Icons, and ScrollBars to handle interactive and program driven movement, resizing, zoom-in/out and running simultaneous windows.

CLShield provides you with a series of comprehensive security features with Log book, access control, user identification, data encryption and a complete security manager program fully mouse supported and on-line documented. Also included is a link to the Novell Network Transaction Tracking system and access to the Network Bindery.

Contact:

GB Software Exclusive Tel/Fax (+44)-0245-478-838/597
 QBS Tel/Fax (+44)-081-994-4842/3441
E Aydesoft Tel/Fax (+34)-01-6536974/6546382
F L.D.O.S. Tel/Fax (+33)-093-160912/880890
BeNeLux Lemax Tel/Fax (+31)-020-659-4210/3855

Tel (+49) 0241/40 31 14
Fax (+49) 0241/40 31 17



Dr. Huggle & Partner
 GmbH - Heinrichsallee 41 - D-5100 Aachen

Trademarks: MS-Word/Microsoft, Wordperfect/Wordperfect Corp., Clipper/CA-Nantucket, Novell

SA-9600 Stand-Alone Radio Modem


- ☐ Async/Sync RS-232 interface
- ☐ 2400, 4800, 7200, 9600 BPS
- ☐ Encryption capable
- ☐ Up to 15-mile range, hundreds of miles with repeaters/amplifiers
- ☐ Full or Half Duplex
- ☐ Voice and DC POWER options

up to 38,400 BPS async
w/data compression option

Wireless Data Communications for Micros, Minis and Mainframes

- ☐ Transparent radio link—no software modifications
- ☐ Modem-only option works with external radios at other operating frequencies
- ☐ 400-500MHz Band (FCC CERTIFIED 450-470MHz)

PC-compatible
plug-in board
(PC-9600) also
available



MEGADATA

35 Orville Drive, Bohemia NY USA 11716

Tel: (01) 516-589-6800
 Fax: (01) 516-589-6858

32 Bits!



That's right: a nice, fat 32 bits! Available both for Windows 3.1 and DOS, LPA 386-PROLOG gives you an easy to use, menu and window based programming environment. And thanks to the genuine 32-bit flat model architecture, your applications can directly address up to 4G (4096M) of memory (64M under Windows).



Logic Programming Associates Ltd
 Studio 4, Royal Victoria Patriotic Building
 Trinity Road, London, SW18 3SX, England
 Tel: +44 81 871 2016 - Fax: +44 81 874 0449

Dataman's new S4 programmer costs £495 You could have one tomorrow on approval*

If you've been waiting for S4 we have some good news. It's available now.

S4 is the 1992 successor to Dataman's S3 programmer, which was launched in 1987.

The range goes back through S2, in 1982, to the original Softy created in 1978.

Like its predecessors, Softy4 is a practical and versatile tool with emulation and product development features. S4 is portable, powerful and self-contained.

Design and manufacture are State of the Art. S4 holds a huge library of EPROMS, EEPROMS, FLASH and One Time Programmables. Software upgrades to the Library are free for the life of the product, and may be installed from a PROM by pressing a key. *S4 makes other programmers seem oversized, slow and outdated.* S4 is now the preferred tool for engineers working on microsystem development.

Battery Powered

S4 has a rechargeable NICAD battery. On average, you can do a week's work without recharging. On a single charge, up to a thousand PROMS can be programmed – and charging is fast: it only takes an hour. Normal operation can continue during the charging process.

Continuous Memory

Continuous Memory means never losing your Data, Configuration or Device Library. You can pick up S4 and carry on where you left off, even after a year on the shelf. If the NICAD battery loses all of its charge, RAM contents are preserved by the LITHIUM backup battery.

Remote Control

S4 can be operated via its RS232 Serial Port. The standard D25 socket connects to your computer. Using batch files or a terminal program, all functions are available from your PC keyboard and screen.

Free Terminal Program

You could use any communications software to talk to S4. But the Terminal Driver program, which we include free, is the best choice. It has Help Screens to explain S4's functions and it sends and receives at up to 115200 baud – that's twelve times as fast as 9600 baud. At this speed a 64 kilobyte file downloads in 9 seconds. There is a memory resident (TSR) option too, which uses only 6k of your precious memory, and lets you "hot key" a file to S4. Standard upload and



download formats include: ASCII, BINARY, INTELHEX, MOTOROLA and TEKHEX.

***S4 loads its Library of
programmables from a PROM
in its socket,
like a computer
loads data from disk.
Software upgrades are
available free. Download the
latest Device Library from our
Bulletin Board.***

Microsystem Development

With S4 you can develop and debug microsystems using Memory Emulation. This is an extension of ROM emulation, used for prototype development, especially useful for single-chip "piggy back" micros. When you unpack your S4 you will find an Emulator Lead with a 24/28/32 pin DIL plug and a Write Lead with a microhook. Plug the EMULead in place of your ROM. Hook the Write-Lead to your microprocessor's write-line. Download your assembled code into S4. Press the EMULATE key and your prototype runs the program. S4 can look like ROM or RAM, up to 512K bytes, to your target system. Access-time depends on S4's RAM. We are currently shipping 85ns parts.

Your microprocessor can write to S4 as well as read. If you put your variables and stack in S4's memory space, you can inspect and edit them. You can write a short monitor program to show your internal registers.

S4's memory emulation is an inexpensive alternative to a full MDS and it works with any microprocessor. Many engineers prefer it because their prototype runs the same code that their product will run in the real world.

Dimensions & Options

S4 measures 18 x 11 x 4 cm and weighs 520 grams.

128k x 8 (1MB) of user memory is standard, but upgrading to 512k x 8 is as easy as plugging in a 4MB low-power static CMOS RAM.

The stated price includes Charger, EMULead, Write Lead, Library ROM, Terminal Driver Software

with Utilities and carriage in U.K. but not VAT.

*Money-back Guarantee

We want you to buy an S4 and use it for up to 30 days. If it doesn't meet with your complete approval you will get your money back, immediately, no questions asked.



Call us with your credit card details. Stock permitting, we are willing send goods on 30 days sale-or-return to established U.K. companies on sight of a legitimate order.

Customer Support

Dataman's customer list reads like Who's Who In Electronics. Dataman provides support, information interchange, utilities and latest software for S4, S3, Omni-Pro and SDE Editor-Assembler on our Bulletin Board which can be reached at any time, day or night.

DATAMAN




**Station Road MAIDEN NEWTON
Dorset DT2 0AE United Kingdom
Phone 0300-20719
Fax 0300-21012
Telex 418442
BBS 0300-21095
Modem 12/24/96 V32 HST N,8,1**

INTRODUCING THE LAST MOUSE YOU'LL EVER NEED TO BUY.

See the New
Honeywell Mouse at
CeBIT '93
Hall 8, 1st Floor, Booth C-37



We Guarantee It. We're so sure the new Honeywell mouse will perform better and longer than your current mouse, it comes with a limited lifetime warranty*.



The reason it works so well is that instead of a conventional ball mechanism, it has two "feet". This advanced technology eliminates problems inherent in other mice. A ball mouse picks up dust and dirt that can roll up and contaminate the internal mechanism, which makes your cursor jump

around the screen. Our unique design keeps the mouse free of debris, so your cursor goes precisely where you want it – when you want it – forever. It doesn't need a special pad; it works perfectly on any surface – at any angle – even upside down!

You'll also like the feel of the Honeywell mouse. The ergonomic design follows the normal curvature of the hand and fingers for a more comfortable feel and less user fatigue.

Simply put, the patented technology provides you with the highest quality and most reliable mouse product available.

Try a new Honeywell mouse soon – you'll see why it's the last mouse you'll ever need to buy. We guarantee it.

The new Honeywell mouse is Microsoft® Windows® compatible, works with IBM, compatibles and PS/2 systems.

For additional information on the Honeywell Mouse, take this ad to your local dealer or:

In the U.K. contact **Action Computer** (0800 333 333), or **Bull Express** (0442 212781).

In Denmark contact **Unipro** (86 28 6366).

In Germany contact **Servodata** (022)33 7993-0, **Lindy** (069) 14 7005-0, or **MD Computer** (0568) 3722-0.


Distributors/OEMs: In the U.K. contact Alan Neale, Honeywell Control Systems, Ltd. (44 21 373 8144); in Germany contact Erich Dörsam, Honeywell GmbH (49 069 8064 285); in Scandinavia contact Kimmo Koskelainen, Kimtec AB (46 8 550 80023); in France contact Phillipe Roumens, Honeywell S.A. (33 1 3058 8283).

Honeywell

Helping You Control Your World

*See warranty for complete details. ©1993 Honeywell Inc., Keyboard Division, 4171 N. Mesa, Bldg. D, El Paso, TX USA 79902 1-800-445-6939.
All products names are trademarks of their respective companies.

Circle 426 on Inquiry Card.



V.32b42i:

A world of modem superiority in a very local package

For an international environment where data communications demands are increasing almost daily, Motorola UDS offers a modem that meets local standards with a world-class set of operating features.

The new V.32b42i is fully compliant with CCITT V.32 bis international standard for 14.4 Kbps and can achieve throughput rates up to 57.6 Kbps. V.42 bis and MNP5 data compression assure compatibility with the majority of installed modems, while V.42 and MNP4 error correction guarantee data integrity.

The combination of echo cancellation, adaptive line equalization and

trellis coding give this modem the power to handle the worst line conditions.

Since the modem supports synchronous and asynchronous capability as well as Hayes AT and V.25 bis auto-dialing, the chances are that your existing software will work without modification. Other world-class features include automatic dial back-up, automatic rate adaption password and auto-callback security and remote configuration.

To ensure compliance with internationally mandated quality standards, Motorola UDS is fully certified under ISO 9001.

For the increasingly intensive throughput requirements of today's datacomm systems, the Motorola UDS V.32b42i is the ideal solution.

Detailed specifications and prices are available from these Motorola UDS offices:

BELGIUM—32 2 2525255
BRAZIL—55 11 815 4200
CANADA—1 416 495 0008
FRANCE—33 1 41 17 41 30
GERMANY—49 81668254
HONG KONG—852 512 4471

JAPAN—81 3 3280 8442
MEXICO—525 280 4146
SINGAPORE—65 474 5011
U.K.—44 628 39121
U.S.—1 205 430 8000



MOTOROLA
UDS

Quality Means The World To Us.™

All brand and product names are trademarks or registered trademarks of their respective owners.

APPLICATION

Imagining the World

RAYMOND GA CÔTÉ

Computers are the ultimate what-if machines. Beyond the what-if solutions offered by spreadsheets extends a realm of real-world problems. Extend+ Manufacturing 2.0 from Imagine That is a professional-quality computer simulation tool for the Macintosh that allows you to explore real-world problems.

Simulations cross many disciplines, such as business, finance, process, science, engineering, and manufacturing. Extend provides a set of well-stocked component libraries to address problems in these widely diverging areas. Basic library elements include discrete and continuous events, animation, and plotting.



The plotting library provides various on-screen output devices for graphing the simulation results. The electronics library provides various digital and electronic components, but Extend is not suitable for simulating complicated circuit designs. Instead, items such as an A/D converter and voltage sources could be integrated into a process-control simulation. The \$300 Manufacturing Library extension provides just about everything you need to lay out a complete manufacturing facility—including assembly stations, stock rooms, conveyor belts, palletizing stations, and automatic guided vehicles that follow a prescribed path from station to station.

Flexible Design

With almost any type of graphical development tool, your display rapidly devolves into a mass of unreadable lines and boxes: the ultimate spaghetti code. Hierarchical blocks are the solution to this problem. Screen 1 shows my first effort to design a simulation where a single queue of bank customers waits to be serviced by multiple tellers. Although this simulation works well, it does not efficiently communicate the process. Too many details get in the way. Screen 2 shows a hierarchical solution to the same problem. All the gritty details have been hidden within the custom-built blocks. Once I had built the original model and understood how to compose a teller queue, the second diagram was simpler to complete.

If the standard building blocks are not sufficient, you can extend the simulation environment with new blocks. The simplest way is by using ModL, a C-like pro-

Screen 1:
A banking simulation model without hierarchical blocks. Although technically correct, the details of the model get in the way of the process. Even if you are familiar with all the Extend icons, the number of interconnections is confusing.



Screen 2: *This model works the same as the model shown in screen 1. All the details have been hidden in hierarchical blocks. Although operation of the two models is identical, this version is much simpler to explain and modify.*

gramming language built into Extend. The language library includes support for file I/O, statistics, financial calculations, and matrix manipulation. ModL also provides you with a link to the outside world by way of a generic driver interface, XCMD support, and Apple events. These three features provide the gateways to communicate with any other application or drivers installed on your Macintosh. Sample applications include using Apple events to access an external spreadsheet for calculations and another block for communicating with an IEEE-488 test interface.

The Learning Curve

Extend is fairly easy to learn. I was able to build and run several original simulations within an hour of installing the software. My original flat-model simulation took

slightly over an hour to construct. Once the application was up and running, it took only about half an hour to break it into the more understandable hierarchical blocks and rebuild the system.

At this point, I could put my model through its paces and determine if it actually did what I expected it to do. I wandered down to the local bank with a stopwatch and notepad to capture some real live banking action. Armed with my small real-world sample, I returned to put the model through its paces. Although several parameters required final tweaking, it performed as expected.

Now I could really begin to work. What happens if I reduce the number of available tellers by half? Can they handle an extra-large lunchtime crowd? What happens if the average transaction time increases?

continued

BYTE ACTION SUMMARY

■ WHAT EXTEND+MANUFACTURING 2.0 IS

A computer simulation design tool for the Macintosh.

■ LIKES

Graphics presentation; extensibility; hierarchical designs.

■ DISLIKES

Small-scale tutorials.

■ RECOMMENDATIONS

An effective simulation tool.

■ PRICE

Extend 2.0, \$695;
with Manufacturing module, \$990

■ FOR MORE INFORMATION

Imagine That, Inc.
(408) 365-0305
fax: (408) 629-1251
Circle 1132 on Inquiry Card.

While using my model and comparing it to the real world, I found several deficiencies. Most important was the inability to add a new teller temporarily during peak traffic times. It took me about 45 minutes to redesign the model to trigger the opening of one or two more teller stations based on the number of people waiting in line and limited by the total number of tellers available. Finally, I had a simulation that met my needs and correctly approximated the real world.

Although it sounds tedious, each of the redesigns went quickly because I could cut and paste large sections of previous designs into a new model. Also, the reusable hierarchical components could be modified and used in each new design. This allowed me to leverage my previous experience in constructing new models.

My final simulation is fairly complicated, but it models a simple process. These models still only scratch the surface of Extend's capabilities. Experienced Extend users are simulating complex and innovative environments. For example, Je Oh of Pitney Bowes Strategic Information uses Extend's discrete simulation abilities to demonstrate the flow of mail through a

large mail-processing line. An example of a large continuous-process simulation was provided by Michael Locasio of Gentek, who uses Extend to simulate alternative energy systems that include ice ponds for cooling and cogeneration plants for generating electricity. Both Je and Locasio cite the ease with which simulations can be built and the ability to use hierarchical design to hide the complexity of a simulation during presentations.

Extend 2.0 is a suitable tool for simulation professionals as well as novices. Although it is a complex product for solving complex problems, its consistent user interface requires a relatively short learning period. If you have a process over which you need to gain control, and particularly if you want to present the process to others, then Extend 2.0 is the tool of choice. ■

Raymond GA Côté is a software development engineer for Appropriate Solutions, Inc., specializing in cross-platform applications development. He also edits the Robot Explorer newsletter. You can contact him on BIX as "rgacote" or on the Internet at rgacote@bytepb.byte.com.

ROMDISK™

SOLID STATE Disk and Drive Emulators

- **Proven Performance!** For OEM/Military, Embedded Systems, Diskless/High Performance PC's, CAD/CAM, Industrial Control, Medical, POS, LAN's, etc.
- **High Capacity** Models (PCF/PCM)
- **Low Cost** Models (FERO, E/2-SR/ Special OEM)
- **Dual Mode Emulation** Models (PCF, PCM/2, PCE/2)
- **Autoboot Capabilities**, all models
- MS DOS/DR DOS/E-Venix OS Support
- **NEW! PCMCIA models (PCM, PCM/2) and accessories**

• • • CURTIS, INC.

*Industry Leader in Disk and Drive
Emulation Products*

418 W. County Rd. D • St. Paul, MN 55112

612/631-9512

FAX 612/631-9508

DR DOS is a trademark of Digital Research; MS DOS is a trademark of Microsoft

A MESSAGE TO OUR SUBSCRIBERS

FROM TIME TO TIME WE MAKE THE BYTE SUBSCRIBER LIST available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine

Attn: Subscriber Service

P.O. Box 555

Hightstown, NJ 08520



It Worked Fine a Minute Ago

RICK GREHAN

Thoughts about things Macintosh have dominated the BYTE Lab in recent weeks, thanks to a host of new products coming from Apple (see "Two PowerBooks Great and Small" on page 173), the updating of our Mac benchmarks, and last month's accelerator roundup. As we tested these dozens of new products and fashioned tests that could accommodate the range of CPUs, we constantly ran into hardware and software incompatibilities.

Compatibility is a hard job for Motorola's CPU designers, who build the 68000 family of processors used in the Macintosh. Engineers seek backward compatibility so that new chips can run existing software. At the same time, they must add new, performance-enhancing features to the CPU line to keep pace with users' expectations and those of Apple's systems engineers.

To protect existing software, Apple indicates throughout its gargantuan *Inside Macintosh* documentation the importance of accessing the Mac system's internals via the operating system. It boils down to this: If your program wants to tweak the machine's hardware or operating-system software, it must do so by using documented operating-system calls.

The DOS World

Let's draw a parallel with the MS-DOS world. On PC-class machines, BIOS routines allow a program to read and write individual pixels on the screen. Most MS-DOS applications that perform substantial graphics operations simply ignore the BIOS and instead read and write video memory directly. This direct access lets software programmers optimize graphics code for speed.

In the IBM PC world, processors such as the 80x86 series let code and data exist side-by-side in the same memory region. Granted, the processor does distinguish between code and data segments via the CS and DS registers, but it's easy for a program to sidestep this distinction with segment-override instructions. And although the 386 and 486 allow protected-mode programs to set specified segments as being "execute only" (and therefore code segments), an "unprotected" MS-DOS program can more or less freely mix code and data.

Who is to blame when incompatibilities grind your Mac to a stop? Blame those who deserve it: applications builders who failed to follow Apple's guidelines.

This isn't the case on Macs incorporating 68020s, 68030s, and 68040s. When the 68020 appeared, Motorola had taken a step in the direction of separating code and data. The trend continued with the 68030 and 68040. Although code and data come into the processor from a single 32-bit-wide data bus, the internals of the CPU see code and data as flowing from separate sources. This occurs thanks to separate on-chip instruction and data caches that feed the processor's heart.

Separation of code and data increases the parallelism inside the processor. For example, in a 68040, if upcoming instructions can be fetched from the instruction cache, they move directly from the cache to the execution unit and free the data cache for simultaneous transfers of data values to and from memory. This parallelism improves performance.

However, this also causes one of the most frequent Macintosh compatibility problems you'll encounter. Some applications practice "self-modification"; they write instruction codes into memory as though they were writing data to memory (this can happen if a program builds a jump table). The idea is that the program will execute that code in the future.

Unfortunately, this has the danger of placing the contents of memory out of synchronization with the instruction cache. The result is that the program "thinks" it's executing the proper instruction, but it isn't. In the best case, you'll get a bomb box; usually, the Mac just freezes.

We in the Lab recall when the Mac II



and its 68020 first appeared. Applications failed so often that we had to write an Fkey to disable the processor's cache. Most accelerators come with similar, though more sophisticated, software.

Who Done It?

So who's to blame when your Mac grinds to a stop? Let's put the blame on those who deserve it. Admittedly, programmers working on the Mac before the appearance of the 68020, 68030, and 68040 probably had performance as their top priority and therefore put future compatibility in the backseat. Many programmers might reasonably argue that while they were writing 68000 code, they had no idea what the 68020 would look like, so how could they prepare for it? But in the great majority of cases, Mac applications that run on early-generation Macs but break on later-generation models do so because the applications builders failed to follow Apple's guidelines.

Dan Monahan of Radius, the company that markets the Radius Rocket accelerator, says the company's software engineers spent an excessive amount of time trying to keep misbehaving applications running on the Rocket. "If more applications builders would follow Apple guidelines," he concludes, "we could be spending our time developing new products rather than working out compatibility problems." ■

Rick Grehan is technical director of the BYTE Lab. You can reach him on BIX as "rick_g."

BOOK AND CD-ROM REVIEWS

HUGH KENNER

If you were born the year *What Computers Can't Do* was first published, well, congratulations. Old enough now to order a martini, you're still young enough to have missed a lot of wrangling with and about Hubert Dreyfus. Prof. HD, whose field is philosophy, was suspicious of roseate AI claims as long ago as the 1960s. Back when 10-year-old chess novices were beating the best available programs, *Science Journal* had machines already playing chess "at the championship level."

It's amazing, that early hype for AI. And when Dreyfus launched his skeptical book (1972), how vehemently he got smeared is arresting, too. *Creative Computing* was warned by one AI guru that to publish a piece by HD would be to incur "disapproval from the AI community and reprisals from MIT Press." Well, MIT Press not only hasn't flayed HD, it has now taken over his book and published an update (the second) as *What Computers Still Can't Do*. Even if you read the first version all those years ago, you'll find it a different book in the light of what we take for granted today and what we've quietly jettisoned.

The argument, when we get to it, is essentially that the general knowledge required to understand—let alone answer—a random but sensible query is not the kind that can be reduced to a database. Pooh, says AI, we just need "a machine with the child's ability to learn." Ah, says HD, but that would entail a suite of transmechanical capabilities, for instance, a child's understanding of involvement with a body. (Nausea, fatigue, ecstasy: Define for a machine what such words say to a human.)

Chess programs are an instructive special case. If today's best, like Belle and Deep Thought, are very good, it's thanks to the CPU speed that permits the evaluation of several million potential positions. A chess master assesses only about 100, but he or she has learned how to first zero in on an



THE AI DEBATE REVISITED

What Computers Still Can't Do

Hubert L. Dreyfus
MIT Press, \$13.95,
ISBN 0-262-54067-3

The Twenty-Four Hour Society

Martin Moore-Ede
Addison-Wesley, \$22.95,
ISBN 0-201-57711-9

area of interest. How he does that we don't really know; likely, spotting similarities to golden oldies. But explain *similarity* to a CPU? Table lookups won't do; two positions identical in mapping save for one pawn can be utterly different in thrust. We're talking strategy, and programs understand no strategy. Quite small children do, notably near nap time.

And So to Bed

Cats take catnaps, and so do all other creatures great and small save humans, who try to jam a solar cycle's ration of sleep into one 8-hour parenthesis. Oddly, by just napping the instant we feel tired, we can manage nicely on perhaps 4 hours' sleep per 24. Buckminster Fuller knew about that; so did Edison and da Vinci (whose daily sleep total was a mere 2 hours). So do long-distance solo ocean racers, with "a clear correlation between who was winning the races and how much they broke their sleep into short naps." *Correlation* says *research*, hence "a compelling problem."

In *The Twenty-Four Hour Society*, Dr. Martin Moore-Ede explains why it compels. We work graveyard shifts, cross six time zones at a leap. We doze off—Chernobyl, Exxon's *Valdez*. Hence, researchers, and more about sleep than you knew there was to know.

Thus, research shows that to suppress the night-shift worker's "waves of sleep," we need the same light that adjusts our bedtime seasonally, and at something like the same intensity. But Edison put us in a dim world indeed. A "brightly lit office," nighttime, boasts about 500 lux; in nature, that's before sunrise. Boost it to, oh, 10,000 lux and watch alertness soar.

We all sleep, even you. And you'll not soon find a book closer to your most restorative experience. ■

Hugh Kenner is Franklin and Callaway Professor of English at the University of Georgia. His recent books include Mazes and Historical Fictions. You can contact him on BIX as "hkenner."

OBJECT LOGIC

Logic and Objects, Francis G. McCabe, Prentice-Hall, \$18, ISBN 0-13-536079-X

Logic and Objects is the name of both this book and the new programming language that it describes. L&O is the brainchild of Francis McCabe, a computing lecturer at London's Imperial College, who also had the distinction of producing the first microcomputer implementation of Prolog (MicroProlog for CP/M in 1980).

McCabe's book explains why it's a good idea to meld object orientation with logic programming. He critically reviews several previous experiments in this direction before presenting his own elegant solution, L&O. His argument in

brief is that object orientation adds the modularity necessary for structuring large applications, which is lacking in Prolog's clause-based syntax.

L&O offers full OOP (object-oriented programming) features, including multiple and differential inheritance as well as a functional programming notation. The syntax of L&O remains very much like that of Prolog, but groups of clauses get bracketed together as named objects called "theories." The book is clearly written and illustrated, but it will be comprehensible only if you have a working knowledge of Prolog. McCabe develops several nontrivial program examples, including a Macintosh-graphics solution to the Traveling Salesman problem, in L&O. If you believe that C++ does not mark the end of history, and that progress in language design must continue, there's much here of interest.

—Dick Pountain

THE INTERNET WORLD TOUR

Exploring the Internet: A Technical Travelogue, Carl Malamud, Prentice-Hall, \$26.95, ISBN 0-13-296898-3

Zen and the Art of the Internet, Brendan Kehoe, Prentice-Hall, \$22, ISBN 0-13-010778-6

The Whole Internet User's Guide and Catalog, Ed Krol, O'Reilly & Associates, \$24.95, ISBN 1-56592-025-2

The Internet Message, Marshall T. Rose, Prentice-Hall, \$44, ISBN 0-13-092941-7

The Internet, that wild, sprawling conglomeration of uncontrolled and uncontrollable computer connections, is garnering much recent media attention. Accompanying this newfound attention is an increase in Internet-related books ranging from popular travelogues to detailed user's manuals.

Most Internet community denizens restrict their travels to the worldwide electronic highways. Carl Malamud, on the other hand, decided to see the world node by node. The result is *Exploring the Internet: A Technical Travelogue*. Like many travelogues, this book provides insight into the sights and wonders of far-off places. Unlike traditional guides, these sights consist of high-speed backbones, racks of Cisco routers, and standards meetings. Beyond the technology exist the personalities that continue to make the Internet happen. *Exploring the Internet* paints a picture of this thing called cyberspace.

Zen and the Art of the Internet by Brendan Kehoe should be given to each and every first-time Internet user. It answers many of the novice questions that plague network administrators and consume network bandwidth. This is not a user's manual, but rather a beginner's guide to the services and wonders available on-line. Issues such as etiquette, proper usage, and societal rules are presented to ensure that your passage into this new community is a smooth one. The list of telnet-available databases (from scholarships to extragalactic technical data) provides a starting point for your own explorations.

Kehoe's book tempts you with tantalizing glimpses of far-flung data. Ed Krol's *The Whole Internet User's Guide and Catalog* is more of a Baedeker-style guide. Krol takes a practical approach to the Internet, from turning off that first, massive news feed to accessing servers using telnet, ftp, and E-mail techniques. Access to services ranging from Archie to WAIS are described in detail sufficient to guarantee first-time success. Members of the Internet community will want to keep this practical handbook.

Mail on the Internet comes in many shapes, from the simple transmission of text to multimedia films. *The Internet Message* by Marshall T. Rose is an in-depth look at E-mail—its transport and its format. Even if you never have to write or maintain a secure multimedia mail application, Rose's book is handy for deciphering problems when things go wrong. Although it's packed with technical data, this book maintains a light, readable tone, making it suitable for those who simply want to know how the world works.

—Raymond GA Côté

IMPRESSIVE SEARCHING

The New Grolier Multimedia Encyclopedia for Macintosh, DOS, or Windows/MPC, Grolier Electronic Publishing, Sherman Tpk., Danbury, CT 06816, (203) 797-3530

Here's the *Academic American Encyclopedia*, all 21 volumes, on a single CD-ROM. The "1992 edition" (internal evidence hints at a 1990 cutoff) claims some 7000 new or revised articles; many new images, monochrome or color; motion-video sequences (i.e., film clips) of such events as the first space-shuttle launch; animated sequences to explicate global matters like weather, the human body, and the solar system; and a Timeline and a Knowledge Tree, both of which we'll come to. Only DOS and Macintosh versions support the motion-video feature, only Macintosh and Windows/MPC the animation.

As encyclopedias go, Grolier's, print or CD-ROM, is about average. One entry begins, "A bed is a piece of furniture on which persons sleep or rest," and must thereafter struggle to justify its presence. (Whoever will look up *bed*?) There's an overall looseness—T. S. Eliot did not "decide" to stay in England permanently in 1914; he was stranded there by the war—offset by occasional crisp authority, as in the "fractal geometry" entry.

Which brings us to one advantage of CD-ROM searching. Scan through the book version

the only way you can, by article title, and you'll not find "Mandelbrot, Benoit." But go to the CD-ROM version's first menu, which has five options; choose the first, Word Search; type "Mandelbrot"; and you'll quickly find that he's present again and again, notably in "fractal geometry," but in other entries as well. If you'd just this morning happened on the word *fractal*, Grolier Multimedia would be a quick and effective way to acquire a sense of its scope. Word Search produces every instance of any word you type, save for 134 deemed too common to matter.

Other options on that first menu include Browse Article Titles, Knowledge Tree, Timeline, and Multimedia. Knowledge Tree is "a hierarchical list of topics," something that's fascinated savants since the late seventeenth century. The first stab here is, The Arts, Geography, History, Science, Society, Technology. Select Science to get a submenu, a lot of sciences starting with astronomy.... You see the idea.

As for Timeline, it comes up telling you that in 40,000 B.C., Cro-Magnon man (i.e., *Homo sapiens*) was active in Europe and the Middle East. You can just go paging down that list, or you can zero in on a date like 1914. Any of the items there will send you to an encyclopedia entry you might not have found. Thus, 1914 includes Chaplin, the article on whom branches to items like "slapstick" and "film, history of." You can even view those two on adjacent windows, even if you're in DOS instead of Windows. Not a bad knowledge engine, no, not at all.

—Hugh Kenner




CD-ROM

NDP™ Fortran Drives Them All...



QuadPuter®-860
(200 Megaflops)



386/387
(1 Megaflop)

486/487
(5 Megaflops)



Extended DOS • OS/2 • NT • UNIX V.3/4 • Solaris • Coherent

NDP Fortran has been the leading 32-bit PC Fortran since its introduction in 1987. It produces the highest quality numeric code and supports virtually all x86 operating systems, processors and numeric devices. These are just a few of the reasons it was used by hundreds of ISVs to port their 3090, VAX and Cray codes to the 386. NDP Fortran is required to run packages from IBM, Aspen Technologies and Fluid Dynamics. IBM chose it to port their Optimization Subroutine Library to DOS and more recently OS/2. Aspen Plus, the world's leading thermo/chemical-process control software package, is the standard employed by corporations like DuPont. Every copy of Aspen Plus for the PC ships with NDP Fortran-486!

One reason NDP Fortran is still the 32-bit leader is tools. It runs with native tools on UNIX, OS/2 and NT. For DOS, Microway created 32-bit tools that were tuned to the needs of our customers. These include efficient demand paged virtual memory for our Extender and a linker that could handle a 20-megabyte library without going to sleep. We are the only vendor that provides a variety of numeric runtime libraries that make it possible to tune speed against

precision and error recovery. The correct choice of a library vs inline intrinsics can result in a factor of three increase in speed for some applications. Then there is the issue of numeric code quality. NDP compilers are not only globally optimized, but take good advantage of the Intel 387/487 stack, use advanced numeric optimizations and schedule instructions - all of which favor fast numeric and RISC devices like the 860 and 586.

Finally, Microway customizes its compilers to the environment. Our DOS 386/486 product includes over 1,000 pages of documentation, 300 of which are devoted to our GREX™ graphics extensions. The 200 megaflops of our QuadPuter-860 are optimally harnessed using NDP Fortran-860, libraries from IMSL, NAG and KAP and the PSR Vectorizer. Microway can build you a gigaflop NFS computational server using five QuadPuters housed in our industrial grade 486-B3 for just \$50K - massive power without massive price. **If you plan to use a 386, 486, 586 or 860 and require portability, numeric speed, precision and technical support, then NDP Fortran, C/C++ or Pascal is the only solution.**

Microway®


The Intel Inside Logo, Intel, 286, 386, 387, 486, 487, 586 and 860 are trademarks of Intel Corporation. Microway and QuadPuter are registered trademarks of Microway, Inc.

Technology You Can Count On

Corporate Headquarters, Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678

International Sources: Kingston-Upon-Thames, U.K. 081-541-5466. Distributors: Germany 069-752023 • Greece 30 12915672 • Italy 027490 749 • Japan 047 423 1322 • Poland 22-414115

DIVIDE AND CONQUER



Many programmers—even very good ones—would rather have their teeth pulled than face writing interrupt service routines. ISRs are demanding; writing them usually calls for knowledge of assembly language, multitasking, hardware, and sometimes special coding techniques. However, most programmers can handle those items reasonably successfully, or are willing to learn as part of taking on an ISR. The real roadblock is in the debugging phase.

Debugging is often a challenge in any kind of programming, but with non-interrupt-based code, you can usually get enough of the code running to get some clues that will help you narrow your focus. If the program crashes every time you read data from the disk, you'll figure out pretty quickly that you forgot to initialize the pointer to the data buffer. If your floating-point calculations are producing incorrect results, you don't need to bother looking at the screen-drawing code while searching for the problem.

ISRs are not quite so nice. Often the only clue provided is a complete system crash, with a cryptic message like "Stack Overflow." Once you've paid your dues and written a few ISRs, you'll have a better idea of how to interpret such gems. The learning curve, however, can be steep and painful.

Diagnostic Limitations

With mainline code, you can usually write diagnostics to the screen or a disk file (e.g., `printf()` or `fprintf()`).

In general, this is not possible in an ISR, either because of operating-system limitations (e.g., DOS is not reentrant, so an ISR cannot safely call video and disk I/O functions) or because of the time-critical nature of interrupts.

I remember a client calling me while trying to incorporate into his program an ISR I had written. The program was crashing in my code, and we were trying to figure out what was wrong. I asked him to try to narrow down the exact place where the program was crashing.

"That's easy," he said. "It crashes during the `printf()`."

"Ummm... what `printf()` is that?" I asked.

"Why, the `printf()` I put in your code to see if it was working, of course!"

Needless to say, once the offending `printf()` was eliminated, the program ran just fine.

These days, programmers are used to tools that perform much more sophisticated tasks than writing to the screen or to a file. Source-level debuggers let you step through your code, watching variables and catching side effects before they have a chance to be noticed as bugs. Source-level debuggers are great, but some of the worst bugs in ISRs revolve around concurrency issues, and stepping through code on the interrupt usually doesn't give you an

It's best to follow a methodical approach when you are debugging interrupt service routines

Listing 1: A complete ISR skeleton.

```
.DATA

int_seg dw 0 ;for DOS timer interrupt vector
int_off dw 0 ;segment and offset
int_used db 0 ;the interrupt number we are using
_counter dw 0 ;this can be used to test if ISR is
               ;accessing data properly
@curseg ends

.CODE
;Here's the trick—we save the application's
;data segment in the code segment of the
;interrupt handler, so the interrupt handler
;will know where to find it.

datsegst dw 0 ;storage for data segment

Inthandler proc FAR ;This is the interrupt handler,
                   ;capable of accessing data.
    push ds
    push ax
    mov ax,cs:datsegst ;note segment override!
    mov ds,ax ;now we have access to data
    inc _counter ;just to prove we can do it
    mov al,EOI
    out 20H,al ;send EOI to 8259 interrupt controller
    pop ax ;restore registers
    pop ds
    iret ;note special return instruction
Inthandler endp

GLOBAL _Setint:proc
_Setint proc ;This function saves the vector for
             ;the interrupt to be changed and
             ;then points the vector at Inthandler.
             ;The interrupt number is in AL on
             ;entry to the function. This version
             ;saves the data segment for later use
             ;by the interrupt handler.

ARG int_requested:WORD
    push bp
    mov bp,sp
    mov al,int_requested
    mov int_used,al
    push ax ;save interrupt number
    mov ax,ds ;get the data segment,
              ;store in code segment
    mov ax,cs:datsegst ;note segment override!
    pop ax ;restore interrupt number
    push es
    push bx
    cli ;disable interrupts
    mov ah,35H ;get the old vector from DOS
    add al,8
    int 21H
    mov int_off,bx ;and store it
    mov int_seg,es
    mov dx,OFFSET Inthandler ;get offset of new
                              ;vector
    push ds ;save the data segment
    push cs ;get code segment in data segment
    pop ds
    mov al,25H ;AL has vector no., AH has int no.
    mov al,int_used
    add al,8
    int 21h ;have operating system change vector
    pop ds ;now restore DS to proper state
    sti ;enable interrupts
    pop bx
    pop es
    pop bp
    ret
@curseg ends
END
```

Listing 2: This C program sets the interrupt vector to point to your ISR and then looks to see if the ISR is correctly incrementing the variable.

```
#include <stdio.h>

#define TIMER_INT 0 //use timer interrupt for test,
                  //since we know it's active

extern unsigned int counter;

main()
{
    Setint(TIMER_INT); // set interrupt vector

    printf("\nPress any key to exit.\n\n");

    while(!kbhit())
        printf("\ncounter = %u",counter));

    Restoreint();
}
```

Listing 3: This small subroutine takes the values in AL and BL and puts them in a trace buffer each time it is called until the trace buffer is full. AL and BL were chosen arbitrarily for the sake of illustration; any desired variables or tokens can be written. You can use a circular buffer if needed.

```
,DATA

TRACE_BUFF_SIZE EQU 4000
BYTES_PER_WRITE EQU 2

trace_buff db TEST_BUFF_SIZE DUP(0FFH)
trace_buff_ptr dw OFFSET trace_buff
trace_buff_end dw (OFFSET trace_buff +
                  TRACE_BUFF_SIZE - BYTES_PER_WRITE)

@curseg ends


.CODE
;Enter with first byte of data to be stored in AL
;and second byte in BL; keep writing data until
;buffer is full.
trace_data:
    push di ;DI used as index into trace buffer
    mov di,[trace_buff_ptr] ;Get place in trace
                          ;buffer
    cmp di,[trace_buff_end] ;Make sure don't overrun
    jae no_more
    mov [di],al
    inc di
    cmp di,[trace_buff_end] ;Make sure don't overrun
    jae no_more
    mov [di],bl
    inc di
    mov [trace_buff_ptr],di
no_more:
    pop di
    ret

@curseg ends
```


MORE CACHE - LESS CASH

The Most Complete Line of Add-in Memory Boards for HP-Computers. Worldwide.

001/93/IM/8Y.



HP 1000 · 3000 · 9000

GFKT. We have memory
at our fingertips.

GFKT HAMBURG, Frankenstraße 29, 2000 Hamburg 1, Germany, Phone (40) 23 73 01-0, Fax (40) 23 17 89

STOLEN COMPUTERS

SIXTY MILLION POUNDS worth of computer equipment will be stolen in the UK in 1992. Stealing PC's is a growth business, PC's are virtually untraceable. A quick format of the hard drive, peel of the serial number and the machine could belong to anyone. **Watch out your computer could be next!**

PC Home February 1993 "Computer Theft is a real problem... **FIRSTLOK** provides a simple and effective method of deterring thieves and protecting your equipment....excellent value for money"

FIRSTLOK software allocates a unique serial number to your computer, this information is registered on a central data base. Every time the computer is turned on the serial number is displayed, as well as a telephone number and a request for a password. Failure to enter the password denies access to the computer. One phone call identifies the machine and it's rightful owner.

FIRSTLOK £29.99 *incl of VAT*


Computers UK LTD

Chiltern House, 10-12 Furlong Road
Bourne End, Bucks, SL8 5DG, Great Britain
Tel: 0628-531876 Fax: 0628-531666

Cyberdyne Systems Computer GMBH

Altkenigstrasse 4
6240 Koenigstein/Taunus, Germany
Tel: 49-6174-3604 Fax: 49-6174-24749

European Dealer Enquiries Welcome



EISA-VESA-ISA

ALL IN ONE SYSTEM

Poly 486-66EV \$2750
8 x 32-bit EISA slots with
3 VESA Local Bus
Upgradeable to P24T (586SX)
256K Cache, Option: 512K
8MB RAM, Expandable 256MB
213MB High Speed IDE Hard disk
32-bit VESA IDE with 2MB Cache
1.2MB and 1.44MB Floppy Drives
VESA Video Accelerator with 2MB

FAST AND EXPANDABLE
Call for other model and configuration!


800-999-1278
TEL 415-583-7222
FAX 415-583-1974
Polywell
Computers, Inc.
61-C Airport Boulevard
So. San Francisco, CA 94080

Hardlock E-Y-E® - tying the hands of software pirates

MARCH 24-31, 1993

CeBIT'93
HANNOVER

Hall 8, Ground Floor, Booth C26



The effective way to protect your software

FAST Electronic has made life a lot harder for software pirates. Hardlock E-Y-E was designed using cryptographic principles. It took the experience and know-how of Germany's number one in software protection and the leading edge technology of a US semiconductor company to create the ultimate software protection tool.

The technology programmers have at their fingertips


Hardlock E-Y-E is based on a custom chip and combines all the features that a programmer would expect from such a device: secure, algorithmic query routines and an optional non-volatile memory for custom configurations. With the Crypto-Programmer card from FAST you can program the algorithmic parameters and the memory within seconds. This unique card guarantees that no one else can burn Hardlock E-Y-Es with your codes. Linking Hardlock E-Y-E to your software is easy: you can either protect your .COM and .EXE files with the automatic encryption software HL-Crypt or integrate FAST's high level language routines into your source code.

Readily acceptable to your customers

Hardlock E-Y-E allows unlimited backup copies of the master floppy. The customer gets the device together with the software and plugs it into the parallel port between the printer and the PC. Daisy-chainability, outstanding reliability and the compact high tech design guarantee that your customers will accept Hardlock E-Y-E.

The benefits your management will appreciate

Hardlock E-Y-E can be programmed by the software house with the Crypto-Programmer card. This ensures optimum delivery schedules and stock flexibility. Revenues will go up as software piracy and multiple usage are prevented.



Hardlock E-Y-E
programmable, algorithmic response
and memory option - all in one

Order your evaluation package today!

Contact B. Ajari at FAST Electronic or one of the offices below:

UK:

Magnifeye
Tel: ++44-71-2218024
Fax: ++44-71-7923449

France:

FAST Electronic S.A.R.L.
Tel: ++33-1-48837811
Fax: ++33-1-48839734

Spain/Portugal:

Fast Ibérica S.L.
Tel: ++34-1-7253626
Fax: ++34-1-7267219

Italy:

Techné S.R.L.
Tel: ++39-59-440690
Fax: ++39-59-440720

BeNeLux:

Crypsys Data Security
Tel: ++31-1830-24444
Fax: ++31-1830-22848

Greece:

FAST Hellas AE
Tel: ++30-1-6855 689
Fax: ++30-1-6472 304

America/Far East:

Glenco Engineering Inc.
Tel: ++1-708-808-0300
Fax: ++1-708-808-0313

Hungary:

Szki Recognita Corp.
Tel: ++361-201-7973
Fax: ++361-201-7607

Croatia:

G & G Electronic
Tel: ++38-41-315794
Fax: ++38-41-333510

FAST

Fast Electronic GmbH

FAST Electronic GmbH, Kaiser-Ludwig-Platz 5, D-8000 München 2, Germany, Tel: 49/89/539800-20, Fax: 49/89/539800-40

C & C++ FOR DOS

Comms

C Asynch Manager	£135
C Comms Toolkit	£115
COMM-DRV	£125
Essential Comms	£170
Greenleaf CommLib 3.2	£190
Silvercomm "C" Asynch	£135

Database

Btrieve	£340
c-tree Plus 6.0B	£335
CodeBase 4.5	£235
D-ISAM	£275
D-ISAM Transaction Module	£175
d-tree	£305
Faircom Server (5 clients)	£205
Faircom SQL Server (5 clients)	£345
Natural Query Integrator's Kit	£115
Paradox Engine & DFX 3.0	£99
POET	£225
Pro-C 2.01	£99
r-tree	£140
Raima Data Manager	£310
Raima Object Manager	£320
SoftFocus Btree/ISAM	£75
Sycoro.C Network	£895
Watcom SQL Developer's	£275

Graphics & GUI

Accusoft Image File Format Lib	£345
dGE	£205
Essential Graphics Chart	£105
Essential Graphics Kernel	£110
Essential Graphics GUI	£79
GraphiC 6.0	£285
graphics-MENU & Data Entry	£170
GX Graphics 2.0	£145
HALO Professional 2.0	£230
MetaWINDOW/Lite 4/32	£125
MetaWINDOW 4/32	£255
MetaWINDOW/Plus 4/32	£315
object-Menu	£255
PCX Toolkit 5.0	£145
Real-Time Graphics & M/CT	£139
TEGL Windows Toolkit II 2.2	£72
Zinc 3.0 w/Source	£200

Math & Scientific

C/Math Toolchest & Grafix	£45
Huge Virtual Array & NAT	£160
Linpack.h++ w/Source	£320
Math.h++ w/Source	£190
Matrix.h++ w/Source	£255
Mathpak 87	£85
MIRACL	£39
Science & Eng Tools 8.0	£85

PROGRAMMING TOOLS

Ada	Algol
Assemblers	Awk
Basic	C
C++	Cobol
Comal	Comms
Cross Dev	Database
Debuggers	Editors
Fortran	Fortran
Graphics	Icon
Linkers/Locaters	Lisp
Logo	Modula-2
Pascal	Prolog
Rexx	Smalltalk
Snobol4	Version Control
Windows	Yacc & Lex

We stock many items for which there is no space in these advertisements.

ASSEMBLERS

NEW MICROSOFT MASM 6.1 adds support for Windows NT, instruction timings in the list file, extensive Windows programming documentation, improved compatibility with MASM 5.1, C/C++ 7.0 and Visual Basic for DOS, and free book "Assembler Inside and Out".

OS/2 support has been dropped.
ONLY £95 + VAT.

MS MASM PDS 6.0	£75
MS MASM 6.1	£95
Phar Lap 386DOS Ext SDK	£365
Phar Lap 386ASM/Linkloc	£880
Optasm	£130
Turbo Debugger & Tools	£85

Printer

Baby Driver Kernel	£160
BGI Printer Driver Toolkit	£80
SLATE	£245
TesSeRact Printer Control Sys	£39

Screen

C-Scape 4.0	£370
Greenleaf DataWindows 3.0	£205
MEWEL Window System	£175
Object Professional for C++	£155
Panel Plus II	£260
TCXL-DOS 6.0	£75
Turbo Vision 1.1	£25
Turbo Vision Dev Toolkit 2.0	£99
Vermont Views 3.0	£299

General & Systems Libraries

C Tools Plus/6.0	£105
CodeRunner	£140
Heap Expander 3.0	£110
Hold Everything	£110
Interwork	£170
MTASK	£60
Multi-C w/Source	£39
PK #1, #2, #3	£75
PowerSTOR	£85
Resident-C	£130
TesSeRact Compression Sys	£39
TesSeRact TSR Dev Sys 2.0	£69
TG Professional (CAD/CAM)	£370
Tools.h++ w/Source	£190
TSRs and More	£105
VMData	£325

Tools

C-Vision	£80
Clear+ for C	£135
CodeCheck Personal	£220
MKS LEX & YACC	£225
PC-Lint	£79
PCYACC Personal	£220
SourcePrint+ Deluxe 5.0	£150

LOW PRICES MICROSOFT & BORLAND PRODUCTS

Microsoft Access	£275
Microsoft C/C++ 7.0	£222
Microsoft C/C++ Upgrade	£99
Microsoft Cobol 4.5	£435
Microsoft Fortran 5.1	£205
Microsoft FoxPro V2	£420
Microsoft Macro Assembler 6.1	£95
Microsoft Prof Toolkit for VB	£135
Microsoft QuickC 2.5	£50
Microsoft QuickC & Assembler	£83
Microsoft QuickC for Windows	£95
Microsoft Source Profiler	£45
Microsoft Test for Windows	£185
MS Visual Basic for DOS Std	£95
MS Visual Basic for DOS Prof	£222
MS Visual Basic for Win Std	£95
MS Visual Basic for Win Prof	£222
Microsoft Windows 3.1	£70
MS Windows SDK 3.1	£165
Borland C++ 3.1	£199
Borland C++ & AFX 3.1	£290
Borland Pascal with Objects 7.0	£199
dBase IV 1.5	£330
Paradox Engine & DFX 3.0	£99
ProGen for Borland C++ 2.0	£39
Turbo C++ 3.0	£46
Turbo C++ & Turbo Vision 3.0	£69
Turbo C++ for Windows 3.1	£80
Turbo Debugger & Tools	£85
Turbo Pascal 7.0	£66
Turbo Pascal for Windows 1.5	£80
Turbo Vision 1.1	£25
Paradox 4.0	£330

WITH FULL TECHNICAL SUPPORT

DEBUGGERS

Bounds Checker 2.0	£180
Multiscope for Windows 2.0	£330
Periscope I/512K	£450
Periscope II	£135
Periscope/EM	£175
Periscope/32 for Windows	£235
Quaid Analyser	£130
Soft-ICE	£320
Soft-ICE/W	£350

GREY MATTER

Prigg Meadow, Ashburton
Devon TQ13 7DF

Prices do not include VAT or other local taxes, but do include delivery in the UK and Europe. Please check prices at time of order as ads are prepared some weeks before publication. This page lists some products - call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

TEL: (0364) 53499

FAX: (0364) 53071

TURBO PASCAL LIBS

Async Professional	£85
Async Plus	£135
B-Tree Filer Network	£110
Paradox Engine & DFX 3.0	£99
graphics-MENU & Data Entry	£170
Huge Virtual Array & NAT	£160
Mathpak 87	£85
MetaWINDOW/Lite 4/32	£125
Object Professional	£120
Power Tools Plus/5.1	£110
Real-Time Graphics & M/CT	£139
Science & Eng Tools 8.0	£85
TEGL Windows Toolkit II 2.2	£72
TesSeRact TSR Dev Sys 2.0	£69
Turbo Analyst	£75
Turbo Professional	£89
Turbo Vision Dev Toolkit 2.0	£99

C & C++ FOR WINDOWS

Btrieve for Windows	£340	Zinc 3.0 w/Source	£200
CodeBase 4.5	£235	CrystalComm for Windows	£110
dAnalyst Gold 6.0	£230	Greenleaf Comm++	£115
Paradox Engine & DFX 3.0	£99	PCX Toolkit for Windows	£145
POET	£270	Win/Sys Library	£105
Q+E Database Library	£250		
Raima Data Manager	£380		
Raima Object Manager	£320		
C++/Views 2.0	£270		
C++/Views 2.0 Competitive U/G	£99		
Control Palette for Windows	£100		
Data Entry Workshop	£120		
DataTable	£220		
Graphics Server SDK	£205		
Magic Fields	£255		
ObjectGraphics	£130		
ProtoGen 2.1	£55		
ProtoGen for Borland C++ 2.0	£39		
ProtoView	£299		
Win++	£175		
WindowsMaker Pro 4.0	£560		
zApp	£125		
zApp w/Source	£175		
zApp DOS&Win w/Source	£280		
zApp for Windows NT (beta)	£245		

SMALLTALK

Smalltalk/V DOS 3.0	£85
Smalltalk/V 286	£125
Smalltalk/V for OS/2 2.0	£640
Smalltalk/V for Windows 2.0	£300

PASCAL COMPILERS

NEW BORLAND PASCAL WITH OBJECTS 7.0 includes both DOS & Windows IDE's, ObjectWindows & Turbo Vision, new language features and improved optimisation, royalty-free DPMI DOS extender, protected mode DOS DLL's which are compatible with Windows DLL's, smart linking, etc. Also includes the Turbo Assembler, Profiler & Debugger.
ONLY £199.

Borland Pascal with Objects 7.0	£199
Professional Pascal 2.8	£345
Prospero PC Pascal	£55
Prospero Pascal 5.2	£145
Stony Brook Pascal+	£240
Topspeed Pascal Prof	£165
Turbo Pascal 7.0	£66
Turbo Pascal for Windows 1.5	£80
NDP Pascal (386)	£375
Professional Pascal/386	£555
SVS C3 Pascal (386)	£310

BASIC FOR DOS

Compilers & Interpreters

NEW VISUAL BASIC for DOS Standard provides an event-oriented programming model with rich user-interface tools and is upwards compatible with QuickBasic & Basic 7.1. ONLY £95.

PROFESSIONAL EDITION adds an optimising compiler, database ISAM, charting & presentation graphics toolkit, custom control development kit & MOVE overlays (as in C++ 7.0). ONLY £222.

UPGRADES from QuickBasic & Basic 7.1 are also available - call us for details.

GFA-BASIC	£85
MS QuickBasic	£50
MS Visual Basic for DOS Std	£95
MS Visual Basic for DOS Prof	£222
PowerBASIC	£110

QuickBasic Libraries

Comms Lib (Microhelp)	£110
Network Library (Microhelp)	£75
PDQ Comm	£60
Btrieve 5.1	£340
db/Lib Prof	£130
E-Tree Plus	£160
Graphics QuickScreen	£99
Graphics Workshop	£100
GraphPak Pro	£85
GX Graphics 2.0	£145
HALO Professional 2.01	£230
Compression Plus	£125
Compression Workshop	£105
Microhelp Muscle	£145
PDQ	£100
Printer Plus	£175
ProBas 5.1	£155
QuickPak Prof 4.1	£120
QuickPak Scientific 3.0	£89
QuickScreen 4.0	£95
Science & Eng Tools 8.0	£59
TSRific	£69


FORTRAN COMPILERS

FS-Fortran 77	£35
Lahey F77L 5.0	£370
Lahey Personal Fortran	£79
MS Fortran 5.1	£205
Prospero Fortran	£145
Prospero PC Fortran	£55
Watcom F77 9.0	£345
FTN77/x86 Professional	£765
FTN77/x86 Developer	£895
Lahey F77L-EM/32 5.0 & PL386	£725
NDP Fortran	£375
SVS C3 Fortran	£380
Watcom F77/386 9.0	£525

We also stock a range of Fortran Libraries.

EDITORS

Borland Brief 3.1	£99
Codewright 2.0 for Windows	£205
Epsilon 6.0	£185
Kedit 5.0	£110
Multi-Edit Lite	£55
Multi-Edit Standard 6.1	£90
Multi-Edit Professional 6.1	£130
Norton Editor 2.0	£45
PVCS Prof Editor	£180
QEdit Advanced	£40
Vedit-Plus 3.5	£120



Everyone makes claims. We make sure.

When the industry wants product testing taken to the nth degree, they take it to NSTL.

In every field, one name sets the standard. In microcomputer testing, the name is NSTL, the leading independent testing lab.

The NSTL compatibility certification seal on a product says that it withstood the toughest lab in the industry — and it's ready for your business.

The seal saves you a lot of comparison and guesswork. It says you'll find the product compatible with a wide range of business applications and hardware. It helps you make the right choice.

Real-world testing for real-world use.

Beyond compatibility testing, we access nearly every conceivable

problem — from engineering-level hardware bugs to the everyday usability of business software.

And we test with the end-user in mind, in a real-world environment, just the way your staff uses equipment. Except our trials are more punishing.

Our publications, and others that publish our work.

In a separate facility we also do comparison testing for our own Ratings Reports: *Software Digest*®, *PC Digest*® and *LAN Reporter*®. They're read by people who purchase an average of more than \$500,000 in microcomputer hardware and software annually.

And because of the respect we've earned, some of the industry's leading publications, like *Data Communications*,

LAN Times, *Unix World* and *Datapro Research Group* publish our test results.

Look for the NSTL seal and be sure.

Experts rely on the NSTL name: now you can, too. The final test of a product is its compatibility in a business environment. The NSTL mark tells you it's already met that test. Look for it when you compare products.

NSTL

Plymouth Corporate Center
Box 1000, Plymouth Meeting, PA 19462
215-941-9600

Micro Channel™ and OS/2™ are trademarks of the IBM Corporation.

Circle 120 on Inquiry Card.

accurate idea of the order of events. Older chips (e.g., the 8086) don't let you trace on the interrupt, so sometimes source debuggers are not an option even for simple problems. Also, source debuggers don't usually help find problems related to the use of the interrupt hardware.

So what's a programmer to do? It would be nice if you could buy ICEs (in-circuit emulators), which provide all sorts of neat things, such as trace buffers, that can tell you exactly what instructions were executed in which order. However, ICEs can cost well into five figures. Most individual programmers and even small companies can't afford such equipment.

Tricks of the Trade

I started writing ISRs on machines with very primitive debugging capabilities, and, painful as those early experiences were, I learned some tricks that I still use, even when I have sophisticated hardware and software available to assist in debugging. The examples in this article are for Intel microprocessors, but the principles apply to almost any environment.

The first and most important technique I use is no stranger to believers in modular

programming. The strategy boils down to this: Divide and conquer. There are three basic areas of difficulty common to most ISRs: dealing with the interrupt mechanism itself (both the hardware and the operating system), getting access to your data, and debugging the actual functional code that runs on the interrupt. If you can get each of these three areas working independently, when you combine them you will have to worry only about problems introduced by their interaction.

Typically, there are four parts to dealing with the interrupt mechanism: telling the system to call your code when an interrupt happens, catching the interrupt when it occurs, returning control to the system, and making sure the normal interrupt vector is restored when your program exits.


Wherever possible in dealing with the interrupt mechanism, use operating-system services to avoid the need for debugging. For example, in MS-DOS, you can write directly to the interrupt vector table to set up your interrupt, or you can use INT 21h services to get and set the vector. Programmers who decide to write directly to the interrupt vector table create programs that will not work as expected

under environments like Windows, which runs in protected mode and virtualizes memory. Save yourself trouble down the line, and do it the right way from the start. The best debugging is the debugging you never have to do.

Next, write an ISR that consists of the absolute minimum of instructions—just a return, if possible. Remember to use the right kind of return; on Intel systems, the mnemonic is IRET. On IBM PCs and compatibles, you will also need to send an End Of Interrupt signal to the interrupt controller. (See listing 1 for a complete, if tiny, ISR skeleton for the IBM PC.) Then write the code needed to set the appropriate interrupt vector to point to your ISR. Even if you can't use your source debugger on the ISR itself, you should be able to use it to double-check that you're passing the correct address and selecting the correct interrupt.

Now run the code. If nothing seems to happen, you probably got it right. Next, try loading in another program. If the system crashes, you almost certainly changed the interrupt vector successfully. Now you must change it back to the original vector before exiting your program.

continued



HALO IMAGING LIBRARY GIVES PROGRAMMERS THE POWER TO WRITE IMAGING MAGIC.

A sophisticated toolbox for today's program designers who need state-of-the-art imaging technology in their software programs—read, write and convert such popular formats as TIFF, PCX, BMP, GIF and more. Enhance and Transform your images...Pixelize, Posterize, Blend and Sharpen...Save time and money with this powerful, modular library. Produce sophisticated programs using award-winning technology from the industry-recognized leader. Contact Media Cybernetics to learn more about this imaging alchemy...


Call **1-800-992-HALO**

**MEDIA
CYBERNETICS®**
The Imaging Experts

Available for—
Windows
OS/2
Macintosh
OPEN LOOK
Motif

8484 Georgia Avenue • Silver Spring, Maryland 20910 • USA
301/495-3305—voice • 301/495-5964—fax

Operating Systems Come in Many Flavors



But QNX® Can Take the Heat.

Decisions...Decisions...

When you choose an OS for your realtime applications, you're looking for solid performance at run time. A rich development environment. Responsive technical support. And to top it off, you need stability.

For over ten years, QNX has proven itself again and again in the real world. Thousands of VARs and OEMs rely on QNX for a wide range of mission-critical realtime solutions – in POS, factory automation, medical instrumentation, telecommunications.

POSIX Plus Performance

QNX follows the latest IEEE POSIX 1003.1 and 1003.2 Open Systems standards, so you get the same API and utility set found in many UNIX® systems. But with its innovative microkernel architecture, QNX out-performs any standard vanilla OS.

The Right Ingredients for Real Time

QNX delivers the speed of a fast, realtime executive (16 µsec per context switch on a 33 MHz 80486). And its priority-driven, preemptive scheduling will help you build responsive solutions that won't melt under *real* realtime conditions.

A Recipe to Save Time

QNX saves you time up front, because your development system and target system *are one and the same*. Which means no cross-compiling or debugging on a separate test platform.

You get one integrated environment, with transparent fault-tolerant networking and distributed processing already built in.

Yes, We Do Windows

Our own high-performance windowing package gives you an OPEN LOOK® GUI.

And Rundos™, our DOS emulator, lets you run Microsoft® Windows™ 3 in *standard mode*, so your favorite graphics programs will have enough memory to feel right at home.

We Don't Scrimp on Support

During the last ten years, we've earned a reputation for outstanding technical support. Since we offer everything from 24-hour online conferencing to onsite consulting, you can easily reach the people who make up the QNX development team.

So if you're looking for an operating system that gives you more than the standard fare, try QNX. You're in for a real treat.



WE WORK IN REAL TIME.™

1-800-363-9001

(EXT. 101)

Circle 134 on Inquiry Card.

Quantum Software Systems Ltd., 175 Terrence Matthews Crescent, Kanata, Ontario K2M 1W8 Canada Tel: 613-591-0931 Fax: 613-591-3579

© Quantum Software Systems Ltd. 1992 QNX is a registered trademark and Rundos is a trademark of Quantum Software Systems Ltd.
UNIX and OPEN LOOK are registered trademarks of UNIX System Laboratories, Inc. Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation.

If your tiny program crashes, you have to find out whether the problem lies with the way you are altering the interrupt vector or with the ISR itself. Usually there is some way you can find out whether your ISR is being executed—for example, by writing a character directly to screen memory. If your ISR is being called, then the problem is almost certainly in the code being executed in the ISR. Double-check to make sure you have saved every register you use, including the flags if the micro-

processor doesn't save them; triple-check to make sure you have restored all registers in the proper order. If you are calling a function in a high-level language, make sure all registers get saved before the call and restored after the call. Better yet, eliminate all calls to external functions until you are sure they are not the source of the problem.

It is realistic to expect to have to reboot frequently while getting your first ISR running, especially while working on setting

up the interrupt mechanism. If you don't have to reboot quite a few times on your first ISR, you're doing a lot better than I did on my first one.

The Next Step

Once your program can set up and restore the interrupt vector and execute an interrupt without crashing, the worst is over. Now you can start working on the second area of basic difficulty: accessing your data.

With the old 8-bit processors, it was easy: Memory was limited to 64 KB of absolute address space. Both 16- and 32-bit processors usually use some form of relative addressing—for example, segment-relative addressing on the Intel chips or address register-relative addressing on Motorola chips. Motorola chips offer the option of absolute addressing, but there are penalties in both code size and execution speed, so most systems use relative addressing.

The trick is getting your data's base address (usually referred to as the *segment* or *selector* with Intel microprocessors). When you enter an interrupt, the only registers you can count on are the ones that point to the current instruction. There are two ways of getting a base data address: You can store it at a known absolute address or at a known offset to the current instruction.

Storing something at an absolute address is fine if you are sure you're the only one that will ever be using the system. That leaves out almost all PCs, since, even if you are not actively multitasking, you have to make sure you don't step on the operating system or a TSR program. In fact, this option is mainly viable for embedded systems.

Fortunately, storing the data at a known offset from the ISR's first instruction is relatively simple. The exact details vary with different chips and compilers, but listing 1 shows one way (of several possible ways) to accomplish this under MS-DOS.

The next step is to make sure that your ISR works and that you really can get at your data. Listing 2 shows a small test program, again for MS-DOS, that simply increments a variable on each interrupt, with some mainline code that prints the variable to the screen. If the variable is being incremented, your code is correct; if not, make sure you're using the correct base data address.

Sometimes it's hard to tell whether there is a problem with the base data address or whether your ISR is simply not being executed. In this situation, here is a useful trick: Set up your ISR to replace an ISR that you know is being called (on a PC,

Big screen. Will travel.



Introducing new ScreenStar™ from BitWise, the world's first transportable with dual-page display. It's a 486 50MHz PC workstation constructed within a suitcase for unrivaled performance in a transportable package.



present data in meetings, in the field, or on the road.

5-1/4" bay for optical/CD ROM/
WORM drive/more
1280 x 1024 resolution
3 full-length slots
Up to 32 MB RAM
Up to 1 GB hard drive
Designed and built
in the USA



Imagine the possibilities. Effortlessly run the most demanding software, *anywhere*. Impressively present to large groups. Effectively travel with a powerful document imaging system.

Portable computing without compromise. Discover the quality and innovation of our full line of portable systems. Otherwise, it isn't a BitWise.



**1-800-THE-BIG-ONE
(800-843-2446)**

BitWise Design, Inc.
Technology Center
Rotterdam Industrial Park
Schenectady, N.Y. 12306
Fax: 518-356-9749

COMPUTERS WITHOUT COMPROMISE™

Essential Development Tools At Your Fingertips.

MKS Toolkit — All the Tools of the Trade for Professional Programmers and Application Developers.

MKS Toolkit puts a powerful suite of easy-to-use development utilities within your grasp. MKS Toolkit was designed by developers for developers. That's how we knew precisely which programming instruments to give you — and how to make them work together so you can achieve levels of productivity you've only dreamed about — until now!

Developers working on DOS can now get the extraordinary power of tools that were once available only on UNIX. Only MKS Toolkit delivers a full suite of these essential tools on your PC, and allows you to switch quickly back to your DOS applications. For multi-platform environments, MKS Toolkit is fully compatible with UNIX systems, and tracks both POSIX and x/Open standards.

Now it's easy to take hold of all the tools of your trade. MKS Toolkit enables you to develop the technology of tomorrow — today.

Start shaping the applications of the future! **Call now to order your copy of MKS Toolkit.**

Some of the 170+ utilities in MKS Toolkit 4.1:

- ▶ A new, easy-to-use, efficient UUCP communications package that connects you to the world.
- ▶ MKS AWK, the fast prototyping and report generating language, now with a new AWK compiler.
- ▶ MKS KornShell, the full-featured programming language that allows you to interchange scripts with UNIX and POSIX systems.
- ▶ MKS Make, the software construction utility that lets you update files automatically.
- ▶ MKS Vi, the full-screen editor.
- ▶ New Windows icons for frequently used commands.
- ▶ Full on-line reference manual.
- ▶ Interoperability with Open VMS, CTOS and MPE/iX.
- ▶ A full array of commands for profiling, compression, archiving, file processing and customizing your PC environment.

MKS 35 King Street North
Waterloo, Ontario, Canada
N2J 2W9

Price: \$299, Upgrade \$99. Call for multi-user pricing. 30 day money back guarantee.
For information on how to order, call MKS at: 1-800-265-2797 (US and Canada)
or (519) 884-2251 • Fax (519) 884-8861. International customers please call:

USA +1 519 884 2251 • BRAZIL +55 83 333 1904 • DENMARK +45 87 72 00 • FRANCE +33 1 48 77 22 44 /
33 1 47 81 10 11 • GERMANY +49 0721 988 280 / +49 0551 50762 0 / +49 06126 595 0 / +49 0221 35 15 24
JAPAN +81 3 5702 0351 • NETHERLANDS +31 020 6 14 24 63 • SWEDEN +46 013 111588
SWITZERLAND +41 061 421 32 01 • UK +44 0364 53499 / +44 0763 244114 / +44 071 833 1022

MKS and MKS Toolkit, MKS KornShell, MKS AWK, MKS Make, MKS UUCP and MKS Vi are trademarks of Mortice Kern Systems Inc.,
UNIX is a registered trademark of UNIX System Laboratories, Inc. All other trademarks are acknowledged.

Circle 112 on Inquiry Card.



24. — 31. 03. 1993

See us at Hall 6, stand C20-D19



UniForum
CORPORATE SPONSOR

See us at Booth 4115 and 2549

the timer interrupt is ideal). If nothing changes, you are probably missing the data. If the data is now being accessed, the interrupt that you were using before is not being generated.

At this point, note what you've accomplished: All the interrupt-related issues have been isolated (well, most of them; more about that later), and you can proceed to the third basic area—debugging the functional code—without worrying about the interrupt.

Defensive Programming

Several other common trouble spots are best dealt with through defensive programming. First, since the interrupt occurs asynchronously, you must be absolutely certain that you save and restore all registers. Normally, you make assumptions about registers: For example, AX (or D0) is not preserved across function calls. Interrupts are a different story. They can happen at any time, between any two instructions, and if they trash a register, the

results are unpredictable.

Second, on most systems, especially IBM PCs, interrupt code needs to execute quickly and get out of the way. Several problems can occur when one interrupt interrupts an ongoing interrupt; the most severe is a system crash, but none of them is fun. Avoid complex calculations (e.g., floating point) during interrupts. Pass the values to the mainline code to do the slow stuff. If possible, avoid high-level languages and stick with assembly language for ISRs. You'd be surprised at just how inefficient C can be.

Again, practice defensive programming. Debugging the problems that arise from a slow ISR can be difficult, so avoid the situation. There's still a place for tight, fast code, even in this power-glutted age.

I find it useful to write the functional code for an ISR so that it can be called from mainline code. In this way, I can step through it before it is running on the interrupt, to catch bugs and side effects when it's still easy to do so. Just make sure that your code is not also being executed by the ISR while you're stepping through it from mainline code, or you'll hopelessly confuse your debugger.

Other Snags

Usually, once the basic pieces of your ISR are working correctly, you're finished. Sometimes, however, problems arise involving coordination between the ISR and the mainline code. The ISR may access a variable before it is set to the correct value, or the mainline code may alter the variable before the ISR has a chance to do what it needs to do with the old value. These concurrency problems can be very hard to debug, and source-level debuggers don't always help, because they can alter the order of events. I suggest two techniques for solving these classic real-time bugs.

Say you need to know the value of a variable during the first execution of the ISR. Simply have the ISR copy the variable into another memory location, and have the mainline code display the copy.

Even if you don't have an ICE, you can roll your own software trace buffer. Set up a circular buffer, and write data and tokens to it that you can examine later to see just what happened during interrupt processing. You can often find subtle order-of-execution problems by carefully examining this buffer. You can use the buffer to accumulate information during processing, and then you can print it to the screen or write it to disk and examine the information at your leisure. Listing 3 demonstrates this technique.

I recently used this technique while I




IT'S THE BEST PIZZA JOINT IN TOKYO. (But how would you know that?)

Goat cheese and grilled octopus?

Okay, it's not what you'd expect to find on your ordinary pizza. But then again, you don't go to Tony's of Tokyo for ordinary pizza. Of course if you had LOCAL EXPERT™, you'd already know that.

"LOCAL EXPERT?" Yes, it's the new software package that gives you all the travel tips and inside information you'll ever need. It's the food critic, business resource, nightlife review and sports directory all rolled into one. And, best of all, it's rolled tight enough to fit easily onto your laptop computer.

LOCAL EXPERT comes with an extensive collection of world and regional maps, plus lots of useful information. Order now, and you'll get LOCAL EXPERT for the special introductory price of just \$99. And that includes a detailed guide to the city of your choice from over 100 cities worldwide. To order, just call 1-800-442-8887. After all, it's not a lot of dough.



All the details come with one easy to read map.



LOCAL EXPERT™

1 - 800 - 442 - 8887

Available for Macintosh™ computers and PC compatibles running Microsoft® Windows™. Comes with an unconditional 30 day money back guarantee. AE, MC & VISA accepted. All trademarks and registered trademarks are of their respective owners. SMI, 3135 Kifer Rd., Santa Clara, CA 95051




THE MAPPING
SOFTWARE
EXPERTS™

\$99

Write Portable Code That Really Cranks.

On Seven Different GUIs.



XVT's Portability Toolkit™ is a powerful C development environment that allows you to build a single application, then re-compile to every major GUI without rewriting code. XVT solutions also include an interactive design tool and a class library for C++ developers.

- Supports Macintosh, Microsoft Windows, Windows NT, OS/2 Presentation Manager, OPEN LOOK, OSF/Motif, and Character Systems
- Native look-and-feel to all target GUIs
- Portability to 26 hardware systems
- Access to the complete functionality of every windowing system
- Easier to use than native development toolkits
- Minimal size and performance overhead
- Shorter development cycles
- No royalties or runtime fees
- Clear documentation and responsive technical support

Now in its third generation, XVT is recognized as the industry leader in portable GUI development solutions and is the base document for the emerging IEEE standard. It is used by world-class software developers like •Novell •HP •AT&T •Digital •Lockheed •Kodak •Grammatik/Reference Software, because it allows them to take their applications to the widest market, quickly and cost effectively.

Don't write another line of code without gearing up to develop your application simultaneously for all GUIs. Call for technical materials and a demo.



The portable GUI development solution.


1-800-678-7988

XVT Software Inc. 4900 Pearl East Cr. Boulder, CO 80301


(303) 443-4223 FAX (303) 443-0969

For European Inquiries, contact: PVI Precision Software GmbH


Phone: 49 0 61 03/37 94 0 Fax: 49 0 61 03/36 95 5



▲ Microsoft Windows & Windows NT



▲ Macintosh



▲ OSF / Motif

Shown above are four of the seven GUIs supported by XVT.

XVT and XVT Portability Toolkit are trademarks of XVT Software Inc. Other product and company names are trademarks or registered trademarks of their respective holders.

was writing a Windows device driver. I could step through the code and everything would work fine, but when the code ran in real time, something went awry. The code was complex: Data was passed to the driver in a series of buffers of varying sizes, copied in small chunks into other buffers, and then sent via interrupt-driven DMA to a peripheral board. Both the mainline and interrupt code used the key functions, and everything had to happen in the right order. It was impossible to tell the order of execution by any conventional means, so I added a software trace buffer and wrote tokens to it that indicated the order in which functions executed. Once I had the tokens to examine, finding the problem was simple.

Debugging Tools

My emphasis in this article has been on worst-case debugging—routing out the nasty little critters when normal techniques won't help. If your equipment allows you to use a source-level debugger, then by all means do so. You can find some fairly inexpensive hardware and software tools that will help, too. I work almost entirely on IBM PCs, so the list I give here won't

help much if you work on Macs or Sun workstations, but it may give you some ideas.

One of my favorite tools is the breakout switch, which causes an NMI (nonmaskable interrupt). You need software that patches the NMI vector to point to debugging code; then, when the machine hangs, you can hit the switch and find out what code was executing. Periscope makes a great hardware/software combination with a breakout switch that lets you pop into any executing code.

Both Periscope and Nu-Mega provide software that—when running on a 386 or higher processor with adequate RAM—performs many of the functions of an ICE, including complex breakpoints and trace buffering of code that has executed. This kind of tool is almost indispensable if you write a lot of ISRs. Nu-Mega also sells a tool that will spot out-of-bounds memory accesses. That's handy for finding uninitialized pointers in mainline code and ISRs alike.

If you have the money, Periscope also makes a board that contains a trace buffer that errant code can't overwrite. With this board, you have almost all the function-

ality of a true ICE at significantly lower cost.

A true ICE lets you do more than just buffer instructions. It can also keep track of exactly what is happening on the bus and at selected other points in your system. However, most of the time you will not need this information for debugging ISRs; it's mainly needed for hardware development.

The time will come, though—no matter what debugging hardware and software you own—when you won't be able to find a way to trace the problem through ordinary means. That's when you need to apply the fundamental rule of dividing the problem into its component parts and then use your ingenuity to find out what is going wrong. ■

Editor's note: *The complete listings for this article are available in electronic format. See page 5 for details.*

Thomas Jeffries is president of Singing Electrons, a Lopez, Washington, company specializing in developing multimedia audio tools and products. You can reach him on BIX as "tjeffries."

fractal



image

compression

Fractal image compression: The technology that inspired *PC Magazine* to proclaim "The advantages of fractal compression are unmatched." The technology selected for Microsoft's breakthrough CD-ROM Encyclopedia, Microsoft® Encarta.

This technology is now available to Windows 3.x developers in **POEM ColorBox**, which provides DLLs for:


- ultra-high compression;
- resolution independent images;
- fast decompression; and
- superior 24-bit color rendering.

For multimedia, archiving or other imaging applications, **ColorBox** is comprehensive, easy-to-use and at \$995, surprisingly affordable.

Call today for more information. Learn why **ColorBox** is the solution to your image compression needs.

Iterated Systems
 5550-A Peachtree Pkwy., Suite 650
 Norcross, GA 30092
 Tel: 1-800-4FRACTL
 Fax: (404) 840-0806


Which computer guru founded Dial-a-Joke?

Now's your chance to stump the experts with the most intriguing, funny, or just downright strange computer trivia you can think of. It's the 1993 Computer Bowl, being held on May 14, 1993 in San Jose, California. Two teams made up of industry notables go head to head in this grueling competition. The examiner is again Bill Gates (who on his days off runs a small company in Washington state). So submit as many questions as you want, but do it soon — only a select number are chosen. If we use one, we'll list you in the 1993 Computer Bowl program and you'll get a videotape of the whole event. Send your questions — and answers — in advance to: The Computer Bowl Project Manager, The Computer Museum, 300 Congress Street, Boston, MA 02210. And think hard. Mr. Gates is waiting.

For sponsorship and ticket information, call
(617) 426-2800 x346

Answer: Let's just say he co-founded another company named after fruit.



A * S * I * A P * A * C * I * F * I * C REPORT

Mitac Inc.

Taiwan

High Quality PC with CPU Upgradeability

One of Mitac's latest creations is called the Slot Board Computer. This innovative new product line can be adapted to support the newest main processors available, plus have the capability to fully utilize an optional solid state disk daughterboard or VGA display. Additional features include password security protection, rechargeable battery with 5-year life cycle, low power alarm for secondary battery, and all-in-one interface (IDE, FDC, 2 serial, 1 parallel).

Mitac is a very broad, diversified company that is involved in all aspects of the international information industry. Though there are many different businesses inside this multinational corporation, the PC manufacturing business is certainly one of Taiwan's best known.

Additional details on both the company and its products can be had by phoning Mitac at 886-2-501-2650 or faxing to 886-2-509-0979.

First International Computer, Inc.

Taiwan

Motherload Motherboards

Probably best known for their LEO brand computer products, First International Computer (FIC) is Asia's largest motherboard manufacturer and one of the largest PC manufacturers in Taiwan.

As proof of its cutting edge technological capabilities, FIC officially released several new local bus, 32-bit EISA motherboards that are sure to become star products. Each accepts the complete range of Intel-compatible CPUs up to the newest 486DX2-66 clock doublers.

Though fully featured, the 486-VEV and 4386-VCV motherboards are also compact; conforming to the Baby AT 8.5" x 13" standard. And because they have the lowest component count in the industry and use top of the line components (assembled using surface mount technology on a four layer printed circuit board), product reliability is second to none. FIC is a company to keep your eye on.

For more information, phone Frank Falcon at 886-2-717-4500 ext. 7051 or send him a fax at 886-2-718-2782.

Light Weight PC Packs Heavy Weight Punch

Top-of-the-line computing now can be yours in a very portable 6.2 pound, 12.2" x 10" x 1.7" form factor. The 10" CCFT color LCD delivers 640 x 480 VGA resolution using 512-KB of video RAM for fast, crisp, beautiful image displays. Users can choose either 25-MHz 80486SX or a very fast 80486DX2 running at an internal clock speed of 50-MHz. System memory comes standard at 2-MB, but can easily be expanded up to 12-MB. Select the hard disk option to suit your own unique needs; either 80, 120, or 240-MB. A 1.44-MB floppy disk drive, and a full compliment of I/O ports are all also included. A rechargeable battery keeps it up and running for 2 hours per charge and a full function keyboard rounds out the complete package.

If you'd like more information on the product mentioned above, phone Frank Falcon at 886-2-717-4500 ext. 7051 or send him a fax at 886-2-718-2782.

Toptek Micro Computer Inc.

Taiwan

"Golden Sound" is Certainly Appropriate

Finally, multimedia technology is beginning to live up to some of the promises. Products such as Toptek Micro Computer's Golden Sound GM32 are revolutionizing the way computers are used.

The GM32 is fully compatible with the MPC, MS Windows Multimedia Extensions (1.0), and MPU-401 (UART mode) MIDI software standards. It incorporates both a PCM sound generator and MIDI interface board with 16-bit, 44.1-KHz stereo PCM. The board delivers true CD-quality sound with 16 simultaneous multi-timber and 20-voice polyphony capabilities. The result is pure enjoyment for even the most discerning music lover. MIDI, line, microphone in, and stereo out with integrated power amplifier connectors are included as standard equipment. Add a Toptek Golden Sound card (version 2.5), PRO II, or other sound card and expect to hear the unexpected. List priced at approximately US\$199.99.

More detailed information is available by contacting Toptek Micro Computer, Inc. at 886-2-964-7096, or fax them at 886-2-961-9586.

Datronics Technology, Inc.

Taiwan

Fast Fax and Modem Combos

Telecommunications equipment such as Datatronics Technology, Inc.'s (DTI) newest Discovery brand products are changing the way people work and live.

High speed modems and fax/modems are expanding that world, providing connectivity to a universe of new services and information.

With almost a decade of international business experience, Datatronics Technology is a good example of Taiwan's mature base of high-tech expertise and talent. Their new Discovery 1442AM V.32bis modem and 1414AX fax/modem deliver high performance: throughput of up to 57,600 makes that clear. What may not be quite so obvious are DTI's high levels of product reliability, quality, and technical support. These same models also offer unique features that set them apart from less sophisticated manufacturers. Features include connection password security, call-back security, AR password software protection, remote access security, and user definable functions.

Datatronics can be reached by calling 886-2-782-0002 or faxing to 886-2-782-0305.

Zecks Enterprise Co., Ltd.

Taiwan

Safety First, Quality that Lasts

Zecks Enterprise Co., Ltd., is a major designer and manufacturer of switching power supplies, but not just standard power supplies. Zecks has established its solid reputation by delivering more than just a full range of price-competitive, reliable products. Their extensive R&D resources and modern high tech facilities let them create products that meet and beat the most stringent safety standards anywhere in the world — those set by Scandinavian countries including Norway, Finland, Sweden, and Denmark. In fact, Zecks has been so successful in

meeting the needs of these highly discriminating markets, the great majority of their power supply exports are bound for these same countries. For stable, dependable, reliable, and high-quality power supplies that are truly safe, take a look at Zecks.

When calling for more detailed information dial 886-2-287-0799 or send a fax to 886-2-280-1351.

Solid Cases with Solid Reputation

Product safety is one of the hottest topics in the industry. Much attention has been directed toward CRT monitors and video display terminals (VDTs), but some people don't realize that PCs themselves are a source of electro-magnetic and radio interference. Zecks computer cabinets are built to be safe.

Computer cabinets are a new major product line for Zecks. Because of the inherent interrelationship between power supplies and computer cabinets in terms of safety (computer cabinets act as a shield), Zecks' products benefit from this symbiotic, synergistic interconnection.

Also noted for their easy installation and durability, Zecks builds a complete range of cabinets, including Superslim, Slimcase, Desktop, Mini-Tower, Middle-Tower, and Tower models. Front panels feature a three-digit speed display and turbo, power-on and hard disk LED indicators. Cabinets are available in either black or white.

Contact Zecks by calling 886-2-287-0799 or send a fax to 886-2-280-1351 for more detailed and complete information.

Autocomputer Co. Ltd

Taiwan

The New World of Multimedia

Autocomputer Co. Ltd's AUVAMEDIA offers flexible and friendly access to the world of multimedia. Compliant with the MPC industry standard, it integrates the features of a CD-ROM plus a Stereo Sound Card with built-in 20W amplifier and internal 16W speakers. Volume and speaker controls are mounted on the front panel, right where they should be.

There are many possible uses for the AUVAMEDIA, from home entertainment, to school teaching, to company presentations. You might even see the AUVAMEDIA at the airport, answering arrival/departure time inquiries.

Phone 886-3-452-8200 or fax 886-3-452-5931 for more information.

Cathay Computer & Technology Inc.

Taiwan

The CC&T Multi-Media PC

Well equipped for advanced multimedia applications, the CC&T Multi-Media PC includes features not found in many other systems in its class. For example, video capabilities include scan rate conversion and windowing control for display of video images on VGA monitors, support for still-frame image capture, plus the ability to read video images from either HDD or CD-ROM and then save those images onto the hard disk.

The CC&T Multi-Media PC's basic configuration includes 80486DX-33 CPU with 64-KB memory cache, 2MB of RAM (expandable to 32MB on-board), a 120-MB hard disk drive, both 1.2- and 1.44-MB floppy drives, CD-ROM drive with controller, SCSI card, a SVGA/video card, a sound card, a mouse, and MS-DOS 5.0 operating system combined with MS Windows 3.1, including video and audio drivers.

Call Cathay Computer & Technology Inc. at 886-2-506-9326 or fax to 886-2-506-8929 for additional information.

Cathay's 486 PCI System

Cathay's new CC&T PCI486 33-MHz 486 computer is breaking new ground in terms of high-performance expansion. Until recently, there was no real local bus expansion card standard, but thanks to the PCI Consortium, that's quickly changing. The PCI bus operates at system speed, and includes automatic

configuration to let the system know what type of PCI boards are installed. Multiple bus masters are also supported to maximize performance and bandwidth for a 100-double-word burst of 128 MB per second — very fast indeed.

Standard configuration includes 80486DX-33 CPU with 256 KB memory cache, 4 MB of RAM (expandable on-board to 32 MB), a 200-MB SCSI II hard disk drive, PCI display card, PCI SCSI II card, and PCI Ethernet card. Cathay Computer & Technology Inc. not only designs and builds its own mainboards, it assembles and tests them as well to ensure complete compatibility with each customer's software and hardware environment.

For more information, call 886-2-506-9326 or fax to 886-2-506-8929.

Moxa Technologies Co., Ltd.

Taiwan

Intelligent Connectivity

The MOXA-C320 Multiport Controller makes RS-232 connectivity easy and flexible. Install the control card, CPU module, and UART module and you can connect up to eight RS-232 devices. Each control card will accept up to four UART models (which have eight channels apiece), and you can install up to four control cards for a total system capacity of 128 channels.

The control card uses a 40-MHz TMS320C25 microprocessor for smart, efficient, and fast operation. For downloading driver firmware and easy version upgrades with no hardware redundancy, 8-KB of fast Static RAM is added.

The CPU module has a 40-MHz TMS320C25 processor, 16-KB of ROM, and 32-KB of RAM. The UART modules use RISC-based CD180 chips to drive eight high-speed data channels. Of course most popular UNIX drivers are supported by the MOXA-C320.

Contact Moxa Technologies at 886-2-910-1230 or fax them at 886-2-910-1231.

Moxa Multiplexer Saves Between Connections

The Moxa CN1016M is a 16-channel statistical multiplexer that solves many transmission distance and cable routing problems. The main channel interface supports many different protocols including V.35, RS-232, IEEE 802.3, 10Base2, and 10Base5. This breaks through the standard 100 meter RS-232 barrier to let transmission distances increase up to 1.2 kilometers (V.35). With 16-channel support, you only need to route one main channel cable instead of up to 16 different RS-232 cables: saving money and a lot of frustration and headaches.

Convenience is one thing, but security can be much more important. When using the V.35 channel, surge and isolation protection are provided. Error checking with retransmission guarantees 100% error-free operation.

The Moxa CN1016M offers many more important features. You can find out more about such features by phoning Moxa Technologies at 886-2-910-1230 or fax them at 886-2-910-1231.

Acer

Taiwan

Acer Delivers World's First Truly Modular Notebook

The AcerNote 750C offers advantages not available from all the other notebooks flooding today's markets. Modularity equals opportunity because many of the major components can be upgraded as user needs change and newer technology becomes available. And upgrades don't require technical expertise either. Users can easily enhance memory, fax/modem, pointing device, BIOS, battery pack, hard disk, keyboard, etc.

Based on Intel's new 25-MHz 486SL low-voltage processor, the AcerNote 750C's active-matrix color display delivers a full 9.5 inches of brilliant color—up to 256 colors at a time

Sub-Notebook, A New Concept on Technological Design

For no other reason you should choose us being a notebook expert. Ten years of experience with a group of R&D personnel that provides the high quality standard thus earning us top award the symbol of excellence. With a monthly production of up to 18,000 units, Chicony notebooks sure safe bets in any market. For an inquiry to your OEM/ODM business needs please contact us.



120 Pin ISA bus connector for Docking station
Serial Parallel connector
External keyboard/keypad connector
External VGA Monitor connector

Brightness and contrast controls

Suspend/Resume button

8.5" Dual scan LCD display



External FDD & PCMCIA 2.0 IC card slot



Control panel LEDs

Full-size keyboard

Built-in Trackball

Trackball control button

Palm rest



Power connector
60/80/120MB Removable HDD

- CPU: Intel 486SX-25/33 MHz
- Dimension: 282(W) × 180(D) × 37(H)mm, under 4 Lbs
- Size: only 59% of standard Notebook PC

We also offer Intel 486DX-33, 486DX-II/66 with STN & TFT color Notebook PCs.



CeBIT'93
HANNOVER
24. — 31. 03. 1993
Hall 6, Stand F32/G31

Chicony

CHICONY ELECTRONICS CO., LTD
207 Kuan Hwa St., Ta-Chu Chung Lu-Chu
Shiang, Taoyuan, Taiwan, R.O.C.
Tel: (886) 3-3234721
Fax: (886) 3-3235877

CHICONY AMERICA INC.
53 Parker, Irvine, CA 92718, U.S.A.
Tel: 1-(714) 3800928
Fax: 1-(714) 3809204

CHICONY ELECTRONICS GMBH
Brodermannsweg 17, 2000 Hamburg 61 Germany
Tel: 49-(040) 51 40 00-0
Fax: 49-(040) 51 29 32
Telex: 2 12 841 chicond chicon d

The Intel Inside Logo and intel 486™ series are trademarks of Intel Corporation. All other brand names are the registered property of their respective owners.

Circle 460 on Inquiry Card (RESELLERS: 461).

with the cutting-edge of expansion technology, it has a flexible PCMCIA Type III slot that supports either a 1.8-inch hard disk, or two PCMCIA Type II expansion cards.

From the ground up, Acer's design team clearly focused on creating a user-friendly notebook. Similar to the Apple PowerBook line, the AcerNote 750C's trackball is located up front in the palm-rest area.

For more information call 886-3-489-3188 or fax 886-3-489-2949.

Pentium Upgradeable MP System

Acer has developed a multiprocessor system that can be upgraded to a Pentium system with the installation of a single chip. The AcerFrame 510 is built around the company's own SmartBus Architecture which automatically can let the system switch between a 32-bit (when 486 is used) bus architecture and a 64-bit bus when the Pentium CPU module is installed.

This powerful yet affordable system has the ability to support 512 MB of RAM and 1 MB of external cache memory. It has eight EISA slots, two VL-Bus slots, one CPU slot, dual Fast SCSI-2 channels, a 350-watt power supply, and a complete set of I/O interface ports. Optional three- or five-channel Fast SCSI-2 disk drive arrays are also available for the AcerFrame 510. Now even end users can easily upgrade performance under SCO UNIX MPX, NetWare SFT, Banyan, Solaris and Windows NT.

For more information call 886-3-489-3188 or fax 886-3-489-2949.

Display Research Laboratory

Hong Kong

MR VP Video Presenter

Simple Concept plus Sophisticated Engineering

Displaying computer-generated graphics on a TV may not be new, but the new MR VP Video Presenter is probably the most elegant such product to date. A small (A5 size), lightweight unit, the MR VP uses patent pending adaptive anti-flicker filtering to achieve incredible, near-monitor quality output on large TV presentation displays. Also included is circuitry which minimizes dot crawl and color fringes — common problems with computer-to-TV composite displays. A high-resolution S-Video output is also included for public displays, recording with S-VHS, or Hi-8 VCRs. Compatibility is exceptional.

For additional information contact MR Display Research Laboratory at 852-526-0008 or fax to 852-877-8810.

Wearnes

Singapore

Multimedia Classics

Creating what Wearnès calls "The Three Cs Technology of Computers, Consumers, and Communications," their new Amadeus is best described as consumer multimedia in a box. Flexibility is the first word that comes to mind when examining this unique and innovative product. And listing just a few of its uses — karaoke, presentations, education/training, information kiosks — shows you why. When placed on top of a desktop PC, the Amadeus becomes a 100-watt stereo amplifier, a CD-ROM drive, a multi-channel digital mixer, and a television receiver.

Another hot product from Wearnès is named after another famous composer: Beethoven. It's "the world's first upgradeable sound card." Compatible with all major standards (Sound Blaster, Ad-lib, Thunderboard), it adds four different special sound effect modes (pseudo, spatial, linear, and mono-to-stereo), is upgradeable to 16-bit stereo digital recording/playback, and has a digital equalizer and 16-bit channel mixer.

Please call 65-250-252 or fax to 65-350-0719 for more information.

Techpower

Taiwan

3-in-1 Communications

First came the modem. Then combination fax/modems took center stage. Now Techpower has pushed technology one stage further to incorporate voice capabilities into their new TP 96/24 3-in-1 Voice/Fax/Modem card. The 3-in-1 means more than product features; you can communicate using three different types of messaging systems over a single phone line. And compatibility isn't a problem because support for ASCII, PCX, TIFF, EFX, and PUT file formats are already included.

Offering the functionality of a stand-alone telephone answering machine, the card also lets you create voice files using the telephone handset, play pre-recorded voice files, or even send voice files to another location over the standard phone line. Also included are advanced features such as automatic detection of voice/fax/modem calls, voice message forwarding, caller ID detection, and remote access that allows the user to either update the answering machine's greeting message, or listen to messages from your remote site (with password protection of course).

It's not only easy and convenient, it's cost effective. Several different voice files can be packed together to save both time and money. Several phone numbers can also be packed together to act as a broadcast message phone list. These same packing functions can also be used by the TP 96/24's fax functions just as easily.

Phone 886-2-753-1930 or fax to 886-2-753-1940 for further information.

KT Technology

Singapore

A Breakthrough in Portable, High-Capacity Storage

The KT Pocket Hard Disk (PHd) is the trouble-free solution for high-capacity data storage portability. Simply connect to the parallel port of any PC and you have easy access to your own familiar applications and operating environment wherever you go. In that way it's also the ultimate answer to data security problems; you have physical control of your data at all times!

When connected to a PC, the PHd performs as the next logical drive on the host system. And just because it only weighs 350 grams, or is only 148mm x 75mm x 28mm doesn't mean that you have to sacrifice either capacity or performance. Models are available with 40 MB, 60 MB, or 120 MB of formatted storage space and all operate with lightning fast 16ms average seek times. Power is sourced from either a convenient portable battery power-pack or an external AC adapter.

Additional information on this hot little hard disk can be yours by calling 65-273-9277 or faxing 65-278-2152.

EIN

Korea

A Sound Studio in Your PC

EIN's Sound Studio and your PC add up to digital-quality stereo sound. Its 11-voice FM synthesizer is backed up by a four watt internal amp and audio enhancement circuitry for crystal clear sound reproduction. Compatible with all the popular sound card standards, it offers MIDI support as well.

The Sound Studio also includes the capability for voice applications. And the bundled graphical user interface is great for editing recorded sounds or voice playback.

Also included in this feature-packed multimedia add-on are standard joystick port, a universal driver for both DOS and Windows applications, automatic gain control for input signals, and line mixing support.

Phone EIN at 82-2-577-7808 or fax them at 82-2-574-9532.

The Lighter Alternative



VANDA 386SX/486 COLOR NOTEBOOK

Discover the lighter alternative with the VANDA NOTEBOOK. Weighing just 6.2 lbs (2.9kgs) including battery, the VANDA NOTEBOOK offers all the performance of a desktop PC in a compact 12.2" x 10" x 1.7" (310 x 155 x 44mm) package. Choose either a 386SX mono with up to 5MB of on-board memory, and VGA graphics in 32 gray scales; or a 486SX/DX/DX2 color model with up to 12MB RAM and 10" LCD with **VGA color** graphics. Either choice provides you with the power to run high level applications including MS Windows 3.1. An 80, 120 or **240MB** hard disk and a **1.44MB floppy disk** ensure enough space to run practically anything, an internal fax/modem and a full suite of interfaces complete the package.



24. — 31. 03. 1993

Hall 6 Stand F60

Europe

Sweden Jet Data AB
Norway Excess Norge A/S
Finland Tehokivi OY
France A.E.E.

Tel: 46-8-960985 Fax: 46-8-960069
Tel: 47-4-883100 Fax: 47-4-883333
Tel: 358-0-7541022 Fax: 358-0-7543541
Tel: 33-1-46720909 Fax: 33-1-46704901

U.K. Centerprise Int'l Ltd.
Holland LEO Benelux b.v.
Greece C.H. Theodossis SA

Tel: 44-256-463754 Fax: 44-256-834174
Tel: 31-73-134640 Fax: 31-73-131945
Tel: 30-1-9580109 Fax: 30-1-9596015

Middle East/Asia

Jordan Al Raed Arabi Computer Corp.
Oman Oman Computer Services Llc.
U.A.E. Emirates Electronics Company
Qatar Computer Arabia

Tel: 962-6-664343 Fax: 962-6-655092
Tel: 968-698352 Fax: 968-698356
Tel: 971-4-245073 Fax: 971-4-245534
Tel: 974-428555 Fax: 974-420690

Iran Iran Computer Control Center
Thailand Good Luck Import & Export Ltd.
Indonesia PT. Intikom Berlian Mustika

Tel: 98-681537 Fax: 98-865900
Tel: 66-2-2110965 Fax: 66-2-2125810
Tel: 62-21-5203501 Fax: 62-21-5203504

Africa

Egypt Mesjido Computer Center

Tel: 20-3-5457133 Fax: 20-3-5456833

First International Computer, Inc.

6F, FORMOSA PLASTICS REAR BUILDING 201, TUNG HWA NORTH ROAD, TAIPEI, TAIWAN
Tel: 886-2-7174500 Fax: 886-2-7182782 Telex: 23056 CHARLENE

RIC EUROPE BV Tel: 31-73-148555 Fax: 31-73-145546
RIC USA Tel: 1-510-683-9200 Fax: 1-510-683-9207
RIC AUSTRALIA Tel: 61-2-821-2055 Fax: 61-2-821-2857

RIC SPAIN Tel: 34-1-3070343 Fax: 34-1-3071463
RIC HK Tel: 852-677-3713 Fax: 852-677-4055
RIC CS Tel: 42-5-753-590 Fax: 42-5-753590

Circle 441 on Inquiry Card
(RESELLERS: 442).



Ara Tech*Korea***Ara Tech's Windows Accelerator**

With the popularity of MS Windows, users are finding that faster graphics performance is not only desirable, it's necessary. Ara Tech's new Windows Accelerator card uses C&T's 82C481 true-color graphics accelerator and combines it with the 64200 Wengine chip to create one of the fastest graphics solutions around. Rated at 15 M/sec on the Winbench test and 22 RPM with the Wintech benchmark (486 system with 16-bit ISA bus), it performs high speed BitBlt, polygon fill, line draw, pattern fill, color mixing and scissoring using hardware support. It comes with 1 MB of VRAM standard, but can be upgraded to either 2 MB or 4 MB.

Software support isn't a problem because it is register-level compatible with the IBM 8514/A graphics standard. Additional software support is provided for MS-Windows 3.x, AutoCAD(R10/R11/ R12), VersaCAD, Ventura Publisher, MS Word, Lotus/Symphony, WordStar, WordPerfect, OS/2 PM and OrCAD.

Phone 02-601-3977 or fax to 02-601-6061 for further information.

Lantech Computer*Taiwan***Enhanced Network Protection**

Networking is one of the strongest, most popular trends in computing today. Companies grow to rely on their servers, the heart of networks because often their business is actually dependent upon the operations they perform. Lantech has designed a protection system that ensures reliable, dependable, and flexible server operation security.

Lantech's advanced AI-UPS uninterruptible power supply (UPS) is durable, dependable, and fully featured, with auto turn-on, auto shut-down, built-in RS-232 interface, and a new Remote Control Box (RCB) phone jack that lets network supervisors actually call their own network to turn on the UPS from anywhere in the world.

More than just hardware, Lantech offers an integrated system that includes both hardware and software. When combined with the world's most popular network operating system, Novell Netware, Safeware v6.0 and its Novell Loadable Module (NLM) design, Safeware creates an intelligent way to monitor workstation operations from the central fileserver.

For more information please call 886-2-766-7088 or fax 886-2-766-6892.

Chicony*Taiwan***A Super Sub-Notebook**

Always the drawback with portable computers are the sacrifices that need to be made when selecting the best for your own particular needs. Chicony's new SN8660/SN8650 series breaks new ground in the pursuit of the perfect portable PC.

Powered by either an Intel 486SX-25/33 (model SN8660) or the new Cyrix 486SLC-25/33 (model SN8650 CPU), this super little new sub-notebook clearly has the power it needs to get jobs done faster and more conveniently. The Intel-based model comes with 4 MB of RAM (expandable to 20 MB) standard, while the Cyrix-based model comes with 2 MB (expandable to 16 MB) installed on-board.

What about the screen, you say? No skimping here. The 8.5-inch mono FSTN LCD screen supports 640 x 480 VGA displayed in up to 32 shades of gray. Also included are a letter-size 83-key keyboard, an integrated trackball, and 2.5-inch removable 60-, 80-, or 120-MB hard disk drive. The PCMCIA Type II expansion connector keeps new technology accessible

into the future. Standard rechargeable batteries are dependable nickel-cadmium (NiCad) type.

Further information is yours by contacting Chicony directly at 886-3-323-4721 or through a fax to 886-3-323-5549.

The Ultimate VESA Local Bus System Solution

The trend toward local bus systems is driving the market toward new heights in performance. CPUs have become so quick and powerful, the standard 8-MHz ISA AT-bus expansion design just can't keep up. Local bus expansion designs let the expansion bus run at the same fast clock speed as the CPU, breaking through the traditional expansion bus bottleneck.

Until now, local bus computers were limited due to their closed, proprietary design. Chicony's CH-486-33R/50R (VL-Bus) mainboard, IDE cache control card, and VL-Bus VGA card are based upon the newest VESA local bus REV 1.0 architecture standard. This means that customers have the option to buy new expansion cards wherever they like just as long as they adhere to the VESA design standard.

Unlike other PC and mainboard makers, Chicony also designs and produces their own high-performance VESA expansion cards. Their IDE cached, hard disk drive control card can handle anywhere from 256-KB to 16-MB of cache memory DRAM. Able to handle up to 4-GB of storage space using up to four different IDE drives, it can also support up to 2 floppy drives as well. Disk seek time is faster than fast: <0.3ms!

The VL-Bus VGA card rounds out the system solution. With 32-bit access and an S3 86C805 high-performance GUI accelerator chip, it's just the ticket for Windows, OS/2, and other new graphical operating environments.

Further information is yours by contacting Chicony directly at 886-3-323-4721 or through a fax to 886-3-323-5549.

PK Electronics*Malaysia***Cleaning Up the Power Supply**

PK Electronics specializes in the design and manufacture of a wide range of professional power protection equipment, including the Black Wave series of Power Management Systems. This new range of products adopts a modular concept which allows for flexible system design and construction. In many countries all over the world, electrical power is not very stable, or "clean." Power protection and management buffers your expensive electrical equipment from the potential disasters caused by fluctuations in the power supply. Products from PK Electronics include uninterruptible power supplies (UPS), automatic voltage regulator, surge blocks, and powerboxes.

For more information call 65-483-1366, or fax to 65-483-2588.

Datavision*Singapore***Multiple Multitasking**

Datavision has a new family of products that are bound to be a system operator's delight. Their Keyplex, Videoplex and Mouseplex control the keyboard, monitor, and mouse respectively. Each unit controls up to eight systems (four unit models are also available) from a single keyboard, mouse, and/or monitor. Installation is easy; you just need to connect cables because no software programs are required.

The central monitor and keyboard are now in control of that station. It's also possible to connect one Keyplex (or other product) to another Keyplex if more than eight terminals need to be managed at the same time.

Contact by phone at 065-467-7784 or by fax at 065-467-7785.

altima NOTEBOOK COMPUTERS

- PIONEERING
- FASTER
- CRISP & COLORFUL PLUS.....
- ELEGANCE AND
- VERSATILITY



PORTABLE POWERHOUSE-YOU WON'T BE DISAPPOINTED

InfoWorld conferred the "Recommended Product" award; Computer Buyer's Guide gave the honor of the "Best Buy"; Mobil Office said, "the Altima computer is a notebook to cherish"; Swedish microcomputer magazine ranked the "Altima" as No.1 machine after test.

Just to name a few, a number of publications agree that the "Altima" is a brand-name you can trust. Besides, a long list of our clients/partners including big name conglomerates show us their satisfaction and confidence by many commending letters and phone calls.

Contact us today for award-winning products and reliable supplier to maintain your lead in the increasingly competitive market-place!

24. — 31. 03. 1993



See us on Mar. 24-31

Booth No. F32 G31, Hall 6

Circle 462 on Inquiry Card.

MULTIVENTURE MARKETING CORP.

6F, NO. 59, TUN HUA S. RD., SEC. 2, TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-7073123 FAX: 886-2-7031380/7031364



ABC

Hong Kong

A Hand Full of Computing Power

Unlike many underpowered handheld computers the ABC BICOM SL is based on a 25-MHz 386SL microprocessor paired with 64 KB of cache memory. A powerful little PC in its own right, it has a no-compromise design: high performance, small size, low power, flexible, and ISA bus architecture for maximum flexibility.

About one-third the size of a regular notebook computer, it comes standard with an 80-MB hard disk, 2 MB of RAM. The high-contrast non-glare reflective LCD is compatible with CGA, AT&T, and Windows modes. Interface connectors include two serial, one parallel, and an external keyboard port. There is also an external connector for a 1.44-MB floppy disk drive (FDD). If the FDD is installed, it is independently backed by its own four AA batteries.

Power management is state-of-the-art, running the gambit of modes and auto-resume features.

Additional information is available by calling 852-481-6118 or faxing to 852-481-5836.

Sharp

Japan

Breaking Down Language Barriers

The new Sharp DUET Qt notebook English-to-Japanese/Japanese-to-English translation system is a literally a handy little business and travel companion.

Just because it's handy, and it is because it's the industry's smallest and lightest "workstation platform" that uses UNIX, doesn't mean that it isn't powerful — it certainly is that too. Its basic dictionary holds about 79,000 Japanese and 70,000 English words (expandable by the user, or with optional industry-

specific dictionaries) which are translated using parallel sentence structure analysis technology.

For further information from Sharp, call 06-625-3007 or fax them at 06-628-1667.

Flytech

Taiwan

The Traveling Hard Disk is in Town

Flytech's Carry-Disk removable hard disk cartridge is a cut above the rest. The Carry-Disk contains a lockable cartridge case that houses a standard 3.5-inch, 1-inch-high IDE disk which is then installed into a metal mount that can be installed quickly and easily into the 5.25-inch slot in the regular size PC. This design offers security and the opportunity to use one personalized Carry-Disk in many PCs, or easily transfer both data and applications to a new computer when the old one is replaced or serviced.

Additional information is available by calling 886-2-785-2556 or faxing to 886-2-785-2371.

Multiventure

Taiwan

Maximum Notebook Power

Multiventure's Altima 466 series blasts past the competition with the very fastest Intel processor yet available — the i486DX2/66. You get 66 MHz of raw number-crunching power and a choice between monochrome or color LCD screens.

The Altima 466 comes with a VGA-compatible 10-inch CCFT backlit LCD that's able to display 64 shades of gray. The Altima 466C offers active matrix TFT color from an 8.4-inch LCD panel. Both models can support an external VGA monitor to display 16 colors at resolutions as high as 1024 x 768. Both models have a standard capacity 120-MB HDD that can be swapped for a 200-MB drive if you wish. They also come with 8 KB of internal cache, 4 MB of RAM which can be expanded to 8 or 20 MB, and an internal 3.5-inch 1.44-MB floppy disk drive. A full complement of external I/O ports are included, and you also have a trackball and fax/modem.

Call 886-2-707-3123 or fax to 886-2-703-1380 for more information.

Quantum

Hong Kong

A Quantum Leap in Integration

The PS486 from Quantum is a half-size motherboard which is ideal for space-saving PCs. Part of this integration is made possible through the use of the OPTI 82C498 chipset, part of it is due to creative engineering and design. Support for up to 256-KB of cache memory with integrated cache controller boost performance, but CPU flexibility is probably even more important in terms of performance. System vendors can choose from 486SX, 486DX, and even 486DX2 CPUs because the PS486 supports them all. The BIOS is from AMI, and the expansion bus is the popular ISA.

Telephone 310-908-1029 or fax to 310-908-1033 for further information.

Sungil Infocom


Korea

Masterful Multimedia

Sungil Infocom is a Korean-based manufacturer of Sound Master, the music, voice, and multimedia add-on solution. One-hundred percent compatible with the Sound Blaster standard, Sound Master includes FM sound generator, MIDI interface, voice input and output, joystick port, and on-board amplifier. At the heart of the Sound Master is a 8051 digital signal processor (DSP). DSPs are one of the hottest technologies at present, precisely because of their potential to fully bring the multimedia promise into the real world. Professional, high-quality sound products come in many flavors from Sungil

TP 486 VESA VL-BUS

with BUS MASTER



5-20 times faster than ISA

Also available:

VL-Bus IDE + I/O Card
VL-Bus IDE Cache controller
VL-Bus Graphic Accelerator

TP TECHPOWER CO., LTD.

6F-1, No. 204, Sec. 5, Mingsheng E. Rd., Taipei, Taiwan, ROC
Tel: (02) 753-1930 Fax: 886-2-7531940

All brand names are registered trademarks of their respective owners.
The above information is subject to change without notice.

TOPTEK

"GOLDEN SOUND"

REAL STEREO
WITH SURROUND AND ECHO EFFECTS

MULTIMEDIA UPGRADE KIT-PRO

**DISTRIBUTOR
WANTED**

- SUPPORT MULTIMEDIA PC SOFTWARE
- THE UNIQUE SOUND CARD WITH STEREO SURROUND & ECHO EFFECTS
- COMPATIBLE WITH MPU-401 (UART MODE) & VAPI MIDI INTERFACE
- SUPPORT MICROSOFT WINDOWS 3.1 AND GM / MT-32 INSTRUMENTS COMPATIBLE SOFTWARE
- UPGRADE YOUR REGULAR PC TO MULTIMEDIA PC WITH A TOTAL SOLUTION
- SUPPORT ALL SOUND BLASTER & ADLIB SOUND SOFTWARE



BUNDLE SOFTWARE:

1. VOXPAK
2. MUSIC STATION
3. MULTIMEDIA PRESENTATION EDITOR
4. MULTIMEDIA TOPSHOW
5. DIGITAL COLLECTION
6. GS DEVELOPER KIT

CD-ROM TITLE:

1. MICROSOFT WINDOWS 3.1
2. MICROSOFT BOOKSHELF
3. BATTLE CHESS
4. SHERLOCK HOLMES
5. CD-ROM MUSIC

HARDWARE:

1. GOLDEN SOUND PRO II
2. AT-BUS CD-ROM DRIVE
3. CD-ROM CABLE
4. MICROPHONE

HEARING IS BELIEVING

A New Industrial Sound Generation Interface Card
"Golden Sound GM-32" PCM MIDI Card Instead Of FM Sound

- FULLY SUPPORT MULTIMEDIA PC SPEC. SOFTWARE

- FULLY SUPPORT MICROSOFT WINDOWS 3.1 AND MPU-401 (UART MODE) MIDI SOFTWARE

- FULLY SUPPORT GM STANDARD GAME SOFTWARE WITH GOLDEN SOUND VOICE TOGETHER
- BEST PARTNER TO UPGRADE SOUND BLASTER AND PRO FM MUSIC QUALITY
- 16 BIT 44.1KHZ STEREO PCM REAL CD QUALITY GOLDEN SOUND
- 16 SIMULTANEOUS MULTI-TIMBRE AND 20 VOICE POLYPHONY
- SOFTWARE AND MANUAL VOLUME CONTROL WITH S / N > 80db
- BUILT-IN MIDI IN / OUT, LINE IN / OUT, MIC-IN, STEREO PHONE OUT WITH POWER AMP.
- INSTRUMENT AND DRUM MAPPING COMPATIBLE WITH GM STANDARD
- MANY MORE



**16-BIT /
44.1KHz REAL
STEREO PCM
MIDI CARD**

MARCH 24-31, 1993
CeBIT'93
HANNOVER
HALL: 008/EG
STAND NO: D32

Headquarter:
TOPTEK MICRO COMPUTER INC.
5F, NO. 11, LANE 163, SHING-YI ROAD,
PANCHIAO CITY, TAIWAN, R.O.C.
TEL: 886-2-9647096
FAX: 886-2-9619586

U.S.A. OFFICE:
TOPTEK TECHNOLOGY, INC.
14140 LIVE OAK AVE, UNIT C
BALDWIN PARK, CA 91706,
TEL: 818-9609211
FAX: 818-9600703

Circle 451 on Inquiry Card.



Infocom's Sound Master product series.

For more information call 82-2-338-3931 or fax 82-2-332-5645.

Hypertec (Hyperace)

Australia

CPU Upgrade Improves Performance More Than 350%

The Hyperace 486/33B is a CPU upgrade board for the IBM PS/2 Model 80. Based on the 33-MHz 486DX CPU, the Hyperace 486/33B breathes new life into systems that otherwise might be replaced. Upgrading the CPU is much more economical and convenient. Before installing a 486/33B board, the Model 80 lacks the functionality of a math co-processor; the 486DX CPU includes an integrated floating point co-processor with and 8-KB internal cache as well. According to tests using the Whetstones benchmark program, floating point performance was boosted 5,700 percent!

For more information call 61-2-805-0111 or fax 61-2-805-0999.

Genius

Taiwan

Genius Handy Scanners for Windows

Key Systems Corp., maker of the famous Genius mouse products, now has a complete line of handy scanners designed specially to work in perfect harmony with Windows software. The Genius 4500A Scanner converts black and white images into 256 gray scale images. The Genius B105A Scanner is a true 256 gray scale device; perfect for DTP applications. And their C105 Scanner for Windows delivers brilliant images in up to 4096 colors; great for presentations and high-end DTP. All three come bundled with iPhoto Deluxe image enhancement software and GO-CR, the optical character recognition application that supports 80 different languages.

Call 886-2-995-6645 or fax 886-2-995-6649 for more details.

Adda

Taiwan

Flicker-Free TV from Your PC

Adda Technologies' AVerKey VGA-to-video scan converter lets you display VGA images from your PC on a TV or other video device. But that's just half the picture because you can take those same images and record them onto video tape for eye-grabbing special effects, classroom instruction, video titling, business presentations, or anything else you can use your PC for. Special features include automatic screen blanking, simultaneous TV and VGA display, software controlled display positioning, and display brightness. VGA resolutions up to 640 x 480/64K color can be output to either 8, composite, or RGB video. Both PAL and NTSC versions are available.

For more information call 886-2-248-4131 or fax 886-2-248-4276.

O.R. Computer Pte. Ltd.

Singapore

Award-Winning Floptical Drive

The EasyFix external disk drive is a high-quality, two-head design that provides the convenience of removable floppy diskettes, while offering the advantages of high-capacity storage media. Winner of a Blue Ribbon Award at the Informatics '92 show that was held in Singapore, this drive is on the leading edge of recent innovations in removable storage media. Able to hold up to 20 MB of information, it only takes a few floptical disks to back up even the largest hard drive. The diskettes look like standard 3.5-inch diskettes, but instead of using magnetic tracking technology, a laser guided optical subsystem precisely controls the tracking mechanism.

For more information, telephone 65-339-4133 or fax to 65-339-1445.

Sekisui

Japan

Compact Logic Analyzer

The CA-1000 is a low-cost, convenient logic analyzer. The CA-1000 performs measurements for 16 input channels at a sampling rate of 100-MHz simultaneously, making timing analysis possible for high-speed systems. It provides top-of-the-line timing analysis functions such as glitch detection, 32K-bit/channel large capacity buffer memory, large LCD, abundant trigger functions, file control used to save fetched data, easy-to-operate function keys, window screen adoption, menu-type display, a compare function to display the saved data and sampled data simultaneously, continuous printing function for hard copy and data on the screen.

For more information call Sekisui Chemical Co. Ltd. at 06-365-4504 or fax them at 06-365-4375.

TVS

Taiwan

Top Quality Monitor

Taiwan Video System's model VS-17MBD is a top-performance multi-scan 17-inch color monitor with super-fine 0.26mm dot pitch for superior clarity. Supporting frequencies from 29 KHz to 65 KHz, it produces high-quality images at a startling resolution of 280 x 1024. The large, 17-inch screen is perfect for Windows and other GUI applications.

TVS monitors are known throughout the industry for their quality, dependability, and value. Since 1982, TVS has been doing original design manufacturing (ODM) for many of the industry's top computer manufacturers. Every 14-inch color and monochrome 0.28mm dot pitch monitor comes in low radiation models.

For more information contact TVS at 886-2-709-3831 or by fax at 886-2-648-5524.

Ocean

Hong Kong

66-MHz 486 Screamer

Ocean Office Automation Ltd. has two hot new PCs on the market, both of which are designed around Intel's newest and most powerful 66-MHz 80486 CPU. The SL-500/e system is an EISA-bus PC with six master and two slave EISA expansion slots. The model SL-500/i uses the popular ISA bus standard and includes six 16-bit and one 8-bit slots. Each model comes with 8-MB standard RAM and can hold up to 128 MB total. The SL-500/i has Windows accelerator support for resolutions up to 1280 x 1024 in 16 colors. The SL-500e has a local bus VGA adapter that can use 1 MB of VRAM for the same resolutions as the ISA model, but displays up to 32,768 colors at a time.

Phone 852-305-1800 or fax 852-799-2398 for additional information.

NetComm

Australia

Pocket FaxModems Get Faster

As of February 1993, NetComm will be shipping a faster version of their very popular Pocket FaxModem 24. This new model will be a V.32bis 14,400-bps version with a very fast V.17 14,400-bps fax transmission rate. Pocket FaxModems are bringing the convenience of fax communications down to the level of even the smallest PCs. Connecting to a standard port on the back of the system unit, the FaxModem is the most portable and compatible communication device around.

NetComm offers a broad range of communications products. Based in Australia, they also supply some of the most advanced communications software as well.

To contact NetComm phone at 61-2-888-5533 or fax to 61-2-805-0254.



Isn't it about time ?

Let the investment pay for itself



Discovery High Speed Modem / Faxmodems... The Professional Series

V.32bis modems...You have heard and read about them. Now its time to buy them. Discovery's Professional Series of high speed modems, 1442AM, and faxmodems, 1414AX, provide state of the art capabilities in speed, security, and stability. They earn a greater return on your investment by saving precious time and money.

- MNP5 and CCITT V.42bis support for error free transmission up to 57.6KBPS
- Bell 103/212A, CCITT V21, V22, V22bis, V23, V32bis, V42, and V42bis compatible

- Send and Receive Fax Option up to 14.4KBPS
- Password Security
- Callback Security
- VAR Password

The Professional Series is just one of Datatronics many modem / faxmodem series. We offer the most complete line of full featured modems for laptop, desktop, and notebook computers to suit every user's needs.



Datatronics Technology, Inc.

15 Lane 768, Pa-Teh Rd., Sec.4,


Taipei 10565 Taiwan

Tel: (02)782-0002

Fax: 886-2-782-0305

Telex: 28440 DTXMODEM

Data Communication Solutions



Once Again, Moxa Links You To Success!

YOUR CAREER

The MOXA-C320 Multiport controller links RS-232 devices easily and flexibly. With control card, CPU module and UART module, it allows extension of 32 channels in one slot, with up to 4 cards totalling 128 channels. The control card is equipped with a 40MHz TMS320C25 processor, 512K dual-port RAM for convenient programming, and 8K SRAM to download driver firmware. The CPU module has a similar processor, 16K ROM and 32K RAM. And the UART module uses a RISC-based CD180 UART chip, driving 8 high-speed data channels. Most popular Unix drivers are supported. For DOS and Windows, the powerful API-232 Application Programming Interface for RS-232 will help with programming and troubleshooting.



Moxa Technologies Co., LTD.

Fl. 8, No. 6, Alley 6, Lane 235,
Pao-Chiao Rd., Shing-Tien City,
Taipei, Taiwan, R.O.C.

Tel: 886-2-9101230

Fax: 886-2-9101231

MARCH 24-31, 1993



Hall: 008 EG

Stand No.: D01



Multi-Media

IDEA *Multi-Media*
PRESENT *CATHAY*
FAX *886-2-5068929*

*GREAT SHOW OF
SOUND & VIDEO, VOICE & IMAGE
TO EVERYONE*



CATHAY COMPUTER & TECHNOLOGY INC.
7F, 85 CHIEN-KUO N. RD., SEC. 2, TAIPEI, R.O.C.

MARCH 24-31, 1993
CeBIT'93
HANNOVER
HALL: 008/EG
STAND NO: F01/1

TEL: 886-2-5069326
FAX: 886-2-5068929

ZCS-200D

ZCS-300D

ZCS-500D



ZCS-600D

ZCS-700D

ZCS-727D

ZCS-767D



ZCS-400D

Switching Power Supply Computer Case

Switching power supply-Quiet, Reliable

-Power rating from 45W to 400W

-Complied with UL, CSA, TUV, Nemko, Semko, Demko, FI approval

-Build-in optional "Fan Regulator" (Temperature controlled card) provides your computer a quiet, low noise solution.

Computer case

-A complete range of cases including Slim-line, Desk-top, Mini-Tower, Middle-Tower and Tower Case

-With 3-digital display

-Black, White color



R94487 LR98205 E144272 A94055 155001 9226180

ZECK

ZECKS ENTERPRISE CO.,LTD

6F, NO.111-32, SEC. 4, SAN HO RD, SAN CHUNG

CITY, TAIPEI, TAIWAN, R.O.C.

FAX: 886-2-2801351 TEL: 886-2-2870799



ZKS-730T

ZKS-520T



CeBIT'93
HANNOVER


24. — 31. 03. 1993

Booth No.: B26/D25 (No. 29)

Hall No.: 9

OEM WELCOME!

CD-ROM INSIDE AND OUT



Technology advancements, new standards, and improved software are propelling CD-ROM toward widespread acceptance among personal computer users. But while the impact of CD-ROM technology is clear (see "Start the Presses," February BYTE), the underlying technology and standards can be confusing. Knowing how typical CD-ROM drives work and what standards such as ISO 9660 and CD-ROM XA (Extended Architecture) mean should help anyone who's shopping for a CD-ROM drive.

CD technology was developed in 1976, the result of a joint effort between N.V. Philips of the Netherlands and Sony Corp. of Japan. This led to the 1982 Red Book specification for CD audio, which defined media size and characteristics, physical data layout on the disc, error correction, disc rotation speed, and other parameters.

The potential application of CD-ROM technology as a high-capacity, low-cost medium for read-only data storage resulted in the 1983 Yellow Book CD-ROM specification. While the basic technology remains the same as that for CD audio, CD-ROM data requires greater data integrity: A corrupt bit that's not noticeable during audio playback becomes intolerable with computer data. In addition to the Red Book CIRC (cross-interleaved Reed-Solomon code) standard for audio CDs, the Yellow Book specification dedicates more bits for EDCs (error-detection codes) and ECCs (error-correction codes).

Other CD-ROM specifications have followed, including the Green Book CD-I (Compact Disc Interac-

tive) specification, which allows for interleaved audio and video data, and the upcoming Orange Book specification, which governs the new CD-R (CD recordable) drives.

CD-ROM Basics

A standard CD-ROM disc measures 120 millimeters (4.72 inches) across and has a 15-mm (0.6-inch) spindle hole in the center and a thickness of 1.2 mm. Unlike conventional disks, which have concentric circular tracks divided into sectors, CD-ROM discs have a single spiral track, as a record does, that starts near the center and spirals outward (see figure 1). This 3-mile-long track is divided into equal-length sectors, or *blocks*. The track width is about 600 nanometers wide, and adjacent turns of the spiral track are about 1600 nm apart, for a density of about 16,000 turns per inch.

Data on the spiral track is in the form of small, variable-length, 120-nm-deep depressions called *pits* and intervening flat areas called *lands*. The CD-ROM's read head—an optical assembly with a low-power gallium arsenide laser and a photodetector—reads the pits and the lands. The assembly directs the laser beam through a one-way reflective mirror to the disc's surface (see figure 2). The lands reflect light from the laser; the pits disperse it. The reflective mirror redirects the returning light to a photodiode.

continued

Here's how CD-ROM drives work, how CD-ROM discs store data, and what the standards mean

Authorized Quantum Distributors:

Austria: Actebis Computerhandels - 43-1-2788282
• Computer 2000 - 43-1-465611
Belgium: Sydec Belgium - 32-3-45 83050
• Trittech Belgium - 32-2- 466 75 35
Croatia: Axis - 38-41-232689
Cyprus: Logimetrics - 357-2-366640
Czechoslovakia: Neelem Technologies - 42-2-3115968
Denmark: Datateam - 45-42-818077
• VT Data - 45- 42-44532600
Finland: Gadelius - 358-0-1482177
• TT-Microtrading - 358-0-5027401
France: HIT Technologies - 33-1- 47 90 99 66 • Inelco Périphériques - 33-1- 47 94 81 79 • Ingram Micro - 33-1-20 88 580 0
• La Commande Electronique - 33-32- 64-63-62
Germany: Addit Datensysteme - 49-40- 669620-0 • Computer 2000 - 49-89- 786070 • Neumüller - 49-89-612080
• Peacock Computer - 49-2957-790
• Rein Elektronik - 49-2153-7330
Greece: Info-Quest - 30-1-9248858
Hungary: Axis - 36-1-1417637
Iceland: Taeknival - 354-1-681665
Israel: E.I.M. - 972-3-923 3257
• Wietec - 972-52-583395
Italy: A.E.S.S.E. - 39-2-55181162
• Computer 2000 - 39-2-72228 1
Morocco: Dataco - 212-2-400079
Netherlands: Inelco Electronics 31-70- 3821414 • Sydec Holdings- 31-3463- 57211 • Trittech Corporation- 31-10- 4567988
Norway: Gandalf Data - 47-2-950760
• Santech - 47-34-70610
Poland: ABC Data - 48-22-241143
Portugal: Ramtop - 351-1-3969191
Slovenia: A.T.R. - 38-61-315668
Spain: Siessa Informatica - 34-1-5530802
Sweden: Ambitron - 46-8-893890
• Expander Informatic - 46-8-705 2660
• Gandalf Data - 46- 40-224460
Switzerland: Adcomp - 41-1-7414111
• Computer 2000 - 41- 42-659000
Turkey: Karma Ltd - 90-1-2597675
United Kingdom: Ideal Hardware - 44-81-390-1211 • Ingram Micro - 44- 908-260160 • Sydec UK-44-628-487888
• Thame Systems - 44-844-261226

UNDER THE HOOD

CD-ROM VS. MAGNETIC




Figure 1: CD-ROM discs use a continuous spiral track that has sectors of equal length (left). Magnetic hard disks organize data into concentric circular tracks and divide the tracks into sectors of varying sizes (right). This design has a marked effect on performance.

The disc itself consists of a transparent polycarbonate substrate onto which the manufacturer impresses a pattern of lands and pits. A reflective aluminum or aluminum-alloy film covers the substrate, followed by a coat of protective lacquer and the vendor's label (see figure 3). The drive reads the disc from the bottom, through the polycarbonate substrate. This tough plastic material, which is also used for bulletproof windows, is unharmed by exposure to direct sunlight.

CD-R

Probably the most exciting—and certainly the most technologically advanced—area of recent CD-ROM development is CD-R. Philips and Sony laid the foundation for this technology, which was introduced under the guise of the Orange Book (Part 2) specification. Also called CD-WO (write once), CD-R lets you write data to a specially manufactured writable disc. Any standard CD-ROM drive can read such a disc.

The Orange Book specification also includes a provision for appending information to a CD-R disc that already has information written on it, displacing the standard CD-ROM-mastering requirement that all information must be available from the start and applied to the disc simultaneously. Currently, however, a standard CD-ROM drive can read only the first session on a CD-R disc; subsequent sessions must be read on the CD-R drive that was used to create the disc.

A writable CD-R disc consists of the same polycarbonate substrate and spiral

groove that are present on standard CD-ROM discs. But instead of having an aluminum coating, the groove on a CD-R disc is covered with an organic-dye recording layer, followed by a layer of gold and a lacquer coating. Once the lacquer layer is scratched, the dye and gold layers on CD-R discs are more susceptible to damage than the aluminum layer on conventional CD-ROM discs.

Dye selection is critical to the successful operation of CD-R. The dye must exhibit the same nominal 70 percent reflectivity as the lands on standard CD-ROM discs, and it must be laser-alterable to a nonreflective (i.e., light-dispersive) state. Long-term stability is also important, since discs in the hands of consumers are subjected to scratches, temperature extremes, and exposure to direct sunlight.

The components of a CD-R drive read/write head are essentially the same as those of a standard CD-ROM drive head. The CD-R head, however, has a higher-powered laser for burning data pits. The laser power required varies with the disc's rotational speed. To perform faster write operations, the disc must spin faster; thus, it requires a higher-power laser with shorter pulses. CD-R drives use the laser in low-power mode to read discs.

The preformed groove on a writable CD disc—which is 600 nm wide and 100 nm deep—is used for tracking purposes. Since the virgin state of the dye-on-gold is reflective (like CD-ROM lands), the laser is used to alter the dye so that it disperses light instead of reflecting it. This creates areas that look like CD-ROM pits. This

After a decade setting quality standards, what are we up to now?



Oh, about a gigabyte.

Since its first drives came off the assembly line in 1980, Quantum has consistently set the criteria other drives are measured against. And now a new family of high-end ProDrive® products raises standards once again.

With greater reliability — and capacities ranging from 525 MB to 1.225 GB — these drives are ideal for today's networking, workstation or graphics-intensive applications. Incorporating Quantum's already proven designs and technologies, they deliver exceptional reliability with fewer parts, cooler operating temperatures,



High-End ProDrive Family				
Capacity (MB) Interface	Cache Buffer	Average Seek Time	MTBF (hours)	Warranty*
1225 SCSI-2	512 KB	10ms	350,000	5 years
1050 SCSI-2	512 KB	10ms	350,000	5 years
700 SCSI-2	512 KB	10ms	350,000	5 years
525 AT/SCSI-2	512 KB	10ms	350,000	2 years

lower power consumption — and an astounding 350,000-hour MTBF.

Backed by a five-year warranty,* these high-capacity drives raise customer confidence, too.




Call your authorized distributor today for more information about the new high-end ProDrive family — the drives that take Quantum

quality to a whole new level.

Quantum™

*Five-year warranty applies to 700, 1050 and 1225 MB ProDrive hard drives purchased through authorized Quantum distributors/dealers. The ProDrive LPS™ 525 MB hard drive comes with a renewable two-year warranty. High-end ProDrive hard drives are Novell Labs Tested and Approved™. Novell Labs Tested and Approved is a trademark of Novell, Inc. SPARC Verified is a trademark of SPARC International, Inc., based on technology developed by Sun Microsystems, Inc. ProDrive is a registered trademark and the Quantum logo and ProDrive LPS are trademarks of Quantum Corporation. ©1992 Quantum Corporation.



You Need Tree City USA

City trees add the soft touch of nature to our busy lives. They cool our cities, fight pollution, conserve energy, give wildlife a home, and make our neighborhoods more liveable.

The trees on city property, along streets and in parks, are an essential part of the urban forest. To keep these trees healthy and abundant, your town needs an organized program for their care...an annual action plan to plant and prune the city's trees, and to maintain their health.

You can make a difference — by planting and caring for trees in your yard and in your neighborhood, and by encouraging your city government's community forestry program.

Support Tree City USA where you live. For your free booklet, write: Tree City USA, The National Arbor Day Foundation, Nebraska City, NE 68410.

 **The National Arbor Day Foundation**

UNDER THE HOOD

approach allows the drive to create a disc that, optically speaking, has the same lands and pits as a standard CD-ROM disc and thus can be read by an ordinary CD-ROM drive. While the CD-R head assembly has more components, the path from laser to photodiode is essentially the same as for a standard CD-ROM drive.

Data Organization

The lands and pits on a CD-ROM disc do not represent ones and zeros. The reason is complex to explain. Briefly, each bit requires about 300 nm of length along the spiral track. Thus, if a sector had 2048 data bytes consisting of all zeros or ones, then it would have a pit or land measuring 4,915,200 nm or longer. The CD-ROM drive would have to maintain a precise clock that ticked at an interval representing 300 nm in distance so the next bit could be read at the right time. That's virtually impossible with today's technology.

Instead, designers limited the length of the pits and lands to a specified range. This ensures that a transition from one to the

CD-R is the most exciting and technologically advanced area of recent CD-ROM development.

other occurs frequently enough for the CD-ROM drive to derive a clock. The drive uses this clock to count the number of bits a pit or land represents, as determined by its length. The bits are stored on the disc in RLL (run length limited) format—the same self-clocking approach used for storing data on most hard disks.

Each transition on a disc between a land and a pit represents a one, and each non-transition represents a zero. The minimum practical length of a pit or land is 3 bits (900 nm); the maximum is 11 bits (3300 nm). It's important to note that the 3-bit minimum precludes having two consecutive one bits (i.e., two back-to-back transitions). In other words, you must have at least two, but not more than 10, zero bits

THE CD-ROM DRIVE HEAD ASSEMBLY




Figure 2: In standard CD-ROM and CD-R drives, a laser beam passes through a one-way mirror or polarizer and a set of lenses on its way to the disc. Reflected light passes through the lenses and is redirected to a photodiode.

between one bits.

However, a byte of data stored on disc might have combinations of eight ones and zeros that violate the 3-bit minimum, and multiple consecutive bytes could result in bit patterns that exceed the 11-bit upper limit. To solve this problem, CD-ROM drives use an encoding scheme that converts data bytes into 14-bit patterns called *channel bits*. A 14-bit binary value provides 16,384 bit patterns; more than 256 of these meet the requirements for the CD-ROM encoding format. A one-to-one correlation is then made between each of the 256 binary patterns represented by an 8-bit byte and 256 of the channel bits that meet the CD-ROM formatting requirements. This method, called EFM (eight-to-14 modulation), requires a lookup table to correlate the 14-bit patterns on the disc to their 8-bit data values.

While the use of these 14-bit codes generally supports the criteria for CD-ROM data storage, it also creates a potential problem. When you place multiple 14-bit codes consecutively on disc, it's possible to violate the run-length limits where the codes meet. To alleviate this problem, three *merging bits* are placed between each 14-bit code to ensure that no run-length violations exist.

Standard CD-ROM sectors consist of 2352 bytes organized as shown in figure 4: 12 bytes of synchronization data, followed by a 4-byte header, 2048 bytes of error-corrected data, and a 288-byte segment for ECCs/EDCs.

The sector header consists of three sector-address bytes and a mode byte. Three sector modes are defined for standard CD-ROMs. A mode 0 sector contains all zeros

(this sector might represent a blank area in a line-art image). In mode 1, a sector contains 2048 bytes of data plus 288 bytes of ECCs/EDCs. Mode 2 sectors contain 2336 bytes of uncorrected data. If you use the last 288 bytes for data instead of ECCs/EDCs, the amount of data per sector increases to 2336 non-error-checked bytes. This is normally reserved for data that is insensitive to occasional errors, such as

CD-ROM DISC COMPOSITION




Figure 3: In a standard CD-ROM disc, a manufacturer impresses a pattern of lands and pits into a transparent polycarbonate substrate, which is backed with a reflective aluminum film, a coat of lacquer, and the vendor's label. The drive reads the disc from the bottom, through the substrate. The substrate layer on a CD-R disc is coated with an organic-dye recording layer, a gold layer, and a lacquer coating.

CD-ROM SECTOR ORGANIZATION




Figure 4: A typical CD-ROM disc sector can contain either 2048 bytes of error-corrected data or 2336 bytes of uncorrected data. Dispensing with error correction (which is recommended only for more tolerant audio or video data) expands the disc capacity by more than 50 MB.

digitized audio and video data. For sensitive data, mode 1 error detection is very effective: The likelihood of an undetected error is about 10^{-25} , or about 1 bit per 2 quadrillion CD-ROM discs.

As with audio CDs, CD-ROM discs are generally made using a 60-minute spiral consisting of 270,000 sectors. These discs can, however, be made using up to a 74-minute spiral, with 333,000 sectors. The additional 14 minutes are located on the outer 5 mm of the disc. This area is the hardest to record well and keep clean, so it is often left unused.

Manufacturers cite widely varying CD-ROM disc capacities. It all depends on whether they are using 270,000 or 333,000 sectors and how they perform the calculations. A 270,000-sector CD-ROM disc with 2048 bytes (2 KB) of corrected data per sector has a capacity of 552,960,000 bytes. Some manufacturers round this off to 552 MB or divide by 1 KB (1024 bytes) and round it off to 540 MB. The correct method is to divide by 1 MB (1,048,576 bytes), for a total of about 527 MB of error-corrected data. If you use uncorrected sectors (2336 bytes per sector), the capacity increases to 601 MB. Using 333,000 sectors per disc, the 681,984,000 bytes on an error-corrected disc add up to 650 MB of usable storage, or 742 MB without error correction.

ISO 9660

While the Yellow Book specification now exists to detail the low-level organization of sectors and data on a CD-ROM disc, early CD-ROMs were fraught with system-level incompatibilities because no standard existed for a file structure or higher-level data organization. In response, an ad hoc group of companies, known as the High Sierra Group, defined today's de facto CD-ROM file-format structure.

The High Sierra format quickly became the standard for CD-ROM data storage

and established a high level of intersystem compatibility for CD-ROM discs. The ISO adopted it in 1988, with minor modifications, as ISO 9660. ISO 9660 is the least common denominator for CD-ROM discs. It offers interoperability at the expense of platform-specific file-system features, such as the Mac's data and resource forks.

A new standard, called the Frankfurt specification, will eventually augment the Orange Book specification. It will support Unix, OS/2, Macintosh, and Windows NT file-system conventions, as well as incremental update (i.e., multisession) capability for CD-R drives. It won't, however, be compatible with today's CD-ROM software.

Drive Mechanics

The data bits on a CD-ROM disc must pass under the read head at a constant rate, known as CLV (constant linear velocity). Because the sectors on the outer and inner edges of the disc are the same length (see figure 1), achieving a CLV requires changing the rotational speed of the disc as the head position changes. As the head moves farther away from the center, the rotational speed slows; if it didn't, the bits on the outer edge of the disc would go past the read head about three times faster than those near the center. In contrast, conventional hard disks operate at a constant angular (i.e., rotational) velocity, or CAV; as a result, the physical sector sizes grow longer as the tracks get farther from the center.

The CD-ROM optical head assembly stays a relatively long (1-mm) distance away from the disc, virtually eliminating the possibility of a head crash. The read/write heads of conventional hard disks, in comparison, float a fraction of a micrometer over their disk platters—more than 2000 times closer.

While head crashes are rare, dust is a

problem for CD-ROM drives. The guts of a CD-ROM drive are exposed to the outside world each time the user inserts or removes a disc. Accumulating dust on the optical head assembly can reduce the effectiveness of the laser or the photodiode and can cause drive performance to deteriorate or even fail.

Some drive vendors use double doors to minimize the entry of dust into the drive. Others incorporate an automatic laser lens cleaner that dusts off the optical head assembly each time the user ejects a disc. Not all CD-ROM drives have a dust-protection mechanism, however.

Drive Performance

The performance of a CD-ROM drive is measured in *access time*, which is the average amount of time it takes the read head to reposition itself to a new location on the disc and start reading the data. Older drives required as much as a second or longer to perform this operation, while modern drives accomplish this task in well under 400 milliseconds.

Most CD-ROM drives share the same nominal 150-KBps data transfer rate to conform with the Yellow Book's 75-sector-per-second data read-rate specification. This makes access time all the more significant in differentiating the performance of CD-ROM drives—much more so than with conventional hard disks.

CD-ROM drive access times are very large (i.e., slow) when compared to the sub-20-ms access times of most hard drives. The sheer bulk of a CD-ROM optical head's assembly is one limiting factor. Hard drive read heads are small and light, while the laser, lenses, and other CD-ROM head-assembly hardware make it difficult for a CD-ROM's optical head to move quickly.

A more significant performance obstacle is the drive's variable rotation speed. The rotation speed must change depending on the sector being read and its position relative to the center of the disc. The drive might hit the brakes to slow the disc speed to access data at the outer edge of the disc and then go full tilt to access data on an inner track. This *whipsaw effect*—changing disc speed and then waiting for the desired speed change before a read can occur—is the single greatest contributor to a CD-ROM drive's relatively slow access time.

To accommodate multimedia applications, drives with faster data transfer rates have appeared on the market in the past year that offer nearly double the standard 150-KBps rate. Multidisc subsystems offer nearly four times the standard data transfer rate.

continued

Take the Lead with DataFlex!



Isn't it time you experienced the benefits of object-oriented programming?

You can with DataFlex.

DataFlex's comprehensive 4GL, robust class libraries, object-oriented program generators, and proven database management system provide you with a complete library of tools for application development.

Generating complete object-oriented programs is as easy as clicking on AUTOCREATE in DataFlex's menu system. Utilizing DataFlex's many other language features lets you create fully customized CUA applications.

Experience faster development, easier maintenance, re-usable code, and better looking applications now with DataFlex for \$795.

The benefits of object-oriented programming are here now. Don't get left behind.

Take the lead... with DataFlex!

Features of DataFlex:

- Object-Oriented Programming
- Application Generators
- Relational DBMS
- Portability (DOS, DOS Networks, Unix, Windows)
- Client/Server Solutions

Time Saving Benefits of DataFlex:

- Reusable Code
- Easier Design
- Speed
- Flexibility
- Reliability

Call 1-800-451-FLEX for complete DataFlex information and the dealer nearest you.



DATA FLEX

Object-Oriented 4GL
Application Development Environment
DBMS

Australia 61-3-699-7044
Austria 43-662-658-2237
Belgium/Luxembourg 49-61-727-5014
Brazil 55-11-872-9266
Canada 416-226-2181/416-785-5041
Chile 56-2-231-7015
Denmark 45-45-76-4545
France 33-1-47-241-961
Germany 49-61-727-5014
Hong Kong 852-311-7922
Italy 39-587-422-022/39-51-437-025
Japan 81-480-856-565
Mexico 525-545-6327

Minsk 7-0172-236797
Moscow 7-095-4342060
Netherlands 31-74-555-609
New Zealand 64-9-772-701
Norway 47-2-559-966
Singapore 65-775-5588
Spain 34-1-402-2298
Sweden 46-300-19530
Tallinn 7-0142-238035
United Arab Em. 97-12-331-885
United Kingdom 44-71-729-4460

Prices may vary by country. DataFlex is a registered trademark of Data Access Corporation.

DATA ACCESS

C O R P O R A T I O N

Miami, FL USA
305/238-0012

For information via CompuServe: GO DAC

Circle 81 on Inquiry Card
(2555) 526 821

Faster data transfer rates are accomplished by spinning the disc faster; thus, these faster drives must incorporate heftier motors to quickly accelerate and decelerate the rotation speed of the disc at these higher rpms. Typically, these drives also support the conventional 75-sector-per-second read rate for backward compatibility for playing audio CDs.

To create a smoother—and effectively faster—data transfer rate, some CD-ROM drives incorporate a RAM cache. This al-

lows read-data buffering while the drive sends data to the host processor.

Mixed Media

While standard CD-ROM discs can mix text, audio, and video, synchronization is often disappointing because the data isn't interleaved. One of the first enhanced incarnations of CD-ROM to address this problem was the 1986 Philips/Sony CD-I, or Green Book, specification.

Unlike standard CD-ROM drives, which

operate as a computer peripheral, CD-I specifies a complete system, with an integrated computer and NTSC output. One of its most significant enhancements over standard CD-ROM technology is the ability to interleave audio and video information for synchronized playback. CD-I defines a CD-ROM drive's mode 2 sector type with an 8-byte subheader to support additional data types, including interleaved audio and video data.

CD-I calls for a Motorola 68000 processor using the OS-9 RTOS (real-time operating system). The use of an RTOS is necessary to achieve the functional concurrency that is the key to CD-I operation: audio output, video output, and disc accesses occurring simultaneously.

CD-I also incorporates the MPEG (Moving Pictures Experts Group) video compression standard. With an MPEG decompression chip operating in a CD-I drive, video data can be decompressed and sent to the host processor on the fly. Compressing video data frees up storage capacity and effectively increases the playback data transfer rate by outputting more decompressed pixels per sector than a standard uncompressed sector can hold. CD-I does not currently support audio compression.

DVI

DVI was originally developed by General Electric/RCA's Sarnoff Labs and appeared, like CD-I, in 1986. Intel bought the technology in 1987 and announced an Intel/IBM joint venture to exploit the technology in 1989.

DVI is a computer-based peripheral. It's not a complete system, but it is otherwise similar to CD-I. DVI supports interleaved audio and video data for synchronized playback and incorporates video data compression. Running on 80x86-based PCs prevents DVI from using the OS-9 RTOS found in CD-I. Instead, DVI uses its own real-time executive that takes over system resources to accomplish audio-/video-/disc-access concurrency.

Intel developed a special 750 video processing chip set that performs real-time video compression and decompression operations for IBM's 750-based DVI controller board, the ActionMedia II. The IBM board can both play and develop (i.e., pre-master) DVI applications.

Intel is working on a special version of its 486 processor that supports DVI. The availability of the new device was uncertain as this article went to press, but it might be on the market by the time you read this. Such a device could allow more economical DVI computers to be produced without external plug-in boards like IBM's

Complete, Powerful Connectivity

SmarTerm[®] 340 for Windows

SmarTerm[®] 420 for Windows

Free Multiprotocol Kit!

- Implementations of LAT, Telnet, and FTP
- Support for third-party TCP/IP
- Token Ring drivers

New SmarTerm for Windows clearly puts more VT text and graphics emulation power and ease at your fingertips. Corporate support features include a toolbox, button palettes, trace and remapping utilities, scripting, keyboard mapping, and customizable-help. SmarTerm 340 for Windows provides outstanding ReGIS, Tektronix, and sixel graphics capabilities. SmarTerm, connecting users worldwide, is also available for VT320 and VT340 emulation using DOS.

Persoft, Inc. 465 Science Dr. P.O. Box 44953
Madison, WI 53744-4953
Call toll-free 1-800-EMULATE Fax (608) 273-8227
European Headquarters World Trade Ctr. Beursplein 37
Box 30237 3001 DE Rotterdam The Netherlands
Phone +31 10 405.3560 Fax +31 10 405.5073



persoft

CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

©1992, Persoft, Inc. All Rights Reserved.


Persoft and SmarTerm are registered trademarks of Persoft, Inc. All other trademarks mentioned are properties of their respective owners. Rev. 11/92

EXCEED THE LIMITS OF X TERMINAL EMULATION.

Turn your PC into an X station.


With HCL-eXceed/W PC X server software, Hummingbird allows you to live in two worlds: DOS/MS-Windows and X Windows/UNIX.

Imagine being able to move both text and images between UNIX hosts and your DOS PC. It's as simple as copying and pasting from one window of your PC screen to another.



Discover other innovative capabilities of HCL-eXceed/W.

- Launch Pad menuing facility
- Telnet and FTP applications
- X11 R5: support for scalable fonts, font servers, XDMCP security
- Xstart — X client program starter
- Xtrace — protocol tracing facility
- single window and multiple window mode
- supports 15 different TCP/IP transports and DECnet



- supports up to 16 million colors
- plane mask support

X Development Tools

HCL-eXceed/W now includes the Xlib, Xt intrinsics, Xaw and Xmu libraries. This introduces a whole new dimension to PC X servers. Now you can use your PC as a low-cost workstation to develop and run X applications. You can also give other PCs and workstations access to these applications over the network.

HCL-eXceed/W from Hummingbird. It's far more than X terminal emulation for PCs. And it's one of the family:

HCL-eXceed Plus — A DOS-based X server with a local window manager that supports EGA, VGA and Super VGA.

HCL-eXceed HiRes — The same as "Plus" but it also supports 8514A, XGA and TIGA 2 high resolution graphic standards.

HCL-eXtend — UNIX host-based X clients for accessing DOS services.



**HUMMINGBIRD
COMMUNICATIONS LTD.**

For the name of your closest reseller, please contact:

2900 John Street, Unit 4, Markham, Ontario, Canada L3R 5G3
Telephone: (416) 470-1203, Fax: (416) 470-1207

In Europe: 37-39 rue de Vermont, 1202 Geneva, Switzerland
Telephone: 41 (22) 733 18 58, Fax: 41 (22) 734 14 79

ActionMedia II.

DVI supports FMV (full-motion video) at frame rates of up to 30 frames per second, at 512 by 482 pixels per frame. With video compression, a maximum of 72 minutes of high-quality FMV (or the equivalent amount of audio) can be placed on a single disc. With adequate processing power, DVI is also capable of supporting 24-bit color images at 1024 by 768 pixels and 30 fps.

CD-ROM XA

Philips, Sony, and Microsoft introduced CD-ROM XA in 1988. CD-ROM XA defines Microsoft's Level 2 standard for CD-ROM and multimedia applications. Like CD-I, CD-ROM XA supports interleaved audio and video data that can be played back in sync, but without the OS-9 RTOS requirement.

CD-ROM XA maintains the standard CD-ROM ISO 9660 file structure and 2048-byte error-corrected sectors. As with CD-I, you can add header information to support additional data types and interleave audio and video data. CD-ROM XA also supports up to 16 parallel audio channels.

CD-ROM XA does not yet support video compression, but it does support audio compression using ADPCM (adaptive differential pulse-code modulation). It supports four different audio-quality levels that trade off storage space for quality and allow the storage of up to 19 hours of audio on a single disc. To support the compressed audio data, either the CD-ROM XA drive or its controller must have an ADPCM chip that decompresses the data as it is read from the disc. CD-ROM XA is not yet widely supported.

Photo CD

Kodak's Photo CD is an interesting application of CD-R technology. The Photo CD system can compress and store up to 100 high-quality photographs digitally on a single disc.

Photo CD uses the same file format structure as CD-I and CD-ROM XA. To produce Photo CD discs, your local photo lab must purchase a Photo CD system.

Photo CD discs are readable on CD-ROM XA and CD-I devices with the appropriate software. They are not readable, however, on a standard CD-ROM drive. Kodak will also offer its own stand-

alone Photo CD reader.

In addition, Kodak has developed its own variation on the CD-R disc. Its discs are similar to other writable discs, but Kodak adds an additional UV-curable durability coating on top of the lacquer layer to increase durability.

The Future

As the price of an entry-level CD-ROM drive has dropped into the \$200 range, CD-ROM discs have increasingly become the preferred medium for distributing everything from operating systems to multimedia applications. The advent of CD-R drives that have price tags of less than \$10,000 is accelerating this trend by lowering the cost barriers to publishing CD-ROM discs.

Understanding CD-ROM drive designs and the evolving standards is a good place to start if you're looking for the right CD-ROM drive for your needs. ■

Roger C. Alford is a BYTE consulting editor and president of Programmable Designs, a Michigan-based electronics design firm. You can reach him on BIX as "rogera."

DATA COMPRESSION LIBRARIES™

PKWARE's® Data Compression Libraries™ allow software developers to add data compression technology to software applications. The application program controls all the input and output of data allowing data to be compressed or extracted to or from any device or area of memory.

- All Purpose Data Compression Algorithm Compresses Ascii or Binary Data Quickly with similar compression achieved by the popular **PKZIP** software, however the format used by the compression routine is completely generic and not specific to the PKZIP file format.
- Application Controlled I/O and memory allocation for extreme flexibility.
- Adjustable Dictionary Size allows software to be fine tuned for Maximum Size or Speed.
- Approximately 35K memory needed for Compression, 12K memory needed for Extraction.
- Compatible with most popular Languages: C, C++, Pascal, Assembly, Basic, Clipper, Etc.
- Works with any 80x86 family CPU in real or protected mode. \$295.00
- No runtime royalties.

RUNNING OUT OF EXPENSIVE DISK SPACE?

PKZIP can help! **PKZIP** compresses your files to free up disk space and reduce modem transfer time. You can compress a single file or entire directory structures with a single command. Compressed files can be quickly returned to their normal size with **PKUNZIP**.

Software developers can reduce the number of diskettes needed to distribute their product by using **PKZIP**. Call for Distribution License information.

The included **PKZIP** utility lets you store compressed files as a single self-extracting .EXE files that automatically uncompresses when run. Only \$47.00

PKWARE®
THE DATA COMPRESSION EXPERTS®

9025 N. Deerwood Dr.
Brown Deer, WI 53223
(414) 354-8699
Fax (414) 354-8559

BY393

IF LOGIC ALONE DOESN'T CONVINCE YOU TO USE PROGRESS, THEN HOW ABOUT A LITTLE PEER PRESSURE?

1991 DATAPRO

1992 DATAPRO DBMS USER SURVEY

	PROGRESS SOFTWARE	SYBASE	INFORMIX	INGRES	FOCUS	ORACLE
ATTRIBUTES						
Reliability	9.3	8.7	8.9	8.1	7.7	7.9
Ease of Use	9.1	8.2	8.2	8.2	7.9	7.6
Ease of Install/Upgrade	8.9	8.0	8.8	7.8	8.1	6.3
Price/Perform Return	9.1	8.3	8.5	7.9	8.1	7.4
FUNCTIONALITY						
Flexibility	9.1	8.8	8.6	8.4	8.4	7.6
Interface Capabilities	8.9	8.9	8.4	8.1	8.7	7.4
Comprehensiveness	9.1	8.8	8.8	8.3	8.7	7.6
User Friendliness	8.9	7.7	8.3	8.1	7.5	7.0
OS Compatibility	9.6	8.4	8.9	9.0	8.8	7.5
PRODUCT SUPPORT						
Documentation	9.0	8.2	8.6	7.4	6.2	6.8
Vendor Training	8.7	7.9	8.0	7.9	7.6	6.7
Problem Response Time	8.8	7.5	7.2	6.8	6.4	6.2
Quality of Vendor Support	9.0	7.8	7.5	7.4	6.9	7.2
Frequency of Releases	8.5	7.5	6.7	6.9	7.7	7.2
Response to User Request	8.8	7.5	7.8	7.6	7.0	6.5
OVERALL SATISFACTION	9.3	8.7	8.5	8.3	8.0	7.6

Compiled from the latest Datapro reports on DBMS/Computer System Series Software available for each product listed (for Informix, see Informix/SQL). All results are those of actual users of the product as surveyed by Datapro.

1991 VARBUSINESS

1992 VARBUSINESS DBMS REPORT CARD

	PROGRESS SOFTWARE	BORLAND	INFORMIX	INGRES
PRODUCT FEATURES				
Ease of use	8.78	6.87	6.80	6.00
Memory requirement	7.25	6.30	6.14	5.11
Ease of programming	8.87	6.74	6.79	6.37
Ability to manipulate data	8.73	7.24	7.14	7.07
Sorting capabilities	8.59	7.24	7.21	7.58
Provision for software security	8.00	6.23	7.00	6.70
Report writing capabilities	7.64	6.54	6.59	6.50
Ease of use of interface	8.13	6.89	6.85	6.50
Software integration capabilities	8.09	6.92	7.20	6.15
Ease of data retrieval	8.89	7.26	7.65	7.04
Satisfaction with product profitability	7.98	6.61	6.79	5.19
Overall quality of product	8.87	6.97	7.35	6.71
PRODUCT FEATURES AVERAGE	8.32	6.82	6.96	6.41
SUPPORT FEATURES				
Provision for customer support	8.20	6.73	6.10	5.44
Charges for training time	6.91	5.79	5.56	4.71
Provision for technical support	7.57	6.14	6.00	5.15
Provision for marketing support	7.04	5.97	5.33	4.04
Documentation & product information	8.82	7.03	6.57	6.00
Frequency of updates & revisions	7.75	6.26	6.05	5.74
SUPPORT FEATURES AVERAGE	7.66	6.32	5.93	5.18
OVERALL AVERAGE	8.11	6.65	6.62	6.00

© 1992 VARBUSINESS Software Report Card reprinted with permission.

For the second consecutive year, PROGRESS resoundingly swept all 18 categories of the VARBUSINESS Report Card. And for the fourth year in a row, PROGRESS came out on top in the Datapro surveys. Once again, users rated PROGRESS superior to competitors on everything from strength of product to quality of service and support. Which is only logical, since PROGRESS is the one develop-

**PROGRESS
SOFTWARE**

ment system that gives you the flexibility to build and implement high performance applications independent of platforms and database systems. It even lets you deploy any application in both multi-user and client/server environments. But don't take our word for it. Listen to a source far more convincing. Your peers. For survey results or a test drive, call 1-800-4 PROGRESS.

THE APPLICATION DEVELOPER'S CHOICE.

PROGRESS applications are fully portable across the broadest spectrum of hardware platforms, operating systems, network protocols and user interfaces. So many, in fact, that we had to list them here in small type: AIX,™ CTOS, HP/UX,™ NOVELL™ NLM, OS/1,™ OS/2,™ OS/400,™ UNIX™ ULTRIX,™ VMS,™ XENIX,™ MICROSOFT™ WINDOWS,™ X WINDOWS,™ DECnet,™ LAN MANAGER,™ NETBIOS,™ NOVELL™ SPX/IPX, TCP/IP and SNA APPC LU 6.2. Also, PROGRESS lets you process information in other databases, including AS/400, C-ISAM,™ CT-ISAM,™ ORACLE, Rdb, and RMS.

AUTOMATIC NETWARE LOG-INS

Excuse me for hacking this month, but I have good reason. I needed to better understand the dialogue that occurs between Novell's LOGIN.EXE and a NetWare file server. I had to find out how to build a program that would log in a PC to a NetWare file server automatically, without human intervention.

With some disassembly of the NETX.COM program and some help from Terje Mathesen's NETWARE.PAS code from the lans conference on BIX, I untangled the rather convoluted sequence of events that occurs when the file server verifies your log-in password. This month's Software Corner entry is LOGON, a NetWare log-in utility with Pascal source code. LOGON.PAS is written in Turbo Pascal, and you can compile it with Turbo Pascal 3.0 or higher.

LOGON.COM accepts three parameters—server name, user ID, and password. On the version that I actually used for automatic logging, these parameters are hard-coded into the executable file. It almost goes without saying that treating the password as a command-line parameter is a bad idea security-wise. However, the Soft-

How to log in to NetWare from your programs without user interaction

ware Corner version of the program accepts these parameters so you can use it as is; you should strongly consider modifying my code and embedding your log-in parameters directly into source code.

Much of LOGON.PAS deals with upercasing strings and handling the differences between Pascal strings and the zero-terminated strings the file server expects. LOGON.PAS also locates the entry in the server name table located in NETX.COM corresponding to the server name you specify. This lets LOGON set the correct preferred server before beginning the log-in sequence.

Both NetWare's LOGIN and my LOGON rely heavily on NetWare's undocumented FileServiceRequest() function. Subfunction 17h of FileServiceRequest() returns an encryption key that LOGON uses, along with a table of en-

ryption keys in the Pascal source code, to encode the password for verification by the file server. Subfunction 18h of FileServiceRequest() actually performs the log-in. If by chance you run LOGON against an older version of NetWare (or the NetWare shell) that doesn't support encrypted passwords, LOGON reverts to using the LoginToFileServer() function that's documented in the DOS technical reference to NetWare system calls.

LOGON.PAS doesn't perform any drive mapping, nor does it attach to additional servers. For the unattended workstation I set up with an automatic log-in, I didn't need extra drives or servers beyond the defaults that NetWare provided. If you would like to map drives or attach to servers from within your code, you may want to get either Novell's DOS reference or my *Network Programming in C* (Que, 1990).

With the LOGON.PAS source code, you should be able to create unattended applications that can log in to any NetWare server. While the source code reveals how the NetWare encryption sequence works, you can't use it for breaking encrypted NetWare passwords. ■

MAC/Tom Thompson

Industrial-Strength Text Editing

BBEdit is a freeware text editor written by Rich Siegel that started life as a bare-bones text editor (hence the name). However, BBEdit has evolved into an industrial-strength text editor offering numerous features found in commercial software. BBEdit can open multiple files, compare differences between files, and search multiple files for text strings. For lengthy multifile searches, the search operation runs in the background, and it pops up a notification dialog box when it's done.

The editor window can display the time the file was last saved, and you can click on several icons to print a file, save it, change the quote style, or lock the text. When you save a file, you can choose the type of line breaks. For all these features, BBEdit takes up only 200 KB on disk and uses only 300 KB of RAM. (You'll have to allocate more RAM to work with bigger files.) BBEdit is an ideal companion for PowerBook users.

UNIX/Ben Smith

A Viewer for X Images

If you have an X Window System-based GUI and work with images, you need xv. This is a shareware graphical image viewer and translator for X systems.

You may already have xgif, the GIF file viewer that's often distributed with X. But there are some limitations to xgif. As John Bradley (the author of both) says: "xv probably wouldn't have been written were it not for all the abuse [I received] about the shortcomings of xgif."

Version 2.21 of xv will display GIF, PBM, PGM, PPM, X11 bit map, and PM images on up to 32-bit X displays. You can correct color mapping, adjust gamma correction, rotate and crop images, and change the aspect ratio. Then you can save out to any supported format. The only shortcoming to xv is that it works with images at screen depth; in other words, if you have an 8-bit system, even 24-bit images will be saved at 8 bits.

Editor's note: Software Corner highlights public domain, freeware, and shareware programs. The programs are available electronically. See "Program Listings" on page 5 for details. We solicit your contributions. We pay \$50 for any program we use. Write to: Software Corner, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

SPECIAL ADVERTISING SECTION

HIGH TECHNOLOGY FROM ISRAEL



BEFORE PROTECTING YOUR SOFTWARE...

NEW!
TimeHASP®
Protect Your Software
Keep the Time

...against piracy and unauthorized use, make sure that your protection system has all the following qualities:

A GOOD HARDWARE KEY

Hardware-based software protection systems are now the standard worldwide. However, not all keys are the same. A good key should have all the following features:

✓ Compatibility and transparency. The key should work without any problem on your customers' computers. The user should be able to forget the key after connecting it.



✓ Unbreakable electronics. A customized ASIC (Application Specific Integrated Circuit) component should be integrated in the key. This prevents reverse engineering and makes cracking virtually impossible.

✓ A unique and inaccessible software developer's code burnt into the ASIC. (This code should not be held in the key's memory, where it can be read and altered.)

✓ A Read/Write Memory inside the key should be available on demand. The memory should be writable in the field, on any PC, without any special programming equipment.

✓ Very low power consumption, enabling the key to work even under the worst power conditions, on PCs and laptops, with or without a printer.

POWERFUL SOFTWARE

Since it's practically impossible to crack or duplicate a key having all the features mentioned above, a pirate will usually go for the software linking the protected program to the key. Therefore, check that your protection software has all of the following:

✓ A Linkable Protection Module with which calls can be made to the key from any point in the protected program.



✓ An "Envelope" installation program. Such programs enhance security while making it possible to protect a software even without its source code.

✓ Sophisticated antidebugging and encryption mechanisms.

HASP®, THE PROFESSIONAL SOFTWARE PROTECTION SYSTEM, OFFERS YOU ALL THESE FEATURES AND MORE:

HASP was designed by a team of computer experts, professional cryptologists, and electrical engineers. As a result, HASP keys are supported by what is probably the best software in the market, and the HASP system has worked on every computer it has been tried on. In addition to all the features mentioned above, HASP provides:

✓ A Full Authorization

System for protecting dozens of programs using only one key.

✓ A Pattern Code Security System (PCS)

enabling parallel processing of multiple calls by the Linkable Protection Module.

✓ A Virus Detection option that can be incorporated in the protected program to check whether it has been infected by a virus or tampered with in any way.

✓ Several HASP keys can be daisy-chained.



NETHASP, SOFTWARE PROTECTION FOR NETWORKS

✓ Only **one** NetHASP key is needed to run a protected program from many stations in a network. NetHASP provides full support for protecting DOS and WINDOWS software under network environments, including Novell dedicated & non-dedicated servers, Lan Manager, Lantastic, Banyan, DLink, and NET-BIOS based LANs.

IN A TEST CARRIED OUT BY AN INDEPENDENT LAB, HASP WAS THE ONLY KEY WHICH WAS NOT BROKEN*.

OPERATING ENVIRONMENTS

- ✓ **PC:** DOS, WINDOWS, OS/2, SCO UNIX, SCO XENIX, INTERACTIVE UNIX, AIX, AUTOCAD, DOS EXTENDERS
- ✓ **MAC (ADB Port):** System 6.0.5 and up
- ✓ **NEC (Serial Port):** DOS, WINDOWS

AND THE BOTTOM LINE:

We offer some of the most competitive prices in the market.

Since 1984, HASP has enabled thousands of software producers in more than 40 countries, including several Fortune 500 companies, to protect their software.

To learn more about why so many professionals have chosen HASP, call us for our low price evaluation package.



North America:

200 Broadhollow Rd., Suite #207
Melville, NY 11747, USA
Tel: 800-223 4277
516-424 5100
Fax: 516-424 8300

International Office:

ALADDIN KNOWLEDGE SYSTEMS LTD.
15 Beit Oved St., Tel-Aviv, Israel
P.O.Box: 11141 Tel-Aviv 61110,
Tel: 972-3-5375795
Fax: 972-3-5375796

- **Australia** Conlab Pty. Ltd., Tel: 3 8985685
- **Belgium** Akkermans bvba, Tel: 3 2338826
- **CSFR** ATLAS Ltd., Tel+Fax: 2 766085
- **Chile** Micrologica S.A., Tel: 562 222 1388
- **Denmark** SC Metric a/s, Tel: 42 804200
- **France** Logidata Intl., Tel: 50707375
- **Germany** CSS GmbH, Tel: 201 749860
- **Greece** Unibrain SA, Tel: 1 6856320
- **Holland** Akkermans BV, Tel: 45 241444
- **Italy** Partner Data S.r.l., Tel: 2 33101709
- **Korea** Dae-A Engineering, Tel: 2 848 4481
- **New Zealand** Training Solutions, Tel: 4 5666014
- **Poland** Sysstherm Tel: 061 45065
- **Portugal** Futurmatica Lda., Tel: 1 4116269
- **South Africa** D Le Roux, Tel: 11 886 4704
- **Spain** PC Hardware, Tel: 3 4493193
- **Switzerland** Opag AG, Tel: 61 7112245
- **Taiwan** Teco Ltd., Tel: 2-555 9676
- **Turkey** Mikrobeta Ltd., Tel: 4-4677504

* CT Magazine, May 1990.

© Aladdin Knowledge Systems Ltd. 1985-1992

See us at CeBIT '93, Hall 018, Floor 1.0G, Booth B20

Circle 403 on Inquiry Card.

The High-tech Promise of the Promised Land

Ed Mlavsky is personally responsible for over \$1 billion exports of Israeli high-tech products. Heading the Israel-U.S. Bi-National Industrial Research and Development Foundation, better known as "BIRD," Mlavsky was matchmaking American and Israeli firms. "The fact that over 80 high-tech high-class U.S. companies have entered into joint projects with Israeli companies in the last few years, under BIRD sponsorship, attests to the high regard in which Israel is held," he says.

January 1st marks the birth of Gemini. This new venture capital fund – the investors in which are Discount Investment Corporation, one of Israel's leading holding companies, Advent international, one of the world's largest venture capital corporations, and Yozma, a government of Israel-owned company, of which Mlavsky is president – is perhaps the best example of today's atmosphere in the local industry, where investors from Israel and abroad come to shop for new ideas and beneficial partnerships.

Mlavsky is full of optimism. "Of the companies in the world that trade in N.Y., Japan has the largest number – and Israel holds second place. This leads me to believe that there is unparalleled opportunity for well managed venture capital in high-tech Israel," he says.

If you are looking for the shortest way between IBM, Intel, Microsoft, Digital and Motorola – The right answer may be taking the way to Israel. All these vendors – and many others – have R&D centers here. American giants such as Intel Corp. and Motorola Inc. have long ago revealed the secret of Israel. Both companies employ about 5,000

Israelis in their facilities. Intel has recently announced that it intends to invest \$1 billion in Israel for the next ten years. Motorola plans to manufacture here future digital wireless communications.

Although Israeli high technology may be unknown to many end-users, it's well known within the industry itself, and is providing an ever-increasing part of the product line of top companies. Simultaneously, a growing number of Israeli electronics and software companies, such as Scitex, Fibronics, Mashov-MAGIC and 4th Dimension, have established themselves directly in the world market for computerized color pre-press systems. Optrotech and Orbot (now being merged) hold a near monopoly in equipment for automated inspection and testing of microelectronics circuits.

1992 was an excellent year for the Israeli high-tech industry. Not that any Israeli software house has developed a revolutionary package. It was the American financial marketplace that has discovered Israel. Investors – Israelis and Americans as well – have voted in favor of the Israeli firms' potential, by buying more and more shares in Israel software and hardware companies.

The Tel Aviv Stock Exchange rose more than 90% in 1992. High-tech firms have led the local market too. Financial researchers and brokers are very optimistic about the future of the Industry.

HOLDING THE PC RECORD

And, we believe in PCs. A few years ago, someone found that we hold the highest number of PCs per capita in

the world, excluding France – but in Paris they count Minitel as a PC. Well, Elbit, a leading Israeli manufacturer of electronic equipment, has just supplied the government with a plan to establish an Israeli version of Minitel. Elbit, by the way, is a good example of the way the industry was founded. It started its business in the defense market, where it is doing some work even today. But as the world is cutting in military expenses – they had to adjust. Some of the best selling Israeli products have been developed for the army – and then brought out to the civil market.

Why do we need so many PCs? Maybe because the size of an average firm here is much smaller than it is in the U.S. This may explain why DEC holds a higher market share than it averages in other countries: people were using PDPs and VAXs not as departmental servers, but also as a central computer. The PC was an even better tool: organizations like Refael, a defense R&D center, have experienced downsizing long before the term became a popular buzzword: five years ago, they unplugged an IBM mainframe – and replaced it with a PC network.

The defense industry has been pioneering the high-tech field in Israel – just as NASA did in the States, back in the '60s. Due to Israel's unique geopolitical situation, it was obliged to rapidly develop an understanding and mastery of data processing and software in order to meet its own needs, as well as to become technologically independent.

The defense sector has been, and continues to be, a major consumer of technology, especially in real-time applications, avionics packages, com-

munications systems and control applications.

An excellent example of the way the defense industry is becoming the cradle of Israeli high-tech is Nice. Nice, a public company in the Tel Aviv Stock Exchange, is involved in the defense market, where it had developed signal intelligence systems, direction finding and monitoring solutions, digital audio storage and retrieval systems, command and control products.

In the recent years, it went into the high-speed-networking market, for which it is developing ATM-based multiport FDDI bridge/router, remote FDDI bridge, FDDI and SMDS analyzers. In the voice arena, Nice is offering systems for OEM/VAR applications, turnkey storage and retrieval systems, voice messaging – and hands-on experience that can be translated into tailor-made solutions. Among Nice business partners are Tekelec Inc., Retix Inc. and TRW – all of them well established U.S. companies.

In the commercial sector, most Israeli enterprises, regardless of size,

have fully computerized their management infrastructure. Realizing that the only way to overcome the geographic distance from their target markets in Europe and America is by moving faster – computers became the only solution.

The rapid growth of Israel's science-based industries was supported by the development of its software industry, which utilized state-of-the-art technologies developed worldwide.

Israel has over 150 software houses, ranging in size from a dozen professionals to several hundred, and the country is home for over 12,000 active computer specialists, 6,000 of whom work in software houses. Israel's software industry has more than tripled in size in the past eight years, with 1992 total revenues of \$600 million, \$140 million in export. Its activities encompass defense, commerce, education and software development tools, such as MAGIC, a programming tool that was originally developed for the DOS and LAN – and then ported to UNIX. WIZARD is an object-oriented program generator, with a wide installed base in Japan and the Far East.


THE MANPOWER ADVANTAGE

Gad Soen, director of the Center for Business Promotion in the Ministry of Industry and Trade, sees the quality of Israel's manpower as the main advantage on which Israel has based its high-tech industry: electronics and software.

There must be some truth in all the jokes made about Jewish mothers forcing their sons to get Ph.D.s: Israel has about 100,000 students out of a population of five million, and invested heavily in science and engineering faculties to provide a theoretical base for the industry. As a result, Israel has a higher per capita proportion of graduates and holders of research degrees in science and engineering than any other industrial country. Its research community has the highest output of scientific publications – the standard benchmark for academic excellence.

Another resource for manpower is the massive wave of Jewish immigration from what used to be the Soviet

ADVANTAGE ISRAEL



Union. According to current estimates, more than 26% of the 400,000 ex-Soviet Jews who immigrated to Israel in the last three years are scientists, engineers and architects.

The huge group of former Soviet and east European citizens has given Israel another key advantage, this time in developing products for their countries of origin, now undergoing rapid modernization and therefore important markets for computers and telecommunications.

Israel is not only close geographically, but has the largest group of people who know these developing markets, their languages and business environment. U.S. companies are taking advantage of the capabilities: HP is carrying out hardware and software adaptation for East European languages in Israel. NCR has been offering Israeli written software all over the world.

Another fact that attracts entrepreneurs to Israel is a comprehensive program of investment and tax incentives to encourage investments. The program includes company tax rate that may go as low as 0% up to 38% grants, and 67% maximum guaranteed load available. The Office of the Chief Scientist in the Ministry of Industry is the primary address for government support of industrial R&D projects, giving priority to new technologies and projects which will expand Israel's base of scientific manpower.

About 10% of the Chief Scientist \$110 million budget goes to software

projects. The Chief Scientist generally funds 50% of recognized R&D expenses in the first year, and 30% thereafter. Grants are repayable through royalties of 3% of sales, payable until such time as 150% of the dollar-equivalent of the grant is repaid.

FROM VOICE MEMOPAD TO VIRUS FIGHTING

CeBIT exhibition will be a good place to meet Israeli technology. The DSP Group will be offering its VoCall technology, for compressing speech to a PC disk. You should imagine applications such as a PC voice memopad, voice notations in workgroup documents, voicemail on LANs, and so on. DSP's low-cost voice control technology may be used as an alternative man/machine interface, allowing the user to give commands such as "open file" or "store" without using the keyboard or the mouse.

The company's technology in cellular communication is an excellent building block for low cost solutions, integrating voice, fax and data modem over cellular, in a mobile PC.

Minicom Advanced Systems has strategically identified three related areas of activity: computer-based training, networking and multimedia. Minicom has developed a wide range of expertise in these three fields, and is continuously striving to apply innovative solutions for international niche markets.

As a developer of both hardware and software systems, Minicom offers a

total solution for special needs in networking and CBT. To date, this R&D team has developed network operating systems, multiplexers and analog signal transmitters. Minicom's main product lines are control systems for computerized classroom training, video switches for multimedia, peripheral sharing devices, and peer-to-peer NOS. Minicom puts considerable emphasis on simplicity, user friendliness and attractive industrial design.

Jerusalem, the capital of Israel and a holy city for Jews, Christians and Moslems, is well known to PC users for other reasons. Jerusalem Virus was one of the first known computer viruses, and is still causing infections all over the world. We don't know, of course, if the virus was generated here. What we do know, is that a very active industry of anti-virus software is doing business both in Israel and abroad.



EliaShim ViruSafe-Gold, for example, identifies and removes known viruses as well as unknown ones, with a self-teaching mechanism of new viruses. It can scan compressed files, and includes an emergency rescue diskette to restore damaged disks. North American marketing of ViruSafe is done by XTREE. The product is constantly updated, as new viruses and mutations continue to appear.

Once known as a "one-diskette country," meaning that most of the software used was illegally duplicated,




Now Is The

A Capital Opportunity To

On Israel's Investment

It can be called
the dawn of
a new era.

*A new government in Israel is making
the encouragement of foreign
investments a national priority. Now is*



*the time to look into a growth-oriented
investment in industry - a source for
profits and expansion.*

*Any way you look at it, Israel has more
to offer. That's why Intel, Motorola, IBM*

**For further information
on business opportunities
with the State of Israel,
please contact:**

Jerusalem:
MINISTRY OF INDUSTRY AND TRADE
CENTER FOR BUSINESS PROMOTION
Tel: 972-2-698 547/6
Fax: 972-2-669 388

New York:
ISRAEL ECONOMIC MISSION
Tel: (212) 560 0600
Fax: (212) 564 8964

Los Angeles:
GOVERNMENT OF ISRAEL
INVESTMENT & EXPORT AUTHORITY
Tel: (213) 658 7924
Fax: (213) 651 0572

Boston:
GOVERNMENT OF ISRAEL
ECONOMIC OFFICE
Tel: (617) 451 1810
Fax: (617) 451 2677

San Francisco:
GOVERNMENT OF ISRAEL
ECONOMIC MISSION
Tel: (415) 434 2450
Fax: (415) 434 8034

Chicago:
GOVERNMENT OF ISRAEL
INVESTMENT & EXPORT AUTHORITY
Tel: (312) 332 2160
Fax: (312) 332 2163

Toronto:
ISRAEL ECONOMIC MISSION OF CANADA
Tel: (416) 961 1242
Fax: (416) 961 3962

Circle 458 on Inquiry Card.

Time.

Capitalize

Potential



DEC, KLA Instruments, Microsoft, Octel and many others have established firm roots in Israel.

Here are just some of the benefits

Israel extends to you:

The Highest Calibre of Human Resources

Israel has 2-3 times more scientists and engineers engaged in R&D per capita than any other country in the world. In addition, over 50% of the wave of immigrants arriving from the former Soviet bloc are scientists, professionals, engineers and technicians.

Israel's stable, highly skilled, motivated workers are available at salaries that are 20 to 30% lower than in the United States.

The Perfect Environment for R&D

Israel's talent for innovation and creativity is a magnet for overseas investors. Numerous Israeli high tech companies are pioneers in their field, and have translated their inventions into profitable businesses that are now listed on U.S. stock exchanges. Israel has world-renowned R&D centers which cooperate closely with industry, scaling up research into commercial applications. And Israel has a track record for getting products to market faster - giving you a competitive edge.

Israel's government supports R&D with generous funding. Binational endowment funds serve as additional sources for R&D funding.

A Bridge to Major Markets

Israel has free trade agreements with the United States, the European Community and EFTA. This is the source of profitable trade in industrial and consumer goods.

Israel is also an excellent launching point for trade with emerging markets in Eastern Europe and what was formerly the Soviet Union. Israeli experts speak the languages prevalent in these growing economies, and know how to structure profitable business deals in their particular environment.

A Developed Infrastructure

You'll find that Israel meets the standards you're accustomed to. It has advanced international financial, accounting, insurance and legal systems. modern roads, sea and airports, and modern communications and telecommunications networks.

Throughout the country, Israel offers competitively priced industrial facilities and parks supporting every type of industrial venture.

Government Incentives and Benefits

Several programs of incentives are available for investors and venture capitalists. They include generous investment grants, government loan guarantees, tax exemptions, a venture capital fund for high risk enterprises and numerous other substantial benefits.

Let's Get Together

It all adds up to unique human resources, R&D, government incentives and trade agreements. Start making plans today to become a partner in a country geared for profitable growth.

Israel - A powerhouse of opportunities


software manufacturers in Israel just had to defend themselves against piracy. The people at EliaShim came with a full set of tools and protection methods – starting with diskette-based software, plug protection for single user, and LANPLUG, that can give complete protection for up to 100 workstations – on a single plug. It is compatible with NETWARE, NETBIOS and 3COM – and does not interfere with the workstation's performance. For PC users who need protection, monitoring and control systems, EliaShim's MultySafe and TotalSafe provide a highly secure but versatile working framework.

Aladdin Knowledge Systems is competing in the software copy protection market with HASP, hardware adapter for software protection, which is sold in over 40 countries worldwide. Priced at \$19.00 and up, HASP also supports OS/2 version 2.0. Aladdin's new software release of TimeHASP keeps track of the real-time clock, and is an ideal tool when renting or leasing software for a limited time or on a "per use" basis.

BILL GATES BELIEVES IN ISRAEL

Are the Israelis that good? Bill Gates of Microsoft believes that the answer is positive. So does Robert Wise of Motorola Inc. Both were speaking very highly of Israel as a great place for software and hardware developers

who seek for a quick solution to complicated problems. Both Mr. Gates and Mr. Wise were the key speakers at a special event, taking place during the COMDEX/Fall show in Las Vegas. It was a personal innovation of Mr. Sheldon Edelson, chairman of The Interface Group, who conceived the idea of creating The National Resources Forum, and dedicated the first Forum to the Israeli Software Industry.



"During the National Resources Forum, American firms revealed the big secret: The Israeli software Industry," claimed Mr. Edelson. The Interface Group has invested hundreds of thousands of dollars to bring businesses together.

A RECORD OF SUCCESS

The Israeli high-tech industry has a proven record of success, beginning with Scitex Corp. A multi-million dollar firm that has created its own niche of high-end DTP workstations, Scitex is extremely successful in Europe and in Japan.

Elron Electronic Industries is another success. The holding company is involved in Elbit Computers (aviation and other governmental products), Elscint Ltd. (high end medical equipment), Orbotech (a new merger of Optrotech and Orbot – both lead the PCB inspection tool marketplace) and other firms. Elron has recently bought a substantial part of Wordstar Inc. and both firms are in final stages of establishing a development center in Israel.

The governmental manufacturers are looking for new directions. The international peace is a blessing for mankind, but it also means much less business for Elta, the Israeli Aircraft Industries, Elbit and other firms. Instead of Mil-Spec products, the Israelis are looking for new ventures in the civilian marketplace.

Besides the giants, more than a thousand companies are dealing with all phases of software, hardware and data communications products. Americans may have heard about Rad Inc., and European data communications experts are familiar with the firms' wide range of products. Competing with Rad are Israeli

Your Source For Highly Advanced Multi-user Business Software Packages.

Highly competitive in price.

- ☐ Electronic and voice mail. The latest in EM. User friendly.
- ☐ Marketing and sales package with powerful features, such as: Follow-up, Potential Clients, Customized letter generator
- ☐ Appointments Calendar with unique features including follow-up, telephone directory plus automatic dialing (optional).
- ☐ "EAR" - Employees Attendance Registration, activated either by card punching or by magnetic card.

And more. All packages are already in use and come in English (can be translated into other languages upon request).

Call us today:

Infomedia Ltd.

Dealers are more than welcome.
Matti Yakira
President
2 Vegal Alon St. Herzliya 46324, Israel
Fax: 972-52-507490
Tel: 972-52-507490

Pull a Plug on a Pirate Today!




MEMOPLUG™

The amazing Software protection system based on a hardware plug.


Contains read-write programmable memory.

This system is practical and easy to use for both programmers and end-users. Supports various programming languages, operating systems and types of computers.



U-PLUG™

The premiere protection plug for UNIX systems that connects the standard serial port of computers and workstations.



LANPLUG™

Comprehensive network protection starts with a single plug. The LANPlug lets you operate protected software from any workstation on the network, while supervising a number of authorized simultaneous operation applications.

CLOCKPLUG™

This unique Time-limited software protection system is based on a plug containing a real-time clock. It allows users limited execution times for leasing and demonstration applications. A password system allows you of rewind the clock by telephone



U.S.A.: 1-800-677 1587

Tel:(407) 682 1587 Fax:(407) 689 1309

South Africa: LionSoft Tel:011 640 6002

Holland: M.H.P Tel:31 440612916

France: C.T.I Tel:(1) 47 38 16 17

Spain: Economic Data Tel:(34) 1 442 28 00

Czechoslovakia: PC Kompas Fax:42 2 43 11 88

Currently looking for international distributors

EliaShim

M I C R O C O M P U T E R S L T D

5 Haganim, P.O. Box 8691 Haifa 35022, ISRAEL

Tel: 972-4-516111, Fax: 972-4-528613

firms such as Lanoptics, North Hills B.A.T.M. Gambit and Intelligent Information Systems (IIS). The latter, a \$50 million company, is better known to the American professionals as Lee-Data that markets communications controllers, terminals and printers in the IBM midrange and mainframe business. How many computer users know that behind the Lee-Data logo hides an Israeli firm?

Lately, IIS has taken another step in its endeavors to capture the American marketplace of AS/400 products. The Israeli firm announced that it is about to buy the business of Decision Data. As a result of the announcement, and of the steady high profit that it produces, IIS stocks, traded on NASDAQ, have risen from 18 to 50 dollars in less than a year.

Arco Electronics Inc. of Florida is another firm that is fully owned by Israelis. Arco is a part of The Ariel Group, that was established in 1951

by a group of Israel Air Force veterans, led by the current president, Mr. Avraham Harshalom. Today, the group is one of Israel's premier manufacturers and contractors of electrical, electronic and electromechanical equipment.

1992 has marked a potential breakthrough for the Israeli software industry. In the last year, several software houses have succeeded in making some agreements with the true leaders. IBM has signed an exclusive distribution agreement with Sapiens, a developer of a database for IBM mainframes. ISG has signed with DEC, concerning the distribution of reporting tools for the VMS environment.

Fourth Dimension, manufacturer of system tools for IBM mainframes, is making some very good business in the U.S. Magic Software Enterprises have initiated a marketing campaign for their PC and UNIX 4GL Magic product.

Unsurprisingly, all the above firms have their stocks traded in The NASDAQ bourse. All have provided their investors with high profits. One thing leads to the other. If a firm is exposed to the financial eye, it gains an important step in its way to the professional user. Aurec is an older success story. The private firm is a respected developer of Yellow Pages databases, in the U.S.

Developed in MAGIC and shone at CeBIT will be InfoMedia's office automation and business diary system, which offers ease of use and remarkable flexibility.

Israeli software houses and hardware manufacturers seek American and European partners that could provide them with marketing skills and distribution channels. They promise to provide the right product.



This is what BYTE (8/1991)
says about
CLASSNET

NEWS WHAT'S NEW INTERNATIONAL

"Computerized Classroom"

Classnet from Minicom Advanced Systems is a dedicated communication network that gives instructors control over all activities, by all students, in the classroom.

...The Electronic Blackboard function lets you see a student's screen, display your own screen to any or all students, display a student's screen to the entire class, and send messages in real time to any or all students. The Interject function lets you disconnect the keyboard and darken the students' screens, giving you command over classroom activities.

By simulating the teacher's keyboard on a student's keyboard, the


Assist function lets you help a student working in real time without losing visual contact with the entire class.

The Communication function lets you prepare a lesson by transmitting work files to students; send data, text, or even an exam to all students; collect students' files at the end of a lesson or exam; and connect students to external devices such as videodisk players and modems.

The Print function lets you control one printer from the teacher's unit, while the Help function tells you that a student needs help, showing you the student's station number on your screen...

CLASSNET - The unique communication network, giving instructors control over all activities, by all students in the classroom.

MARCH 24-31, 1993
CeBIT'93
HANNOVER




Available for MAC
NEW- MULTIMEDIA SHARING

To find out the full facts about
CLASSNET contact us at:



Minicom
Advanced Systems Ltd.

3, Beit Hadfus St.,
Givat Shaul
Jerusalem 95483, Israel
Tel: 972-2-518593, Fax: 972-2-518971



BRUCE D.
SCHATZMAN

NEXT-GENERATION OLE

Although OLE has begun to change the way we build and use Windows software, its first incarnation hasn't been trouble-free. You can create systems of communicating applications, but doing so is not always seamless or intuitive. In OLE 1.0, there are several nuances and rules that users don't understand. Moreover, it stores and transmits object data inefficiently, so performance is not optimal. For developers, its large API and state transition logic make adding full OLE support to Windows applications a difficult task.

The forthcoming OLE 2.0 solves the first two of these problems. However, to make OLE-compliant applications more intuitive and faster, developers will be expected to digest a more complex programming model.

As usual, Microsoft is claiming that OLE 2.0 is an evolutionary technology. Although it's true that OLE 2.0 applications will talk to OLE 1.0 applications, OLE 2.0's long-term impact really will be revolutionary. It encourages a document-centered model in which you focus primarily on your data, not on applications. When you're driving, you keep your eye on the road, not on the controls. OLE 2.0 aims to make computing a similarly natural, goal-directed activity.

New Features

For users, the most obvious new feature is *in-place activation*. That means you can double-click on an embedded object and edit or "play" the object without leaving the current window. The user-interface controls of the containing document's window merge with appropriate controls (i.e., menus, buttons, palettes, and toolbars) of the object's server application. When the embedded object loses focus, its server's controls vanish and the containing window reverts to its original appearance. This feature finally provides seamless integration of communicating applications.


OLE 2.0 supports in-place activation

only for embedded objects. Double-clicking on linked objects results in the standard OLE 1.0 behavior—you are sent to a separate application window to interact with the object. Why? Links to an object may exist in more than one document. By requiring a separate window for editing, the system gently reminds you that ownership of the object extends beyond the boundaries of the current document.

Also new in OLE 2.0 is an enhanced drag-and-drop capability that works between or within application windows (or anywhere else a drop is accepted). Because OLE 2.0 supports nested objects, you can also drag objects into or out of other objects.

Another feature enables an OLE 2.0 ap-

OLE 2.0 is faster and simpler for users, but it's trickier for developers



plication to define a callable interface to certain internal functions that it chooses to export. Thus, you'll be able to control such an application from another program or a systemwide script language. The idea isn't a new one. Among today's Windows applications, those that can act as DDE servers are frequently controllable by DDE clients. Hewlett-Packard's NewWave defined a more formal API for doing this kind of thing. Microsoft is betting that the OLE 2.0 mechanism will find broader support than the NewWave API did.

As with NewWave, there will be degrees of support for OLE 2.0. You will have to learn to be discriminating when an application advertises OLE 2.0 compliance.

Still to Come

A number of features are described in the OLE 2 specification that will not be available in OLE 2.0. These include the following:

- an extended layout mechanism that supports irregularly shaped objects, not just rectangular ones
- property negotiation, so that an object can adapt its properties to those of its surrounding container
- string searches and spelling checks that "tunnel" inside objects within compound documents, and even within objects embedded in other objects

Tuning the Engine


OLE 2.0 has a new linking model that overcomes some of the limitations that are inherent in OLE 1.0. This model enables links to objects that exist only as embedded items in a document and are not stored as separate files. In OLE 1.0, you can link only to an object that lives in its own DOS file.

The new linking model also improves the persistence of links; that is, there are more ways to copy documents without breaking links. In OLE 1.0, objects are

Rack & Desk Chassis

FOR IBM XT/AT/286/386/486

Integrand's unique packaging design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 90 interchangeable modules allow you to customize them to nearly any requirement. We make drive enclosures and rackmount keyboards too. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Rack & Desk Models

Accepts Most Motherboards and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Designed to meet FCC

204 Watt Supply, UL Recognized

200 & 300 Watt Supplies, UL, CSA, TUV

Reasonably Priced

NOW AVAILABLE Rackmount Keyboards



Three Models: Drawer, Shelf, and Panel
Reasonably Priced

Call or write for descriptive brochures, prices
or applications assistance:

INTEGRAND

RESEARCH CORP.

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

IBM XT/AT TM IBM • 286/386/486 TM INTEL. Drives and computer boards not included.

HANDS ON/BEYOND DOS

referenced by way of absolute hard-coded path names that aren't updated when documents move around within the file system. In OLE 2.0, a link persists if only the container document moves, the relative path between the container and the source object stays the same, or the container and object source file are located in the same directory.

To enable this primitive form of link tracking, OLE 2.0 invents a new object reference known as a *moniker*. A moniker is a pointer to an object, and it can be dereferenced whenever the object needs to be located. It's like the path name/object name of OLE 1.0, but it's extended to let applications reference objects nested within other objects. Monikers also support the ability to create interobject links within a document.

Moniker dereferencing works automatically, which simplifies the use of monikers from the programmer's perspective. Once you have an object's moniker, you can find it—even if it's nested several levels deep within another object.

Although the new linking model is an improvement, OLE 2.0 does not guarantee unbreakable links. That's a hard problem to solve efficiently because there are so many permutations involved with combining, nesting, and moving objects within a global namespace spanning directories, local file systems, and networks. Future technology will attack this problem, but don't expect a solution anytime soon.

OLE 2.0 also provides an optimized storage model that offers much more efficient use of RAM and better performance than OLE 1.0. In this new model, an object (or even part of an object) can be loaded from disk into memory only when you want to edit or manipulate the object. In OLE 1.0, all objects in a compound document load into memory in their entirety, regardless of whether you want to activate them.

The new storage model will cut down on RAM usage and significantly speed up the loading of large compound documents containing many objects. It also follows a transactional model that can commit or roll back edits that you make to an object.

Associated with this storage model is a new file format known as a *docfile*. Each docfile is actually a "file system within a file," and part of its structure was modeled after the DOS FAT (file allocation table). In addition to the application-specific contents of the file, docfiles therefore contain object hierarchy information that lets any application identify and enumerate all objects contained in the file. They also contain an extended set of file

properties (e.g., the file's author and a description of its contents).

OLE 2.0's performance will also benefit from the ditching of DDE as its IPC (interprocess communications) mechanism. Instead, OLE 2.0 uses a localized RPC (remote procedure call) protocol (in the spirit of Windows NT) to boost the throughput.

The Price of Progress

Naturally, Microsoft had to allow for backward compatibility with applications supporting OLE 1.0. To accomplish this, OLE 2.0 applications must implement a simple version-negotiation protocol that enables them to determine whether an object was created by an OLE 1.0 or OLE 2.0 server. To an OLE 2.0 client, an OLE 1.0 object simply appears as an OLE 2.0 object that does not implement any of the new OLE 2.0 features. Because of this, OLE 1.0 objects don't require any special treatment or handling, and they can be freely mixed with OLE 2.0 objects in the same document.

Unfortunately, OLE 2.0 doesn't offer developers the simple and intuitive model that it offers users. Programmers complained that OLE 1.0 was not easy to implement, and the situation has only worsened. The OLE 2 specification is over 330 pages long, and there are nearly 270 functions in the API. It will take several weeks of solid work before even highly qualified programmers begin to feel comfortable with the programming model. OLE 1.0 veterans will have a head start, but there is a lot of new ground to cover for even the most seasoned developers.

The ball will really start rolling when there are class libraries and development tools that can encapsulate the OLE 2.0 functionality. Such tools and libraries will greatly simplify OLE 2.0 programming and encourage less advanced developers to take the plunge into OLE development.

Complexity notwithstanding, a number of programmers have been actively coding with the OLE 2.0 SDK (Software Development Kit). The first generation of OLE 2.0 applications could be available as early as this summer. It will take time for ISVs (independent software vendors) to fully exploit OLE 2.0, though, so you shouldn't expect to see a large number of applications until the first quarter of 1994. By then, the move to document-centered Windows computing should be in full swing. ■

Bruce D. Schatzman is an independent systems consultant in Bellevue, Washington. You can reach him on BIX c/o "editors."

Unleash Your 486!

NDP Fortran is now six years old, yet people still call with 486 performance questions related to their use of 16-bit compilers. Therefore, we decided this was a good time to remake the case for 32-bit tools and languages.

To get full access to a 386 or 486 requires that it be placed in 32-bit protected mode. This is done by 32-bit operating systems and some Extenders. Running in 32-bit protected mode increases the 486's segment size from 64 Kbytes to 4 Gigabytes and breaks the 640K DOS barrier. This makes it possible to access

arrays larger than 64K using the 486's 32-bit "flat" model, which runs 2 to 4 times faster than the huge model employed by 16-bit compilers. 32-bit tools also simplify ports. Programs written for mainframes often assume that integers and pointers are 32-bits long or depend on binary representations, especially when written in Fortran 66 and C. Our 32-bit NDP compilers eliminate porting headaches by providing the extensions you need to recompile your VMS, VS, Cray and MS codes. We also sell the IMSL, NAG and VAST II tools that frequently get bundled with mainframes.

Before you give up on your 486, give us a ring. Whether you are looking for the 5 megaflops your 486 produces by itself, the 12 megaflops it delivers with a Weitek 4167 or possibly the 80 megaflops we can coax out of our Number Smasher-860, you owe it to yourself to contact our excellent Tech Support Staff today. Microway has had the answers to your PC performance problems since 1982!

Phone: (508) 746-7341

Fax: (508) 746-4678

386, 486 and i860 Compilers

Microway's **NDP** family of 32-bit compilers generate globally optimized mainframe quality code that runs on the 386, 486 and i860. They require the use of 32-bit operating systems such as OS/2, UNIX, Xenix, Solaris, Coherent, DESQview/X and DPMI and VCPI DOS Extenders.

NDP Fortran™ is a full F77 with F66, DOD, VMS and MS extensions.

NDP C/C++™ includes a full C compiler that runs in both K&R and ANSI modes plus a C++ compiler that is Release 2.1 compliant.

NDP Pascal™ is a full ISO Level 1 Pascal with BSD extensions that can interface the NDP C runtime libraries.

NDP Language Pricing

Coherent versions use the Coherent tools and support the x87 family\$295

MS-DOS versions include a VCPI virtual memory DOS Extender, a DPMI interface layer, support for the x87 and Weitek coprocessors, NDPLink, NDPLib and GREX - our DOS graphics library. The 486 version adds 486 code generation, royalty free DPMI and VCPI plus ClearView, Microway's symbolic debugger.

386 Release.....\$595

486 Release.....\$995

OS/2 releases include x87 support, a WorkFrame interface and our 486 extensions. These tools work with the IBM Linker. C/C++ includes the portions of the IBM Tool Kit needed to interface the PM API's\$695

UNIX/Xenix 386/486 use the native tools on the system in question. V.3 and V.4 versions are available\$1195

DESQview/X\$1195

Coprocessors

Weitek 4167 25/33/\$350/\$795 3167 \$200/250
Cyrix D8733/40..\$99/129 S87..\$79 EMC \$250
Intel 387SX..\$80 387DX..\$85 287..\$80
 OverDrive 25 MHz \$475.. 33 MHz \$675

i860 Supercomputers

QuadPuter-860 The world's most cost effective SuperComputer, the QuadPuter comes with four modules each of which has an i860 and two megabytes of local memory. The modules sit on an EISA base board that can be purchased with 8 or 32 megabytes of shared memory. Five QuadPuters have an aggregate throughput of a gigaflop! The card comes with one NDP language plus MAX-860.

From.....\$9995

Number Smasher-860 our ISA card can be purchased with 8/32 megabytes of memory running at 33 or 40 MHz. Options include EISA and ISA Fifos, a P version with built-in Fifos for distributed parallel processing and a 24-bit graphics buffer. The card includes one NDP Language plus OS860. From.....\$3995

NDP Fortran-860 along with our C/C++ and Pascal utilize advanced scalar code generation techniques designed to optimize the i860's RISC performance. The languages run on DOS, UNIX, OS/2 and i860 UNIX V.4 Workstations.....\$1995

PPS-860 postprocessing scheduler, takes assembler output and converts scalar operations into pipelined. It also reschedules using dual instructions. Scalar speed ups in the range of 10 to 40% are produced\$595

VAST-II from PSR is the same vectorizer that is used with Cray's.....\$1495

AT Accelerators

FASTCache-X86/Plus™ — The "Windows Solution" - easily converts your 286 based PC into a 386/486 powered workaholic. The board takes up a slot in AT bus designs and has sockets for up to 16 megabytes of DRAM. It plugs into your 286 using a cable. The PS/2 version has no memory. All boards have a 16K fourway cache and run at 25 MHz. Two processors are available, including the Cyrix CX486SLC. From.....\$399

486 Workstations

A Microway Black Tower is the ideal solution to your 486 needs. They feature industrial grade American power supplies, heavy duty cooling and easy access. All motherboards are carefully burned in before shipping and equipped with heavy duty power connectors. Our BX Towers are ideal for use as desktop workstations, file servers, RAID servers and CAD/CAM stations. They were originally engineered to house i860 arrays, which frequently get attached to SUN Networks as computational servers. We customize each system with the OS of your choice, including UNIX, OS/2, DOS and Windows. The base systems listed include case, 4 MB, tactile response keyboard, supply, floppy and mouse. The B²T is our tall tower, the B³ is a larger box that features front and side hinged panels. All but the 386 system use industrial supplies and the B³ is available with a 12 slot EISA channel. To see why Microway systems have earned an international reputation for outstanding design, price/performance, value and reliability, ask for our BX Series Catalogue.

386B²T-40 ISA 64K Cache 200W \$1395

486B²T-33 ISA 64K " 250W \$2495

486B²T-33 EISA 256K " 250W \$3395

486B²T-50 EISA 256K " 250W \$3995

486B³-50 EISA 256K " 350W \$4495

486B³-66 EISA 512K & 12 Slots 350W \$5495

386, 486, i860 Libraries

NDP IMSL Microway compiled and validated version of the IMSL mainframe libraries, available for the 386/486 and i860.....\$2,000

NDP NAG Microway compiled and validated NAG Workstation library, available for the 386/486 and i860. 386/486.....\$995, i860.....\$1495

KUCK & ASSOCIATES hand coded i860 libraries. DSP library does 1024 real FFT in 500 microseconds! DSP..\$750 BLAS..\$500

LAPACK and BLAS vectorized, sources included. 386/486.....\$295 i860.....\$495

Microway[®]


Technology you can count on!

Research Park, Box 79, Kingston, MA 02364 USA (508) 746-7341 FAX (508) 746-4678

Kingston-Upon-Thames, U.K., 081-541-5466 Spain/Portugal 351-1-604-049

Germany 069-752023 Greece 30 12915672 Italy 02 7490749 Japan 047 423 1322 Poland 22-414115

If your board doesn't say Quatech Inc., you may be missing something...



Ask a Quatech sales Engineer to show you
the value of quality, service and support.

- Quatech manufactures a complete line of data acquisition, communication, and Micro Channel boards for the PC AT/XT, PS/2 and compatible computers.
- Quatech's user friendly software drivers enable our full featured adapters to support most popular operating systems.
- Quatech's adapters are backed by our free on-line technical support.




For a free catalog call: **800-553-1170**

International: Australia/Interworld Electronics 03-563-7066, Canada (Western)/Interworld VCR 604-984-4171 (Toronto office 416-513-7027), England/Diamond Point International 634-722-390, Finland/Lab Hitech OY 358-0-804-2522, France/Elexo 33-1-69302880, Germany/Jupiter Electronic Systems 06181/75041, Israel/RCM Ltd. 972-03-5447885, Italy/N.C.S. Computer Italia 0331/770-016, Netherlands/ACAL Auriema 040-816565, Korea/Sam Boo Enterprise Co. 82-2-538-4001, Spain SANTA Barbara SA 34-3-203-9916, Singapore Bliss Services Pte Ltd (65) 338-1300. IBM PC-XT, AT, PS/2 and MicroChannel are registered trademarks of IBM Corp.

QUATECH

662 Wolf Ledges Parkway
Akron, Ohio 44311 U.S.A.
216-434-3154



BUY IT THROUGH **BYTE**

Mail Order

The latest offerings from vendors supplying products of all leading manufacturers at extremely competitive prices.

214

Hardware/Software Showcase

This *categorized* four-color display section makes it easy to find Hardware and Software products from a wide variety of manufacturers and suppliers.

235


Buyer's Mart

From Accessories to Laptops to Word Processors, you can easily find the dealers you are looking for in this directory of products and services.

244

The Cost of 486 Power is Falling Fast.

AND LODESTAR'S VALUE KEEPS GOING UP:



CONSIDER THESE

EISA FEATURES: We've carefully designed a 32-bit processing solution that breaks through the ISA bottleneck while maintaining downward compatibility with a 16-bit Bus for a peak data transfer rate of 33 MB/sec. Six, true, fully blown EISA Bus Mastering slots plus two EISA slave slots so you can be assured your EISA mastering add-on cards will work for you (typical 8 slave slots won't).

LODESTAR's bus mastering, intelligent expansion cards with their own I/O processors operating in parallel with the main CPU, frees up your load on the CPU. Bus throughput is improved by implementing direct memory access (DMA) and bus masters.

Its speedy performance capability provides you with an ideal solution for a wide range of demanding applications, like CAD/CAM/CAE, formidable database management, image processing, artificial intelligence, desktop publishing and in the environments of network and multiuser systems.

NOW \$1299

486-SX Workstation

486-SX/20

- 4MB fast RAM expandable to 32MB
- 85MB 15ms IDE hard drive w/cache
- 1:1 interleave 2H/2F IDE controller
- 1.2MB 5.25" & 1.44MB 3.5" floppy drives
- 16-bit 1024x768 SVGA card w/1MB RAM
- 14" 1024x768 0.28mm dot pitch SVGA color monitor
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0 & MS Windows 3.1
- Enhanced 101-key keyboard
- High resolution serial mouse
- Mini-vertical case

486-SX/25 \$1339

NOW \$1599

486 ISA Dataquest

486/33

- 64K ultrafast write-back cache SRAM
- 4MB fast RAM expandable to 32MB
- 130MB 15ms IDE hard drive w/64K cache
- Teac 1.2MB 5.25" & 1.44MB 3.5" floppy drives
- 16-bit 1024x768 SVGA card w/1MB RAM
- 14" SVGA 1024 non-interlaced 0.28mm dot pitch color monitor. VESA 72Hz flicker-free display
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0 & MS Windows 3.1
- Enhanced 101-key keyboard
- High resolution serial mouse
- Desktop case

NOW \$1899

486LB WINstation

486-DX/33

- 2 32-bit Local Bus expansion slots for 32-bit power expandability
- 64K ultrafast write-back cache SRAM
- Built-in 487 math coprocessor & 8K cache in the CPU
- 4MB fast RAM expandable to 32MB
- 130MB 15ms IDE drive w/64K cache
- High throughput Super IDE Caching Controller. Reduces average disk seek time to 0.2ms
- Teac 1.2MB 5.25" & 1.44MB 3.5" drives
- 32-bit Local Bus S3 Graphics Engine w/1MB VRAM. Up to 1280x1024 resolution & 32,768 colors
- 14" 1024x768 non-interlaced 0.28mm dot pitch SVGA monitor. VESA 72Hz flicker-free display
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0, Windows 3.1 & mouse
- Enhanced 101-key keyboard
- Mid-vertical case

486-DX2/50 \$2039

486-DX/50 \$2139

486-DX2/66 \$2289

NOW \$3159

486 EISA CADstation

486-DX/33

- 256K ultrafast write-back cache SRAM. Provides better hit-rate.
- Built-in 487 math coprocessor & 8K cache in CPU
- 8MB fast RAM
- 213MB 13ms IDE drive w/64K cache
- High throughput Super IDE Caching Controller. Reduces average disk seek time to 0.2ms
- Teac 1.2MB 5.25" & 1.44MB 3.5" drives
- 32-bit SVGA card w/1MB RAM. Up to 1280x1024 resolution & 65,536 colors
- 17" Award Winning Viewsonic 7 SVGA monitor. flat screen up to 1280 x 1024 resolution & 76Hz ultra high refresh rate
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0, Windows 3.1 & mouse
- Enhanced 101-key keyboard
- Desktop or mid-vertical case

486-DX2/50 \$3299

486-DX/50 \$3409

486-DX2/66 \$3559

Some of our most astute customers are buying today, upgrading tomorrow.

To maximize the useful life of their systems, our customers depend on us. No need for them to unplug an obsolete system. They're using the power they need today and, with their LODESTAR StarFlex Series, they'll be upgrading simply, painlessly. LODESTAR's unique StarFlex CPU sockets are built right into the system. Upgradable all the way from 386DX to 486SX or 486DX, at any clock speed.

They keep coming to us because most other "upgradable" systems require purchase of a special CPU module board. This causes some performance loss due to speed adjustment. And they couldn't rely on those vendors being there when they needed to upgrade. Nor could they rely on sky-rocketing prices. So they've been calling LODESTAR.

Now Our Customers Are Getting It All—Value, Features and Price.



How thousands of our customers are **BUYING DIRECT**

When they buy from us, they're buying directly from the factory. So they get more value with each purchase, and are always assured their system is backed directly by the people who assembled it.

NOW

**THESE PRICES
GUARANTEED
THROUGH
APRIL 30, 1993**

NOW \$1059

386-SX Workstation

386-SX/25

- 2MB RAM expandable to 32MB
- 85MB IDE hard drive w/cache
- 1:1 interleave 2H/2F IDE controller
- 1.2MB 5.25" & 1.44MB 3.5" floppy drives
- 16-bit 1024x768 SVGA card w/1MB RAM
- 14" 1024x768 0.28mm dot pitch SVGA color monitor
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0 & MS Windows 3.1
- Enhanced 101-key keyboard
- High resolution serial mouse
- Mini-vertical case

386-SX/33 \$1099

NOW \$1299

386-DX Workstation

386-DX/25

- 4MB RAM expandable to 32MB
- 130MB 15ms IDE hard drive w/64K cache
- 1:1 interleave 2H/2F IDE controller
- 1.2MB 5.25" & 1.44MB 3.5" floppy drives
- 16-bit 1024x768 SVGA card w/1MB RAM
- 14" 1024x768 non-interlaced 0.28mm dot pitch SVGA monitor
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0 & MS Windows 3.1
- Enhanced 101-key keyboard
- High resolution serial mouse
- Desktop or mini-vertical case

386-DX/33 \$1339

386-DX/40 \$1379

NOW \$1399

StarFlex 3/486C

386-DX/25

- CPU upgradable to 386DX, 486SX, 486DX, 486DX2. Up to 66MHz
- 64K ultrastatic write-back cache SRAM expandable to 256K
- 4MB fast RAM expandable to 32MB
- 130MB 15ms IDE drive w/64K cache
- 1.2MB 5.25" & 1.44MB 3.5" drives
- 1MB SVGA non-interlaced color card
- 14" 1024x768 non-interlaced 0.28mm dot pitch SVGA monitor VESA 72Hz flicker-free display
- 2 serial, 1 parallel & 1 game port
- MS DOS 5.0, Windows 3.1 & mouse
- Enhanced 101-key keyboard
- Desktop or mini-vertical case

386-DX/33 \$1429

386-DX/40 \$1459

486-DX/33 \$1639

486-DX2/50 \$1839

486-DX/50 \$1949

486-DX2/66 \$2099

Your Assurance of Complete Satisfaction

OUR RISK-FREE GUARANTEE

Look for your comprehensive, written guarantee when you take delivery of any LODESTAR system. This industry-acclaimed, FIVE WAY Personal Warranty proves our willingness to stand behind everything you buy from LODESTAR.

CALL FOR YOUR FREE COPY; we'll fax or mail it immediately. Use the LODESTAR FIVE-WAY GUARANTEE as your shopping guide; compare and question the others before ordering.

1-800-875-3818



GOVERNMENT, SCHOOL AND CORPORATE ORDERS WELCOME. TO RECEIVE YOUR FREE COPY OF OUR PRODUCT CATALOG, JUST CALL.

All specifications subject to change without notice. 2-Year Parts Warranty applies to advertised LodeStar systems only. Money Back Guarantee does not include shipping & handling, and all returns must be shipped pre-paid & in reasonable condition. Please call to confirm all warranty details. Photography is for illustration only. No surcharge on VISA, MasterCard & Discover. Purchase orders are accepted on approved credit. California orders add 8.25% sales tax. All product names, trademarks and registered trademarks are the property of their respective companies. © 1992 LodeStar Computer Corp.

Circle 204 on Inquiry Card.



We Won Again. And you enjoy the benefits.


In their latest survey of QUALITY CONTROL, proven by this nationwide provider of warranty services, LODESTAR again has earned their rating EXCELLENT.

SHIPMENT WITHIN 48 HOURS

Every system is individually pretested and burned-in for 72 hours prior to shipment.

We have the right system for you. If it's not already configured, we'll customize it.

Systems can be upgraded to include optional cache, RAM, more hard disk capacity, larger monitor and a host of other enhancements.



"YOU MADE US A LEADER."

18539 East Gale Avenue
City of Industry, California 91748
Telephone: 1-818-810-3818
Tech Support: 1-800-875-7569
Fax: 1-818-810-5928
Open Hours:
Mon-Fri: 7am-7pm (PST)
Sat: 9am-4pm (PST)

1 x 9^s CALL
70 NS **SIMMS**
4 x 9^s CALL
CALL FOR LATEST SIMM PRICES

SMM-SIPP MODULES									
50.00	4MB X 9-80NS SMM-PC	CALL	124	256K X 9-100NS SMM	CALL	256K X 9-100NS SIPP	CALL		
50.00	4MB X 9-70NS SMM	CALL	CALL	256K X 9-80NS SMM	CALL	256K X 9-80NS SIPP	CALL		
50.00	4MB X 9-60NS SMM	CALL	CALL	256K X 9-70NS SMM	CALL	256K X 9-70NS SIPP	CALL		
50.00	1MB X 9-80NS SIPP	CALL	CALL	256K X 9-60NS SMM	CALL	256K X 9-60NS SIPP	CALL		
50.00	1MB X 9-100NS X CHIP SMM	CALL	CALL	256K X 9-60NS SIPP	CALL	256 X 36 - 1MB	CALL		
50.00	1MB X 9-90NS X CHIP SMM	CALL	CALL	256 X 36 - 2MB	CALL	1 X 36 - 4MB	CALL		
50.00	1MB X 9-80NS X CHIP SMM	CALL	CALL	1MB X 8-70NS SMM	CALL	2 X 36 - 8MB	CALL		
50.00	1MB X 9-70NS X CHIP SMM	CALL	CALL	4MB X 8-70NS SMM	CALL	4 X 36 - 16MB	CALL		
50.00	1MB X 9-60NS X CHIP SMM	CALL	CALL	1MB X 9-100NS SIPP	CALL	8 X 36 - 32MB	CALL		
75.00	1MB X 9-60NS X CHIP SMM	CALL	CALL	1MB X 9-80NS SIPP	CALL	1MB X 40 - 80NS - 4MB SMM	CALL		
75.00	1MB X 9-53NS X CHIP SMM	CALL	CALL	1MB X 9-70NS SIPP	CALL	2MB X 40 - 80NS - 8MB SMM	CALL		
75.00	1MB X 9-40NS X CHIP SMM	CALL	CALL	1MB X 9-60NS SIPP	CALL				
50.00	16MB X 9-70NS SMM	CALL	CALL						
50.00	16MB X 9-60NS SMM	CALL	CALL						

LAPTOP & NOTEBOOK	
IBM LAPTOP SX	\$ 285
IBM MOD	150
IBM MOD	250
IBM 386 SUPPLEMENT	100
IBM 387-43105X	90
IBM MOD	200
IBM 286SX	110
PLEYD NOTEBOOK	110
IBM MOD	150
IBM MOD	150
IBM 386 5020 5020/10	210
IBM MOD	70
PLEYD PCKARD 15.1	110
PLEYD PCKARD 15.1	110
TRK MOD	82
IBM MOD	94
TRK 2X MOD	100
IBM MOD	245
IBM MOD	242
IBM 286SX	100
IBM MOD	105
IBM MOD	225
IBM 386 5020 5020/10	210
IBM MOD	90
IBM MOD	210
IBM MOD	90
IBM MOD	90

[illegible][illegible]

NIMATIC RAMS		CACHE	
25K X 1-80NS	1.80	64 K 8-15	8.00
25K X 1-70NS	1.60	32 K 8-15	6.00
25K X 1-60 NS	2.20	32 K 8-25	7.00
25K X 1-40NS	2.35	16 K 8-25	5.00
25K X 4-80NS	4.45	16 K 4-25	5.00
25K X 4-70NS	4.50	32 K 4-25	9.00
25K X 4-60NS	4.75	64 K 4-25	16.00
25K X 4-40NS		32 K 8-50	9.00
		64 K 8-50	16.00
21.00 ZIPP		64 K 1-35	40.00
21.00 ZIPP STAMP		128 K 8-25	40.00
21.00 ZIPP		256 K 8-25	80.00

FOR MEMORY PRODUCTS NOT LISTED, CALL FOR PRICES AND AVAILABILITY
PURCHASE ORDERS FROM GOVERNMENT AGENCIES - UNIVERSITIES - FORTUNE 2000 FIRMS - CALL 1-215-922-4650
NEVER A SURCHARGE ON CREDIT CARDS OPEN SATURDAY 10 - 6
ALL CREDIT CARDS ARE VERIFIED FOR FRAUDULANT USE.

TECHNICAL SUPPORT 1-215-922-4640 **ORDERS ONLY TOLL FREE 1-800-457-6937** **FAX 1-215-922-0116**
ALL CREDIT CARDS ARE VERIFIED FOR FRAUDULANT USE.

ORDER TOLL-FREE FROM ANYWHERE IN THE USA OR CANADA. CALL FOR CURRENT PRICES AND VOLUME DISCOUNTS. PRICES AND AVAILABILITY SUBJECT TO CHANGE. ORDER LINES OPEN 6 DAYS. MINIMUM ORDER \$50.00-USA SHIPPING & HANDLING AIR \$12.00-AIR OVERNIGHT \$18.00-COD ADD \$4.00-PA RESIDENTS ADD 7% SALES TAX-~~PREPARE~~ ORDERS CALL FOR CONFIRMATION-ALL RETURNS REQUIRE RMA# AND ORIGINAL INVOICE. CANCELLED ORDERS AND RETURNS FOR CREDIT SUBJECT TO 25% RESTOCKING CHARGE-RETURNED MERCHANDISE MUST BE IN NEW CONDITION AND RECEIVED WITHIN 14 DAYS FROM INVOICE DATE. SORRY, NO REFUNDS AFTER 14 DAYS. SHIPPING AND HANDLING CHARGES NOT REFUNDABLE-INTERNATIONAL ORDERS WELCOME-ADO-FPO ORDERS WELCOME P.O.'S ACCEPTED FROM GOVERNMENT AGENCIES-UNIVERSITIES/FORTUNE 2000 COMPANIES-SUBJECT TO APPROVAL. ALL MEMORY PRODUCTS ARE THIRD PARTY. ALL TRADEMARKS ARE THE PROPERTY OF THE RESPECTIVE OWNERS. * ALL WORLDWIDE TECHNOLOGY PRODUCTS ARE 100% GUARANTEED AND COME WITH LIFETIME WARRANTY EXCEPT 30 DAY WARRANTY ON CPU CHIPS AND 1 YEAR WARRANTY ON OTHER BOARDS *

WORLDWIDE TECHNOLOGIES **437 Chestnut Street, Philadelphia, PA 19106**
Customer Service 215-922-4640

Rack Mount Computers - Motherboard or Passive Backplane

Use external monitor
Up to 6 drives



8.75" high

Mono or color monitor
Up to 5 drives



8.75" high

14" color monitor
Up to 3 drives



12.25" high

Rack Mount Monitors

10" mono or color
monitor



8.75" high

14" mono or color
monitor



12.25" high

Enclosure for most
desk top monitors



14.0" high

Rack Mount Keyboards

Drawer mounted
keyboard



1.75" high

Drawer for desk top
keyboards



3.5" high

Vertical-mount, sealed
membrane keyboard



5.25" high

Rack Mount Printer

Dot matrix printer with
industrial rating



12.25" high

Call for our other Rack Mount computer
and "enclosure only" product offerings.

RECORTEC, INC.

1290 Lawrence Station Road, Sunnyvale CA 94089
Tel. [408] 734-1290 Fax: [408] 734-2140

1-800-729-7654

SmartCacheTM Plus: the grow-as-you-go approach to SCSI controllers

START WITH THE BEST...

DPT's entry level SmartCache Plus board offers unrivaled price/performance for single-user systems. It features ISA or EISA bus mastering, and universal SCSI disk compatibility for all PC operating systems. SmartDriver software supports SCSI-2 peripherals like tape and optical drives.

NOW ADD CACHING!

Get DPT's award-winning caching technology in a plug-in module! Move up to disk caching speed without investing in a new controller. With an integral 512K cache, the module provides up to 5X performance gains for workstations, power users, and small multiuser systems.

ADD MORE USERS, ADD MORE CACHE!

Plug in a 2 MB or 4 MB memory module and accommodate up to 18 users from a single card slot. Ideal for medium-sized networks or multiuser systems.

HOW ABOUT DISK MIRRORING?

DPT's SmartCache mirroring module provides 100% disk fault tolerance by simultaneously writing all data to a second "mirrored" drive. No more data loss or costly system down-time due to disk failures. And unlike software mirroring schemes, fault tolerance is achieved with no performance penalties.

PLUS STILL MORE CACHE, AND THEN SOME...


Cable over to DPT's 4 MB Cache Expansion Card, then grow your system to 16 MB by adding more plug-in memory modules—enough power for 64-plus users!

DPT has your solution—no matter how you grow. Performance, compatibility and upgradability make SmartCache Plus the only SCSI controller you'll ever need. For details, contact Distributed Processing Technology, 140 Candace Drive, Maitland, FL 32751. Phone (407) 830-5522; FAX (407) 260-5366.



Circle 195 on Inquiry Card (RESELLERS: 196)

Speed that Excels



The power, reliability and price of Kaiyo computers make them stand out among other leading computer systems. Thanks to the Local Bus VGA design, Kaiyo offers you the best performance, especially in the CAD and windows environments.

Rated by Chip Magazine of Germany as its January "Tip of the Month", Kaiyo enhances video performance by more than ten-times that of normal VGA display. In utilizing a full 32-bit CPU bus, Kaiyo's local bus design lets VGAs operate at the processor's clock speed. This versatile series includes a comprehensive range of PCs guaranteed to meet the needs of all your customers. It features up to 66 MHz 80486DX2 EISA bus microprocessors so they'll never be at a loss for computer power. Incorporating the most advanced

microprocessor technology, Kaiyo has among the smallest, yet most powerful compact desktop computers in the world.

But don't just take our word for it.

Over the years, our Group has established a strong base of over 190 active customers in 46 countries. We're particularly strong in Western Europe, especially Germany. And our sales in Eastern Europe have increased

by over 74% over the last year.

Team up with us— long-term business partner that support you every step of the way.

Visit us at:
HANNOVER FAIR/ CEBIT 93
Booth # 2, A18-D17
Mar. 24-31, 1993



"The Intel Logo is a trademark of Intel Corporation"

(All brand names are registered trademarks of their respective owner.)

Kaiyo

The Power in PCs



Ocean Office Automation Ltd.

Head Office: Ocean Office Automation Ltd.
4th & 5th Floor, Kader Industrial Building, 22 Kai Cheung Road, Kowloon Bay, Kowloon, Hong Kong.
Tel: (852) 3051800 Telex: 52289 OCCOM HX Fax: (852) 799 2398 (5 lines)

U.S.A. Office: Ocean Information Systems, Inc.
12155 Mora Dr. Suite 6, Santa Fe Springs, CA 90670, U.S.A.
Tel: (213) 946 5888 Fax: (213) 946 0929

For US Enquiry—Call Toll Free: 1-800-32-KAIYO (52496)

Circle 213 on Inquiry Card (RESELLERS: 214).

MEMORY ... YOU JUST CAN'T DO WITHOUT IT.

Picture this:

You bought a new software package. You try it out on your computer and soon find yourself working for hours on a sophisticated graphic design. While scrolling through your worksheet, it feels like you are moving through pudding. Your hard disk has a tough time trying to catch up. You then try to print, but the laser printer's buffer is full. You reset it, try again, and find that it spits out only part of your beautiful graphic....

No problem!

We'll take it from here. With our **JetRam™** line that supports the leading brands of laser printers and **PcRam™** line that upgrades your Notebook, Laptop or Desktop computers, Transcend can help solve your memory problems.

What you get from our memory upgrades

- Life time warranty on all our products
- Full memory lines support a variety of brand names of laser printers and PCs
- High quality at a reasonable price
- Easy-to-install

Office hours: 6:00 a.m. to 6:00 p.m. Mon. to Fri.

"You order in the morning, we will ship in the afternoon."



* All brand names are registered trademarks of their respective owners.



Transcend

*Your Supplier, Your Partner,
Your Friend.*


Transcend Information Inc.

104 Exchange Place,
Pomona, CA 91768 U.S.A.
TEL: (909) 598-5500
FAX: (909) 598-5050, (909) 598-6050

3Fl., No. 465, Chung Hsiao East Road,
Sec. 6, Taipei, Taiwan, R.O.C.
TEL: (886) 2-7881000
FAX: (886) 2-7881919, 7889191

Micro-International Inc.

since 1984, world-wide distribution of quality computer systems and components



Intel CPU	486X-25	486DX-33	486DX2-50	486DX-66
Monochrome	\$2,160	\$2,410	\$2,560	\$2,720
Color	\$3,060	\$3,310	\$3,460	\$3,620

Don't be misled by cheap, low-performance 486SLC designs. With the real Intel 486 power, this notebook computer is the only system you'll ever need in the office or on the road.

HCP Power Notebook Standard Features

- VGA graphics with CCFT backlit LCD screen
Mono – 32 gray scale
Color – 256 colors
- 4 MB RAM installed (16 MB capacity)
- 120 MB hard disk, 15 ms access time
- 1.44 MB floppy drive
- Nickel-cadmium quick-rechargeable battery
- Carrying case
- Built-in trackball (COLOR System Only)
- Serial mouse (MONO System Only)
- Licensed Microsoft Windows 3.1
- Licensed DR-DOS 6.0
- One parallel and two serial ports
- External VGA and keyboard connections
- External numeric keypad
- AC adapter/charger included

Optional Features

- | | | | |
|--|-------|---------------------------------|-------|
| ▪ Docking station with 2 x 16 bit slot | \$160 | ▪ Upgrade hard drive to 210 MB | \$200 |
| ▪ Auto cigarette adapter | \$ 40 | ▪ Upgrade hard drive to 450 MB | \$720 |
| ▪ Memory upgrade to 16 MB | \$380 | ▪ Additional battery | \$ 90 |
| ▪ Memory upgrade to 8 MB | \$160 | ▪ Battery charger | \$ 30 |
| ▪ Pocket fax modem (24/96) | \$130 | ▪ Additional AC adapter/charger | \$ 50 |

Micro-International, Inc.



10850 Seaboard Loop
Houston, Texas 77099



National Sales 800/967-5667 Houston 713/495-9096

Hours: 9:00 a.m. to 5:00 p.m. Monday-Friday (Central Time)

All systems and components include a one-year warranty and 30-day money-back guarantee.

Price reflects cash or credit card payment. Major corporation purchase orders accepted.



N45SL-120 meg, notebook	1995
N51SX-80 meg, notebook	CALL
ThinkPad 700-120	2750
ThinkPad 700C-120	4050
PS/2 9 57-160 meg	2370

Manager's Special

IBM ValuePoint 486 DX2/66, 212 MB	2450
IBM ValuePoint 486DX66, 212 MB, 8 RAM	2435

Notebook Memory

Compaq Contura 4/8MB	215/430
Toshiba T4400 4/8MB	235/460
AST Exec. 4MB	290
Texas Instruments TM4000 4MB	225

TOSHIBA NOTEBOOKS

Toshiba 1850, 80 meg	1895
Toshiba 4400c, 120 meg	3625
Toshiba 6400sc, 120 meg	CALL
Toshiba 3300sl, 80 meg	CALL
Toshiba 4500, 120 meg	CALL
Toshiba 4500C, 200 meg	CALL

Call for pricing on other brand name models

CD ROM/Multi Media

NEC CD ROM 36M	570
NEC CD ROM 74M	680
Sound Blaster Pro	205

BRAND NAMES

LOW PRICES LEADER SINCE 1983

We export to Europe, Asia

SPECIAL OF THE MONTH

Toshiba 1200XE, 40 MB	\$850
AST Premium 386/33	\$850
AST Premium II 486SX20, 4MB	\$950
AST Premium II 386/25, 2MB	\$895
MAC 2C 5MB/40MB	\$1500
Toshiba Printer 321SLC Color	\$390

AST

Power Exec 386SL/25, 60 meg	2185
Power Exec 386SL/25, 120 meg	2555
Power Exec 386SL/25C, 80 meg	3195
Power Exec 386SL/25C, 120 meg	3575
Power Exec 486SL25	CALL
Power Exec 486SL25C	CALL
Power Premium 4/50	2290
Power Premium 4/33	1995

(HARD DISK & MONITOR EXTRA)



ProLinea 3/25zs, 84 MB	909
ProLinea 4/25s, 240 MB	1595
Prolinea 4/50, 240 MB	2275
DESKPRO 3/25i, 120 MB	1695
DESKPRO 4/25is, 120 MB	1810
DESKPRO 4/66i, 210 MB	2675
DESKPRO 386/33M, 120 MB	2335
DESKPRO 486/33M, 340 MB	3520
DESKPRO 50M, 340 MB	3995
DESKPRO 66M, 510 MB	4730
Portable 486, 210 MB	CALL
Portable 486c (color), 210 MB	CALL
Contura 386SL/25, 120 MB	CALL
LTE Lite/25, 120 MB	CALL
LTE Lite/25c, (color), 120 MB	CALL
LTE Lite 4/25	CALL

SYSTEMPRO/LT

486/33, 1020 MB	7552
486DX2/50, 1020 MB	9350

*Call for other models - Monitor Extra *



NOVELL SPECIALS

Netware 386 V.3.11 Authorized Dealer

5 users	695
10 users	1395
20 users	1895
100 users	3795
250 users	CALL

WE STOCK SHARP NOTEBOOK TEXAS INSTRUMENTS

CITIZEN
OKIDATA
EPSON

HITACHI
TALLGRASS
ARCHIVE

NEC
ALR
WYSE

HOUSTON INSTRUMENTS
MICROSOFT
SUMMAGRAPHIC

INTEL
PC MOUSE
CALCOMP

ACS Computers

All systems include

Made
in
USA

- Intel CPU with 4 meg RAM
- Desktop or tower case
- 2 serial, 1 parallel, 1 game (joystick) ports
- 101 AT enhanced keyboard
- 1.2 (5.25") & 1.44 (3.5") TEAC floppy drives
- SVGA card w/1 meg & SVGA 0.28mm monitor
- MS DOS 5.0 (complete w/manuals)
- MS Windows 3.1 (complete w/manuals) & mouse

486/50 with 200 meg HD	2150
486/33 with 120 meg HD	1860
386/40 with 120 meg HD	1390
386SX/25 with 40 meg HD	950

One year limited warranty

LAN BOARDS

8 bit Arcnet	75
16 bit Arcnet	160
Novell NE 1000	160
Novell NE 2000	175
8 port Active Hub	325
Token Ring Card	399
Tokenhub 4-port	355

Call for other
LAN Accessories

SVGA Monitors

NEC 3FGX, 14"	665
NEC 4FG, 16"	825
Viewsonic 4E, 14"	365
Viewsonic 8, 17"	1785
Amazing, 14"	335

PRINTERS

Panasonic 2180	289
Panasonic 2624	390
OKIDATA ML320	315
OKIDATA ML390	460
HP DeskJet 500	399
HP DeskJet 550c	699
HP PaintJet	705
Epson, Citizen	CALL

HARD DISKS

CONNER	
CP30104 120 meg	CALL
CP3204F 220 meg	CALL
QUANTUM	
Pro Drive 120 meg	CALL
Pro Drive 240 meg	CALL
MAXTOR, SEAGATE	
MICROPOLIS, MICRONET	
CALL FOR ALL MODELS	

LASER PRINTERS

HP LaserJet IIISI	3595	OKI OL 400, 800	CALL
HP LaserJet IIID	CALL	OKI OL 840 P.S.	1720
HP LaserJet IV	1495	Panasonic 4450	1295
HP LaserJet IIIP	CALL	NEC Model 95	1395
HP LaserJet IIP Plus	CALL	NEC Model 97	CALL
HP Laser 4M	1995	Compaq Pagemarq 20	4295

Computerlane inc.

Corporate Accounts
Welcome

Call for Discounts
on Volume

And
Consultant Orders

Outside California: 1-800-526-3482

Inside California: 818-884-8644 • FAX: 818-884-8253

7500 Topanga Canyon Boulevard, Canoga Park, CA 91303

Hours: Monday - Friday 9-6, Saturday 10-5

Compaq is a Registered Trademark of Compaq. IBM is a Registered Trademark of International Business Machines.

ALL QUOTED
PRICES REFLECT
A 5% CASH DISCOUNT

Visa, MasterCard
and
American Express
also accepted



Prices subject to change without notice.
*Quantities are limited

CONTROL UP TO **96** PC FILE SERVERS WITH **1** KEYBOARD AND MONITOR USING... **COMMANDER**


by cybex



- **Select via Keyboard**
- **Dual access up to 250 feet away (optional)**
- **No external power**
- **Mix PC, PC/XT, PC/AT and PS/2**
- **"AutoBoot™" Feature boots attached computers without operator intervention**
- **Shows PC power status**



- **PS/2 Mouse support available**
- **Each unit accommodates from 2 to 8 PCs**
- **Up to 12 units can be cascaded**
- **Mounting kit available for 19" and 24" rack installation**



Dealer Program Available

Cybex Corporation

2800-H Bob Wallace Ave.
Huntsville, Alabama 35805

(205) 534-0011

Fax (205) 534-0010

PC, PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corp.

Ask for
your copy of
the ACP
Computer
Hotline

ACP-The Superstore with Super Deals!

CALL 1-800-FONE-ACP TOLL-FREE ORDERS

Hard Drives

Western Digital

High performance
Caviar series with 1"
height, Cache Flow™ and 32K buffer.
AC280 80Mb 1" 3.5" 14ms IDE Call
AC120 125Mb 1" 3.5" 14ms IDE Call
AC2200 200Mb 1" 3.5" 14ms IDE Call
AC2340 340Mb 1" 3.5" 14ms IDE Call

Maxtor

7080A 80Mb 1" 3.5" 15ms IDE Call
7120A 120Mb 1" 3.5" 15ms IDE Call
LX1213A213Mb 1" 3.5" 15ms IDE Call
MX1240 1.2Gb 1" 3.5" 15ms IDE Call
Panther 1.2Gb S-Call Panther 1.7Gb Call

Conner Peripherals

3010A 120Mb 3.5" 19ms IDE Call
320A 200Mb 3.5" 16ms IDE Call

Hard Drive Specials

Seagate 513283 289Mb IDE 499.95
Samsung 100Mb IDE 299.95
Seagate Wren 340Mb ESDI 599.95
Brand Tech 200Mb IDE 379.95
Call for Quantum, Micropolis, Seagate,
Controllers from Ultrastar, Always, WD etc.

Backups

Colorado
DJ10 120Mb Tape Drive Internal 199
DJ20 250Mb Tape Drive Internal 268
Trakker 120 Tape Backup 358
Trakker 250 Tape Backup 428
Syquest (with cartridge)
44Mb kit \$655, \$640, \$601 (16 bit) 419
44Mb external 499
88Mb kit \$651, \$610, \$580, \$501 (16 bit) 529
88Mb external 629

GrassRoots Floptical

Floptical 21 Mb (external) Call
Floptical 21 Mb (internal) Call

Floppy Disk Drives

Toshiba
ND04DG 360K 5.25" HH PC/XT 59
ND08DEG 1.2Mb 5.25" HH PC/AT 72
ND3561GR1 1.44Mb 3.5" HH w/AT Kit 72

ACP

1.2 Mb 5.25" 66 2.88Mb 3.5" Call
1.44Mb 3.5" 67 All in One 3.5/5.25 149
Compaq 1/3 hft. Floppy Call

MultiMedia

Creative Labs
Complete all-in-one MPC compatible
upgrade kit includes: Panasonic CD Drive,
Sound Blaster Pro, five CD's, Microsoft
MultiMedia Kit Int/Ext 539/599
Sound Blaster Reg/Pro/16 85/148/218

MediaVision

CDPC Subsystem (external) 998
Pro 16 MultiMedia System 968
Pro Audio Spectrum 16 194
NEW MediaVision Fusion CD ext. CD ROM
with Sound, Speaker and 4 CD's: Compton's
Carmen, Ultima, Wing Comm 429

Compton's Encyclopedia CD

Standard version 169
Interactive version, NEW! 249

CD ROM Special

Mitsumi MPC Compatible (Int) 188

Input Devices

Advanced Trackman Port 98
3-button Mouse 14.95
84/101 Keyb 48/58
Mouse/Windows 88 73
Logitech Ballpoint 98
Mouse/Windows 148 78
Mouseman 78
Trackman 78
Cordless Mouse 88

Video Graphics Cards

ATI
Graphics Ultra Pro w/1Mb/2Mb 428/518
Graphics Ultra+ w/1Mb/2Mb 288/328
Graphics Ultra 512K/1Mb 248/288
Graphics Vantage 512K/1Mb 188/218
VGA Wonder XL24 w/512K/1Mb 128/148
VGA Integra 83 VGA Basic 16 65

Diamond

SpeedSTAR Stealth w/1Mb 218
Speedstar 24X 24-Bit Color w/1Mb 165

Orchid

Fahrenheit 1280 w/1Mb 258

Paradise

Windows Accelerator w/1Mb 178

Advanced Cards

Mono/Color 38/48
EGA 48
VGA (800 x 600) 53
VGA (1024 x 768) 512K 68
VGA (1024 x 768) 1Mb 88

Chips and SIMM's

RAM Chips
41256-100 256K 100ns DIP 1.49 1.35
41256-80 256K 80ns DIP 1.59 1.49
41256-80 256Kx4 80ns DIP 4.79 4.59
1Mb-100 1Mb x 1 100ns DIP 4.05 3.95
1Mb-80 1Mb x 1 80ns DIP 4.49 4.39

Call for VIDEO RAMS & CACHE RAMS
Over 20,000,000 IC's in-stock including
We Specialize in 486DX/25 & 33 Upgrades

New Low Prices!

SIMM Memory Modules

1 x 9-70 (3-chip) 37 1 x 36-70 138
1 x 9-70 (9-chip) 39 2 x 36-70 288
4 x 9-70 129 4 x 36-70 538
1 x 8-70 (Mac) 36 8 x 8 (Mac) 324
4 x 8-80 (Mac) 124 16 x 8 (Mac) 408

Math Coprocessors

Intel Cyrix
8087 29 387SX (16-25) 73
80287-10 89 387DX (20-33) 88
80387SX (all) 78 387DX/40 108
80387DX (all) 85 80287 (all) 78
387SL 78 Overdrive 486DX/33 649
Rapid CAD 249 Overdrive 486SX/25 489

Memory Upgrades

Notebooks
Compaq Contura, 4Mb \$ 198
Compaq Lite, 4Mb 228
HP95LX Palmtop, 2Mb Call
IBM CL57SX, 4Mb 345
Everex Carrier, 2Mb 118
Toshiba T4400, 4Mb 188
Toshiba T6400, 4Mb 188
Zenith Z-note, 2Mb 168

Laser Printers-"O"K Boards

HP II/III/IIIP/IIIP+/II/IIID 49.95
Panasonic 4410/30 or 4420/10 69.95/49.95
Oki 400 49.95 Oki 800/20 59.95
Oki 830/40 79.95 IBM 4019/29 49.95
NEC 69.95 GMS 410 69.95

Computer Upgrades

AST Bravo 3/255, 8Mb \$ 318
IBM PS/2 90, 95, 2Mb 88
Dell 420/25/33/50SE, 4Mb 208
Call for NEC, HP, Zenith, Leading Edge.

Motherboards

Advanced
286 -12MHz 69.95
386SX -25MHz 119.95
386DX -40MHz 199.95
486SX -20MHz 199.95
486DX2 -50MHz 699.95
486DX2 -66MHz 999.95
486DX -50MHz Call

Micronics

ISA BUS
486DX/33 w/256K cache 799
486DX2/50 w/256K cache 999
ISA-VLBUS
486DX2/66 w/64K cache 1399
486DX2/50 w/64K cache 1049
MVC4000LB/1Mb Video Adapter 199
EISA BUS
486DX2/33 w/256K cache 1099
486DX2/50 w/256K cache 1449

Now Shipping!

PICEON

A Dynatech Company

Memory Upgrades

COMPAG PROLINER
Mod 4/33.50 4Mb 158
Mod 3/25 SC.25 2Mb 89
Call for other models.....

COMPAG LTE, Lite, Contura*

2400/9600 w/SPW 169
9600/9600 w/SPW 439
144/9600 w/SPW 529

TOSHIBA* Notebooks*

2400/9600 w/SPW 169
9600/9600 w/SPW 439
144/9600 w/SPW 549
*Cellular ready.

PC6881C SHARP*

Color 386SL/20 Notebook

• Only 4.9 LBS.!

• 2Mb RAM

• 80Mb HD

\$3199⁹⁵

also NEW!

6785 w/80Mb \$ 1799.95

Advanced Computers

• with AMD High Performance CPU's
• plus SEIKO Trinitron Monitors

...all Advanced Systems include:

• OPTI or ACC Chipsets • 1 Year Warranty
• AMI BIOS • Enhanced 101 Keyboard • IDE Interface
• Free Accounting Software

Advanced Computers

486/33 Complete Color System

Includes
• 486DX/33
• w/256K Cache
• 4 Mb RAM
• 512K VGA Card
• 105 Mb HardDrive
• 1.44 Mb Floppy Disk
• IDE Controller
• 101 Keyboard
• 14" SVGA .28
• Color Monitor
ACP's Sale Price
\$1499

Call for additional configurations... Local Bus,
386SX, 486DX/50 and Seiko Trinitron Monitors

386DX/25 & 100Mb HD Desktop System

2Mb RAM • 100Mb HD • 64K Cache
3.5/5.25 Dual Floppies • SVGA/512K
Mouse • DOS 5.0 • Windows 3.1 • Works

Unreal Deal at ACP !!!

\$799

Hi-speed CD-ROM

Toshiba 2200

FREE Lotus 1-2-3 CD
with purchase. 200ms
ACCESS w/adaptor.

386SX/20 Notebook

40 Mb Hard Drive
1 Mb RAM • VGA LCD

\$799



Call ACP for Notebooks...

AST • COMPAQ

MITAC • TOSHIBA

BELOW COST!

286/12

80286 • 3.5" Floppy • 1 Mb • 101 Keyboard

\$269

IBM OS/2

Special Purchase...

04G1049 OS/2 Extended
w/server, List 1995 ACP 1159

04G1051 OS/2 Lanserver
List 795 ACP 429

04G1091 OS/2 Ext. Admin.
Kit, List 165 ACP 97

10G 5999 OS/2 2.0 Upgrade
List 149 ACP 79

All 4 for only \$499!

Software Sale...up to 90% Off!

100's of Titles! Now only 99¢!

CompuServe 9.95 Coinbase 9.95

Life & Death 9.95 Computer Comic 9.95

Desert Storm 9.95 Complete Craps 9.95

Personal Biz Base 9.95 Pro Football Analyst 9.95

Slickbear 9.95 Hide Window Analyst 9.95

Dvorak on Typing 9.95 30 Min. Negotiator 9.95

Bible Trivia 9.95 Retirement Planner 9.95

Call for a complete list...



Intel®

Satisfaction

Model 100 48 FAX/24 Modem 88

Model 200 96 FAX/24 Modem 288

Model 400 144 FAX/144 Modem 388



TOSHIBA* Notebooks

T1850 386SX-25/80Mb 1899

T1850C Color/80Mb 2835

T4400SX 486SX-25/80Mb 2299

PC Windows Accelerator

Increases Performance!

Diamond

Computer Systems, Inc.

Speed Star 24X

...make your 386 perform like a 486

• Windows Accelerator

• 15X faster than SVGA

• 1Mb RAM

• WD90C31 Chip

• 5 Year Warranty

• 24 bit color for

16.7 million colors

\$165

ACP only

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

16.7 million colors

Hayes

New! OPTIMA® 24+ FAX 96

Now you can get a 2400bps V.24bis

data modem plus a 9600 bps FAX

with Hayes superior performance

and compatibility. All at a great

price. Also includes SmartCom Ez

and SmartCom FAX software.

OPTIMA® 24 + FAX 96 \$ 148

OPTIMA® 96 + FAX 96 368

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

OPTIMA® 144 + FAX 144 475

Advanced Computer Products, Inc.

1310 E. Edinger, Santa Ana, CA 92705 • FAX 714-558-8849 • Toll-Free 1-800-FONE ACP • Sales 714-558-8813

Prices subject to change without notice. No surcharge on credit card. Credit cards not charged until we ship. 100% risk free return guarantee! If you are not 100% satisfied just return insured within 15 days complete with all materials in new resalable condition with original invoice. ACP will immediately exchange product or issue ACP credit less shipping for future purchase. No Returns on software Special Purchase

1310 E. Edinger, Santa Ana, CA 92705 • FAX 714-558-8849 • Toll-Free 1-800-FONE ACP • Sales 714-

TRAVEL LIGHT, TRAVEL NEAT, TRAVEL SMART...

ABC BICOM B260i



- Weight less than 1 kg
- PCMCIA 2.0 Interface
- 60 Mb Hard Disk
- 2 Mb RAM
- No adapters needed



- Weight 2.2 lbs. (Bicom and Battery)
- Dimension 8.78" x 6.36" x 1.22"
- True 16 bit AMD Lonestar Processor, 386SX Class Performance
- 5 "AA" size NiMH Batteries
- 60 MB Hard Disk Drive
- 2MB RAM expandable to 4MB on board and 16MB with memory card
- PCMCIA 2.0/JEIDA standard port for memory card and I/O card
 - 640 x 400 resolution LCD screen supports CGA, AT&T mode and all Windows graphics
 - 64-key keyboard
 - 1 parallel (bi-directional)/ 1 serial
 - External FDD port for optional Floppy Drive
 - DR-DOS 6.0, File Transfer Software & Serial Download Cable
- Built-in Personal Data Manager software
- Built-in Programmable Power Management Software
- Universal AC/DC adaptor
- Carrying Case

Options: External Floppy Drive, SRAM Memory Cards, 9624 IC Card Fax/Modem, Mini-trackball, External Keyboard, extra batteries.

ABC COMPUTERS®

1-800-336-2280

ABC Computer (USA) Corp.
2531 237th Street, Suite 122, Torrance CA 90505
310-325-4005 Fax 310-325-6369



**NOW ONLY
\$795**

30-Day Money Back Guarantee

All brand names are registered trademarks of their respective owners.

Circle 188 on Inquiry Card (RESELLERS: 189).

If You're Only Using Windows For Work, It's Time You Sought Professional Help.

MICROPROSE HAS THE REMEDY.

Spreadsheets. Multi-tasking. Sales forecasts. It's enough to drive a Windows user to the laughing academy.

MicroProse has one clear response to the nightmare of work! FUN!

For 10 years, we've relieved computer owners of workday grief with spine-tingling software. We created *F-15 Strike Eagle*, a flight simulation of America's most powerful jet fighter. *Civilization*, a strategy game that lets you build an empire. And *Darklands*, where you can lead a band of adventurers through 15th century Germany.

Now MicroProse is prescribing this same high dosage of fun for Windows users. And it all starts with *The MicroProse Entertainment Pack Vol. #1*.

MICRO PROSE
ENTERTAINMENT • SOFTWARE
SERIOUSLY FUN SOFTWARE


© 1992 MicroProse Software, Inc. ALL RIGHTS RESERVED.

SOMEBODY CALL A DOCTOR!

Our first offering for the Windows environment is the endlessly engaging *Dr. Floyd's Desktop Toys*.

Load this package onto your Windows and the wacky Dr. Floyd (whose good looks grace this ad) will escort you through six wonderfully addictive games. Games like Snark Hunt, Web Spinners, Cryptograms. And KYE. All designed to transport your thoughts far away from the daily grind of work.

So take your shoulder off the wheel and look for these MicroProse games arriving soon at your favorite software retailer. And open your Windows to a whole new world of fun.



To get our free catalog, call **1-800-879-PLAY**.
(Mon.-Fri., 8:30 am-5:00 pm EST.)

Or fill out the coupon and mail it to: MicroProse Software, Inc.
180 Lakefront Drive • Dept. D-10 • Hunt Valley, MD 21030-2245

Name _____

Address _____

City _____ State _____ Zip _____

NAI

MEMORY !! MEMORY !! MEMORY !!

ACER 486sx - 16MB SIMM (4M X 36)	\$ 529.00
32MB SIMM (8M X 36)	\$ 1,599.00
AMI EZ-FLEX - 64MB KIT (4 SIMMS)	\$ 2,799.00
AMIGA 2000 - 16MB SIMM	\$ 469.00
AST BRAVO 486LC - 16MB SIMM	\$ 469.00
COMPAQ SystemPro - 32MB MODULE	\$ 1,199.00
DELL 486's - 16MB KIT (2 SIMMS)	\$ 538.00
32MB KIT (2 SIMMS)	\$ 1,088.00
MAC IIfx - 16MB SIMM	\$ 479.00
MAC QUADRA 950 - 16MB SIMM	\$ 469.00
MAC IIfx, IIfx, IIfx, QUADRA 900 - 16MB SIMM	\$ 469.00
MAC QUADRA 700 & SE/30 - 16MB SIMM	\$ 529.00
NeXT TURBO - 16MB SIMM	\$ 469.00
SUN IPX,ELC - 16MB SIMM	\$ 499.00
SUN SPARC SERVER - 256MB KIT	CALL

OTHER MEMORIES AVAILABLE...

IBM

PS/1 - 2MB	\$ 68
4MB	\$ 149
M30 - 2MB	\$ 79
M50Z,55sx,65sx,70 - 1MB	\$ 45
2MB	\$ 79
M55sx,65sx,70 - 4MB	\$ 135
M70-A21,A61,121 - 2MB	\$ 79
M40sx,35sx - 8MB	\$ 269
M57sx,90,95 - 4MB	\$ 135
8MB	\$ 269
M80-041 - 1MB	\$ 65
M80-111,121,311 - 2MB	\$ 99
M80-A21,A31 - 4MB	\$ 180
16-BIT OK Exp Board	\$ 128
32-BIT OK Exp Board	\$ 128

AST

PREM. 386/20C - 1MB KIT	\$ 65
PREM. 386/25 - 1MB	\$ 45
PREM. 486/25 - 1MB	\$ 45
PREM. II 486 - 1MB	\$ 41
4MB	\$ 139
8MB KIT	\$ 278
PREM. II 1MB Exp Board	\$ 469

COMPAQ

DP 386/20,20E,25 - 1MB	\$ 66
4MB	\$ 159
DP 386S/16 - 1MB	\$ 66
4MB	\$ 159
DP 286N,386N,S/20 - 4MB	\$ 135
M-SYSTEMS - 2MB	\$ 79
4MB	\$ 135
8MB	\$ 299
DP 386/33,486/25 - 2MB	\$ 96
SystemPro - 8MB	\$ 269
OK Exp Brd	\$ 335
DP 386S/16 1MB Exp Brd	\$ 105
DP 386/20,20E,25,25E	
1MB Exp. Board	\$ 105

DELL

325D,P;333D,P - 1MB	\$ 41
4MB	\$ 135
420,425,433 - 2MB KIT	\$ 82
4MB KIT	\$ 158
8MB KIT	\$ 270
450DE,450SE - 2MB KIT	\$ 82
4MB KIT	\$ 158
8MB KIT	\$ 270

HP

Vectra QS-16 - 2MB KIT	\$ 129
4MB KIT	\$ 229
Vectra 486 - 2MB	\$ 79
4MB	\$ 135
8MB	\$ 269
X-Station 700 Ser. - 2MB	\$ 89
4MB	\$ 149
8MB	\$ 299
9000/400t,425t - 8MB KIT	\$ 495
16MB KIT	\$ 999
32MB KIT	\$ 1869
9000/425e - 8MB KIT	\$ 428
16MB KIT	\$ 828

APPLE

II,SE,SE/30 - 1MB	\$ 32
Classic - 1MB Exp. Board	\$ 54
SE/30,IIfx,IIfx,IIfx,LC &	
Quad. 700,900 - 4MB	\$ 115
Quad. 700,900 - 32MB KIT	\$ 1120
IIfx - 16MB KIT	\$ 499
IIfx - 32MB KIT	\$ 1156
Quadra 256K V-RAM	\$ 27
LC 512K V-RAM	\$ 44

LAPTOPS

AST EXEC. NB - 4MB	\$ 119
COMPAQ LTE386 - 4MB	\$ 209
SLT386 - 4MB	\$ 168
DELL 316,320 LT - 2MB	\$ 99
EVEREX TEMPO - 2MB	\$ 78
IBM L40sx - 4MB	\$ 135
MAC POWERBOOK - 2MB	\$ 104
NEC P.S. 286,386sx - 4MB	\$ 200
P.S. 386 - 8MB	\$ 429
P.S. SX/20 - 4MB	\$ 200
PANASONIC CF170 - 1MB	\$ 55
T.I. TRVL-MT 3000 - 2MB	\$ 80
TOSHIBA 1000 - 2MB	\$ 108
2000SX - 8MB	\$ 388
3200SXC - 4MB	\$ 160
5200 - 8MB	\$ 315

PRINTERS

EPSON 6000 - 4MB	\$ 229
HP IIP,IIIP,P - 2MB	\$ 108
IIfx - 4MB	\$ 135
IBM 4019,4029e - 3.5MB	\$ 129
4029 - 4MB	\$ 135
OKIDATA 400 - 2MB	\$ 129

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

OTHER MEMORIES FOR:

ACER, ALTIMA, APPLE, AST, CHAPLET, COMPAQ, DELL, EPSON, EVEREX, HP, LEADING EDGE, IBM, NEC, NCR, OKIDATA, PACKARD-BELL, PANASONIC, PHILIP, SAMPO, SHARP, SILICON GRAPHICS, SUN MICROSYSTEMS, TANDON, TI, TOSHIBA, TULIP AND ZENITH.


CALL FOR OUR COMPLETE CATALOG

TERMS: C.O.D. CASH, VISA OR MASTERCARD.
COMPANY AND UNIVERSITY P.O.'S ACCEPTED UPON CREDIT APPROVAL.

414 CLOVERLEAF DR., UNIT B, BALDWIN PARK, CA 91706
TEL. (818)855-5688 FAX (818)855-5687



Become a legend before your own time.




What becomes a legend most? Find out for yourself as you pilot the legendary **B-17 Flying Fortress** and lead a 10-man crew through the same flak-infested skies that menaced the legendary flyboys of the *Memphis Belle*.

The most complete and accurate bomber simulation ever produced, the **B-17 Flying Fortress** will have you negotiating 25 perilous daylight missions over Nazi-occupied Europe.

You'll allocate crew members to their specific tasks. You'll devastate strategic targets in dangerous bombing runs. You'll take control of crew positions from pilot to bombardier. And you'll even customize your own Flying Fortress with historically accurate nose art.

So pick up your copy of **B-17 Flying Fortress** today. And experience a flight simulation of legendary proportions.



Actual screens may vary.

MICRO PROSE™
ENTERTAINMENT • SOFTWARE

For IBM PC compatibles!

For more information about exciting MicroProse products, call **1-800-879-PLAY**

© 1992 MicroProse Software, Inc. ALL RIGHTS RESERVED.

MEMORY AND MORE...

30 day
Money Back Guarantee
Buy with confidence!

First Source International
"The Only Source for Computer Upgrades"

Personal Computer Memory

IBM	
PS/1 286, 386SX	
2MB 92F9935	\$79
4MB 92F9694	\$149
PS/1 Consultant, Essential & Expert models x43, x44 & PS/Valuepoint all models except Cxx series	
4MB PW 1A	\$59
16MB PW 1A	\$579
PS/1 Consultant, Essential & Expert models x76	
16MB KII	\$579
PS/2 25/286, 30/286, & memory adapter 1497259	
2MB KII	\$89
PS/2 355X, 15, 40SX, 50Z, 55SX, 15, 65SX, 15, 70, & XStation	
1MB 6450605 or 90X8624	\$49
2MB 6450604 or 90X8625	\$79
PS/2 70-A21; A61; B21; B61, PS/1 Consultant, Essential & Expert models x11, x13 & x14, PS/Valuepoint Cxx series	
2MB 6450608	\$79
PS/2 355X, 15, 40SX, 55SX, 15, 65SX, 15, XStation, PS/Valuepoint Cxx series & adapter board 34F3011 or 34F3077	
4MB 34F2935 or 34F3977	\$149
PS/2 355X, 15, 40SX, PS/Valuepoint Cxx series	
8MB 6450129	\$309
PS/2 90 XP, 95 XP, P75 (pairs), 56, 57 (all), PS/1 Pro 2125	
2MB 6450902	\$89
PS/2 90, 95 XP, P75 (pairs), 56, 57 (all), PS/1 Consultant, Essential, Expert x11, x13 & x14, PS/1 Pro 2125, NS/6000	
4MB 6450128	\$149
8MB 6450130	\$309
Expansion boards for 50, 50Z, 55SX, 60, 65SX	
2-8MB W/2MB 1497259	\$269
Expansion boards for all models 70 & 80	
2-14MB W/2MB 34F3077	\$329
Compaq	
Proline 3/25; 3/25S	
2MB 141738-001	\$89
8MB 141742-001	\$289
Proline 4/25; 4/35, 4/50	
1MB 141682-001	\$89
4MB 141684-001	\$159
8MB 141685-001	\$309
DeskPro 386-20, 20e & 25	
4MB 115132-001	\$169
DeskPro 386s/16	
4MB 112534-001	\$169
DeskPro 286N; 386N; 1 Series; 386SX/20; 20N; Portable 486; M Series expansion boards; SystemPro LT Series	
1MB 118688-001	\$49
2MB 118689-001	\$79
4MB 118690-001	\$149
8MB 118691-001	\$309
DeskPro 386-33, 486-33 & SystemPro	
2MB 115144-001	\$99
4MB 116561-001	\$289
DeskPro 386N, 486N, SystemPro LT (32-Bit Exp. board)	
2-64MB W/2M 129160-001	\$359
DeskPro 386/33L, 486/33L, SystemPro	
6 Socket Brd w/2MB 116569 + 115144-001	\$389
DELL	
Power Desktop 3250 & P, 3330 & P, 433P, 486P & 486D	
1MB 310-2505	\$59
4MB 310-2507	\$149
PowerLine Workstation 420; 25; 35; 50; 450DE/2 & 4660E	
2MB 310-2466	\$99
4MB 310-2467	\$179
8MB 310-2468	\$319
16MB 310-2469	\$629

Zenith	
Z-300/400 Series Z-420/SX, Z-425/SX, Z-433/DX, Z-433/SX	
4MB ME-100	\$159
16MB ME-90	\$599
Z-Server 425SE, 433DE, 450DE	
4MB ME-432	\$179
8MB ME-102	\$319
16MB ME-442	\$629
32MB ME-92	\$1199
Z-Station 325SX, 420SEH; SX; SX, 425SX, 433DEH; 50, 50KEN	
4MB ME-70	\$49
4MB ME-100	\$149
Zenith Z-386/20, 25; 35 & 35E	
4MB Z43000H	\$49
4MB Z43000H	\$149
Zenith Z-386/20, 286LP+, Z-1S	
2MB KII	\$99
Zenith 486/33ET, 25E	
4MB Z44200H	\$109
16MB Z44200H	\$619
AST	
Bravo 386-SX, WS/286, 386	
2MB 500510-002	\$89
4MB 500510-008	\$179
Bravo 3/25S	
2MB 500710-004	\$99
8MB 500824-002	\$319
Bravo 3/35S	
2MB 500962-001	\$75
8MB 500962-002	\$379
Bravo LC 4/25S, 4/35, 4/35S, 4/50D, 4/66D	
4MB 500987-002	\$159
8MB 500987-003	\$259
16MB 500987-004	\$499
32MB 500987-005	\$999
Premium 386/25; 33; 33T, Premium II 386SX/16; 20; 25	
1MB W/WPB 500780-005; 002	\$59
Bravo 4/33, 486/25; Premium 4/25; 33TE, Server SE 4/33	
2MB W/WPB 500718-004; 780-005	\$119
Power Premium 3/35, 4/33, 4/35S, 4/50D, 4/66D, Premium 386/33TE, 486/25, 25E, 33E, 33T, 33TE, Premium II 3/25, 35, 486/33, 486SX/20 & Server SE 4/33	
4MB 500780-004	\$159
8MB 500780-001	\$319
Hewlett-Packard	
Vectra 386/16N, 386/20N, 386/25N PC	
2MB D2406A	\$99
8MB D2406A	\$519
Vectra 486/PC, 25T; 33T; 486/20; 486/25N; 33T; 50N; 66N	
2MB D2581A	\$89
8MB D2581A	\$309
4MB D2515A or D2516A	\$169
Vectra 386/25; 486/25N; 486/33U; 486/50U; 486/66U	
2MB D2581A	\$89
8MB D2581A	\$309
Vectra 486/25N; 486/33H; 486/50N; 486/66N	
16MB D2676A	\$599
NEC	
PowerMate 286/12; SX/16 & SX/20	
2MB KII OP-410-8105	\$99
PowerMate SX/20	
2MB CPU Upgrade OP-410-8101	\$189
2MB Exp. Board OP-410-8102-8103	\$209
PowerMate 386/33E & 486/25E	
2MB OP-410-5101	\$199
DEC	
DECstation 3 series SX; C; Plus; & 425c	
2MB PC4XN-CB	\$99
DECpc 400ST series	
4MB PCTAM-CC	\$189
8MB PCTAM-CD	\$299
We stock memory for most discontinued systems!	

Kingston TECHNOLOGY CORPORATION

386 & 486 Processor Upgrades for your system!

Now you can use Windows in enhanced mode, get true multitasking & background operation for Windows 3.1, OS/2, & other 386 specific software. Processor upgrades offer dramatically increased system performance & easy installation & improves your systems performance by up to 350%.

CPU Upgrades (CPU socket)

From 286 to 386SX

25MHz SX/Now!	\$269
33MHz SX/Now!	\$299
Add a math coprocessor for	
.....	\$75

From 386 to 486

25MHz 486SX/Now!	\$429
33MHz 486DX/Now!	\$769

MicroMaster Upgrades (expansion slot)

From 286 & 386 to 486

25MHz 486SX MicroMaster	\$829
33MHz 486DX MicroMaster	\$1299

MicroMaster with 32-bit 70ns Memory

25MHz 486SX with 4MB	\$999
with 8MB	\$1179
with 16MB	\$1519
33MHz 486DX with 4MB	\$1439
with 8MB	\$1619
with 16MB	\$1959

Megahertz CORPORATION

Laptop & Notebook FAX/Modems

for AST, Compaq, IBM, Sharp, TI, Toshiba, Zenith and many other Laptop & Notebook Systems.

Megahertz modems include:

- Send & Receive Fax capability
- Easy installation with illustrated user's guide
- Software included
- Free technical support
- Full 5-year warranty
- Hayes compatible

PCMCIA 2.0 FAX/Modems with XJACK

14,000bps FAX/Modem, Cellular, Autosync	\$Call
24/9600bps FAX/Modem	\$Call
Internal FAX/Modems w/MNP-5 & V.42/V.42bis	
14,000bps FAX/Modem, Cellular, Autosync	\$549
96/9600bps FAX/Modem	\$499
24/9600bps FAX/Modem	\$229
2400bps Modem	\$149
External Pocket Modems for any RS-232 Serial Port	
14,000bps FAX/Modem, Cellular, Autosync	\$399
9600bps FAX/Modem	\$359
24/9600bps FAX/Modem	\$189

Laser Memory

Compaq PAGERAM 15 & 20	
8MB 126361-001	\$329
16MB 126361-001	\$649
Hewlett-Packard LaserJet II, IIi, & XL500	
4MB C2065A	\$149
8MB C2066A	\$299
Hewlett-Packard LaserJet IIP, II, IIIP, IIID	
2MB 354758	\$85
4MB 354778	\$159
Hewlett-Packard LaserJet II & IID	
2MB 354449	\$99
4MB 354458	\$159
Hewlett-Packard DeskJet 500, 500C	
256K 227078	\$59
IBM Laser 4029 All Models	
4MB 1183335	\$129
Canon LBP-4, 4Lite, 4Plus	
1MB 561-2230	\$119
2MB N/A	\$169
Canon LBP-III & IIIi Plus	
2MB 563-2350	\$249
3MB 563-2360	\$299
Panasonic 4410 & 4430	
2MB KX-P441	\$119
4MB N/A	\$189
Panasonic 44501 & 4420	
2MB KX-P441	\$109
4MB N/A	\$179
Okidata 400	
1MB 7004701	\$79
2MB N/A	\$99
Texas Instruments MicroLaser & XL	
1MB 255579-0001	\$49
Epson EP1 6000	
2MB 185401	\$99
4MB N/A	\$169
Epson ActionLaser II, EPL-8000	
2MB N/A	\$169
4MB N/A	\$259

Laptop & Notebook Memory

AST		Texas Instruments	
PowerExec 3/25SL, 3/25SL-C		TravelMate 2000	1MB \$79
4MB	\$179	TravelMate 3000, WinSX	2MB \$79
16MB	\$1299	TravelMate 4000	4MB \$219
Premium Exec 386SX/25, 25C		Toshiba	
1MB	\$69	T1000SE/LE/XE; 2000; 2000SX/SK;	2MB \$85
4MB	\$129	T2200 & T1800 Satellite Series	4MB \$169
Compaq			8MB \$299
Contura 3/20, 3/25 & 25c		T1200XE, 1600, & 3100E	2MB \$85
4MB	\$189	T3100SX, 3200SX, & SKC Portables	2MB \$85
8MB	\$329		4MB \$149
LTE 286		TS200	3MB \$149
2MB	\$99	TS300SL Notebook	2MB \$119
4MB	\$199		4MB \$179
LTE 386/20		T4400 & T6400, SX, SKC Notebook	2MB \$129
4MB	\$199		4MB \$189
LTE Lite 20; 25; 25c			8MB \$349
2MB	\$159		2MB \$89
4MB	\$219	TS100	2MB \$92
SLT 286		TS200; TS200C & T8500	8MB \$299
1MB	\$99		
4MB	\$279	Zenith	
SLT 386/20		Z-Note Notebook (all models)	2MB \$159
1MB	\$89		8MB \$499
4MB	\$199	Z-Sport 325S	2-6MB \$159
IBM		Z-Sport 420S & 425S	4MB \$189
ThinkPad 300		MastersPort 386SX, SLc, SLE	2MB \$99
2MB	\$159	MastersPort 386SX	2MB \$109
8MB	\$459	SupersPort SX; 286; SlimsPort	2MB \$159
PS/2 CL57SX & ThinkPad 700; 700C		SupersPort 286; SlimsPort	4MB \$279
4MB	\$349	Grid	
8MB	\$669	1450SX	2MB \$149
NS1 Notebook (All)		Magnavox or Packard Bell	
2MB	\$179	286 & 386SX Notebook	4MB \$179
4MB	\$249	Sharp	
8MB	\$359	PC-6220 Notebook	1MB \$109
NEC		Sanyo or Zeos	
UltraLite & Cellular Workstation 286F		Everex	
1MB	\$159	Tempo LX Notebook	2MB \$79
4MB	\$369	Tempo Carrier Notebook	2MB \$119
UltraLite & Cellular Workstation SK/20			
2MB	\$179		
4MB	\$399		
UltraLite III, SL/25C			
2MB	\$149		
4MB	\$249		
UltraLite SL/20, SL/20P			
2MB	\$149		
ProSpeed 286, 386SX/16			
1MB	\$109		
4MB	\$209		
ProSpeed 386			
2MB	\$149		
Panasonic			
CF-170, CF-270, CF-370			
1MB	\$54		

You Can Rely on Ralin For all Your PC System Upgrades!

MODEM UPGRADES

Zoom Telephonics

All Zoom modems are backed by a 7-year warranty and are made in the USA.



2400 bps w/ v.42bis and MNP 2-5	(AMC) (AMX)	internal external	\$ 49.00 \$ 65.00
2400 bps w/ v.42bis and MNP 2-5 9600 send & 4800 receive Fax	(AFC) (AFX)	internal external	\$ 59.95 \$ 79.95
9600 bps modem w/ v.32, v.42bis, MNP2-5	(VP-V32) (VX-V32)	internal external	\$199.00 \$199.00
14,400 bps modem w/ v.32bis, v.32, v.42bis, MNP 2-5 and 9600 bps send/receive Fax	(VFP-V32bis*) (VFX-V32bis*)	internal external	\$229.00 \$269.00
2400 bps modem w/.42 bis and MNP 2-5, 9600 bps send and 4800 bps receive Fax	PKT Pocket/Fax Modem		\$ 99.00

*WINFAX software option available for \$15 if purchased with VFP-V32bis or VFX-V32bis modem.

Call a corporate sales expert today and find out how Ralin can maximize your purchasing dollars by upgrading your existing computer equipment.

Ralin stocks: • Motherboards • SIMM Memory • Controllers • Printers • Monitors
Hard Drives • MPC Products • Computer Cases • Keyboards and much more

CALL 1-800-752-9512

Ralin Policies

- Prices and availability subject to change.
- Purchase orders are accepted, subject to approval.
- We do not charge your card until order is processed.

- Incomplete returns are subject to a service charge.
- All returns other than exchanged items incur a 10% re-stocking fee.

To insure your shipment arrives when you need it, Ralin uses only the most reputable modes of transportation available:



WE ACCEPT:



WHOLESALE, INC.

P.O. Box 450, Orchard Park, NY 14127

Hours: 8:00 am to 6:00 pm Mon-Fri



Customer Service: 716-674-6267

Fax: 716-674-2108

CALL FOR
A CATALOG
TODAY



LOCAL PRINTER SHARING



LCX-1000 1Mb \$595
4 serial I/O, 57,600 bps
2 parallel in, 2 parallel out

LC-512Kb \$495
4 serial I/O, 19,200 bps
2 parallel in, 2 parallel out
Many New Features!

LC Jr.-256Kb \$239
Up to 115,200 bps
4 serial in, 1 parallel out

LC-41PAS \$90
Smart-switch
4 in / 1 out, all parallel
Requires no power supply

SPPS \$60
Up to 115,200 bps
Serial / Parallel Converter
Requires no power supply

PB-42PP-256Kb \$250
4 in / 2 out, all parallel
Upgradable to 4Mb

Logical Connection, Inc.
4660 Portland Road NE #108
Salem, OR 97305-1697

Customer Support:
(503) 390-9375
FAX: (503) 390-9372

800-238-9415

CAD AT THE SPEED OF THOUGHT.

PLAIN TALK ABOUT YOUR NEED FOR SPEED

AND THE DIFFERENCE BETWEEN ISA, EISA AND VL-BUS



FAST:
ISA transfers data up to 3MB/second on an 8 bit wide databus




FASTER:
EISA offers 32MB/second transfer rates on a 16 bit wide databus



FASTEST:
NAGA's VL-Bus™ system is capable of transferring raw data on a 32 bit wide databus at the rate of 132MB/second

SYSTEM BOTTLENECKS CAUSE LENGTHY REDRAWS

Redraws take a long time because data displayed on your monitor is bottlenecked. The databus, peripherals and CPU aren't operating on the same bandwidth—the number of bits able to pass through the system's narrowest bottleneck—causing delays.



You've looked at a zillion ads. It seems like everyone's selling the same thing. You want the fastest 486 or 386 available at the lowest price. And now, everyone's talking ISA, EISA and VL-Bus™. And how much more speed you need.

CAD, IMAGING OR GRAPHIC DESIGNERS: WORK 50 TIMES FASTER AND SMARTER.

For CAD, imaging or graphic design users, VL-Bus' speed advantages are incredible! Without all the wasted time spent waiting for screen redraws, you'll work up to 50 times faster—and smarter.

VESA® VL-Bus, transparent to operating systems and software, is truly the new standard of performance—which more than 120 manufacturers of systems, chipsets and peripheral boards have adopted for their most powerful products.

NAGA'S QUALITY COMMITMENT TO YOU

- 2-Year Warranty on ALL Components
- Lifetime 800 Number for Service & Support
- FREE! 12-Month On-Site Service Contract**
- Next-Day Replacement Part Warranty
- 45-Day Money-Back Satisfaction Guarantee—No Questions Asked
- 24-Hour BBS Technical Support



FREE! OVER A \$1,200 VALUE CAD SOFTWARE SOLUTION WITH ANY CAD VL SYSTEM!

- Autodesk Generic CADD 6.0: PC Magazine's Editors' Choice CAD package for superior 2D CAD design, layouts and drawings.
- Silver Screen 2.2: a true 3D CAD and solid modeling software solution.
- AutoPack Tutor for AutoCAD: an interactive tutorial for beginning and advanced AutoCAD ver. 11 or 12 users.

CAD ELITE SOLUTION 486-EISA/VL

- Intel 80486 Processor (Integrated Math Coprocessor)
- 8MB RAM (exp. to 256MB)
- 256K RAM Cache (exp. to 512K)
- 210MB <15 ms IDE Hard Disk
- Teac L2 & L44 Floppy Drive
- 32 Bit VL/IDE I/O Controller
- 32 Bit VL-Bus 2MB
- 20" Flat N/I SVGA (1280x1024)
- 101 Enhanced Keyboard
- Vertical Case with 250W Power & 2nd Fan
- CalComp 12x12 Digitizer
- CAD SOFTWARE BUNDLE

486DX-33 MHz **\$3,695**
486DX-50 MHz **\$3,795**
486DX-66 MHz **\$3,995**

CAD SOLUTION 486-VL

- Intel 80486 Processor (Integrated Math Coprocessor)
- 8MB RAM (exp. to 32MB)
- 64K RAM Cache (exp. to 256K)
- 210MB <15 ms IDE Hard Disk
- Teac L2 & L44 Floppy Drive
- 32 Bit VL/IDE I/O Controller
- 32 Bit VL-Bus 2MB
- 15" Flat N/I SVGA (1280x1024) (For 17" monitor, add \$500)
- 101 Enhanced Keyboard
- Vertical Case with 250W Power & 2nd Fan
- CalComp 12x12 Digitizer
- CAD SOFTWARE BUNDLE

486DX-33 MHz **\$2,695**
486DX-50 MHz **\$2,795**
486DX-66 MHz **\$2,995**

ORDER TODAY TOLL FREE
1-800-568-6242

Fax orders: 602/820-3153
Direct & international line:
602/820-3294

Hours 7am to 7pm Mon-Fri,
9 a.m. to 4 p.m. Sat. & Sun., MST

Purchase orders accepted from
Fortune 1,000 Companies & Universities.
Commercial leasing available.



MasterCard, Visa, Discover, American Express and COB

Circle 215 on Inquiry Card (RESELLERS: 216).

*Commercial leasing based on 39% purchase option plus applicable sales tax. Leasing not available in certain states. Lease programs available for businesses less than two years.
**12-month on-site service may not be available in certain remote locations. Intel is a trademark of Intel Corporation. Other brand names are trademarks of their respective companies.
Prices, configurations and components vendors subject to change without notice. Prices do not include shipping or applicable sales tax. AutoCAD is a registered trademark of Autodesk.



1520 West Mineral Road
Tempe, AZ 85283

1 - 8 0 0 - 5 6 8 - 6 2 4 2



Serving you since 1979

JDR Microdevices®

2233 Samaritan Drive, San Jose, CA 95124

BUY WITH CONFIDENCE FROM JDR!

- 30-DAY MONEY BACK GUARANTEE
- 1 YEAR WARRANTY
- TOLL-FREE TECH SUPPORT



UPRIGHT CASE

\$99⁹⁵

- Mounts 3 floppy and 4 hard drives
- Accommodates std. & mini motherboards
- 2 digit LED display

CASE-100A \$99.95

CASE-200A Super Deluxe Upright \$349.95

PS-250TW 250W p. supply \$129.95

PS-300TW 300W p. supply \$149.95

CASE-130 Mid-upright case \$99.95

CASE-120 \$199.95

Mini-upright case w/200W power supply



POWER SUPPLIES

- U/L approved
- 110/220VAC, 50/60Hz

PS-150 8088 150 watt \$69.95

PS-200X 8088 200 watt \$89.95

PS-200 286/386/486 200 watt \$89.95

PS-300 286/386/486 300 watt \$149.95



ENHANCED KEYBOARD

\$49⁹⁵



BTC-5339 101/102-key enhanced layout \$49.95

NON-INTERLACED 1024 x 768 MONITOR

NEW LOWER PRICE!

VGA-MON-1024N .28 dot pitch \$379.95

VGA-MON-17N 1024x768 17" NI, 0.26mm \$999.00

VGA-PKG-1024N Non-interlaced Super VGA pkg \$469.95

VGA-PKG-1024+ 1024x768 interlaced VGA pkg. \$449.95

VGA-PKG 640x480 .39mm dot pitch VGA pkg. .. \$299.95

2400 BAUD MODEM

\$49⁹⁵

- Internal data modem
- Hayes compatible
- Config. as COM1-COM2

MCT-241 \$49.95



14,400 BPS INTERNAL FAX/MODEM

- 14,400/12,000/9600/7200/4800/2400/300
- Hayes AT set, V.42bis/V.42/V.32, Group III fax comp.

VIVA-1441F \$229.95

VIVA-144EF 14,400 baud external version \$299.95

VIVA-96E 9600 baud external modem only \$269.95

FAX/MODEM/PHONE SWITCH

- Save phone line charges!
- Supports fax, modem, phone and answering machine from 1 phone line

FAXM-SWITCH \$89.95

FAX-SWITCH Without modem connection \$59.95



PORTABLE IC TESTER

- Tests the following 14 to 20-pin devices: 74 series TTL, 40 & 45 series CMOS & 41/44 series DRAM up to 1Mb
- Identifies unknown part numbers

MOD-HIC \$149.95



WIRE-WRAP PROTOTYPE CARDS

JDR-PR2 8-bit with I/O decode layout \$29.95

JDR-PR10 16-bit with I/O decode layout \$34.95

SOLDERLESS PROTOTYPE CARDS

PDS-601 8-bit breadboard-on-a-card w/I/O decode \$79.95

PDS-611 16-bit version \$89.95

NOW ORDER
24 HOURS
A DAY!

800-538-5000

Toll-free Fax Ordering
800-538-5005

Local **408-559-1200**
BBS **408-559-0253**

MOTHERBOARDS

MODULAR CIRCUIT TECHNOLOGY

25MHZ 386SX

\$199⁹⁵

NEW LOWER PRICE!



- 25MHz Intel 80386SX CPU
- Expandable to 16Mb on-board
- Uses 256K, 1M or 4M x 9 80ns SIMMs (OK installed)
- Six 16-bit and two 8-bit slots

MCT-M386SX-25 \$199.95

MCT-M486-50E 50MHz EISA w/cache \$1195.00

MCT-M486-50 50MHz cache 486 \$999.00

MCT-M486-33 33MHz cache 486 \$799.00

MCT-M486SX-25 25MHz cache 486SX \$399.95

MCT-C386-40 40MHz cache 386 \$379.95

MCT-C386-33 33MHz cache 386 \$349.95

MCT-M286-16 16MHz 286 \$149.95

MCT-M286-12 12MHz 286 \$129.95

16-BIT VGA CARD

\$49⁹⁵

- 8/16-bit 8088 and 286/386/486 compatible
- 640 x 480 in 16 colors
- 320 x 200 in 256 colors
- 256Kb video RAM

MCT-VGA-1000 \$49.95

MCT-VGA-4000 1024x768, 1Mb DRAM \$129.95

MCT-VGA-5000 Windows Accelerator \$149.95

SPEEDSTAR-24X 24-bit color, 1280x1024 \$199.95

STEALTH-VRAM Windows accel., 1280x1024 \$249.95



3-BUTTON MOUSE

NEW LOWER PRICE! \$14⁹⁵

- Accuracy 290 -1450 DPI
- Opto-mechanical design
- Windows 3.1 compatible

JDR-MOUSE-3 \$14.95

MOUSE-PAD \$4.95



POST CODE DISPLAY CARD

- 286/386/486 compatible
- Displays power on self-test code
- Works when software won't even boot

PCODE \$49.95



EPROM PROGRAMMER

\$199⁹⁵

- Programs devices up to 512K bits, plus 27C100, 27C101, 27C301, 27C1000, 27C1001, 27C2001, 27C4001 and more
- Includes dedicated 8-bit 8088 and 286/386/486 PC compatible card
- ZIF socket accepts 0.6"W DIP IC's to 32 pins

MOD-MEP-1A \$199.95

MOD-MEP-4A As above with 4 ZIF sockets \$269.95

MOD-EMUP Universal programmer/tester \$699.00



EPROM ERASER

\$39⁹⁵

- Quickly and simultaneously erases up to 4 standard EPROMs

DATERASE II \$39.95



CONNER

120Mb DRIVE PACKAGE \$299

NEW LOWER PRICE!

- CP-30104 120Mb, 19ms IDE hard drive, 16-bit floppy/hard disk controller, cables and instructions

MDKIT80 \$299.00



IDE HARD DRIVES

PART #	BRAND	CAP.	SPD.	TYPE	PRICE
CP-3000	Conner	42Mb	28ms	3.5" IDE	\$159
ST-351A	Seagate	42Mb	28ms	3.5" IDE	\$169
CP-30084	Conner	84Mb	19ms	3.5" IDE	\$239
ST-3096A	Seagate	88Mb	16ms	3.5" IDE	\$259
CP-30104	Conner	120Mb	19ms	3.5" IDE	\$279
ST-3144A	Seagate	131Mb	16ms	3.5" IDE	\$319
CP-30204	Conner	212Mb	12ms	3.5" IDE	\$429

FLOPPY DRIVES

FDD-1.44A 1.44Mb, 3.5", Beige . \$79.95

FDD-1.44X 1.44Mb, 3.5", Black . \$79.95

FDD-1.2 1.2Mb, 5.25", Beige \$89.95

FDD-360 360Kb, 5.25", Black \$89.95

FDD-2.88A 2.88Mb 3.5" drive, Beige \$149.95

FD-505 5.25" & 3.5" combo drive, Beige \$149.95



MULTI I/O CARD WITH IDE FLOPPY/HARD CONTROL

\$69⁹⁵

- 16-bit 286/386/486 compatible
- Supports 2 IDE hard drives & 2 floppy drives (360Kb-1.44Mb)
- 2 serial, 1 parallel & 1 game port

MCT-IDEIO \$69.95

MCT-IDEIO+ As above w/16550 compatibility \$99.95

MCT-IDEFH 16-bit IDE hard/floppy controller \$29.95

MCT-CIDEFH 16-bit IDE CACHE controller \$169.95

MCT-IDE-8 8-bit IDE controller \$79.95

MCT-FDC-HD 1.44Mb floppy controller \$49.95

MCT-FDC-HD4 1.44Mb floppy controller (4 drives) \$59.95

MCT-FDC-ID 2.88Mb intelligent floppy controller \$79.95

MCT-AIO Serial/parallel/game port card \$49.95

MCT-AIO+ Two NS16550 serial/par/game port \$89.95

GATEKEEPER PC security card \$49.95

RAMPAT+ 8/16-bit 16Mb RAM card (w/OKb). \$139.95

SOUNDBLASTPRO 8-bit MIDI sound board \$199.95



DYNAMIC RAM

PART #	SIZE	SPEED	TYPE	PRICE
41256-80	256K x 1	80ns	DIP	1.69
414256-80	256K x 4	80ns	DIP	5.49
1MB-80	1M x 1	80ns	DIP	4.99
1MB-60	1M x 1	60ns	DIP	5.49
41256A98-80	256K x 9	80ns	SIMM	14.95
41256A98-60	256K x 9	60ns	SIMM	16.95
421000A98-80	1M x 9	80ns	SIMM	39.95
421000A98-60	1M x 9	60ns	SIMM	45.95
424000A98-80	4M x 9	80ns	SIMM	149.95
424000A98-60	4M x 9	60ns	SIMM	159.95

MATH CO-PROCESSORS intel

PART #	SPEED	PRICE	PART #	SPEED	PRICE
8087-2	8MHz	129.95	80387-SXP	≤ 25MHz	79.95
8087	5MHz	89.95	80387-DXP	≤ 33MHz	89.95
80287-XL	12MHz	89.95	80487-SX	≤ 25MHz	389.95

CALL FOR YOUR FREE JDR CATALOG TODAY!

FOR PC'S, SOFTWARE, MONITORS, DISK DRIVES, KEYBOARDS, MODEMS, CABLES, CONNECTORS, ICS, COMPONENTS, PROGRAMMERS, TEST EQUIPMENT, TOOLS & MORE!



TERMS: For shipping & handling include \$5.00 for ground & \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices, Inc. Modular Circuit Technology is a trademark of JDR Microdevices, Inc. Copyright 1993 JDR MICRODEVICES.

KEY CODE 1039

ATTENTION
DEALERS &
VOLUME
BUYERS
SAVE \$\$\$

ANNUAL MULTI-MILLION SPRING CLEANING SALE

SPECIAL!
NCR
FAX PAPER
& BANKING
SUPPLIES

We Carry

ALPS

BASF brother.
Canon

CENTRONICS

CITIZEN

CREATIVE LABS INC.

CURTIS Dataproducts

Dysart

EPSON EXABYTE

FACIT FUJITSU

GRAHAM MAGNETICS

GENICOM

HEWLETT PACKARD IBM

I-OMEGA KYOCERA

3M M. TALLY

maxell MICROSOFT

Nashua NEC

OCLI OKIDATA

olivetti OLYMPIA

OTC PACIFIC DATA

Panasonic

Polaroid QMS

Qume RICOH

Seagate

SEIKOSHIA CORONA

SONY. star

SYQUEST TDK

TEAC. Tektronix

TEXAS INSTRUMENTS TOSHIBA

TRIPLITE

Verbatim WANG

and many more
OEM supplies!

DISKETTES

DESCRIPTION	TDK	BASF	MAXELL	3M
5 1/4" DS/DD	\$ 2.75	3.35	3.55	3.75
5 1/4" DS/HD	4.95	5.35	5.65	5.95
3 1/2" DS/DD	4.35	5.35	5.65	5.85
3 1/2" DS/HD	6.95	8.55	8.75	9.35

FORMATTED

BULK DISKS

5 1/4" DS/DD	\$ 0.20
5 1/4" DS/HD	0.29
3 1/2" DS/DD	0.34
3 1/2" DS/HD	0.53

(Above Inc. Sleeves & Tabs)

DATA CARTRIDGES

DESCRIPTION	3M	MAXELL	DYSAN
DC-2120	\$ 13.95	12.95	11.95
DC-6150	14.95	13.95	12.95
DC-6250	20.95	17.95	16.95
DC-6525	24.95	21.95	19.95

STREAMER CASSETTES

MAXELL		TEAC	
CS-600 HD	\$ 11.25	60 MB	CT-600H.. \$ 11.75
CS-600XD	12.25	150 MB	CT-600N.. 16.75
CS-600SX	19.25	600 MB	CT-600F.. 23.75

4 MM & 8 MM CARTRIDGES

DESCRIPTION	TDK	SONY	EXABYTE
4MM 60 Meter	\$ 6.75	8.95	—
4MM 90 Meter	8.75	10.95	Call
8MM 112 Meter	6.75	10.25	12.25

OPTICAL DISKS

DESCRIPTION	MAXELL	BASF	SONY
3 1/2" 512/128MB	\$ 36.00	37.00	39.00
5 1/4" 512/600MB	76.00	83.00	89.00
5 1/4" 1024/650MB	76.00	83.00	89.00

CASH FLOW PROBLEMS?

- ARE YOU OVER-STOCKED?
- DO YOU HAVE SLOW MOVING INVENTORY?
- DO YOU EVER COME UPON A PEP PERIOD WITH TOO MUCH STOCK?

CALL ME WHEN A SPIFF/PROMOTION IS BEING OFFERED. I WILL BUY THOSE EXCESS INVENTORIES, HELP YOU INCREASE YOUR SPIFF DOLLARS, WHILE YOU OBTAIN THOSE BIG PEP CHECKS! WE ARE NOT MR. ROSS PEROT ... BUT WE HAVE PLENTY OF CASH TO HELP YOU!

RICOH

TONER 6000 +	\$ 12.95
TONER 80 PLUS	27.95
TONER 150 PLUS	27.95
OPC KIT 80	96.95
OPC KIT 81	96.95
OPC KIT 150	93.95

KYOCERA

TONER	\$ 25.00
DEVELOPER	106.00
DRUM	111.00
FUSER	156.00

DIGITAL

LN03X-AC TONER KIT	\$ 28.75
LN03X-AD OPC KIT	101.75
TK-50 TAPE CARTRIDGE	16.75
TK-70 TAPE CARTRIDGE	26.75
TK-85 TAPE CARTRIDGE	27.75
RA60-P DISK PACK	550.00

Dec Ribbons & other supplies
Please call for the lowest prices.

IOMEGA

3.5" FLOPTICAL DISK 21 MB	\$ 17.00
OPTICAL DISKS 512/1024	194.00
44 MB GOLD BERNOULLI CART	83.00
90 MB GOLD BERNOULLI CART	124.00

SyQUEST (5-year warranty)

10MB DISK CARTRIDGE	\$ 114.00
44MB DISK CARTRIDGE	62.00
88MB DISK CARTRIDGE	93.00

CANON

BC-01 INK CARTRIDGE	\$ 15.95
BJI-481 INK CARTRIDGE	10.95
BJI-642 INK CARTRIDGE	14.95
BJ-10e PRINTER	249.00
BJ-20 PRINTER	369.00
BJ-300 PRINTER	439.00
BJ-330 PRINTER	559.00

KODAK

MICRO/THERMAL FILMS

MICROFILM P/N 8161218	\$ 199.00
MICROFILM P/N 1298546	55.00
THERMAL FILM P/N 3597630	17.00

(For other Microfilming products please call with the P/N)

GENIUS

CLIX MOUSE ES	\$ 13.50
GM-D321 W/9-PIN	19.50
GS-4500 GENISCAN w/CAT OCR	100.00

(For other MICE & SCANNERS please call for the lowest prices.)

HARD DRIVES

BRAND	80MB	120MB	200MB
CONNER	\$ 209.00	279.00	379.00
MAXTOR	189.00	279.00	369.00
SEAGATE	189.00	269.00	349.00
W.D.	199.00	279.00	359.00

FLOPPY DRIVES

BRAND	1.2MB	1.44MB
CHINON	\$ 47.00	43.00
EPSON	44.00	41.00
MITSUMI	45.00	42.00
TEAC	49.00	44.00

FAX/MODEM

2400 INTERNAL W/MNP SOFTWARE	\$ 33.00
2400 EXTERNAL W/MNP SOFTWARE	54.00
9600 SEND/4800 REC.INT. FAX	47.00
9600 SEND/REC. FAX POCKET MODEM	99.00

MOTHER BOARDS

386-33SX MOTHER BOARD	\$ 114.00
386-33DX 64K CACHE MB	179.00
486-33DX 256K CACHE MB	589.00
486-50DX 256K CACHE MB	799.00

MULTI MEDIA

SONY INT., SCSI CONTROLLER	\$ 299.00
MULTI MEDIA KIT W/CD ROM	549.00
SOUND BLASTER CARD	95.00
SOUND BLASTER PRO	189.00
NEC CDR 84 INTERNAL	519.00

VIDEO GRAPHIC CARDS

ATI GRAPHICS ULTRA PRO W/2MB	\$ 489.00
ATI VGA WONDER XL W/1MB	129.00
SOUND BLASTER VANTAGE W/1MB	209.00
ATI GRAPHICS ULTRA W/1MB	299.00
ORCHID FAHRENHEIT 1280 W/1MB	259.00

HEWLETT PACKARD

INK JETS	TRANSPARENCY/PAPER
HP51604A	\$ 7.65
HP51606A	19.65
HP51606C	22.65
HP51625A	22.65
HP51626A	20.65
HP51630Z	14.95
HP51630S	42.95
HP51636G	36.95
HP51626K	46.95
HP17703T	34.95

LASER TONERS

HP92275A	\$ 54.95
HP92285A	69.95
HP92291A	96.95
HP92295A	68.95
HP92298A	89.95
HP92151H	4.25
HP92155A	12.25
HP92155L	13.95
HP92156S	8.45
HP92154B	109.00

We carry a complete line of HP Products
Please call for the lowest prices.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL LOGOS ARE THE PROPERTY OF THEIR RESPECTIVE COMPANIES.

P.O.S./ATM SUPPLIES

RIBBONS, ROLLERS AND OTHER CHECK PROCESSING SUPPLIES FOR OMRON, IBM, ICL, TEC, DIEBOLD, EPSON, SWEDA AND NCR. (TO QUOTE PRICES, WE NEED P/N)



5575 Magnatron Blvd., Suite G
San Diego, CA 92111 USA

TEL: 619-278-2600
FAX: 619-278-2780

TLX: 15779
ANS: STARTECH

Order your **FREE ON-DISK CATALOG**

Just fill out this form and Mail it to:

STARTECH INTERNATIONAL

5575 Magnatron Blvd., Suite G
San Diego, CA 92111 USA

NAME: _____

ADDRESS: _____

CITY: _____ STATE: _____

ZIP CODE: _____ COUNTRY: _____

TEL: () _____

FAX: () _____

SSD-2HD Intelligent Solid-State Disk

1.44MB max. FLASH/EPROM Disk w/auto-boot

1.44MB max. SRAM Disk w/battery backup

Auto-sense installed FLASH/EPROM /SRAM memory types

Auto-configure Solid State Disk Drive

Software protection key(PARAKEY) designed to protect a specified software application from unauthorized use.



ACI

1-800-886-ACI-3

U.S.A.

TEL:617-938-8020
FAX:617-938-8037

International

TEL:886-2-7690128(Taiwan)
FAX:886-2-7602154

Circle 376 on Inquiry Card (RESELLERS: 377).

WINDOWS™ ACCELERATOR

HIGH SPEED, BATTERY BACKED RAM DISK

• Ideal for disk intensive application such as Windows, CAD and Imaging

• Replaces a hard disk in PC/AT™

• Expandable Memory
2MB-96MB DRAM SIMMs

• Memory mapped to I/O space, not memory space

• RAM Disk access time
<2 microseconds (170 ns)

• Autoboot option available



TURBODISC



Computer Modules, Inc.
2350A Walsh Ave.
Santa Clara, CA 95051
Tel: (408) 496-1881
Fax: (408) 496-1886

Circle 333 on Inquiry Card.

Experience the Power

Parallel Processing

For the professional, student or hobbyist who wants to come up to speed with parallel processing. All kits include one or more 20-MHz 32-bit transputer processors, each with 1MB of DRAM • Occam2, C, and assembler • examples and demos • complete set of manuals • schematics. Requires IBM-compatible PC.

4 Processors: \$1,284 1 Processor: \$396

The Transputer Education Kit is outstanding. You would be hard pressed to find as valuable and inexpensive a tool.

R. Eckhouse, IEEE Computer, Sept. 92, page 97

Computer System Architects

15 N.100 E., #100
Provo, Utah 84606

☎ 800-753-4CSA
or 801-374-2300
FAX 801-374-2306

VISA • MasterCard
American Express



Circle 334 on Inquiry Card.

SCSI • IDE • FLOPPY

HOST BUS ADAPTER/CONTROLLER

STANDARD FEATURES

- Drivers for Fixed, Optical and Removable Drives
- Internal and External SCSI Connectors
- SCSI and IDE Cables
- On-Board Diagnostics
- Complete Documentation
- Lifetime Warranty
- 30 Day Return Policy
- Made in the USA

\$150.00

(16-Bit HBA / Cnttl)

SUPPORTS

- Up to 7 SCSI Devices
- Up to 2 IDE Drives
- Up to 4 Floppy Drives
- 7 ROM Addresses
- 2 I/O Addresses

OPTIONS


- CD ROM & UNIX Drivers
- ASPI Manager
- 3rd & 4th Floppy Driver

\$175.00

(16-Bit HBA / Cnttl w/ Option Pkg.)

CONTROL CONCEPTS INC.

(703) 876-6444 • (703) 876-6416 Fax



Government, Educational and Corporate Discounts Available
Dealer Inquiries Welcome



Circle 390 on Inquiry Card.

Your GUI Accelerator will be obsolete...
when you upgrade to a Multi-tasking OS!



An intelligent graphics coprocessor is required to maintain high GUI performance in multi-tasking environments like UNIX, OS/2 and NT.

- 1280 x 1024 x 256 colors
- 100K Xstones Performance
- SCO, USL, AIX, SunSoft
- ISA, EISA, MCA

MICROFIELD GRAPHICS, INC.

OEMs choice since 1984!

800-334-4922 or 503-626-9393

fax: 503-641-9333

9825 SW Sunshine Ct. Beaverton, OR 97005

Starting at \$895.

Circle 344 on Inquiry Card.

Direct Stepper Drive from PC

- No external DC supply or translators required
- Free 2D/3D interpolation software
- Free HPGL converter

SA703 \$199

Drives two 1/2 amp motors

SA704 \$599

Drives two motors up to 6 amps

SA703

SA704

Call (613) 359-1029

FAX (613) 359-1147



P.O. Box 188, ELGIN, Ontario,
CANADA K0G 1E0

STRADA
AUTOTECH INC.

Portable Bar Code Readers



TimeWand® I DuraWand® TimeWand II

Data collection is fast, easy, and extremely accurate when using Videx portable bar code readers. Cordless operation, compact size, and light weight allow you to take the wands wherever the work needs to be done. Call Videx today for your free information kit: 503-758-0521. Prices starting at:



TimeWand I \$298
DuraWand \$495
TimeWand II \$698

1105 NE Circle Blvd., Corvallis, OR 97330-4285
503-758-0521 • FAX 503-752-5285

TimeWand, DuraWand, and Videx are registered trademarks of Videx, Inc. GCO355

Circle 365 on Inquiry Card.

PC/AT Four Port Com. Coprocessor

GMM Sync4/CCP™

- High Performance 16 MHz 16 bit CPU.
- 80X86 code compatible.
- 4 Sync/Async Ports (2 Serial Ports with Full Duplex DMA).
- Uses Zilog 85C30, 85230 SCC chip.
- 512K Dual Ported Ram (STD).
- 1, 2, or 4 MEG Dual Port Ram - optional).
- 8k, 16k, 32k, 64k Window Size (Programmable).
- 8 Software Selectable and Shareable Interrupts.
- RS232/RS422/RS485
- Source Code Debugger Kit Available.



GMM Products Are All Made in USA.
PC/AT Dual Port Com. Coprocessor
also available
GMM Sync2/CCP™

GMM
GMM Research Corporation

Other PC/AT & PS/2 8530 based products available.
Extremely competitive pricing.
(714)752-9447 Fax (714)752-7335
18092 Sky Park South - Unit E, Irvine CA 92714

Circle 341 on Inquiry Card.

Light-Speed Serial Communications

PCSS-8FX Intelligent Serial Coprocessor

- Better than 1Mbyte/second transfer rate.
- No load on Host Processor!
- I/O Mapped - No host memory used.
- NEW - Supports DMA transfer.
- Faster than Dual Ported Memory!
- Looks like IBM Uart with Huge QUEUE!
- 8 ports per card. RS-232, 422, 485.



**ORDER
TOLL-FREE
800-282-4835**

GTEK INC.


GTEK, INC. • DEVELOPMENT HARDWARE & SOFTWARE • P.O. Box 2310
Bay St. Louis, MS 39521-2310 USA • Mississippi & Technical Support 601-467-8048
Fax: 601-467-0935 • OEM & Dealer Inquiries Welcomed!

Circle 342 on Inquiry Card.

Access your old PC's disks from your new PC

Introducing: InfiniStor!

InfiniStor™ from Infinicon™ makes your old PC's disk drives appear to be internal to your newer PC. What's more, those disks will perform almost as fast as if they were mounted inside. InfiniStor consists of a pair of half-size add-in cards (one for your old PC and one for your new one), a thin 12 ft. cable (which can be increased to 50 feet or more), and easy-to-use software which takes less than 10 minutes to install.



InfiniStor Add-In Cards and Cable

And you'll get **Super PC-Kwik™** disk caching software (to speed things up even more) and **Stacker™** file compression software (to double the size of your old PC's hard disk), both bundled **FREE** with InfiniStor.

Only \$129.95 (introductory offer)

Warning! InfiniStor is not a network product, and as such Infinicon cannot promise that you will encounter the typical network software installation difficulties. Furthermore, you won't have to deal with the usual cabling problems, and you won't have to become a master of complexity.

InfiniStor uses only 4K bytes of memory, appears transparent when in use, and is compatible with all your favorite software (including Microsoft Windows™ and computer networks). And if you're not totally satisfied, just return it within 30 days for a complete refund on the purchase price.

For info or to order, call toll-free:

(800) 374-3880

VISA • MasterCard • AMEX

Or: **(801) 374-8880**

Fax: **(801) 370-3880**

INFINICON • 15 North 100 East, Suite 106 • Provo, UT 84606

Circle 389 on Inquiry Card.

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, TTI and Intel voice and fax hardware. Supports up to 24 voice lines and up to 8 fax lines.

**Hardware + Software
4 voice lines package starts at \$950**

Tel: (818) 368-6132 Fax: (818) 368-7859

SigmaTech Software

24 hours demo lines: 818-368-4566 or 818-368-8848
10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Auto-Attendant
- Unlimited Audiotex
- Voice Mail
- Call Processing
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Party/Chat lines
- Talking Yellow pages

Circle 380 on Inquiry Card (RESELLERS: 381).

Multi-Line Voice Mail Plus...

FAX ON DEMAND!

**FAX ON DEMAND • VOICE MAIL
CALL PROCESSING • TELEMARKETING**

VOICE PLUS gives you professional VOICE MAIL & AUTO TRANSFER while it pounds out Fax'd Hard Copy non-stop 24-hours a day. Give it to them - NOW! Complete Package with Hardware and FAX Software. 2 year warranty. Requires PC/AT/386/486.

For Sales and Information Call:
1-800-685-4884
510-522-380 • FAX: 510-522-5556

VOICE PLUS only \$695
Basic Voice Mail from \$295

(Developer/CEM package specials)
(VISA-MC-AMEX-COD)

TALKING TECHNOLOGY, INC.
1125 Atlantic Ave., Alameda, CA 94501

Circle 359 on Inquiry Card.

AT Systems in ROM



Run DOS in ROM

Develop code on a PC. Use 'C' and standard PC tools. Burn DOS and .exe code in ROM. Run disk-less on our battery-backed single board computers.

PC Compatible

Our CPU cards are PC compatible. They run all PC software and drive standard PC expansion cards (VGA, A/D, etc.) on a passive backplane.

CPU Card	KS-6	KS-3
Base price	\$ 299	\$ 224
CPU chip	V53	V40
Equivalent to	286	186
Runs PC code	yes	yes
Bus	AT	XT
Max DRAM	4M	512K
Max ROM	2M	512K
Max SRAM	512K	256K
Serial ports	5	3
Parallel ports	2	2
Real clock	yes	yes
Flop, Keybd.	no	yes
Size	4"x8"	4"x6"
Power 5v	400mA	250mA

We provide complete support to implement ROM based PC systems. Development kits with source code samples and DOS utility disk are available.

For Catalog Call **303-444-7737**
or fax 303-786-9983

655 Hawthorn Avenue, Boulder CO 80304 USA

KILA

Circle 350 on Inquiry Card.

GLOBAL INDUSTRIAL PRODUCTS AND RESOURCES

RELIABLE, RUGGED & INTEGRATED

- ▲ 10"/14" VGA Color Industrial Workstation
- ▲ 17" Rack Mount Monitor Enclosure with Touch Screen
- ▲ 286/386SX-33/386DX-40 /486DX2 A11-in-one Slot Board Computer
- ▲ A11-in-one EISA bus CPU Card
- ▲ Dual Drive RAM/ROM/FLASH Disk
- ▲ 19" Rack-Mount Chassis with 14 Slots
- ▲ 6-Slots heavy-duty Node Chassis



MITAC Inc.

16TH FL., 51 SEC. 3, MING SHENG E. RD., TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-501-5180 FAX: 886-2-509-0979

RHINO (U.S.A. DISTRIBUTOR)

101 N. ALLOY DRIVE FENTON, MI 48430, U.S.A.
TEL: 1-800-648-2248 FAX: 313-750-1836



Circle 385 on Inquiry Card.

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING	
Rackmount Chassis 19"x7"x17"	\$183
Rackmount VGA Monitors	\$531
Rackmount Monitor Shelf	\$113
Rackmount Keyboard Shelf	\$88

RACKMOUNT PLATFORMS - Qty 1 Pricing	
RMS486-33EISA \$1799	RMS386-40 \$814
RMS486-33 \$1443	RMS386SX-25 \$693

System Platforms include 7" Rackmount Chassis, 200W Power Supply, Motherboard, 1.0MB Memory, IDE, FDC, 2-Ser. Par, 1.2MB or 1.44MB Floppy Disk Drive, 1 Year Warranty

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots
SLOT CPU BOARDS - 486, 386, 386SX
RACKMOUNT MONITORS - Super VGA and Monochrome
RACKMOUNT CABINET - Modular from 21" to 96" high

VALLEY TECHNOLOGY INC.

2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559



Circle 370 on Inquiry Card.

FREE, 288 PAGE

1993 DATA ACQUISITION CATALOG AND REFERENCE GUIDE

IBM PC/XT/AT, PS2, MICROCHANNEL
COMPUTERS AND COMPATIBLES



- A/D Boards
- Signal Conditioning
- Communication
- PC Instruments
- Scientific Software

KEITHLEY METRABYTE
DATA ACQUISITION

SEND TODAY FOR YOUR FREE
CATALOG OR CALL 1-800-348-0033,
FAX: 508-880-0179

Circle 353 on Inquiry Card.

The Intelligent Solution For Data Acquisition



DAP 2400e™ Data Acquisition Processor™

ANALOG I/O
DIGITAL I/O

- Inputs to 312K samples per second
- Outputs to 312K samples per second
- Simultaneous fast input/output
- FFT and FIR-filtering

Digital Signal Processing at 16 MIPS
20 MHz CPU with DRAM to 1024K
32 MHz DSP with SRAM to 96K

- DAPL™ Operating System
- 100+ standard commands
- Custom commands in C

MICROSTAR LABORATORIES
2265 116th Avenue NE
Bellevue, WA 98004
FAX (206) 453-3199

Send for FREE catalog and demo diskette.
Or call us at (206) 453-2345.

Circle 354 on Inquiry Card.



PS/2 Hard Drives



PS/2 50 50z 55sx 60 70 80 P70

INTERNAL DRIVES - May be used as a high performance replacement or to co-exist with original IBM drive. Compatible with DOS 3.3, 4.01, 5.0, OS/2 2.0 and Novell. Includes IDE or SCSI-2 microchannel controller, hard drive, mounting kit, ribbon & power cable, manual, and hardware.

85mb, 17ms, Internal Western Digital IDE Drive Kit	\$449
125mb, 15ms, Internal Maxtor IDE / SCSI Drive Kit	\$543/\$565
200mb, 15ms, Internal WD IDE/Maxtor SCSI Drive Kit	\$669/\$699
340mb, 13ms, Internal Maxtor IDE / SCSI Drive Kit	\$969/\$979
512mb, 12ms Internal Fujitsu IDE / SCSI Drive Kit	\$1,313/\$1,369
1.05gb, 10ms Internal Microplus SCSI Drive Kit	\$2,184

PS/2 Model 25, 30, 30-286
32mb/42mb Hard Drive Kit \$207/\$243
85mb/125mb Hard Drive Kit \$329/\$423

External SCSI drives available from 125 mb to 1.75 gb. Includes SCSI-2 controller, external case with drive installed and configured, 6' SCSI cable. Free drivers for CD-Rom drives or Novell 286 & 386

General Technics

1-800-GT-SALE-8


1-800-487-2538

1 Year Warranty - 10 Day Money Back Guarantee

Visa MasterCard American Express COD Purchase Order
Tel: (516) 981-9473 Fax: (516) 981-5038
38 Rye Brook Ave. Rye Brook, NY 11779
Open 9am to 6pm EST, Mon-Fri

Circle 386 on Inquiry Card.

Disk & Optical Drives • Diskettes/Duplicators


MiniSCSI^{plus}
 HIGH PERFORMANCE
 PARALLEL-TO-SCSI ADAPTER

**Transform Your
Parallel Port –
Connect up to 7 SCSI
devices to your
parallel port and still
use your printer!**

Up to twice as fast as our original MiniSCSI, the MiniSCSI Plus lets you run a CD-ROM, tape drive, SCSI hard disk, SyQuest, Bernoulli or other SCSI device from almost any parallel port. For most notebook users, it's the only way to use SCSI CD-ROMs and tape drives. Plus, its integrated cable makes it a snap to move and share SCSI devices between desktops and notebooks.

Call For Details!
800-872-6867
(800-TRANTOR)



Trantor Systems, Ltd.
 5415 Randall Place
 Fremont, CA 94538-3151
 TEL: (510) 770-1400 • FAX: (510) 770-9910

© 1992 Trantor Systems Ltd. MiniSCSI and MiniSCSI Plus are trademarks of Trantor Systems Ltd. All other product names are trademarks of their respective companies.

Circle 369 on Inquiry Card.

STAND ALONE DISKETTE DUPLICATOR

OVER 300 DISKS PER HOUR
 5.25" and 3.50" Models



SIMPLE AND FAST FROM \$1799 US

TEL: (416) 602-9270
 FAX: (416) 602-9279



Circle 330 on Inquiry Card (RESELLERS: 331).

Keyboards • Laptops & Notebooks • Multimedia

Money Back Guarantee & 1 Yr. Warranty

**Popular
Space-Saver
Keyboard
£79**

Saves 60% desk space. Footprint 27.3 x 15.2 cm. 100 full-travel tactilely responsive keys. Standard left-right spacing for easy touch typing. IBM XT/AT PS 2 compatible. Many language versions available.

To Order In Europe Call: 44-306-876718

DATALUX Fax: 44-306-876742

Euro House • Curtis Road • 11 Old Water Yard • Dorking • Surrey • UK RH4 1EJ

Circle 337 on Inquiry Card.



Universal Keypad for Portable Computers

Available in Ivory or Black

Boost data entry speed, accuracy and convenience with Genovation's Micropad,™ the innovative numeric keypad for portable computers.

TO COMPUTER



TO PRINTER

(800) 822-4333
 17741 Mitchell, North
 Irvine, CA 92714 USA
 TEL (714) 833-3355
 FAX (714) 833-0322

Is the unhandy numeric section of your portable computer's keyboard dragging you down?....Give your productivity a boost by using our Micropad. The ergonomically designed Micropad is ideal for spreadsheet and accounting applications that require fast and accurate entry of numeric data.

The Micropad attaches to the parallel port of any MS-DOS computer while providing a clean pass through connection to the printer. Power usage is negligible. Lightweight and compact, the Micropad is fully programmable and is also available with connectors to fit keyboard and serial ports.

GENOVATION

Circle 340 on Inquiry Card.



Desktop Video

Motion Capture



- Real-time & motion video capture
- 8, 16, 24-bit color
- DOS & Windows support
- S-VHS & Composite input
- Free development kit
- Sound Blaster compatible

US\$ 299

VGA-TV Converter



- Sharp & Flicker-free
- TV & Monitor display simultaneously
- S-VHS & Composite output
- Windows support
- MRVP/NTSC also for Mac
- Hor. Over/Under-scan switch

US\$ 149 (MR VV Plus)
 US\$ 349 (MR VP)



DISPLAY RESEARCH LABORATORY



Capital Automation Inc.
 Tel.: 1-800-CAPITAL
 Fax: 704-596-9595

International inquiry:
 Int'l Tel.: (852) 420 1165
 Int'l Fax: (852) 415 2739

Circle 391 on Inquiry Card (RESELLERS: 392).

Make Your Image Fly ! ...to Everyone Worldwide.



VIDEO Conferencing by VidCALL™

Conferencing via Modem, VideoBlaster & Camera
Receive Motion Video Calls via Modem Only
Full Support for Local-Area-Networks

\$99



IMAGE PLUS Utility Software

Capture and Index Images within Any Applications
Display Images upon Command & LAN Support



VGA / TV CONVERTER

TOUCH SCREEN PANELS

for 14", 17" and 19" VGA Monitors
w/Demo, Setup & Utility Software

OPTICAL DISK DRIVES

650 Mbyte/19ms & 256 Mbyte/35ms
Magneto-Optical, Re-Writable Drives

CD-ROM MultiMedia Upgrade Kits

540 Mbyte CD-ROM with MultiMedia Interface
Windows 3.1 & MPC Compatible



SOUND BLASTER PRO

OPL-3 stereo FM Music Synthesizer
Digital-Analog Mixer

Video Blaster - Display & Image Capture Boards

Live Video, True Color, Windowing Display
Image Capture & Sound Mixer,
Developer Kit Available for \$95

Video Spigot - Live Video Display & Capture Boards

Full Motion Video Display w/Stereo Sound Mixer
Live Motion Video Capture & Storage
Video Editing & Presentation Utilities



Call Toll Free
for Orders or Catalogs ONLY

800-446-1967

All trademarks are trademarks of their respective owners.

EMPIRE COMPUTECH

9668 Hermosa Ave.
Rancho Cucamonga, CA 91730
Tel : 909-466-1400 Fax : 909-466-1409

Circle 379 on Inquiry Card.

STAND-ALONE LCD MONITOR

New Touch Screen Option Available



£795 This 10" black on white monitor is easy-to-read, yet compact. Resolution is 640x480 for sharp, flicker-free image. Fast response, high refresh rate twisted nematic technology with backlighting provides a bright low radiation screen with a wide viewing angle. The adjustable monitor base is only 29x14 cm. It lets you mount the LCD monitor on vertical surfaces or fold for transport. Comes with 1.5 m cable and controller card. No external power required. IBM AT compatible.

£1,195 New Touch Screen Option. Capacitive technology from MicroTouch™. Provides high resolution, fast response, all glass scratch proof optically clear touch sensor. Complete with controller and software. DOS Windows compatible.

To Order In Europe Call: 44-306-876718

Fax: 44-306-876742

DATALUX

Curtis Road • 11 Old Water Yard • Dorking • Surrey • UK RH4 1EJ

Circle 336 on Inquiry Card.

Memory Superstore . . . your direct source.

...For the absolute best prices on laptop, desktop and workstation memory, call now! 800-800-7056.

Standard SIMMS

4MB x 9-80/70***	\$110.00
4MB x 9-60	\$114.00
256K x 9-80/70	\$11.00
1MB x 9-80/70 (9 chip)	\$34.50
1MB x 9-80/70 (3 chip)	\$31.00
1MB x 36-70*	\$136.00
2MB x 36-70*	\$262.00
4MB x 36-70***	\$499.00

Call for best price on a 30-pin & 72-pin Modules, 2, 4, 8 & 16MB

*used in PS/2, Compaq, Dell & other high-end systems (386 & 486)
*4 piece minimum

Laser Printer Memory

Canon	1MB	\$118.00
LBP 8II/8IIR/8IIT	4MB	\$190.00
Epson Action Laser	2MB	\$125.00
Action Laser II	2MB	\$138.00
HP LaserJet IIP, IIPPIs, IIL, IILd, IIP, IILd, IILsi	2MB	\$99.00
	4MB	\$172.00
HP DeskJet	256K	\$78.00
IBM 4029***	4MB	\$140.00
Sharp JX9500PS	1MB	\$75.00
OKI Laser QL400	2MB	\$116.00
OL800/820	2MB	\$135.00
	4MB	\$210.00
	2MB	\$135.00

IBM & Compaq Memory

PS/2; 35SX/LS, 40SX, 50Z, 55SX/LS, 57SX, 65SX/LS, 70, 70A21, B21, B61, 90, 95	2MB	\$89	4MB	\$136	8MB	\$268
DeskPro386/20.E, 25.S, 16.N, SX20, 33M	2MB	\$89	4MB	\$136	8MB	\$268

Workstation Memory

Sun EPC/IPX***	16MB	\$470
Dell 486	16MB	\$495
IBM RS6000	16MB	\$620
HP Apollo	16MB	\$875
Silicon Graphics	16MB	\$620
Next	16MB	\$470

Specialists in workstation products. Contact us for current prices & new catalog.

Laptop/Credit Card/Flash Memory

Apple Power Book*	4MB			\$230
AST Premium Exec.	4MB			\$160
AT&T Safari	4MB			\$345
Bondwell B310	1MB			\$136
Compaq				
LTE386s/20	1MB	\$82	4MB	\$259
LTElite/20.5	2MB	\$140	4MB	\$240
	8MB	\$578		
LTE/286	1MB	\$88	2MB	\$138
SLT/286	1MB	\$88	4MB	\$240
Goldstar GS520	4MB			\$330
HP 95LX, Poget PC, Grid Pad				
SRAM Card	256K			\$122
	512K			\$149
Flash Memory	1MB			\$238
	2MB			\$309

Packard Bell, Magnavox, Mitsuba***

	1MB	\$80	2MB	\$109
	4MB	\$230	8MB	\$430
Toshiba - T1000SE/LE/XE, T2000SX, T1000LE, T2200-SX, T2000SX	2MB	\$150	4MB	\$290
Toshiba - T1200XE	2MB	\$88		
Toshiba - T4400 SX/SXC, T3300, T6400	2MB	\$182	4MB	\$329
	6MB	\$469	8MB	\$670
Zenith Masters SL	2MB	\$122		

Memory Superstore (800) 800-7056

OR (805) 339-0305
FAX (805) 339-0353

Prices subject to change. POs welcome. OAC Volume Discounts for Corporations, VARs, Government and Universities. Shipping worldwide Fed Ex UPS.

SMART PRINTER BUFFER

Allows automatic sharing of printer(s) by several computers.

Nobody waits!

- simultaneous input on all ports
- compatible with all printers, Lasers and CAD plotters
- Pop-up Menus
- Free Technical Support
- 30 day money-back guarantee & full-year limited warranty



STANDARD 1 MB memory • memory sizes thru 8 MB

• Fast - data rates to 100 KB/S • multiple copies • multiple outputs

NEW 1 MB 6-Port Parallel
\$199⁹⁵
9-Port Parallel \$249.95
12-Port Parallel \$299.95
8-Port Serial + 3-Port Parallel \$269.95
16-Port Serial + 3-Port Parallel \$399.95

Single User Parallel \$99⁹⁵
512 KBytes - unit is expandable to 4 MB
Serial or Converting buffers available

Other Models also available - Call! Extra Memory: \$50 per Megabyte

Technologic SYSTEMS

513-644-2230 • FAX 644-2232

Made in USA

204 EAST FOURTH STREET, MARYSVILLE, OHIO 43040

Receive FAX Info On-Demand: (805) 650-3299 - Item # 700

Circle 372 on Inquiry Card.

Circle 360 on Inquiry Card (RESELLERS: 361).

Programmable Hardware

PLC

"High speed scan rate at a fraction of the cost"

HARDWARE:

DIGITAL CONTROLLER • 8 optically isolated digital inputs at 12 to 24 VDC • 8 isolated relay outputs rated up to 3A continuous at 120 VAC with a 10 A surge • timers • counters • dividers • data storage • sequencers • serial communications optional RS485 or RS232 • up to 1ms per K of Boolean logic

• ANALOG CONTROLLER • 8 10 bit analog inputs • 4 analog outputs • 2 digital inputs • 2 relay outputs • 2 transistor outputs • RS485 on board • PID loops • 8K RAM • OPERATOR INTERFACE • 24 character by 2 line display • 4 by 4 keypad • 8K RAM • easy to use keyboard and display functions • RS485 on board.

SOFTWARE • programmable with IBM XT/AT/386/486 compatible and EPROM programmer • easy to use ladder logic compiler with text annotation and integrated editor • Software package includes functions for all systems

DWC JPLC Digital controller \$139.00 DWC JPLC RS485 interface \$59.00

DWC Analog controller \$269.00 DWC JPLC RS232 interface \$59.00

DWC Operator Interface \$259.00 DWC Network Node \$199.00

DWC Ladder Logic Compiler software \$99.00

DWC EPROM programmer development adapter \$18.00

Special offer for first time buyers software \$49.00 with any purchase of above.

1-800-668-2707 tel: (519) 850-0637 fax: (519) 660-1602

DAVISON • WORTH
CORPORATION

Circle 383 on Inquiry Card (RESELLERS: 384).

LOW COST COMPACT PLC
PICOLOG

ONE OF THE CHEAPEST P.L.C.s IN THE WORLD!

HARDWARE: • 16 opto-isolated digital inputs, • 8 relay outputs @125 VAC, • I/O status indicator LED's, • Watch-dog and power failure circuits, • standard RS232 interface, • single 5/12/24 VAC/VDC power supply (under 3W), • 24 Kb battery back-up SRAM, • 110x170 mm.

PROGRAMMABLE with any compatible PC thru RS232 in our powerful **remoTER** program. • Real time variables PC ladder logic using our powerful **remoTER** program. • Real time variables PC applications to remote control PICOLOG I/O thru RS232. • Real time variables PC applications to remote control PICOLOG I/O thru RS232. • EXTENSION MODULES AVAILABLE.

Elcist s.r.l. • ITALY

Phone 39 142 451987 Fax 39 142 451988
BBS 39 142 453165

Circle 382 on Inquiry Card.

For Your Development Needs!

MODEL 9000 EPROM PROGRAMMER

- QuickPulse and intelligent algorithms.
- Programs Eproms (up to 4Mb), EEproms & MPU's.
- Up to 57K baud.
- Ultra Fast!

ORDER TOLL-FREE 800-282-4835

OEM & Dealer Inquiries Welcomed!

GTEK INC.

DEVELOPMENT HARDWARE & SOFTWARE
P.O. Box 2310 • Bay St. Louis, MS 39521-2310 U.S.A.
Fax: 601-467-0935
Mississippi & Technical Support 601-467-8048

Circle 343 on Inquiry Card.

IEEE 488/Serial Converters & Controllers

Connect IEEE 488 (HP-IB/GPIB) and serial (RS-232 or RS-422) computers, plotters, and instruments

IOtech the smart approach to instrumentation

IOtech, Inc. • 25971 Cannon Road • Cleveland, Ohio 44146
(216) 439-4091 • Fax (216) 439-4093

Circle 347 on Inquiry Card.

Programmable Hardware

EMBEDDED COMPUTERS

Everything you want

- Powerful Hitachi H8/532 16-bit processing
- Drives graphics LCDs and keyboard
- Collects 10-bit analog data from 8 channels
- Stores information on PCMCIA Cards
- 16K Forth and ready-made solution library
- High level interrupts and multitasker
- \$325 qty 10+ \$249 qty 100+



.... to make life easier



For more information contact:

The Saelig Company Tel (716) 425-3753 Fax (716) 425-3835
Outside USA & Canada: **Triangle Digital Services Limited**
223 Lea Bridge Road, London Tel 081-539 0285 Fax 081-558 8110

Circle 362 on Inquiry Card.

UNIVERSAL PROGRAMMER, EMULATOR, & TESTER

TUP-400 \$745.00 NEW
TUP-300 \$575.00

- New Improved hardware and software.
- The most complete PC-based Universal Programmer, Programs PLD (PAL, GAL, FPL, EPLD, PEEL, MAX, MACH...), E(E)PROM, (up to 16Mbit), Flash EPROM, BPROM, Special PROM, MPU (87XX, 68XX, Z8, PSD301, PIC16XX, TMS320EXX, UPD75PXXX, HD637XXX...).
- Covers DIP, PLCC, QFP, SOP, and PGA with 8 to 84 pins. Gang Programming adapters available also.
- EPROM EMULATION capability.
- Tests digital ICs and DRAMs (SIMM/SIP adapter available).
- Free software updates and new device added upon request.
- IC Manufacturers approval.
- 1-year warranty, 30-day money-back guarantee.

CALL TODAY FOR MORE INFORMATION.
Distributors are welcome!



FLEX-700 UNIVERSAL PROGRAMMER SYSTEM NOW AVAILABLE. CONNECTS TO ANY PC XT/AT/386/486/LAPTOP THRU THE PARALLEL PRINTER PORT.

Tribal Microsystems Inc. Tel (510) 623-8859
44388 S. GRIMMER BLVD., FREMONT, CA 94538 FAX (510) 623-9925

Circle 363 on Inquiry Card (RESELLERS: 364).

SUPERPRO® \$549
Universal Programmer

Over 2,000 devices, desktop programmer for your IBM PC with high speed & reliability

- Easy to use menu driven Software.
 - Universal programming for E(E)PROM, Flash E(E)PROM, Bipolar PROM, PAL, FPL, PEEL, GAL, E(E)PLD, & Microcontroller, etc.
 - Test TTL/CMOS logic ICs, & memory (DRAM/SRAM).
 - Life time free Software updates on BBS & technical support.
 - 1 year Hardware warranty & 30 day money back guarantee.
 - Developed & made in U.S.A.
 - Call for demo disk.
- Distributors are welcome!!



E(E)PROM programmer to 4-Mbit
● ROM MASTER: \$149
E(E)PROM programmer 4 gang version
● ROM MASTER/4: \$239
757 N. Pastoria Avenue, Sunnyvale, CA 94086
(408) 524-1929
FAX (408) 245-7084 BBS (408) 245-7082

XELTEK

Circle 367 on Inquiry Card.

NEW! Little PLC™ Program It In C \$195!

New **Little PLC™** measures only 4.33 x 2.85 inches and costs \$195! This miniature controller includes 8 optically isolated inputs, 8 relay driver outputs, two RS-485 serial ports, battery backed memory and time/date clock, programmable timers, and watchdog. Low cost expansion cards increase digital and analog I/O. With easy to use **Dynamic C™** \$195 development system, you can write programs in an hour or develop major applications with 20,000 lines of C language.

Z-World Engineering (916) 757-3737
1724 Picasso Ave., Davis, CA 95616 • FAX: (916) 753-5141
24 hr. Data Sheet Retrieval from YOUR fax: (916) 753-0618

Circle 368 on Inquiry Card.

9 Track/3480 Tape Subsystems 1/4" DAT 8mm Optical New Windows Software Available

- Best Quality
 - Lowest Prices
- 800/1600/3200/6250 BPI

CALL 1-800-859-8856




Laguna Data Systems

23151 Alcalde Drive, Suite B-3, Laguna Hills, CA 92653
Tel: 714-586-3010, Fax: 714-586-5538



Circle 352 on Inquiry Card.

FOR ALL YOUR TAPE NEEDS 3480 ■ 9-Track ■ 1/4" ■ 4mm ■ 8mm



**Tape to Tape Copy
Tape Backup/Restore
Conversion
Data Interchange**

Nova Stor Corp.

30961 Agoura Rd., Suite 109
Westlake Village, CA 91361

Phone (602) 396-3616

or 818-707-9900 • Fax: 818-707-9902

Circle 373 on Inquiry Card.

9-Track for PCs

Mainframe to PC data interchange

Rock solid solutions, rock bottom prices.

Direct from the manufacturer. 1600 & 6250 bpi.

Subsystems include drives and software.



800-729-8725

OVERLAND DATA

Since 1980

**3480 Now
with IDRC!**

See us at CeBIT '93

Tel: 619-571-5555 • FAX: 619-571-0982

Europe: Tel: (+49) 6172-35027 • FAX: (+49) 6172-35028

Ask about 3480 tape drives too

Circle 356 on Inquiry Card.

Desktop 9-Track Tape Subsystem #1-selling 9-track system on desktop.



Qualstar's low cost 1/2-inch 9-track Streaming tape systems bring full ANSI data interchange to IBM AT, PS/2 or Macintosh, giving your micro the freedom to exchange data files with nearly any mainframe or minicomputer in the world.

Systems include DOS or Xenix compatible software, coupler card and cables. High reliability 1600 or 6250 BPI capability may be used for disk backup as well as data interchange.

QUALSTAR

9621 Irondale Ave., Chatsworth CA 91311

**Call us today! For details and
to order: Fax (818) 882-4081
Phone (818) 882-5822**

©1989 Qualstar Corp.

All product and company names and trademarks are the exclusive property of their respective owners.

Circle 358 on Inquiry Card.

Electronic archiving/ retrieval software!

- Stores scanned images & existing files
- Designed for multiuser networks
- Supports desktop and E-size scanners
- Safe, secure, protected
- Multiple optical drives (either 5.25" or 12")

VO.I.C.E. outperforms the competition in cost & features!

VO.I.C.E. was designed specifically for multiuser networks like Novell and Lantastic. Use VO.I.C.E. with any IBM compatible PC with a VGA or EGA

monitor. VO.I.C.E. archives and retrieves scanned images, drawings, Word Perfect, AutoCad, and Lotus 1-2-3 electronic files, and has multiple levels of security.

indus

Tools for the microinformation age
340 South Oak Street
West Salem, WI 54669 USA

Place an order by calling:

1-800-843-9377

All company and product names are trademarks of their respective owners.



Circle 345 on Inquiry Card (RESELLERS: 346).

Program Your Business For Success

MicroBiz
AUTOMATE YOUR BUSINESS

**COMPUTERIZE YOUR
BUSINESS & WATCH
YOUR PROFITS GROW!**

- Increase Control
- Increase Profits & Sales
- Work smarter, not harder
- Lower Costs & Reduce Inventory

We Provide Software That Is:

- ✓ Affordable & Functional
- ✓ Easy to use
- ✓ Tested & Stable
- ✓ Unparalleled In Technical Support




800-637-8268

Main Phone: (914) 425-9500
Fax: (914) 425-4598
BBS: (914) 425-6440
Fax on demand: (914) 426-6064
Dealers Welcome: 800-SELL-POS

CALL TODAY FOR A FREE CATALOG

Circle 387 on Inquiry Card (RESELLERS: 388).



WINTBK

Wintek Corporation
1801 South Street
Lafayette, IN 47904

(800) 742-6809

HiWIRE II Schematic and PCB Software


With support for expanded and extended memory, HiWIRE II can handle your most demanding schematic and PCB designs. The unique HiWIRE II editor allows you to display and edit schematics and PCBs simultaneously, using the same commands for each. HiWIRE II is \$995, and is guaranteed.

Call (800) 742-6809
or (317) 448-1903

Circle 366 on Inquiry Card.

Plot-IT

SCIENTIFIC
PROGRAMMING
P.O. Box 669
Haslett, MI 48840
(517) 339-9859




Scientific Graphs and Statistics

Plot-IT 3.0 for Windows is the next generation of a proven high-powered scientific graphing and statistical analysis package for scientists, engineers, and others who need quality, user-designed 2D, 3D, and SPOC graphs, or need to perform sophisticated data analysis. Plot-IT 3.0 has the features you need to make those complex scientific graphs seem simple:

- Multiple Axes and Curves per graph; multiple graphs per page; user Axis and Data labels; Linear, Log, Probit, and Percentage scales.
- Nearly 100 statistical functions, including AOV, Regr, Distribution, Trends, Group stats, curve fitting, and basic stats available within the full-featured Plot-IT worksheet, with support of up to 16375 rows of data.
- 3D graphs: surfaces, contours, histograms, scatter-plots, with floor and wall ray tracing, color ranges, and postings.
- 2D graphs: Standard Error, curve fitting and data analysis, line, point, bar, and pie, triangle, and Control charts.

Circle 374 on Inquiry Card (RESELLERS: 375).



If you work with DATA... DADiSP is for you!

- Collect, analyze, and display data in a multi-window graphical environment
- Point and Click menu driven operation
- Data reduction and editing
- Series and scalar math
- Matrix math
- Statistics
- Peak analysis
- FFT's and Convolutions
- Digital filtering
- XY plots
- 3-D/4D graphics
- Spreadsheet environment to create programs and templates, without any programming

DADiSP is currently in use in engineering, laboratory data collection, matrix processing, manufacturing, science, signal processing, chemical and mechanical applications in automotive, aerospace, defense, medical, and other industries.

CALL 1-800-777-5151


for your free DADiSP Trial Kit for SUN, HP, IBM, NeXT, DEC, Concurrent, and Silicon Graphics workstations, and of course, PCs under Windows™.



One Kendall Square
Cambridge, MA 02139

tel: 617-577-1133
fax: 617-577-8211

Circle 339 on Inquiry Card.



Data Acquisition and Instrument Control

Free 1993 catalog of measurement and instrumentation products for PCs, workstations, and more. Features new LabVIEW software for Windows and Sun, and LabWindows. Describes IEEE 488.2 interfaces, plug-in data acquisition boards, VXIbus controllers, DSP hardware and software, and signal conditioning accessories. Training classes also detailed. Includes tutorials and glossary.

National Instruments

6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Circle 355 on Inquiry Card.

dBASE Data Entry



The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39, UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below \$300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.

COMPUTERWISE®

302 N. Winchester • Olathe, KS 66062

913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 335 on Inquiry Card.

PCTeX Typesetting Software

$$\int_{-\infty}^{\infty} \frac{X^y \cdot Z dt}{X - tY} = \sum_{i=1}^n \left(\frac{(x^4 - i)^3}{\sqrt{Z^3 + y^{10}}} \right)$$



*This complete typesetting system makes
your books, manuals, articles, & math formulas
look their best!*

For a FREE CATALOG & DEMO DISK, call 415/388-8853
Personal T_eX, Inc. 12 Madrona Street Mill Valley, CA 94941 Fax: 415/388-8865

Circle 357 on Inquiry Card.

BASIC Compiler 8051/52 & Derivatives BXC Version 4.0 New Release!

- 100% BASIC-52 compatible & in line assembly
- Full floating point, integer, byte and bit variables
- Compatible with any RAM or ROM memory mapping
- Compile BXC program into CALLable subroutine
- Compile program to coexist with BASIC-52 interpreter
- DS/5000 chip support and extensions
- Dynamic length variables and many string functions
- Advanced run-time error trapping & buffered serial I/O

BXC51 \$295

Call now! 508-369-9556 or FAX 508-369-9549



Binary Technology, Inc.

P.O. Box 541 • Carlisle, MA 01741



Circle 332 on Inquiry Card.

APL Complete APL system \$60.

J Ken's new APL for teaching and research. Shareware and documentation \$24. Source \$90.

NEW! True Windows 3.1 versions.
GUI programming for APL and J

Iverson Software Inc.

33 Major St., Toronto, Ontario, Canada M5S 2K9
Phone (416) 925-6096 Fax (416) 488-7559

Circle 378 on Inquiry Card.

PC Diagnostics and System Information

QAPLUS™ Over 3 Million users

- ❑ New Version 4.7 now includes Reachout™ Host remote control software and Novi™ Scan virus detection software
- ❑ Both novices and expert PC users can quickly solve common computer problems
- ❑ Reports hardware configuration, interrupts, performance benchmarks and more
- ❑ Includes LAN features for networked PC support and management



For More information call:

1-800-DIAGSOFT

Also from DiagSoft: **QAPLUS/WIN™** for tuning and troubleshooting Windows® and **QAPLUS/FE™** for power-users and service/support professionals.

Available from Egghead Discount Software, Comp USA, Biz Mart, Fry's Electronics and other fine resellers.

DiagSoft, Inc., 5615 Scotts Valley Drive, Suite 140, Scotts Valley, California 95066 • 1-408-438-8247 • FAX 1-408-438-7113
Suggested Retail: \$159.95

Circle 338 on Inquiry Card.

Programming for Microsoft Windows doesn't have to be a Pane for C++

object-Menu 2.0

object-Menu provides an object-oriented architectural framework for your C++ application with a dazzling look and feel. Seamlessly port your product between DOS graphics and Microsoft Windows using our interface objects. Our intuitive architecture and natural programming syntax increase your productivity more than you ever thought possible. Our goals are to simplify GUI design for the novice while providing the power and flexibility needed by an expert.

Call today for a free demo!

7 Mountain Rd, Burlington MA 01803
Tel: (617)273-0421 Fax (617)270-4437
BBS (617)270-9552



Circle 348 on Inquiry Card (RESELLERS: 349).

REAL TIME VISION

DDE-Driven Dynamic Graphics

MICROSOFT®
WINDOWS™
COMPATIBLE

Toolbar contains tools for creating real-time display screens with animated graphics

Charts and graphs show changing data as the changes occur

Knobs and buttons allow operator interface and control

Real time means you see changes as they occur, not after the fact. **VISION** provides you with the real-time information needed for success in today's quickly changing business climate.

VISION includes all software needed to immediately start monitoring PC performance, network performance, and changes in dBase files.

VISION displays dynamic data from DDE-enabled Windows applications. Examples include:

- Microsoft Excel
- Lotus 1-2-3
- Borland Quattro Pro
- Visual BASIC
- databases
- accounting packages

	List Price	Intro
Realtime VISION	\$395	\$99
Developer's Edition	\$995	\$495

(for royalty-free distribution of applications)

1-800-TRY-LABTECH


(508) 657- 5400
FAX (508) 658-9972

Circle 351 on Inquiry Card.

IS THERE A DOCTOR IN THE HOUSE?



Nominee Compute Choice Award
Best Adult Discovery Software
WINDOWS VERSION




- **Dr. Schueler's Home Medical Advisor** gives updated info on diseases, injuries, medical tests, drugs, poisons, nutrition, diets, fitness, and health/travel tips.
- Q/A format analyzes your symptoms, shows you anatomical displays, and makes over 400 diagnoses.
- Hypertext and SCAN features make finding any topic FAST.
- Low cost updates to all registered users.
- Developed by over 40 physician specialists.

Available in WINDOWS or DOS versions \$99.95 Retail
WINDOWS Special: **\$79.95**
DOS Special: **\$69.95**

To order, Call: **1-800-788-2099, Dept. B**
or see your software dealer

PIXEL PERFECT INC.

10460 S. Tropical Tr.
Merritt Island, FL 32952



Circle 371 on Inquiry Card.

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/4" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, telephone and fax number. 2"x2 1/4" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: Margot Gnadé at 603-924-2656. FAX: 603-924-2683.

RATES (Jan. 1993)

	3-5 Issues	6-11 Issues	12 Issues	13 Issues
2"x1 1/4"				
1 ad	\$663	\$636	\$557	\$530
2 ads/issue	-	-	530	504
3 ads/issue	-	-	504	477
2"x2 1/4"				
1 ad	\$1,326	\$1,272	\$1,114	\$1,060
2 ads/issue	-	-	1,060	1,008
3 ads/issue	-	-	1,008	954

ACCESSORIES

RADIOACTIVE?

Plot it on your PC with The RM-60 RADIATION MONITOR. Serial or printer port. Detects: ALPHA • BETA • GAMMA • X-RAY. MicroR, 1000 times the resolution of standard geiger counters. Excellent for tracking RADON GAS. Find sources. New: Version 2.9 + WINDOWS, Plot • Background • Cosmic Rays • Clouds • Foods. Call/Write for PC MAGAZINE review. • TSR • GM Tube VISA/MC/EURO. Phone orders. Not satisfied? Full refund.
800-729-5397 or Tel/Fax: (302) 655-3800
Aware Electronics Corp.
P.O. Box 4299, Wilmington, DE 19807 **\$149.50**

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**. Split signals with **COMPANION/PC EXPANDER**. Switch signals among PCs with **COMMANDER**. Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION

2800H Bob Wallace Ave., Huntsville, AL 35805
Phone: 205-534-0011 Fax: 205-534-0010

Inquiry 701.

CUSTOM KEYBOARDS AND TERMINALS Engineering, Development and Production

- Point-of-Sale • Special purpose • Harsh environment
- Access control • Data collection • Operator input
- Unique • Industrial • Any interface, key style or size
- No minimum quantity required

GENOVATION, Inc.

17741 Mitchell North, Irvine, CA 92714
(800) 822-4333 (714) 833-3355 FAX (714) 833-0322

Inquiry 702.

BAR CODE

Portable Reader Simple, Powerful, Easy-to-use

- AA Battery Operated, with backup coin battery
- 2 x 16 Supertwist LCD Display
- 32 Raised Rubber Keys
- Real-time Clock Built-In for Date/Time Stamps
- 2 Built-In Inventory Programs
- 3 User Defined Programs, & 3 User Data Files
- Wand, CCD, or Laser Scanner Input
- Doubles as Non-Portable Reader
- Serial Interface and Keyboard Interface
- Reads 2of5, UPC/EAN, 128, Code 39, etc.
- Uploads with furnished Programs or Xmodem
- 64K Complete with Steel Wand - \$799

Worthington Data Solutions

Swiss Office 3004 Mission Street
Rütlistrasse 6 Santa Cruz, CA 95060
CH 9050, Appenzell Switzerland 408-458-9938
071 87 51 17 FAX
071 87 51 15 Phone **800-345-4220**

BAR CODE

Bar Code Readers For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- Attaches as 2nd Keyboard or to any ADB port
- Reads 2of5, 128, UPC/EAN, Code 39, etc.
- External or internal attachment on PC
- Wand, CCD, Slot Badge, Magstripe or Laser
- Two Scanners per Reader
- 100+ Configurable Options
- 2 Year Warranty, 30 Day \$ Back Guarantee
- Direct From Manufacturer
- Top Rated by Independent Review
- Complete with Laser Scanner - \$1399
- Complete with Stainless Steel Wand - \$399

Worthington Data Solutions

Swiss Office 3004 Mission Street
Rütlistrasse 6 Santa Cruz, CA 95060
CH 9050, Appenzell Switzerland 408-458-9938
071 87 51 17 FAX
071 87 51 15 Phone **800-345-4220**

Labeling Software

On EPSON, IBM, OKI, or LaserJet. Easy WYSIWYG design. Any format/size. Up to 120 fields per label. 18 text sizes to 3" - readable at 100'. AIAG, KMart, Sears, MIL-STD, Pennys, 2of5, 128, UPC/EAN, Code 39. File Input & Scanned PCX graphics - \$279. Other programs from \$129.

Worthington Data Solutions

(408) 458-9938 800-345-4220

BAR CODE READERS

Keyboard emulation for PC/XT/AT & PS/2s, all clones and any RS-232 Terminal. Transparent to your operating system. Available with Steel wands, Lasers, Slot & Magstripe Readers. Same day shipping. 30-day money-back guarantee. One-year warranty. Reseller discounts available.

AMERICAN MICROSYSTEMS

2190 A Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

PORTABLE BAR CODE READER

Battery operated, handheld reader with 64K RAM, 54 key keyboard, real-time clock, 2X16 LCD display, and built-in calculator. Supports WAND, CCD, and LASER. Built-in program generator supports multiple programs and data files. Interfaces to PC & PS/2 keyboards. RS-232 terminals, and Hayes compatible modems. 30-DAY MONEY-BACK GUARANTEE.

AMERICAN MICROSYSTEMS

2190 A Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE

BAR CODE PRINTING SOFTWARE

- MS/PC DOS Systems • Import/Export ASCII files • 9 & 24 pin dot matrix • H-P LaserJet/Plus/Series II
- Menu-driven or Memory Resident • Most Label Sizes
- Multiple Densities • Variable Graphic Heights • Code 39, 125, UPC A/E, EAN 8/13, 128, 93, 11, MSI/PLESSEY, POSTNET (ZIP+4).

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE "SPECIALS"

- Wedges/Portables/Multi On-Line readers with HP wands
- Spectra-Physics lasers \$899. PSC & Symbol in stock
- 3" CCDs \$468. Mag stripe encoders/readers \$1485
- Software: print bar codes \$99 & read bar codes \$159
- P.O.S. - cash drawers \$199/receipt printers \$399...
- 30-day \$5 Back / 1 Year Warranty *Spanish Dept. available
- OEM/VAR/Dealer discounts

BARCODE INTERNATIONAL SYSTEMS

9190 Palm Canyon Drive, Corona, CA 91719
(714) 277-1917 • (800) 653-4252 • FAX: (714) 277-1005

Inquiry 703.

I. T. S. Bar Code Solutions

Bar codes are easy using our FULL line of readers & printers. They plug and play with your existing CPU/printer/terminals/software systems in your office, store, truck, factory or warehouse. ITS' bar code DOS programs print on matrix or laser printers. 30 day refund. 1 year warranty. OEM/VAR/Dealer discounts.

International Technologies & Systems Corp.

655-K North Berry St., Brea, CA 92621 - Western USA
13 Welwyn Court, Richmond, VA 23229 - Eastern USA
(800) 228-9487 (714) 990-1880 (804) 741-6725 (FAX) 990-2503

Inquiry 704.

EASY BAR CODE PRINTING

The leader in PC Postal bar coding software now provides same easy & flexible barcoding for Code 39.

- ❑ **BARZ_OUT** - PC memory resident with easy menu select & load. Use with your current programs.
- ❑ **MAKE BARZ** - Easy menu creation of bar code labels.

Save \$70 - Limited Time Offer - Both \$129
30 day \$5BACK (Call about UNIX, WINDOWS, Other Codes.)

POSTSAVER SYSTEMS

2731 S. Adams Rd. STE 102, Rochester, MI 48309-3103
(800) 879-6820 (313) 299-5050 FAX (313) 299-5052

Inquiry 705.

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost-effective data entry. They emulate your keyboard, so data looks just like it was typed in! Choose from stainless steel wand, laser gun, CCD, and magnetic stripe scanners. Also, powerful label printing software. Great warranty. Generous reseller discounts. 30-DAY MONEY-BACK GUARANTEE.

Seagull Scientific Systems

15127 N.E. 24th, Suite 333, Redmond, WA 98052
1-800-758-2001 206-451-8966

BAR CODE

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers & SmartCard Encoder/Reader for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics

4047 Transport, Palo Alto, CA 94303
415-856-6833 Telex 371-9097 TPS PLA
1-800-526-5920 FAX: 415-856-3843

Inquiry 706.

COMMUNICATIONS

X.25, HDLC, SDLC, BSC

SDLA card and software provides 'plug-in' synchronous link support for PCs which is inexpensive, easy to use and robust. Coprocessor architecture ensures reliable communications under any operating system at line speeds to 180kbps. Packages include protocol analyser, test and development software. OEM enquiries welcome.

Full function SNA emulation packages also available.
Sangoma Technologies Inc.
(416) 474-1990 1-800-388-2475

Inquiry 712.

COMPUTER BOOKS

COMPUTER BOOKS at a discount

We specialize in ADVANCED books for developers, programmers, computer professionals, and academics. 15% discount. Latest books from over 50 publishers. Free catalog. UPS & international shipping. Personal service. MC/VISA/AMEX. CompuServe® 70007,1333. GO CBK Windows, C++, O/S 2.0, UNIX, Mac, OOP

CompuBooks

Rt. 1, Box 271-D, Cedar Creek, TX 78612 USA
800-880-6818, 512-321-9652 voice & FAX

Inquiry 713.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all.

TOLL FREE 1-800-848-3469

SAFWARE, The Insurance Agency Inc.

PO Box 02211, 2929 N. High St., Columbus, OH 43202

Inquiry 714.

COMPUTER SYSTEMS

LOW-LOW-LOW

Computer Systems/Notebooks/Network Solutions
IBM-Apple-Compaq-AST-ALR-Everex-&others
SURAH 386/486 ISA/EISA-AMI/Mylex Motherboards
• CD ROMS • Tape Backup • Pocket FAX Modem LAN
Cards • Hard Drives/Floppy Drives • Memory/upgrades
• DRAMS, SIMM Modules • Laser Printers/Scanners
• Plotters & Digitizers • Software

SURAH inc. 44912 Osgood Road, Fremont CA 94539 USA
Phone: (510) 651-5101 Fax: (510) 651-5241
1-800-543-1001 Nationwide Orders

Inquiry 715.

CROSS ASSEMBLERS

Cross Assemblers \$50
Simulators \$100
Disassemblers \$100

PseudoCorp

716 Thimble Shoals Blvd. Newport News, VA 23606
(804) 873-1947 Fax (804) 873-2154

Inquiry 716.

DATA CONVERSION

TAPE CONVERSION & DUPLICATION

• DC2000 • 1/4" Cartridge (AS/400)
• TEAC • 4mm DAT
• 8mm EXABYTE • DEC TKxx media
• 1/2" Tape • 3480 & 3490

Mainframe, Mini or Micro - popular or obscure.
Fixed price quote by return. Standard turnaround 24 Hours.
TEL 1 800-392-5373 FAX: 405-321-2741
TEL 44+ (0) 734-890042 FAX: 44+ (0) 734-890040
Vogon Enterprises Ltd.
Unit 5, Forrest Court, Oaklands Park, Fishponds Road,
Wokingham, Berks., RG11 2FD, England

Inquiry 717.

DATA RECOVERY

Ontrack DATA RECOVERY

• Professional service recommended by major hard drive manufacturers • Expertise in virtually every operating system & media storage device
• 24-hour support with weekend, priority, & on-site service available • For fast, successful results, call:

CA: 1-800-752-7557 • MN: 1-800-872-2599
2400 Main Street, Suite 200, Irvine CA 92714
6321 Bury Drive, Eden Prairie MN 55346

Inquiry 718.

Now we're Ontrack in London, too.

**ONTRACK DATA RECOVERY
EUROPE, LTD.**

0800-24-39-96 • 44-81-974 5522

Surrey House, 34 Eden St., Kingston upon Thames, Surrey KT1 1ER U.K.

Inquiry 719.

CAD

PCB & SCHEMATIC CAD-\$195

"EASY-PC" for single-sided and multilayer boards to 17"x17" with up to 1500 ICs including surface mount. Phenomenally fast and easy to use. Over 13,000 copies sold. Needs PC/XT/286/386 HERC/CGA/EGA/VGA. Output to laserjet/inkjet/dot matrix printer, pen-plotter, photo-plotter and NC Drill. Not copy protected. VISA/MC/AMEX welcome. For full info circle inquiry # or contact us directly.

NUMBER ONE SYSTEMS LTD.

Harding Way, St. Ives, Huntingdon, Cambs, England, PE17 4WR
Tel: 011-44-480-61778 Fax: 011-44-480-494042

Inquiry 708.

CAD/CAM

CONTOURING MOTION CONTROL

FROM A PRINTER PORT!

NEW Indexer LPT™ software **\$249**
VERSION 3 VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

Inquiry 709.

CAT-SCANNERS

INPUT SLIDES & NEGATIVES with FOTOVIX III-S

New high-resolution S-video version of Tamron's popular 35mm film to video converter. Perfect for input of film to any computer equipped with a video capture board. Crop 35mm images with 3x zoom. Color balance and exposure correction controls. List price \$929.00

Tamron Industries Inc.

99 Seaview Blvd., Port Washington, NY 11050
1-800-827-8880

Inquiry 710.

CD-ROM

Simtel MSDOS Shareware CDROM, 640 Meg, Dec. 92\$24.95
CICA MS Windows Shareware CDROM, Nov. 92\$24.95
OS/2 Shareware CDROM, Nov. 92\$24.95
Source Code CDROM, 600 Meg, Mar. 92\$39.95
INFO-MAC Macintosh SW, 4000+ files, Aug. 92\$39.95
CDROM Caddies\$4.95

WALNUT CREEK CDROM

1547 Palos Verdes Mall, Ste 260, Walnut Creek, CA 94596
(800) 786 9907 (510) 947 5996 FAX: (510) 947 1644

Inquiry 711.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 5000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Introducing CD-ROM conversions. Call for more info.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 (800) Convert

Inquiry 722.

DATABASE

THE NERD SHOP FOR SUPERBASE 2 800-448-NERD

Inquiry 723.

dBASE, Fox & Clipper from Visual Basic
Get complete database management power and dBASE, FoxPro and Clipper file compatibility from VB Win and VB DOS. Get CodeBasic! Fully multi-user and only \$195. Comes with a 90 day money-back guarantee. FREE demo available.

Sequiter Software

#209, 9644-54 Ave., Edmonton, AB, Canada T6E 5V1
Tel (403) 437-2410 Fax (403) 436-2999

Inquiry 724.

DIAGNOSTIC

"..PINPOINT ANY PC FAILURE."

John C. Dvorak, PC Magazine 6/30/92

Top-rated PocketPOST Power On Self-Test card with diagnostic software for ISA/EISA/Micro-Channel. 180-page book. Hones your trouble shooting skills. CALL NOW.

DATA DEPOT, Inc.

1710 Drew Street #5, Clearwater, FL 34615

1-800-275-1913

813-446-3402 FAX 813-443-4377

Inquiry 725.

DISK DRIVES

21MB 3.5" Floptical Disk Drive for \$399!

EchoDrive SCSI Floptical disk drive not only reads and writes to 21MB 3.5" Floptical diskettes but also:

- reads and writes to 720K and 1.44MB floppy diskettes
- runs under DOS, Windows, or on the Macintosh
- is available as an external or internal drive
- provides amazing floppy speed! WOW!
- It's GREAT for backup, file archival, and transporting files.

Second Wave, Inc. • 9430 Research Blvd. IL-260
Austin, TX 78759 • (512) 343-9661 • FAX: (512) 343-9663

Inquiry 726.

EDUCATION

LEARN COMPUTERS!

BUILD SOLID COMPUTER USER SKILLS

Approved home study. At last—understand the PC! Learn word processing, database, spreadsheets, data communications. Free Literature.

CALL TODAY: 800-223-4542

School of Computer Training, Dept. KB691
2245 Perimeter Park, Atlanta, Georgia 30341

Inquiry 727.

ELECTRONIC MAIL

ELECTRONIC MAIL—Novell MHS

- Stand alone computers, Laptops, Network, Lantastic
- Set up your own hub
- International network
- Workgroups, privacy, use your regular phone line
- \$100.00 per computer station — unlimited phone support and design assistance.

Selections & Functions, Inc.
Call for a brochure (617) 826-1553

25 Washington Street, Hanover, MA 02339

FINANCIAL SOFTWARE

BrainMaker:

"The most fascinating computer software I've ever seen...learn about this stuff." John Dvorak, PC Mag. Predicts stocks, bonds, sales, inventories. Comprehensive manual. Menus. 12,000 sold. PC or Mac.

Still only \$195!

Free Flyer: 800/284-8112, 916/477-7481

California Scientific Software

Inquiry 728.

FLOWCHARTS

FLOW CHARTING 3

- High resolution print outs... dot matrix or laser
- Multi-page charts... portrait or landscape
- Import/export capabilities
- 35 shapes, 10 fonts, 4 line styles

Call for free demo disk!

PATTON & PATTON 800-525-0082 ext. 1317

Software Corporation 485 Cochran Cr., Morgan Hill, CA 95037

See our ad on page 82

Inquiry 729.

WINDOWS FLOWCHARTER \$129

RFFlow 2.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows. 100 shapes auto adjust in size. Diagonal lines and curves. Auto line routing and re-routing. Click on a shape to bring up a sub-chart. Move charts to other apps. via the Clipboard. Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538

Phone: (303) 663-5767 FAX: (303) 669-4889

FRAMEWORK/FRED

The Framework Magazine

Framework enhancement programs, 12 issues \$29.90 Unlimited Framework and FRED support. Access undocumented powers of Framework & FRED.

fBase for Framework \$190.90

The fastest disk database access in existence. dBase file Index optimization and compression.

Selections & Functions, Inc.

(617) 826-1553

25 Washington Street, Hanover, MA 02339

GRAPHICS

THE NERD SHOP FOR HARVARD GRAPHICS 800-448-NERD

Inquiry 730.

Sirlin's CAD ++ ENGINE

- Read and Write AutoCAD DWG and DXF files.
- Object oriented, modular, database-like access to CAD data.
- View, Print (rasterize), Plot (vectorize), and Pick (interact) modules.
- Available for C/C++ for DOS, Extended DOS, Windows, Sun and other Unix systems.

Sirlin Computer Corporation

25 Orchard View Dr., Ste 14, Londonderry, NH 03053
Phone: (603) 437-0727 • Fax: (603) 437-0737

Inquiry 731.

GRAPHICS SOFTWARE

3D RenderLib for Windows

3D Graphics Dynamic link library

- More than 300 functions callable from MSC and BC++
- Wireframe, Flat, Phong and Gouraud shading — Renders in any window or creates own windows — Unlimited number of colored Point, Direction and Spot lights — Clipping planes and Double-buffering — Hierarchical object oriented data storage — 350 pages long manual.

\$450.00 (\$1450.00 royalty free distribution)

3rd Floor Graphics Software

P.O. Box 4105, 9701 EC Groningen, The Netherlands
fax: (+31) (0)50 184190

Inquiry 732.

HARDWARE

Pre-Owned Electronics, Inc.TM

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**

INT'L: 617-275-4600 • FAX: 617-275-4848

205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 733.

HEWLETT PACKARD

Buy — Sell — Trade

- | | |
|------------------------|-------------|
| LaserJet | ColorPro |
| DeskJet | DraftPro |
| RuggedWriter | DraftMaster |
| Electrostatic Plotters | |

• Monochrome and Color

HP 9000 Workstations and Vectras also available.

T. E. Dasher & Associates

4117 Second Ave., S. Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833

Inquiry 734.

HARDWARE/COMPUTERS

SC/FOXTM EMBEDDED COMPUTERS

PC Parallel Coprocessor Plug-In Boards: 15 MIPS avg 50 MIPS burst, using the SC32 32-bit CPU or the 16-bit Harris RTX 2000TM.

VME Master/Slave System Controller SBC: 18 MIPS avg 70 MIPS burst, uses RTX 2000 cpu, SCSI, 2 ser, 1 ptr ports, to 640K bytes.

Stand-Alone Single Board Computers: 18 MIPS avg 60 MIPS burst, 3U or 100x100mm Eurocard-size using either SC32 or RTX 2000.

Ideal for embedded real-time control, data acquisition, robotics, and signal processing. OEM software development system included.

SILICON COMPOSERS INC (415) 322-8763

208 California Avenue, Palo Alto, CA 94306

Inquiry 735.

INDUSTRIAL COMPUTING

Complete RealTime Operating System For your 386/486 PC only

\$995!

- POSIX Compliant
- Full Networking
- X Windows
- Realtime Tasks
- Development Tools
- Source Available

RTMX-UniFLEX Call: 1-919-493-1451

800 Eastowne Dr., Ste 111 • Chapel Hill, NC 27514

Inquiry 736.

LANS

LANLINK PROFESSIONAL * PC-MOS

- Use ethernet and/or serial/parallel ports for LAN connections
- Connect DOS, Windows & PC-MOS clients & servers
- Share one PC with up to 33 users with PC-MOS multiuser DOS
- LAN as low as \$99 per node, PC-MOS as low as \$33 per user

THE SOFTWARE LINK

3577 Parkway Lane, Norcross, GA 30092
1-800-766-LINK • (404) 448-5465

Inquiry 737.

LANs

The \$25 Network Try the 1st truly low-cost LAN

- Connect 2 or 3 XT's, AT's, 386's, 486's
- Uses serial ports and null modem cable
- Runs at 115K baud - approx 8500 bytes/sec
- Runs in background, totally transparent
- Share disks and printers, etc.
- Needs only 15K of RAM

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, not per node!
- Link via serial, parallel, or Arcnet
- Link via Ethernet or Modems soon
- Mixed mode routing
- Typically only 35K of RAM

Skeptical? We make believers!

Information Modes

P.O. Drawer F, Denton, TX 76202

Tech 817-387-3339 Orders 800-628-7992
Hours 1-5 Mon/Wed, 9-5 Tue/Thu/Fri CST

Inquiry 738.

LAPTOP COMPUTERS

USED COMPUTERS

MAJOR BRANDS - WIDE SELECTION

IBM - COMPAQ & OTHERS

Computers from \$39 Color Printers \$199

Mono Monitors from \$25 CGA Color Monitors \$129

IBM 5140 LAPTOP \$349

IBM PCjr & CONVERTIBLE PARTS & ACCESSORIES

HARD-TO-FIND ITEMS FOR OLDER PCS

FREE CATALOG

COMPUTER RESET

P.O. Box 461782, Garland, TX 75046

Phone (214) 276-8072 & FAX BBS (214) 272-7920

Inquiry 739.

LAPTOP PERIPHERALS

LAPTOP PERIPHERALS

NEW LOW PRICES ON:

- Battery Powered Printers
- Portable Hard Drives
- Laptop Expansion Systems
- Backlites AND MORE!

Call for free catalog

AXONIX CORPORATION

(800) 866-9797

Inquiry 740.

Auto Adapters

- 12V battery systems
 - Small package with high efficiency
 - Plugs between computer and lighter receptacle
 - \$99 to \$129 • Designed and made in USA!
- In stock for Apple PowerBook (10-30V input), Canon BJ printer, Commodore, Everex Tempo LX, IBM, Kodak Diconix printer, Sanyo, Sharp, Toshiba, Zeos
- Custom adapters designed for OEMs. Serial interface cards for Toshiba and Sanyo.

EMPIRE ENGINEERING

California USA

tel 805/543-2816

fax 805/543-2820

Inquiry 741.

LOCALIZATION

Software Developers! Localization Managers!

Now you can manage software translation more efficiently and simply, with IDOC's new XL8™ software. Call for a demo disk today.

IDOC, an International Documentation Company
1-800-336-9898, ext. XL8

Inquiry 742.

PROGRAMMERS TOOLS

INCORPORATE SOUND BLASTER & ADLIB INTO YOUR SOFTWARE
The WORX programmers toolkit will allow you to easily incorporate sound and music into your software without having to struggle with low level code and compatibility problems. Plays back standard MIDI files and VOC sample files fully in the background. This toolkit is a linkable library which takes less than 32K of code, and requires no driver or TSR. Autodetects Sound Blaster configuration. No royalties, and updates are always free. WORX 1.6 for Turbo C, Pascal and Microsoft C: \$49 Resource manager for WORX (C only): \$29

MYSTIC SOFTWARE

1504 Encinal Avenue, Ste D, Alameda, CA 94501
Voice: (510) 865-9189 Demos/BBS: (510) 865-3856

Inquiry 743.

Boost Your BASIC with ProBas!

- ProBas5 adds 938 new commands to QB/PDS
- Written in assembly for speed
- Gives your programs a professional look
- Easy to use, money back guarantee, \$195
- Other add-ons for BASIC, C & Visual Basic avail.

FREE DEMO Disk AND BOOKLET

TeraTech (800) 447-9120 x1030

Dept 1030, 100 Park Ave., Suite 360, Rockville, MD 20850

Int'l +1(301) 424-3903 Fax (301) 762-8185 BBS (301) 762-8184

Inquiry 744.

Structograms

Software Documentation made quick and easy with PANORAMA

■ Structograms (Nassi-Shneidermann) automatically from the source code in a flash

■ Hierarchie-trees of modules, procedures

■ Headers of modules, procedures

■ Software-Metrics: McCabe complexity, LOC and more

Available for: Turbo Pascal, C, Modula-2, Fortran-77, PL/M, dBase

PANORAMA Standard (Pascal, C, Modula-2): \$495

PANORAMA Lite: \$295 **Wuest Informatik AG**

Schuetzenstrasse 11; CH-8245 Feuerthalen; Switzerland

Int'l (+41 53) 29 31 32 FAX: (+41 53) 29 31 43

Call or Fax for information and free demo.

Inquiry 745.

PROJECT BILLING

CLIENT PROJECT

A Time and Billing System that accounts for charges to over 100,000 projects (or matters). Regular price \$299, current price with limited time discount \$159, demo available.

MICRO BILLING SYSTEMS, INC.

117 W. Harrison, Ste# 624M, Chicago IL 60605

Tel: (312) 939-1869 Fax: (312) 939-1351

Inquiry 746.

SECURITY

FIGHT PIRACY!

★ EVERLOCK 3.0 ★

SOFTWARE COPY PROTECTION

New Option Board Safe-New Remote Registration

New CPU LOCK-CD ROM LOCK and more

★ EVERKEY HARDWARE LOCKS ★

Az-Tech Software, Inc.

Call for a 201 East Franklin, Richmond, MO 64085

FREE (816) 776-2700

Demo (800) 227-0644 FAX (816) 776-8398

Inquiry 747.

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906

800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX: 301/460-7545

Inquiry 748.

SECURITY

Cop's CopyLock II

The professional software protection with TRUE Machine Install. Option Board safe. OS/2, Networks, Windows, and Trace 1020.

LINK Computer

Int'l: + 45 31232350 Fax: + 45 31238448

US/CAN: 800-344-2545 FAX: 408-923-7061

KEY-LOK™ SECURITY

Piracy survival over 10 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Very economical. Device transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/UNIX/VMS/etc. Also, access control system and diskette drive locks.

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122

(303) 770-1917

Inquiry 749.

SHAREWARE

NEW NEW NEW

Rocket "93" HQ CD ROM

600 megs of High Q. Shareware \$39.95+

Latest Shareware on floppies \$1.98 ea.+

Lowest Prices - Highest Quality

Catalog Available

ROCKET SHAREWARE

1-612-934-4775

Inquiry 750.

FREE SOFTWARE FOR IBM®/CLONES

Try us! Get 5/5.25" or 3/3.5" disks full of the latest software - FREE! Choose from General Interest, Games, Windows®, Kid's, Clip Art or Fonts. Pay only a small service charge of \$2.95 per package. Credit Cards only. CALL TODAY!

SOFTWARE OF THE MONTH CLUB

(619) 931-8111, EXT. 511

Inquiry 751.

SOFTWARE/ACCOUNTING

dBASE BUSINESS TOOLS

- GENERAL LEDGER
- PURCH ORD/INVTORY
- ORDER ENTRY
- ACCOUNTS RECVABLE
- JOB COSTING
- JOB ESTIMATING
- BILL OF MATLS
- SALES ANALYSIS
- PAYROLL
- ACCOUNTS PAYABLE

\$99/\$198 ea. + S&H

DATAMAR SYSTEMS Cred. Card-Check-COD

6969-D Corte Santa Fe, San Diego, CA 92121

(619) 452-0044

(800) 223-9963

Inquiry 752.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2®, PC, XT, AT or compatibles.

PCs from \$395 LAN version available

FREE 30 day trial

Computer Keyes

21929 Makah Rd.,

Woodway, WA 98020

Tel: 206/776/6443

Fax: 206/776-7210

USA: 800/356-0203

THE BUYER'S MART

SOFTWARE/DATA ANALYSIS

ADVANCED DATA ANALYSIS... at a click!

CLICK-X™ software, the most user friendly data analysis - ever! • Edit Graph/Data • Analyze • Advanced Math / Regression / Engineering / Statistics • Import/Export. FREE demo disk. Custom software available.

SoloSoft

P.O. Box 2548, Stamford, CT 06906-0548
Phone: (203) 977-8161 Fax: (203) 977-8237

Inquiry 753.

SOFTWARE/DATA GRAPHICS

OPTICAL GRAPH RECOGNITION (OGR) SOFTWARE

SCAN-X™ software imports, converts and manipulates data from scanned plots, pictures, graphs on paper, or captured screens into data files for comparing/analyzing/plotting/exporting. FREE demo disk. Service available.

SoloSoft

P.O. Box 2548, Stamford, CT 06906-0548
Phone: (203) 977-8161 Fax: (203) 977-8237

Inquiry 754.

SOFTWARE/ENGINEERING

Mixed Mode Simulation

- NEW IsSPICE 3 with Analog/Digital simulation
- Draws waveforms as the simulation runs
- PC and Macintosh Versions
- Filter Design
- Schematic Entry
- Extensive Model Libraries
- Waveform Analysis
- Full SPICE programs starting at \$95. Complete systems from \$990.

Call for your Free Demo and Information kit.
P.O. Box 710, San Pedro, CA 90733-0710
310-833-0710, FAX: 310-833-9658

intusoft

Inquiry 755.

SAUNA: 3D THERMAL ANALYSIS

- Models: PCBs, plates, heatsinks, enclosures, multiboard enclosures. • All heat transfer modes: convection, radiation, conduction • Interactive menu-driven • Thermal parameters library • Fast "what if": dimension, mat'l, finish, analyses • Easy to learn & use • IBM PC & Macintosh II

Call for free evaluation program

Tatum Labs, Inc.

1287 N. Silo Ridge Drive, Ann Arbor, MI 48108
313-663-8810

Inquiry 756.

SOFTWARE/GRAPHICS

TIFF, PCX, TARGA, GIF, DIB, BMP, DCK, EPS, WMF, WPG, PICT, JPEG AccuSoft Image Format Library 3.0

"The most comprehensive raster support library on the market!" Import, export, convert, display, and print all above formats! DOS & Windows versions included in one package. No royalties. Includes several sample programs with source code. Supports all languages. Format compatibility guaranteed! G3, G4, TIFF-F, multi-page images etc. Rotate, scale, color reduction, sharpen etc. 30 day satisfaction guarantee. \$495

AccuSoft Corporation

160 E. Main St., P.O. Box 1261, Westboro, MA 01581
(800) 525-3577 (508) 898-2770 FAX (508) 898-9662

Inquiry 757.

Develop CAD/CAM, GIS, A/E/C Products ON TIME and UNDER BUDGET with the "CAD/CAM Developer's Kit" Series

The CCDKs are libraries of C functions which support routines for DXF input/output, graphical display, line/arc/ellipse/NURBS spline construction/editing, and much more than can be described here.

Building Block Software, Inc.

371 Moody Street, Waltham, MA 02154
Voice (617) 899-4350 Fax (617) 899-4399

SOFTWARE/GRAPHICS

"The Ultimate CAD/CAM/CAE Programming Engine"

Slash your development time, with your CAD programming companion, TG-Professional V4.0, the most complete C/C++ toolbox of 2D & 3D geometric routines available today! Over 800 routines including NURBS, DXF, Graphics, Surfacing, Hidden Line, Transforms, Perspectives, Polygon (Int/Union/Diff), Clipping, Tangents and more. Routines for drawing using BGI or MSC Graphics. Full source & 30 day guarantee. USA \$500.00. Use MSC, Borland C/C++, WATCOM C/386 or Metaware High C/C++. Call 1-800-635-7760 or Fax/Phone 214-423-7288 for free 30 page technical paper.

Disk Software Inc.

109 S. Murphy Rd., Plano, TX USA 75094

Inquiry 758.

SOFTWARE/GUI

GUI TOOLKIT ONLY \$249

Full source code included

TEGL Windows Toolkit lets you create DOS based GUI apps that are completely standalone. Over 500 functions. Menus, mouse & keyboard support, dialogues, and more. Includes TEGL graphics interface which has drivers for most popular video modes. Supports most C and Pascal compilers. Protected mode version is only \$499. No royalties.

TEGL Systems Corporation

P.O. Box 580, Stn. A, Vancouver B.C. V6C 2N2
(604) 669-2577 FAX (604) 688-9530

Inquiry 759.

SOFTWARE/MATHEMATICS

OPERATIONS RESEARCH @ \$149 for your IBM or Compatible

LP88-Linear Programs up to 3000 by 15000.
BLP88-Linear Programs with Bounded Variables.
MILP88-Mixed-Integer Linear Programs.
MLP88-Large Model Mixed-Integer LP.
TS88-Transportation/Transshipment Problems.
NLP88-Nonlinear Objective Programs.
Student/Demo-Reduced capacity versions for students.
Turbo Pascal Units-Object modules for developers.

Eastern Software Products, Inc.

P.O. Box 15328, Alexandria, VA 22309
(703) 360-7600, Fax (703) 360-7654

Inquiry 760.

SOFTWARE/PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

FREE CATALOG

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
Phone/Fax: 513-777-8586

Inquiry 761.

STOCK PACKAGING

to help you
market your software
ask for catalog 92 S

Call 708 390-7744

or fax 708 390-9886

PolyQuick Co.

1243 Rand Road, Des Plaines, IL 60016

Inquiry 762.

SOFTWARE/SCIENTIFIC

COOK EXCEL SPREADSHEETS

XSolver optimizes spreadsheet models using simulated annealing. It can find the best solutions to "what if" problems with multiple solutions. Requires Windows 3.x and Microsoft Excel 4.0 for Windows. Only \$150.

Exatech Software

6547 N. Academy Blvd. Suite 527, Colorado Springs, CO 80907
(719) 599-8727

Inquiry 763.

SOFTWARE/SCIENTIFIC

Volume Visualization

VoxelBox is a volume renderer for Windows. Volume rendering is the most direct method of visualizing 3D data. VoxelBox is fast, powerful and easy to use. It features raytracing, color/alpha mapping, lighting, keyframe animation support and much more. Price \$495

Jaguar Software, Inc.

573 Main St. Suite 9B, Winchester, MA 01890
(617) 729-3659

Inquiry 764.

NEW! MathViews™ for Windows

MATLAB compatible interpreter for Windows

- Matrix and Array Algebra
- Complex Numbers and Signal Processing
- 2D and 3D Graphics with Clipboard Support
- Written in C++ / Available for OEM
- Affordable at \$295.00

The MathWizards

(619) 457-2971 FAX (619) 458-5849

Trademarks are the properties of their respective owners.

Inquiry 765.

TeX Scientific Desktop Publishing

- Equations • Tables • Graphics • Scalable Fonts • Supports most printers • WYSIWYG previewer • Foreign Languages • Special Symbols • Font Effects • Indices • Only \$299

TeX of Tomorrow-Notices of AMS, March 1991.

Call now for a FREE DEMO DISK

MicroPress, Inc.

68-30 Harrow Street, Forest Hills, NY
Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 766.

FREE CATALOG

A great selection of scientific software products for plotting, non-linear curve fitting, chemical equilibrium, simulation, statistics, symbolic algebra, and more. Prices from \$150. Call:

1-801-943-0290

MicroMath, Salt Lake City, UT 84121-0550

Inquiry 767.

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and file types including Btrieve and dBASE. Unlimited file sizes, multiple keys and much more! MS-DOS, Windows \$149. OS/2, XENIX, UNIX \$249.

(702) 588-3737

Opt-Tech Data Processing

P.O. Box 678 - Zephyr Cove, NV 89448

Inquiry 768.

SOFTWARE/VOICE/FAX

MULTI-VOICE® TOOLS

Multi-Voice Tools is a complete development Toolkit for Pascal or "C" to access all the features for most speech processing boards available today. It helps you write MULTI-VOICE APPLICATION systems in minutes. A number of programming examples are provided. All programs and libraries are delivered with source code. Dialogic, Rhetorex, Pika, VBX: \$599. Watson (Single Line): \$99. ALSO AVAILABLE: Fax Programmer's Toolkit (\$199). Based on CAS specifications. Visa/MC accepted.

ITI Logiciel

4263 Cristophe-Colomb, Montreal, Quebec, Can. H2J 3G2
TEL (514) 597-1692 FAX (514) 526-2362

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the Direct Link Card by mail or fax! Let them know you saw it in BYTE!

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
A			E			M		
61-62	ABACUS SOFTWARE	95 800-451-4319	195-196	DISTRIBUTED PROCESSING TECH	218 407-830-5522	100-101	LOGITECH INC	167 800-231-7717
188-189	ABC COMPUTER	226 310-325-6369	418	DR HUGGLE & PARTNER GMBH	180IS-1 +49-241-403117**	463	MAGIC / MSE	164IS-1 +972-3-751-1901**
401-402	ACER INCORPORATED	88IS-2-3 +886-3-489-3188	185	DSP DESIGNS INTL / NASCOM	130 508-975-4392	459	MANNESMANN TALLY	128IS-3 +44-0628-527782**
376-377	ACI / ACQUIRE	235 +886-2-760-2154**	339	DSP DEVELOPMENT CORP	242 800-777-5151	103	MATHSOFT INC	171 800-628-4223
190-191	ADVANCED COMPUTER PROD	225 714-558-8813	F			104-105	MAYNARD, AN ARCHIVE CO	159 800-755-0535
65	ADVANCED MICRO DEVICES	14-15 800-222-9323	444	ECG	128IS-2 +31-4937-96808**	*	MCGRAW HILL NRI (N.A.)	164A-B
63	ALADDIN KNOWLEDGE SYS	86 800-223-4277	419	ELIASHIM MICROCOMP	208IS-9 +972-4-528613**	106	MEDIA CYBERNETICS	190 800-992-HALO
403	ALADDIN KNOWLEDGE SYS	208IS-2 800-223-4277	*	ELONEX	72IS-2-3 +44-81-452-6422**	429	MEGADATA	180IS-1 516-589-6858**
175-176	ALLMICRO	93 800-653-4933	382	ELISIST	240 +39 142 451986**	372	MEMORY SUPERSTORE	239 800-800-7056
66	AMERICAN POWER CONV	135 800-800-4APC Dept. A2	225-226	EMBARC / MOTOROLA (N.A.)	121 800-EMBARC4 ext. 350	430	MICRO DESIGN INTL	72IS-4 407-677-8333
67	AMERICAN SMALL BUSI COMP	131 918-825-4844	379	EMPIRE COMPUTECH	239 800-446-1967	108-109	MICRO SOLUTIONS COMP PROD	77 815-756-3411
571	APPRO INTL INC	224MW-4 408-732-6091	420	EUTRON	120IS-4 +39-36-486-229**	387-388	MICROBIZ	241 800-637-8268
566	APPRO INTL INC	224SO-3 408-732-6091	554	EVOLUTION COMPUTING	224NE-1 800-874-4028	344	MICROFIELD GRAPHICS, INC	235 503-626-9393
330-331	AXIOMATIC	238 416-602-9270	561	EVOLUTION COMPUTING	224PC-2 800-874-4028	207-208	MICRO-INTERNATIONAL, INC	222 800-967-5667
184	AXIS COMMUNICATIONS	255 +46-46136130**	G			107	MICROPOLIS CORP	99 800-395-3748
B			421	FAST ELECTRONIC GMBH	188IS-3 +49-89-533-401**	200	MICROPROSE SOFTWARE	227 800-879-PLAY
332	BINARY TECHNOLOGY INC	242 508-369-9556	441-442	FIRST INTL COMPUTER	196IS-5 +886-2-717-4500**	201	MICROPROSE SOFTWARE	229 800-879-PLAY
68-69	BITWISE DESIGNS INC	192 800-367-5906	197-198	FIRST SOURCE INTL	230 714-588-9866	*	MICROSOFT CORP	17 800-426-9400
450	BIX	180 617-491-3342	422-423	FUTURESOFT ENGINEERING	128IS-4 713-496-9400	*	MICROSOFT CORP	28-29 800-882-2000
171-172	BLINK INC	109 804-355-4444	H			354	MICROSTAR LABORATORIES	237 206-453-2345
465-466	BOCA RESEARCH INC (INTL)	CIII 407-997-6227	88	HAUPPAUGE COMP WORKS	115 800-443-6284	567-568	MICROTECH COMPUTER	224SO-5 800-342-6508
70-71	BORLAND INTL	13 800-336-6464 ext. 5202	426	HONEYWELL KEYBOARD DIV	180IS-3 800-445-6939	*	MICROWAY	186 508-746-7341
*	BYTE SUB MESSAGE	182	89	HUMMINGBIRD COMMUNICATIONS	205 416-470-1207	*	MICROWAY	211 508-746-7341
404	B&C MICROSYSTEMS	128IS-4 408-730-5511	345-346	INDUS	241 800-843-9377	440	MINICOM LTD	208IS-10 +972-2-637576**
C			389	INFINICON	236 800-374-3880	458	MINISTRY OF INDUSTRY AND TRADE	208IS-6 +972-2-669-388**
405	CATHAY COMPUTER & TECHNOLOGY	196IS-12 +886-2-506-8929**	457	INFOMEDIA	208IS-8 +972 52 507 490**	431	MINOLTA GMBH	72IS-1 +49-511-779089**
406	CHERRY MIKROSCHALTER GMBH (INTL)	178-179 +49-964-318-262**	92	INTEGRAND RESEARCH	210 209-651-1203	121	MINUTEMAN	75 214-446-7363
460-461	CHICONY	196IS-3 +886-3-323-5743**	427	INTERGRX INC	128IS-4 805-375-1055	385	MITAC	237 +886-2-509-0979**
206	CITITRONICS	228 818-855-5688	93	INTERFACE GROUP	66-67	112	MKS / MORTICE KERN SYS	193 519-884-2251
73-74	COLORADO MEMORY SYS	43 800-346-9881	347	IO TECH	240 216-439-4091	437-438	MOTOROLA UDS	180IS-4 +33-1-4117-4130**
75	COMMODORE	21 800-66-AMIGA	94	IOMEGA	22-23 800-777-4045	452-453	MOXA	196IS-11 +886-2-910-1231**
407-408	COMPEX INC	120IS-3 714-630-7302	348-349	ISLAND SYSTEMS	243 617-273-0421	462	MULTIVENTURE	196IS-7 +886-2-703-1380**
77	COMPUTER ASSOCIATES	38-39 800-CALL-CAI	445	ITALIAN SW AGENCY	120IS-2 +39-323-925208**	113	MYLEX CORP	18-19 510-796-6100
76	COMPUTER ASSOCIATES	122 800-CALL-CAI	220-221	ITERATED SYSTEMS	196 404-840-0633	N		
78	COMPUTER FRIENDS	54 800-547-3303	378	IVERSON SOFTWARE, INC	243 416-925-6096	215-216	NAGA SYSTEMS CORP	232 800-568-6242
333	COMPUTER MODULES	235 408-496-1881	J			114-115	NANAO USA CORP (N.A.)	89 310-325-5202
410	COMPUTER QUICK	120IS-4 415-861-8330	95	JAMECO ELECTRONICS	117 800-831-4242	116	NATIONAL INSTRUMENTS	9 800-433-3488
334	COMPUTER SYS ARCHITECT	235 800-753-4CSA	*	JDR MICRODEVICES	233 800-538-5000	355	NATIONAL INSTRUMENTS	242 800-433-3488
192	COMPUTERLANE UNLTD	223 800-526-3482	*	JNL OF OBJ ORIENT PROGRAMMING	128IDRC1-2 212-274-0640	*	NATIONAL INSTRUMENTS	128IDRC1-2 512-794-0100**
335	COMPUTERWISE	242 800-255-3739	96	KEA SYSTEMS LTD	76 800-663-8702	117	NEC - LAPTOPS	69 800-NEC-INFO
186-187	CONSENSYS CORP	104 416-940-2903**	3	KEDWELL SCIENTIFIC	172IS-3 603-433-4777	199	NEVADA COMPUTER	221 800-654-7762
390	CONTROL CONCEPTS	235 703-876-6444	353	KEITHLEY METRABYTE	237 508-880-3000	118-119	NEWGEN SYSTEMS CORP	163 714-436-5100
79	COREL SOFTWARE	47 800-836-SCSI	552	KENOSHA COMPUTER CTR	224MW-1 800-255-2989	373	NOVASTOR CORP	241 602-396-3616
456	CPS COMPUTER DISTRIBUTION GMBH	164IS-4 +49-40-656-7969**	557	KENOSHA COMPUTER CTR	224NE-2 800-255-2989	120	NSTL	189 215-941-9600
455	CPS COMPUTER DISTRIBUTION GMBH	172IS-4 +49-40-656-7969**	564	KENOSHA COMPUTER CTR	224PC-3 800-255-2989	O		
170	CREATIVE LABS INC	27 800-998-LABS	569	KENOSHA COMPUTER CTR	224SO-2 800-255-2989	213-214	OCEAN OFFICE AUTOMATION LTD	219 +852-305-1800
80	CURTIS INC	182 612-631-9512	350	KILA	237 303-444-7737	467	OLIVETTI	164IS-2-3
454	CYBERDYNE SYSTEMS / COMPUTERS UK	188IS-2 +49-6174-24749**	K			443	ON TIME MKT / KARSTEN PETERSEN	172IS-4 +49-40-435-196**
193-194	CYBEX CORP	224 205-534-0010**	96	KEA SYSTEMS LTD	76 800-663-8702	356	OVERLAND DATA INC	241 800-729-8725
411-412	CYBEX CORP (INTL)	CIV 205-534-0010**	3	KEDWELL SCIENTIFIC	172IS-3 603-433-4777	432	OXFORD ELECTRONIC PUBLISHING	88IS-1 +44-865-56646**
D			353	KEITHLEY METRABYTE	237 508-880-3000	P		
183	DALLAS SEMICONDUCTOR	106 800-258-5061	552	KENOSHA COMPUTER CTR	224MW-1 800-255-2989	*	PACIFIC DATA PRODUCTS	153 619-625-3593
81-82	DATA ACCESS CORP	203 800-451-FLEX	557	KENOSHA COMPUTER CTR	224NE-2 800-255-2989	122	PATTON & PATTON	82 800-525-0082 ext. 112
337	DATALUX CORP (INTL)	238 +44-306-876718	564	KENOSHA COMPUTER CTR	224PC-3 800-255-2989	123-124	PC POWER & COOLING	49 800-722-6555
336	DATALUX CORP (INTL)	239 +44-306-876718	569	KENOSHA COMPUTER CTR	224SO-2 800-255-2989	125-126	PERCEPTIVE SOLUTIONS	150 800-486-3278
337	DATALUX CORP (N.A.)	238 800-DATALUX	350	KILA	237 303-444-7737	127	PERSOFT INC	204 800-368-5283
336	DATALUX CORP (N.A.)	239 800-DATALUX	L			553	PERSONAL SOLUTION COMP	224MW-3 800-685-3981
413	DATAMAN LTD	180IS-2 +44-0300-21012**	351	LABTECH	243 800-879-5228	558	PERSONAL SOLUTION COMP	24NE-5 800-685-3981
414	DATAPRO INTL	172IS-1 +44-0628-773628**	352	LAGUNA DATA SYSTEMS	241 800-859-8856	570	PERSONAL SOLUTION COMP	224SO-1 800-685-3981
415-416	DATATRONICS TECH	196IS-11 +886-2-782-0305**	97	LAHEY COMPUTER SYSTEMS	133 800-548-4778	357	PERSONAL TEX	242 415-388-8853
383-384	DAVISON-WORTH CORP	240 800-668-2707	148-149	LANDMARK RESEARCH INTL CORP	103 800-683-6696	128	PHAR LAP SOFTWARE INC	85 617-661-1510
*	DELL COMPUTER CORP (N.A.)	CIII 800-626-8260	204	LODE STAR COMPUTER	214-215 800-875-7568	129-130	PINNACLE MICRO	6-7 714-727-3300
*	DELL COMPUTER CORP (N.A.)	CIV 800-626-8260	428	LOGIC PROGRAMMING ASSOCIATES	180IS-1 +44-81-874-0449**	371	PIXEL PERFECT / MEDICAL ADVISOR	243 800-788-2099
551	DEXPO / MILLER FREEMAN, INC	224MW-2 800-87-DEXPO	212	LOGICAL CONNECTION	231 800-238-9415	131	PKWARE INC	206 414-354-8699
555	DEXPO / MILLER FREEMAN, INC	224NE-3 800-87-DEXPO	M			464	POLYWELL COMPUTERS, INC	188IS-2 800-999-1278
562	DEXPO / MILLER FREEMAN, INC	224PC-4 800-87-DEXPO	351	LABTECH	243 800-879-5228	556	POLYWELL COMPUTERS, INC	224NE-6 800-999-1278
565	DEXPO / MILLER FREEMAN, INC	224SO-4 800-87-DEXPO	352	LAGUNA DATA SYSTEMS	241 800-859-8856	*	PROGRAMMER'S PARADISE	55 800-445-7899
338	DIAGSOFT INC	243 800-DIAGSOFT	97	LAHEY COMPUTER SYSTEMS	133 800-548-4778	102	PROGRAMMER'S PARADISE	56-57 800-445-7899
417	DIETRICH POS EQUIPMENT	172IS-4 +49-761-5-68-81**	148-149	LANDMARK RESEARCH INTL CORP	103 800-683-6696	*	PROGRAMMER'S SHOP	78-79 800-421-8006
83	DIGITAL VISION	74 800-346-0900	204	LODE STAR COMPUTER	214-215 800-875-7568	*	PROGRAMMER'S SHOP	80 800-421-8006
391-392	DISPLAY RESEARCH LAB	238 +852-877-8810**	428	LOGIC PROGRAMMING ASSOCIATES	180IS-1 +44-81-874-0449**	132-133	PROGRESS SOFTWARE	207 800-4PROGRESS
F			212	LOGICAL CONNECTION	231 800-238-9415	Q		
421	FAST ELECTRONIC GMBH	188IS-3 +49-89-533-401**	N			98-99	QMS	139 800-422-2769 ext. 2997
441-442	FIRST INTL COMPUTER	196IS-5 +886-2-717-4500**	O			R		
197-198	FIRST SOURCE INTL	230 714-588-9866	P			S		
422-423	FUTURESOFT ENGINEERING	128IS-4 713-496-9400	Q			T		
G			R			U		
*	GATEWAY 2000	CII, 1 800-846-2000	S			V		
*	GATEWAY 2000	62-63 800-846-2000	T			W		
386	GENERAL TECHNICS	237 800-487-2538	U			X		
84-85	GENOA SYSTEMS	125 408-432-9090	V			Y		
340	GENOVATION, INC	238 800-822-4333	W			Z		
424	GFK HAMBURG	188IS-1 +49-40-231-789**	X			AA		
86-87	GLENCO ENGINEERING	141 800-562-2543	Y			AB		
341	GMM RESEARCH CORP	236 714-752-9447	Z			AC		
425	GREY MATTER LTD	188IS-4 +44-0364-53071**	AA			AD		
342	GTEK INC	236 800-282-4835	AB			AE		
343	GTEK INC	240 800-282-4835	AC			AF		
H			AD			AG		
88	HAUPPAUGE COMP WORKS	115 800-443-6284	AE			AH		
426	HONEYWELL KEYBOARD DIV	180IS-3 800-445-6939	AF			AI		
89	HUMMINGBIRD COMMUNICATIONS	205 416-470-1207	AG			AJ		
I			AH			AK		
91	IBM - THINK PAD	10-11 800-IBM-2YOU	AJ			AL		
110-111	IBM - THINK PAD	33-36 800-IBM-2YOU X213BYTE	AK			AM		
345-346	INDUS	241 800-843-9377	AL			AN		
389	INFINICON	236 800-374-3880	AM			AO		
457	INFOMEDIA	208IS-8 +972 52 507 490**	AN			AP		
92	INTEGRAND RESEARCH	210 209-651-1203	AO			AQ		
427	INTERGRX INC	128IS-4 805-375-1055	AP			AR		
93	INTERFACE GROUP	66-67	AQ			AS		
347	IO TECH	240 216-439-4091	AR			AT		
94	IOMEGA	22-23 800-777-4045	AS			AU		
348-349	ISLAND SYSTEMS	243 617-273-0421	AT			AV		
445	ITALIAN SW AGENCY	120IS-2 +39-323-925208**	AV			AW		
220-221	ITERATED SYSTEMS	196 404-840-0633	AW			AX		
378	IVERSON SOFTWARE, INC	243 416-925-6096	AX			AY		
J			AY			AZ		
95	JAMECO ELECTRONICS	117 800-831-4242	AZ			BA		
*	JDR MICRODEVICES	233 800-538-5000	BA			BB		
*	JNL OF OBJ ORIENT PROGRAMMING	128IDRC1-2 212-274-0640	BB			BC		
K			BC			BD		
96	KEA SYSTEMS LTD	76 800-663-8702	BD			BE		
3	KEDWELL SCIENTIFIC	172IS-3 603-433-4777	BE			BF		
353	KEITHLEY METRABYTE	237 508-880-3000	BF			BG		
552	KENOSHA COMPUTER CTR	224MW-1 800-255-2989	BG			BH		
557	KENOSHA COMPUTER CTR	224NE-2 800-255-2989	BH			BI		

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
134	QNX / QUANTUM S/W SYS	191 800-363-9001 ext. 101	147	STRATEGIC MAPPING	194 800-442-8887	V		
136	QUA TECH INC	212 800-553-1170	174	SUNSOFT	2-3 800-227-9227	160	VALITEK INC	84 800 VALITEK
358	QUALSTAR CORP	241 818-882-5822	173	SUPRA CORP	107 800-727-8647	177	VIDEO MAKER / VITEC	127 +33-146-29-03-04**
*	QUANTUM CORP (INT'L)	198 +41-38-337722	150-151	SYSTAT INC	81 708-864-5670	365	VIDEX, INC	236 503-758-0521
446-447	QUANTUM CORP (INT'L)	199 +41-38-337722	433	SZKI RECOGNITA CORP (INT'L)	89 +361-201-7607**	161-162	VIEWSONIC	31 714-869-7976
135	QUARTERDECK OFFICE SYS	101 310-392-9851				563	VORTEX COMPUTERS	224PC-1 800-548-7839
R			T			W		
137	RAIMA CORP	65 800-327-2462	359	TALKING TECHNOLOGY INC	236 800-685-4884	439	WALKER, RICHER & QUINN	120IS-1 206-324-0407
138-139	RAINBOW TECHNOLOGIES	61 800-852-8569	360-361	TECHNOLOGIC SYSTEMS	239 513-644-2230	163	WATCOM PRODUCTS INC	25 800-265-4555
209	RALIN WHOLESALERS	231 800-752-9512	436	TECHPOWER COMPANY LTD	196IST-8 +886-2-753-1940**	366	WINTK CORP	241 800-742-6809
202-203	RECORTREC INC	217 800-729-7654	152	TEKTRONIX	53 800-835-6100	166-168	WOLFRAM RESEARCH	155 800-441-6284
140	RETX INC	151 800-255-2333	153	TEXAS INSTRUMENTS	83 800-527-3500	205	WORLDWIDE TECHNOLOGIES	216 800-457-6937
141	ROSE ELECTRONICS	8 800-333-9343	155	TEXAS MICROSYSTEMS	104A-B 800-627-8700	X		
			154	TEXAS MICROSYSTEMS	105 800-627-8700	367	XELTEK	240 408-524-1929
S			451	TOPEK	196IST-9 +886-2-961-9586**	218-219	XLI CORP	160-161 617-932-9199
223-224	SCEPTRE TECHNOLOGIES	45 800-788-2878	156	TOSHIBA AMERICA INC	50-51 800-457-7777	164-165	XVT SOFTWARE INC	195 800-678-7988
374-375	SCIENTIFIC PROGRAMMING	241 517-339-9859	210-211	TRANSCEND INFORMATION INC	220 909-598-5500	Z		
142	SEQUIER SOFTWARE INC	119 403-437-2410	369	TRANTRON SYSTEMS LTD	238 800-872-6867	448-449	ZECKS	196IST-12 +886-2-280-1351**
143	SIGMA DATA	87 800-446-4525	370	TRI VALLEY TECHNOLOGY INC	237 510-447-2030	*	ZENITH DATA SYSTEMS	72A-H 800-523-9393
380-381	SIGMA TECH SOFTWARE	236 818-368-6132	362	TRIANGLE DIGITAL SERVICES	240 +44-81-558-8110**	169	ZEOS INTERNATIONAL	70-71 800-423-5891
144	S'N'W ELECTRONICS	54 800-874-1235	363-364	TRIBAL MICROSYSTEMS	240 510-623-8859	368	Z-WORLD ENGINEERING	240 916-757-3737
434	SOFTLINE CORP	88IS-4 718-438-6057	157	TRITON TECHNOLOGIES	143 908-855-9440	178-179	ZYXEL USA	145 714-693-0808
435	SOFTWARE SECURITY INC	128IS-1 203-329-8870						
222	STARTTECH INT'L	234 619-278-2600	U					
145	STATSOFT	175 918-583-4149	559-560	ULTRA COMPUTERS	224NE-4 800-755-7518			
146	STORAGE DIMENSIONS	147 800-344-4323	158	UNIPALM LTD	154 +44-0223-426868**			
*	STRADA AUTOTECH, INC	235	*	UNIXWORLD	148A-B 800-257-9402			
			*	UNIXWORLD	149 800-257-9402			

* Correspond directly with company.

** Indicates FAX Number

BYTE ADVERTISING SALES STAFF

Liz Coymen, Inside Advertising Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2518

NEW ENGLAND

ME, NH, VT, MA, RI, CT, ONTARIO
CANADA & EASTERN CANADA
(617) 860-6344
Patricia Payne (603) 924-2654
McGraw-Hill Publications
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

EAST COAST

NY, NJ, DE, PA
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST

NC, SC, GA, FL, AL, TN, MS, AR, LA,
KY, DC, MD, VA, WV
MaryAnn Goulding (404) 843-4782
Barry Echavarría (603) 924-2574
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST

IL, MO, KS, IA, ND, SD, MN,
WI, NE, IN, MI, OH
Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664
McGraw-Hill Publications
Two Prudential Plaza
180 North Stetson Ave.
Chicago, IL 60601
FAX: (312) 616-3370

SOUTHWEST

ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker (214) 701-8496
Larry Levine (603) 924-2637
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

SOUTH PACIFIC: Los Angeles, CA

LOS ANGELES COUNTY, AZ, NM,
Alan El Faye (213) 480-5243
Larry Levine (603) 924-2637
McGraw-Hill Publications
3333 Wilshire Boulevard #407
Los Angeles, CA 90010
FAX: (213) 480-5249

NORTH PACIFIC

NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kros (415) 513-6861
Joseph Mabe (603) 924-2662
SILICON VALLEY, HI, WA, AK,
W. CANADA
Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
SILICON VALLEY, NV
Barbara Holmes (415) 513-6945
Barry Echavarría (603) 924-2574
McGraw-Hill Publications
1900 O'Farrell Street, #200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC: Irvine, CA

ORANGE COUNTY
SAN DIEGO COUNTY
Beth Dumas (714) 753-8140
Joseph Mabe (603) 924-2662
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: 603-924-2683 Advertising FAX: 603-924-7507

Hardware/Software Showcase

Mark Stone (603) 924-2695
Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

The Buyer's Mart/Classifieds

Margot Gnadé (603) 924-2656
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck

Brad Dixon (603) 924-2596
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK

James Bail (603) 924-2533
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

Regional & Buyer's Guide

Brian Higgins (603) 924-2651
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE International Direct Response Postcards

Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

INTERNATIONAL ADVERTISING SALES STAFF

GERMANY, SWITZERLAND, AUSTRIA

Jürgen Heise
McGraw-Hill Publishing Co.
Liebigstrasse 19
D-6000 Frankfurt
Germany
Tel: +49 69 71407 140
FAX: +49 69 71407 147

SCANDINAVIAN COUNTRIES

Zena Coupé
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

FRANCE, UNITED KINGDOM, BENELUX

Gary Lucas (+44 81 545 6268)
McGraw-Hill Publishing Co.
Wimbleton Bridge House
One Hatfield Road
Wimbleton, London SW19 3RU
England
FAX: +44 81 5456294
TELEX: 892191

ITALY

Zena Coupé, Amanda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

ISRAEL

Dan Ehrlich
Ehrlich Communication Int'l.
P.O. Box 99
Herzliya 46101, Israel
Tel: +972 52 586245
FAX: +972 52 585685

AUSTRALIA

Rod Treman
Rod Treman Media
45 Pymble Ave.
Pymble 2073, Sydney
Australia
Tel: +61 2 9983339
FAX: +61 2 9883424

JAPAN

Masaki Mori
Transworld Media Inc.
4th Floor, 1-26-6 Kamimeguro
Meguro-ku, Tokyo 153, Japan
Tel: +81 3 57210761
FAX: +81 3 57210762

KOREA

Young-Seoh Chinn
JES MEDIA INT'L
5th Floor, Banpo Bldg.
40-7, Charnwon-Dong, Seocho-Gu
Seoul 137-030, Korea
Tel: +82 2 5458001
Tel: +82 2 5458002
FAX: +82 2 5498861

SINGAPORE

Derek Ng
Stephen Tay
Third Wave Publishing Corp.
1123 Serangoon Road, #03-01
Singapore 1232
Tel: +65 296 6166
FAX: +65 296 7551

HONG KONG

Candice Lo
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

MALAYSIA

Servex (Malaysia) Sdn. Bhd.
H.K. Lin
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur, Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

THAILAND

Jack Hu
Sahaviraya OA Group
28/1 Prapawit Bldg., Surasak Rd.
Siam, Bangkok 10500
Thailand
Tel: +66 2 2360295
FAX: +66 2 2365960

TAIWAN

Liwen Lee
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

INDIA, INDONESIA, PAKISTAN, PHILIPPINES, OTHER ASIAN AND PACIFIC COUNTRIES

K.T. Wu
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

To receive information for an entire product category, circle the category number on Your Direct Link Card!

Category No.
Inquiry No.

Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

417	DIETRICH POS EQUIPMENT	172IS-4
111	IBM - THINK PAD	36
459	MANNESMANN TALLY	128IS-3
448-449	ZECKS	196IS-12

2 ADD-IN BOARDS

376-377	ACI / ACQUIRE	235
465-466	BOCA RESEARCH INC (INT'L)	CIII
404	B&C MICROSYSTEMS	128IS-4
407-408	COMPEX INC	120IS-3
333	COMPUTER MODULES	235
334	COMPUTER SYSTEM ARCHITECT	235
390	CONTROL CONCEPTS	235
455	CPS COMPUTER DISTRIBUTION GMBH	172IS-4
456	CPS COMPUTER DISTRIBUTION GMBH	164IS-4
80	CURTIS INC	182
417	DIETRICH POS EQUIPMENT	172IS-4
195-196	DISTRIBUTED PROCESSING TECH	218
84-85	GENOA SYSTEMS	125
424	GFK HAMBURG	188IS-1
88	HAUPPAUGE COMP WORKS	115
95	JAMECO ELECTRONICS	117
344	MICROFIELD GRAPHICS, INC	235
452-453	MOXA	196IS-11
113	MYLEX CORP	18-19
125-126	PERCEPTIVE SOLUTIONS	150
136	QUA TECH INC	212
143	SIGMA DATA	87
*	STRADA AUTOTECH, INC	235
359	TALKING TECHNOLOGY INC	236
451	TOPTEK	196IS-9

3 BAR CODING

459	MANNESMANN TALLY	128IS-3
365	VIDEX, INC	236

4 COMMUNICATIONS/NETWORKING

401-402	ACER INCORPORATED	88IS-2-3
184	AXIS COMMUNICATIONS	255
*	ELONEX	72IS-2-3
225-226	EMBARC / MOTOROLA (N.A.)	121
341	GMM RESEARCH CORP	236
342	GTEK INC	236
389	INFINICON	236
429	MEGADATA	180IS-1
440	MINICOM LTD	208IS-10
437-438	MOTOROLA UDS	180IS-4
141	ROSE ELECTRONICS	8
380-381	SIGMA TECH SOFTWARE	236
359	TALKING TECHNOLOGY INC	236
360-361	TECHNOLOGIC SYSTEMS	239

5 COMPUTER SYSTEMS

566	APPRO INTERNATIONAL INC	224SO-3
571	APPRO INTERNATIONAL INC	224MW-4
405	CATHAY COMPUTER & TECHNOLOGY	196IS-12
75	COMMODORE	21
454	CYBERDYNE SYSTEMS / COMPUTERS UK	188IS-2
*	DELL COMPUTER CORP (N.A.)	CIII
*	DELL COMPUTER CORP (N.A.)	CIV
444	ECG	128IS-2
*	ELONEX	72IS-2-3
*	GATEWAY 2000	CII,1
*	GATEWAY 2000	62-63
*	IBM - THINK PAD	33
110	IBM - THINK PAD	34-35
427	INTEGRIX INC	128IS-4
350	KILA	237
207-208	MICRO-INTERNATIONAL, INC	222
567-568	MICROTECH COMPUTER	224SO-5
385	MITAC	237
215-216	NAGA SYSTEMS CORP	232
120	NSTL	189
213-214	OCEAN OFFICE AUTOMATION LTD	219
123-124	PC POWER & COOLING	49

Category No.
Inquiry No.

Page No.

553	PERSONAL SOLUTION COMPUTERS	224MW-3
558	PERSONAL SOLUTION COMPUTERS	224NE-5
570	PERSONAL SOLUTION COMPUTERS	224SO-1
202-203	RECOTEC INC	217
436	TECHPOWER COMPANY LTD	196IS-8
155	TEXAS MICROSYSTEMS	104A-B
154	TEXAS MICROSYSTEMS	105
370	TRI VALLEY TECHNOLOGY INC	237
362	TRIANGLE DIGITAL SERVICES	240
*	ZENITH DATA SYSTEMS	72A-H
169	ZEOS INT'L	70-71

6 DATA ACQUISITION

353	KEITHLEY METRABYTE	237
354	MICROSTAR LABORATORIES	237
*	NATIONAL INSTRUMENTS	128IDRC1-2
136	QUA TECH INC	212

7 DISK & OPTICAL DRIVES

80	CURTIS INC	182
386	GENERAL TECHNICS	237
104-105	MAYNARD, AN ARCHIVE CO	159
430	MICRO DESIGN INT'L	72IS-4
108-109	MICRO SOLUTIONS COMP PROD	77
107	MICROPOLIS CORP	99
118-119	NEWGEN SYSTEMS CORP	163
129-130	PINNACLE MICRO	6-7
*	QUANTUM CORP (INT'L)	198
446-447	QUANTUM CORP (INT'L)	199
222	STARTECH INT'L	234
369	TRANSTAR SYSTEMS LTD	238

8 DISKETTES/DUPPLICATORS

330-331	AXIOMATIC	238
---------	-----------	-----

9 FAX BOARDS/MACHINES

437-438	MOTOROLA UDS	180IS-4
---------	--------------	---------

10 GRAPHICS TABLETS/MICE/PEN INPUT

83	DIGITAL VISION	74
426	HONEYWELL KEYBOARD DIV	180IS-3

11 KEYBOARDS

406	CHERRY	
	MIKROSCHALTER GMBH (INT'L)	178-179
337	DATALUX CORP	238

12 LAN HARDWARE

193-194	CYBEX CORP	224
411-412	CYBEX CORP (INT'L)	CIV
212	LOGICAL CONNECTION	231
104-105	MAYNARD, AN ARCHIVE CO	159
440	MINICOM LTD	208IS-10
123-124	PC POWER & COOLING	49

13 LAPTOPS & NOTEBOOKS

188-189	ABC COMPUTER	226
68-69	BITWISE DESIGNS INC	192
460-461	CHICONY	196IS-3
441-442	FIRST INT'L COMPUTER	196IS-5
340	GENOVATION, INC	238
91	IBM - THINK PAD	10-11
110	IBM - THINK PAD	34-35
207-208	MICRO-INTERNATIONAL, INC	222
462	MULTIVENTURE	196IS-7
117	NEC - LAPTOPS	69
467	OLIVETTI	164IS-2-3
464	POLYWELL COMPUTERS, INC	188IS-2
556	POLYWELL COMPUTERS, INC	224NE-6
144	S'NW ELECTRONICS	54
153	TEXAS INSTRUMENTS	83
156	TOSHIBA AMERICA INC	50-51
563	VORTEX COMPUTERS	224PC-1
*	ZENITH DATA SYSTEMS	72A-H
169	ZEOS INT'L	70-71

Category No.
Inquiry No.

Page No.

14 MAIL ORDER

190-191	ADVANCED COMPUTER PRODUCTS	225
206	CITITRONICS	228
192	COMPUTERLANE UNLIMITED	223
95	JAMECO ELECTRONICS	117
*	JDR MICRODEVICES	233
552	KENOSHA COMPUTER CENTER	224MW-1
557	KENOSHA COMPUTER CENTER	224NE-2
564	KENOSHA COMPUTER CENTER	224PC-3
569	KENOSHA COMPUTER CENTER	224SO-2
204	LODE STAR COMPUTER	214-215
199	NEVADA COMPUTER	221
209	RALIN WHOLESALERS	231
144	S'NW ELECTRONICS	54
222	STARTECH INT'L	234
559-560	ULTA COMPUTERS	224NE-4

15 MEMORY/CHIPS/UPGRADES

65	ADVANCED MICRO DEVICES	14-15
206	CITITRONICS	228
197-198	FIRST SOURCE INT'L	230
424	GFK HAMBURG	188IS-1
95	JAMECO ELECTRONICS	117
372	MEMORY SUPERSTORE	239
210-211	TRANSCEND INFORMATION INC	220
205	WORLDWIDE TECHNOLOGIES	216

16 MISCELLANEOUS HARDWARE

444	ECG	128IS-2
92	INTEGRAND RESEARCH	210
100-101	LOGITECH INC	167
222	STARTECH INT'L	234

17 MODEMS/MULTIPLEXORS

78	COMPUTER FRIENDS	54
415-416	DATATRONICS TECHNOLOGY	196IS-11
*	JDR MICRODEVICES	233
437-438	MOTOROLA UDS	180IS-4
209	RALIN WHOLESALERS	231
173	SUPRA CORP	107
178-179	ZYXEL USA	145

18 MONITORS & TERMINALS

336	DATALUX CORP (N.A.)	239
*	ELONEX	72IS-2-3
114-115	NANAO USA CORP (N.A.)	89
223-224	SCEPTRE TECHNOLOGIES	45
161-162	VIEWSONIC	31

19 MULTIMEDIA

455	CPS COMPUTER DISTRIBUTION GMBH	172IS-4
456	CPS COMPUTER DISTRIBUTION GMBH	164IS-4
170	CREATIVE LABS INC	27
391-392	DISPLAY RESEARCH LAB	238
379	EMPIRE COMPUTECH	239
88	HAUPPAUGE COMP WORKS	115
97	LAHEY COMPUTER SYSTEMS	133
100-101	LOGITECH INC	167
152	TEKTRONIX	53
451	TOPTEK	196IS-9
177	VIDEO MAKER / VITEC	127

20 PRINTERS/PLOTTERS

417	DIETRICH POS EQUIPMENT	172IS-4
212	LOGICAL CONNECTION	231
459	MANNESMANN TALLY	128IS-3
431	MINOLTA GMBH	72IS-1
*	PACIFIC DATA PRODUCTS	153
98-99	QMS	139
360-361	TECHNOLOGIC SYSTEMS	239
152	TEKTRONIX	53
218-219	XLI CORP	160-161

21 PROGRAMMABLE HARDWARE

413	DATAMAN LTD	180IS-2
383-384	DAVISON-WORTH CORP	240

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. Circle the Numbers on Your Direct Link Card

Circle the numbers which are found on ads and articles in this issue or circle the product category number and receive information on all advertisers listed in that category.

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. Please Print.

Name _____

Title _____

Company _____

Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

A. What is your primary job function/principal area of responsibility? (Check one)

- 1 ☐ MIS/DIP
2 ☐ Programmer/Systems Analyst
3 ☐ Administration/Management
4 ☐ Sales/Marketing
5 ☐ Engineer/Scientist
6 ☐ Other

B. What is your level of management responsibility?

- 7 ☐ Senior-level 9 ☐ Professional
8 ☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply)

- 12 ☐ PC/Ms-DOS 15 ☐ Unix
13 ☐ DOS + Windows 16 ☐ MacOS
14 ☐ OS/2 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25 20 ☐ 51-99
19 ☐ 26-50 21 ☐ 100 or more

March 1993

90 96 99

Product Category Information	Disks & Optical Drives	7	Multimedia	19	Educational	30	Shareware	42
Circle the numbers below for information on the entire category of products you're interested in.	Diskettes/Duplicators	8	Printers/Plotters	20	Engineering/Scientific	31	Software Duplication	43
	Fax Boards/Machines	9	Programmable Hardware	21	Entertainment	32	Spreadsheets	44
	Graphics Tablets/Mice/		Scanners/OCR/Digitizers	22	Graphics	33	Unix	45
	Pen Input	10	Tape Drives	23	Macintosh	34	Utilities	46
	Keyboards	11	UPS	24	Mail Order	35	Windows	47
Hardware	LAN Hardware	12	Software		Mathematical/Statistical	36	Word Processing	48
Accessories/Supplies	Laptops & Notebooks	13	Business	25	Miscellaneous Software	37		
Add-In Boards	Mail Order	14	CAD/CAM	26	On-Line Services	38	Books/Publications	49
Bar Coding	Memory/Chips/Upgrades	15	Communications/Networking	27	Operating Systems	39	Recruitment	50
Communications/Networking	Miscellaneous Hardware	16	Data Acquisition	28	Programming Languages/		Miscellaneous	51
Computer Systems	Modems/Multiplexers	17	Database	29	Tools	40		
Data Acquisition	Monitors & Terminals	18			Security	41		

Inquiry Numbers 52-233

52	78	104	130	156	182	208
53	79	105	131	157	183	209
54	80	106	132	158	184	210
55	81	107	133	159	185	211
56	82	108	134	160	186	212
57	83	109	135	161	187	213
58	84	110	136	162	188	214
59	85	111	137	163	189	215
60	86	112	138	164	190	216
61	87	113	139	165	191	217
62	88	114	140	166	192	218
63	89	115	141	167	193	219
64	90	116	142	168	194	220
65	91	117	143	169	195	221
66	92	118	144	170	196	222
67	93	119	145	171	197	223
68	94	120	146	172	198	224
69	95	121	147	173	199	225
70	96	122	148	174	200	226
71	97	123	149	175	201	227
72	98	124	150	176	202	228
73	99	125	151	177	203	229
74	100	126	152	178	204	230
75	101	127	153	179	205	231
76	102	128	154	180	206	232
77	103	129	155	181	207	233

Inquiry Numbers 409-590

409	435	461	487	513	539	565
410	436	462	488	514	540	566
411	437	463	489	515	541	567
412	438	464	490	516	542	568
413	439	465	491	517	543	569
414	440	466	492	518	544	570
415	441	467	493	519	545	571
416	442	468	494	520	546	572
417	443	469	495	521	547	573
418	444	470	496	522	548	574
419	445	471	497	523	549	575
420	446	472	498	524	550	576
421	447	473	499	525	551	577
422	448	474	500	526	552	578
423	449	475	501	527	553	579
424	450	476	502	528	554	580
425	451	477	503	529	555	581
426	452	478	504	530	556	582
427	453	479	505	531	557	583
428	454	480	506	532	558	584
429	455	481	507	533	559	585
430	456	482	508	534	560	586
431	457	483	509	535	561	587
432	458	484	510	536	562	588
433	459	485	511	537	563	589
434	460	486	512	538	564	590

Inquiry Numbers 766-947

766	792	818	844	870	896	922
767	793	819	845	871	897	923
768	794	820	846	872	898	924
769	795	821	847	873	899	925
770	796	822	848	874	900	926
771	797	823	849	875	901	927
772	798	824	850	876	902	928
773	799	825	851	877	903	929
774	800	826	852	878	904	930
775	801	827	853	879	905	931
776	802	828	854	880	906	932
777	803	829	855	881	907	933
778	804	830	856	882	908	934
779	805	831	857	883	909	935
780	806	832	858	884	910	936
781	807	833	859	885	911	937
782	808	834	860	886	912	938
783	809	835	861	887	913	939
784	810	836	862	888	914	940
785	811	837	863	889	915	941
786	812	838	864	890	916	942
787	813	839	865	891	917	943
788	814	840	866	892	918	944
789	815	841	867	893	919	945
790	816	842	868	894	920	946
791	817	843	869	895	921	947

Inquiry Numbers 1123-1304

1123	1149	1175	1201	1227	1253	1279
1124	1150	1176	1202	1228	1254	1280
1125	1151	1177	1203	1229	1255	1281
1126	1152	1178	1204	1230	1256	1282
1127	1153	1179	1205	1231	1257	1283
1128	1154	1180	1206	1232	1258	1284
1129	1155	1181	1207	1233	1259	1285
1130	1156	1182	1208	1234	1260	1286
1131	1157	1183	1209	1235	1261	1287
1132	1158	1184	1210	1236	1262	1288
1133	1159	1185	1211	1237	1263	1289
1134	1160	1186	1212	1238	1264	1290
1135	1161	1187	1213	1239	1265	1291
1136	1162	1188	1214	1240	1266	1292
1137	1163	1189	1215	1241	1267	1293
1138	1164	1190	1216	1242	1268	1294
1139	1165	1191	1217	1243	1269	1295
1140	1166	1192	1218	1244	1270	1296
1141	1167	1193	1219	1245	1271	1297
1142	1168	1194	1220	1246	1272	1298
1143	1169	1195	1221	1247	1273	1299
1144	1170	1196	1222	1248	1274	1300
1145	1171	1197	1223	1249	1275	1301
1146	1172	1198	1224	1250	1276	1302
1147	1173	1199	1225	1251	1277	1303
1148	1174	1200	1226	1252	1278	1304

Inquiry Numbers 234-408

234	259	284	309	334	359	384
235	260	285	310	335	360	385
236	261	286	311	336	361	386
237	262	287	312	337	362	387
238	263	288	313	338	363	388
239	264	289	314	339	364	389
240	265	290	315	340	365	390
241	266	291	316	341	366	391
242	267	292	317	342	367	392
243	268	293	318	343	368	393
244	269	294	319	344	369	394
245	270	295	320	345	370	395
246	271	296	321	346	371	396
247	272	297	322	347	372	397
248	273	298	323	348	373	398
249	274	299	324	349	374	399
250	275	300	325	350	375	400
251	276	301	326	351	376	401
252	277	302	327	352	377	402
253	278	303	328	353	378	403
254	279	304	329	354	379	404
255	280	305	330	355	380	405
256	281	306	331	356	381	406
257	282	307	332	357	382	407
258	283	308	333	358	383	408

Inquiry Numbers 591-765

591	616	641	666	691	716	741
592	617	642	667	692	717	742
593	618	643	668	693	718	743
594	619	644	669	694	719	744
595	620	645	670	695	720	745
596	621	646	671	696	721	746
597	622	647	672	697	722	747
598	623	648	673	698	723	748
599	624	649	674	699	724	749
600	625	650	675	700	725	750
601	626	651	676	701	726	751
602	627	652	677	702	727	752
603	628	653	678	703	728	753
604	629	654	679	704	729	754
605	630	655	680	705	730	755
606	631	656	681	706	731	756
607	632	657	682	707	732	757
608	633	658	683	708	733	758
609	634	659	684	709	734	759
610	635	660	685	710	735	760
611	636	661	686	711	736	761
612	637	662	687	712	737	762
613	638	663	688	713	738	763
614	639	664	689	714	739	764
615	640	665	690	715	740	765

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. Circle the Numbers on Your Direct Link Card

Circle the numbers which are found on ads and articles in this issue or circle the product category number and receive information on all advertisers listed in that category.

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1


P.O. Box 66

Hounslow

TW5 9RT

England

PLACE
POSTAGE
HERE



BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. Circle the Numbers on Your Direct Link Card

Circle the numbers which are found on ads and articles in this issue or circle the product category number and receive information on all advertisers listed in that category.

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. Please Print.

Name _____

Title _____

Company _____

Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

A. What is your primary job function/principal area of responsibility? (Check one)

- 1 ☐ MIS/DIP
2 ☐ Programmer/Systems Analyst
3 ☐ Administration/Management
4 ☐ Sales/Marketing
5 ☐ Engineer/Scientist
6 ☐ Other _____

B. What is your level of management responsibility?

- 7 ☐ Senior-level 9 ☐ Professional
8 ☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply)

- 12 ☐ PC/MIS-DOS 15 ☐ Unix
13 ☐ DOS + Windows 16 ☐ MacOS
14 ☐ OS/2 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25 20 ☐ 51-99
19 ☐ 26-50 21 ☐ 100 or more

March 1993

90 96 99

Product Category Information	Disks & Optical Drives	7	Multimedia	19	Educational	30	Shareware	42
	Diskettes/Duplicators	8	Printers/Plotters	20	Engineering/Scientific	31	Software Duplication	43
	Fax Boards/Machines	9	Programmable Hardware	21	Entertainment	32	Spreadsheets	44
	Graphics Tablets/Mice/		Scanners/OCR/Digitizers	22	Graphics	33	Unix	45
	Pen Input	10	Tape Drives	23	Macintosh	34	Utilities	46
	Keyboards	11	UPS	24	Mail Order	35	Windows	47
	LAN Hardware	12	Software	25	Mathematical/Statistical	36	Word Processing	48
	Laptops & Notebooks	13	Business	26	Miscellaneous Software	37	General	
	Mail Order	14	CAD/CAM	27	On-Line Services	38	Books/Publications	49
	Memory/Chips/Upgrades	15	Communications/Networking	28	Operating Systems	39	Recruitment	50
	Miscellaneous Hardware	16	Data Acquisition	29	Programming Languages/	40	Miscellaneous	51
	Modems/Multiplexors	17	Database	30	Tools	41		
	Monitors & Terminals	18			Security			

Inquiry Numbers 52-233

52	78	104	130	156	182	208
53	79	105	131	157	183	209
54	80	106	132	158	184	210
55	81	107	133	159	185	211
56	82	108	134	160	186	212
57	83	109	135	161	187	213
58	84	110	136	162	188	214
59	85	111	137	163	189	215
60	86	112	138	164	190	216
61	87	113	139	165	191	217
62	88	114	140	166	192	218
63	89	115	141	167	193	219
64	90	116	142	168	194	220
65	91	117	143	169	195	221
66	92	118	144	170	196	222
67	93	119	145	171	197	223
68	94	120	146	172	198	224
69	95	121	147	173	199	225
70	96	122	148	174	200	226
71	97	123	149	175	201	227
72	98	124	150	176	202	228
73	99	125	151	177	203	229
74	100	126	152	178	204	230
75	101	127	153	179	205	231
76	102	128	154	180	206	232
77	103	129	155	181	207	233

Inquiry Numbers 409-590

409	435	461	487	513	539	565
410	436	462	488	514	540	566
411	437	463	489	515	541	567
412	438	464	490	516	542	568
413	439	465	491	517	543	569
414	440	466	492	518	544	570
415	441	467	493	519	545	571
416	442	468	494	520	546	572
417	443	469	495	521	547	573
418	444	470	496	522	548	574
419	445	471	497	523	549	575
420	446	472	498	524	550	576
421	447	473	499	525	551	577
422	448	474	500	526	552	578
423	449	475	501	527	553	579
424	450	476	502	528	554	580
425	451	477	503	529	555	581
426	452	478	504	530	556	582
427	453	479	505	531	557	583
428	454	480	506	532	558	584
429	455	481	507	533	559	585
430	456	482	508	534	560	586
431	457	483	509	535	561	587
432	458	484	510	536	562	588
433	459	485	511	537	563	589
434	460	486	512	538	564	590

Inquiry Numbers 766-947

766	792	818	844	870	896	922
767	793	819	845	871	897	923
768	794	820	846	872	898	924
769	795	821	847	873	899	925
770	796	822	848	874	900	926
771	797	823	849	875	901	927
772	798	824	850	876	902	928
773	799	825	851	877	903	929
774	800	826	852	878	904	930
775	801	827	853	879	905	931
776	802	828	854	880	906	932
777	803	829	855	881	907	933
778	804	830	856	882	908	934
779	805	831	857	883	909	935
780	806	832	858	884	910	936
781	807	833	859	885	911	937
782	808	834	860	886	912	938
783	809	835	861	887	913	939
784	810	836	862	888	914	940
785	811	837	863	889	915	941
786	812	838	864	890	916	942
787	813	839	865	891	917	943
788	814	840	866	892	918	944
789	815	841	867	893	919	945
790	816	842	868	894	920	946
791	817	843	869	895	921	947

Inquiry Numbers 1123-1304

1123	1149	1175	1201	1227	1253	1279
1124	1150	1176	1202	1228	1254	1280
1125	1151	1177	1203	1229	1255	1281
1126	1152	1178	1204	1230	1256	1282
1127	1153	1179	1205	1231	1257	1283
1128	1154	1180	1206	1232	1258	1284
1129	1155	1181	1207	1233	1259	1285
1130	1156	1182	1208	1234	1260	1286
1131	1157	1183	1209	1235	1261	1287
1132	1158	1184	1210	1236	1262	1288
1133	1159	1185	1211	1237	1263	1289
1134	1160	1186	1212	1238	1264	1290
1135	1161	1187	1213	1239	1265	1291
1136	1162	1188	1214	1240	1266	1292
1137	1163	1189	1215	1241	1267	1293
1138	1164	1190	1216	1242	1268	1294
1139	1165	1191	1217	1243	1269	1295
1140	1166	1192	1218	1244	1270	1296
1141	1167	1193	1219	1245	1271	1297
1142	1168	1194	1220	1246	1272	1298
1143	1169	1195	1221	1247	1273	1299
1144	1170	1196	1222	1248	1274	1300
1145	1171	1197	1223	1249	1275	1301
1146	1172	1198	1224	1250	1276	1302
1147	1173	1199	1225	1251	1277	1303
1148	1174	1200	1226	1252	1278	1304

Inquiry Numbers 234-408

234	259	284	309	334	359	384
235	260	285	310	335	360	385
236	261	286	311	336	361	386
237	262	287	312	337	362	387
238	263	288	313	338	363	388
239	264	289	314	339	364	389
240	265	290	315	340	365	390
241	266	291	316	341	366	391
242	267	292	317	342	367	392
243	268	293	318	343	368	393
244	269	294	319	344	369	394
245	270	295	320	345	370	395
246	271	296	321	346	371	396
247	272	297	322	347	372	397
248	273	298	323	348	373	398
249	274	299	324	349	374	399
250	275	300	325	350	375	400
251	276	301	326	351	376	401
252	277	302	327	352	377	402
253	278	303	328	353	378	403
254	279	304	329	354	379	404
255	280	305	330	355	380	405
256	281	306	331	356	381	406
257	282	307	332	357	382	407
258	283	308	333	358	383	408

Inquiry Numbers 591-765

591	616	641	666	691	716	741
592	617	642	667	692	717	742
593	618	643	668	693	718	743
594	619	644	669	694	719	744
595	620	645	670	695	720	745
596	621	646	671	696	721	746
597	622	647	672	697	722	747
598	623	648	673	698	723	748
599	624	649	674	699	724	749
600	625	650	675	700	725	750
601	626	651	676	701	726	751
602	627	652	677	702	727	752
603	628	653	678	703	728	753
604	629	654	679	704	729	754
605	630	655	680	705	730	755
606	631	656	681	706	731	756
607	632	657	682	707	732	757
608	633	658	683	708	733	758
609	634	659	684	709	734	759
610	635	660	685	710	735	760
611	636	661	686	711	736	761
612	637	662	687	712	737	762
613	638	663	688	713	738	763
614	639	664	689	714	739	764
615	640	665	690	715	740	765

Inquiry Numbers 948-1122

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. Circle the Numbers on Your Direct Link Card

Circle the numbers which are found on ads and articles in this issue or circle the product category number and receive information on all advertisers listed in that category.

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1

P.O. Box 66

Hounslow

TW5 9RT

England

PLACE
POSTAGE
HERE



BYTE

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For **FREE** product information from individual advertisers, circle the corresponding inquiry numbers on your Direct Link Card!

To receive information for an entire product category, circle the category number on your Direct Link Card!


Category No. Inquiry No.	Page No.	Category No. Inquiry No.	Page No.	Category No. Inquiry No.	Page No.
382 ELSIST	240	30 EDUCATIONAL		41 SECURITY	
421 FAST ELECTRONIC GMBH	188IS-3	61-62 ABACUS SOFTWARE	95	63 ALADDIN KNOWLEDGE SYSTEMS	86
343 GTEK INC	240	93 INTERFACE GROUP	66-67	403 ALADDIN KNOWLEDGE SYSTEMS	208IS-2
347 IO TECH	240	* MCGRAW HILL NRI (N.A.)	164A-B	175-176 ALLMICRO	93
* JDR MICRODEVICES	233	31 ENGINEERING/SCIENTIFIC		406 CHERRY	
362 TRIANGLE DIGITAL SERVICES	240	175-176 ALLMICRO	93	454 MIKROSCHALTER GMBH (INT'L)	178-179
363-364 TRIBAL MICROSYSTEMS	240	418 DR HUGGLE & PARTNER GMBH	180IS-1	CYBERDYNE SYSTEMS /	
367 XELTEK	240	339 DSP DEVELOPMENT CORP	242	COMPUTERS UK	188IS-2
368 Z-WORLD ENGINEERING	240	220-221 ITERATED SYSTEMS	196	183 DALLAS SEMICONDUCTOR	106
22 SCANNERS/OCR/DIGITIZERS		148-149 LANDMARK RESEARCH INT'L CORP	103	419 ELIASIM MICROCOMPUTERS	208IS-9
567-568 MICROTCH COMPUTER	224SO-5	103 MATHSOFT INC	171	420 EUTRON	120IS-4
433 SZKI RECOGNITA CORP (INT'L)	89	443 ON TIME MKT / KARSTEN PETERSEN	172IS-4	421 FAST ELECTRONIC GMBH	188IS-3
23 TAPE DRIVES		374-375 SCIENTIFIC PROGRAMMING	241	86-87 GLENCO ENGINEERING	141
73-74 COLORADO MEMORY SYSTEMS	43	166-168 WOLFRAM RESEARCH	155	138-139 RAINBOW TECHNOLOGIES	61
352 LAGUNA DATA SYSTEMS	241	32 ENTERTAINMENT		435 SOFTWARE SECURITY INC	128IS-1
104-105 MAYNARD, AN ARCHIVE CO	159	200 MICROPROSE SOFTWARE	227	43 SOFTWARE DUPLICATION	
373 NOVASTOR CORP	241	201 MICROPROSE SOFTWARE	229	330-331 AXIOMATIC	238
356 OVERLAND DATA INC	241	33 GRAPHICS		45 UNIX	
358 QUALSTAR CORP	241	79 COREL SOFTWARE	47	186-187 CONSENSYS CORP	104
160 VALITEK INC	84	106 MEDIA CYBERNETICS	190	89 HUMMINGBIRD COMMUNICATIONS	205
24 UPS		114-115 NANAO USA CORP (N.A.)	89	112 MKS / MORTICE KERN SYSTEMS	193
66 AMERICAN POWER CONVERSION	135	152 TEKTRONIX	53	174 SUNSOFT	2-3
121 MINUTEMAN	75	35 MAIL ORDER		166-168 WOLFRAM RESEARCH	155
123-124 PC POWER & COOLING	49	63 ALADDIN KNOWLEDGE SYSTEMS	86	46 UTILITIES	
35 SOFTWARE		410 COMPUTER QUICK	120IS-4	63 ALADDIN KNOWLEDGE SYSTEMS	86
25 BUSINESS		425 GREY MATTER LTD	188IS-4	403 ALADDIN KNOWLEDGE SYSTEMS	208IS-2
76 COMPUTER ASSOCIATES	122	* PROGRAMMER'S PARADISE	55	175-176 ALLMICRO	93
345-346 INDUS	241	102 PROGRAMMER'S PARADISE	56-57	454 CYBERDYNE SYSTEMS /	
457 INFOMEDIA	208IS-8	* PROGRAMMER'S SHOP	78-79	COMPUTERS UK	188IS-2
106 MEDIA CYBERNETICS	190	434 SOFTLINE CORP	80	338 DIAGSOFT INC	243
387-388 MICROBIZ	241	36 MATHEMATICAL/STATISTICAL		148-149 LANDMARK RESEARCH INT'L CORP	103
432 OXFORD ELECTRONIC PUBLISHING	88IS-1	357 PERSONAL TEX	242	131 PKWARE INC	206
122 PATTON & PATTON	82	145 STATSOFT	175	146 STORAGE DIMENSIONS	147
147 STRATEGIC MAPPING	194	150-151 SYSTAT INC	81	47 WINDOWS	
433 SZKI RECOGNITA CORP (INT'L)	89	166-168 WOLFRAM RESEARCH	155	61-62 ABACUS SOFTWARE	95
362 TRIANGLE DIGITAL SERVICES	240	37 MISCELLANEOUS SOFTWARE		425 GREY MATTER LTD	188IS-4
26 CAD/CAM		443 ON TIME MKT / KARSTEN PETERSEN	172IS-4	89 HUMMINGBIRD COMMUNICATIONS	205
67 AMERICAN SMALL BUSINESS COMP	131	38 ON-LINE SERVICES		348-349 ISLAND SYSTEMS	243
554 EVOLUTION COMPUTING	224NE-1	450 BIX	180	96 KEA SYSTEMS LTD	76
561 EVOLUTION COMPUTING	224PC-2	39 OPERATING SYSTEMS		351 LABTECH	243
366 WINTEK CORP	241	428 LOGIC PROGRAMMING ASSOCIATES	180IS-1	* MICROSOFT CORP	17
27 COMMUNICATIONS/NETWORKING		134 QNX / QUANTUM SOFTWARE SYSTEMS	191	114-115 NANAO USA CORP (N.A.)	89
185 DSP DESIGNS INTERNATIONAL / NASCOM	130	135 QUARTERDECK OFFICE SYSTEMS	101	432 OXFORD ELECTRONIC PUBLISHING	88IS-1
225-226 EMBARC / MOTOROLA (N.A.)	121	40 PROGRAMMING LANGUAGES/TOOLS		127 PERISOFT INC	204
422-423 FUTURESOFT ENGINEERING	128IS-4	332 BINARY TECHNOLOGY INC	242	371 PIXEL PERFECT / MEDICAL ADVISOR	243
440 MINICOM LTD	208IS-10	171-172 BLINK INC	109	147 STRATEGIC MAPPING	194
127 PERISOFT INC	204	81-82 DATA ACCESS CORP	203	48 WORD PROCESSING/DTP	
140 RETIX INC	151	418 DR HUGGLE & PARTNER GMBH	180IS-1	* MICROSOFT CORP	28-29
157 TRITON TECHNOLOGIES	143	425 GREY MATTER LTD	188IS-4	432 OXFORD ELECTRONIC PUBLISHING	88IS-1
158 UNIPALM LTD	154	378 IVERSON SOFTWARE, INC	243	433 SZKI RECOGNITA CORP (INT'L)	89
439 WALKER, RICHER & QUINN	120IS-1	* KEDWELL SCIENTIFIC	172IS-3		
28 DATA ACQUISITION		428 LOGIC PROGRAMMING ASSOCIATES	180IS-1	49 BOOKS/PUBLICATIONS	
116 NATIONAL INSTRUMENTS	9	* MICROWAY	186	61-62 ABACUS SOFTWARE	95
355 NATIONAL INSTRUMENTS	242	* MICROWAY	211	414 DATAPRO INT'L	172IS-1
* NATIONAL INSTRUMENTS	128IDRC1-2	112 MKS / MORTICE KERN SYSTEMS	193	94 IOMEGA	22-23
29 DATABASE		443 ON TIME MKT / KARSTEN PETERSEN	172IS-4	* JNL OF OBJ	
70-71 BORLAND INT'L	13	128 PHAR LAP SOFTWARE INC	85	* ORIENT PROGRAMMING	128IDRC1-2
77 COMPUTER ASSOCIATES	38-39	* PROGRAMMER'S SHOP	78-79	* UNIXWORLD	148A-B
335 COMPUTERWISE	242	* PROGRAMMER'S SHOP	80	* UNIXWORLD	149
418 DR HUGGLE & PARTNER GMBH	180IS-1	132-133 PROGRESS SOFTWARE	207	51 MISCELLANEOUS	
445 ITALIAN SOFTWARE AGENCY	120IS-2	163 WATCOM PRODUCTS INC	25	* BYTE SUB MESSAGE	182
463 MAGIC / MSE	164IS-1	164-165 XVT SOFTWARE INC	195	555 DEXPO / MILLER FREEMAN, INC	224NE-3
137 RAIMA CORP	65			562 DEXPO / MILLER FREEMAN, INC	224PC-4
142 SEQUITER SOFTWARE INC	119			551 DEXPO / MILLER FREEMAN, INC	224MW-2
				565 DEXPO / MILLER FREEMAN, INC	224SO-4
				458 MINISTRY OF INDUSTRY AND TRADE	208IS16-7

EDITORIAL INDEX


For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on Your Direct Link Card. Each page number refers to the first page of the article or section in which the company name appears.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
A		E		M		R	
Action Technologies	90	Delrina Technology	90	1140 Mark of the Unicorn	72	Radius	183
1115 Adept Scientific	68	1077 Diamond Technologies	58	1225 Meca Software	165	1143 Rational Data Systems	72
Micro Systems		Dolphin Server Technology	24	Meckler	24	RCA	197
Adobe Systems	90, 173	1118 Dynacomp	68	1104 Microlex	64	1075 RDI Computer	58
Aetna Life and Casualty	90	F		1153 MicroProse Software	73	Reach Software	90
Alfalfa Software	136	Educational Testing	90	1131, Microsoft	24, 26, 32, 37, 73,	1276 Retix	90, 136
1079 Alpha Microsystems	58	Service		1162, 90, 112, 136, 173,			
1091 Alpha Systems	59	Electronic Book	32	1274	197, 209	S	
AMD	26	Technologies		MIT Center	112	Samsung Electronics	30
1224, Apple Computer	40, 90,	Electronic Mail Association	90	for Coordination Science		Seeq Technology	123
1165	173, 177, 183	Elonex	26	MIT Press	190	Sense8	129
1088 Applied Engineering	59	1168 EO	52	1106 Motorola	37, 64, 187, 183	Siemens Nixdorf	30
Approach Software	32	Equipment/Plexus	90	N		Silicon Graphics	32, 129
Arthur D. Little	90	Everex Systems	30	National Center	123	Social Security	90
Asterix	136	G		for Supercomputing		Administration	
1169 AST Research	26, 52	Ferris Networks	90	Applications		SoftSwitch	90, 136
AT&T	32, 90, 129	1094 Fifth Generation Systems	60	1078 NEC Technologies	58	Software Publishing	32
1086 Atto Technology	59	FileNet	90	1155 Network Cybernetics	73	1142 Solea Systems	72
B		Finansa	90	Next Computer	24, 136	Sony	197
Banyan	90	Fort Howard	90	NHK Broadcasting	24	Sony Advanced Systems	24
1157 BayWare	73	1076 4P s.r.l.	58	Nippon Telegraph &	112	SRI	123
Bellcore Labs	24	H		Telephone		Starlight Networks	123
1093 Best Data Products	60	General Electric	197	Northern Telecom	129	1103 StratosWare	64
Beyond	90	Gentek	177	Notable Technologies	112	1167 Sun Microsystems	26, 48,
1087 Bolder Systems	59	1114 Golden Software	68	1275 Novell	90, 136, 216	Computer	129
Borland International	26, 90	Grand Junction Networks	123	Nu-Mega	187	Supermac Technologies	24
British Columbia	112	Group Solutions	129	N.V. Philips	197	1090 Symmetric Research	59
Ministry of Forests		I		O		T	
C		HBO	24	Olivetti	37	Technological Partner	24
Calcomp	156	1230 Hewlett-Packard	37, 90,	Ono-Sendai	129	Texaco	90
Campbell Services	90		156, 209	On Technologies	112	Texas Instruments	26, 169
Canon	156	Honeywell	37	Open Systems Advisors	90	1160 Trantor Systems	73
1273 cc:Mail	136	J		P		U	
CCOM Information	90	IBM	26, 30, 90, 112, 129,	1226 Parsons Technology	165	1105 UniPress Software	64
Systems			136, 169, 187, 197	Patricia Seybold	90	Unisys	37
1271 CE Software	136	1132 Imagine That	177	Office Computing Group		Unix System Laboratories	32
1228 ChipSoft	165	1092 Intel	26, 30, 37, 60,	1095 Performance Technology	60	V	
Collaborative	112		187, 197	Periscope	187	Ventana	112, 129
Technologies		Intelligent Resources	24	PictureTel	129	1161 Ventura Software	73
1223 Compaq Computer	169	InterConsult	32	Pitney Bowes	177	Video Telecom	129
Computer Mail Services	136	1227 Intex Solutions	165	Strategic Information		The Virtual Reality	129
1117 Computervision	68	Inventa	90	PowerCore	90	Institute	
Connectix	173	1141 IQ Software	72	Proteon	123	W	
1159 Creative Labs	73	K		1096 Proxim	60	Wohl Associates	90
Creative Strategies	90	JetForm	90	Q		Woods Wire Products	112
Research International		L		1232 QMS	156	1277 WordPerfect	32, 90, 136
Cyrix	26	Kalpana	123	1089 Quantawave	59	WorkGroup Technologies	112
D		Keyfile	90	1154 Quantum Quality	73	Workhorse	90
1272 Da Vinci Systems	90,	1156 Knowledge Adventure	73	Productions		X	
	112, 136	Kodak	197	1158 Quarterdeck Office	73	Xante	156
Dan Technology	26	M		Systems		Xerox	112, 123
1163 Dariana	73	Lannet	123	1102 Quinn-Curtis	64	Y	
1116 Data Description	68	LANshark Systems	90	Z		The Yankee Group	90
1229 Dataproducts	156	LaserData	90	Z-Code Software	136	Young & Rubicam	90
Datapro Research	90	LaserMaster	156				
DEC	26, 37, 90, 123	1231 Lexmark International	156				
Dell Computer	112	Lotus Development	30, 37,				
Deloitte & Touche	90		46, 90, 112				

PRINT OFF BOTH TCP/IP and NOVELL NETWORKS SIMULTANEOUSLY!




ETHERNET



**NOW
SHIPPING!**



CONNECTS UP TO FOUR PRINTERS



Sharing printers in mixed Ethernet network environments is now an affordable reality. The AXIS AX-5 Ethernet Print Server allows you to send print jobs concurrently from both TCP/IP and Novell NetWare™ LAN platforms. For mixed environment networks, particularly where a variety of protocols are employed, the AX-5 is the ideal solution.

The AX-5 features include:

- Simultaneous Ethernet printing from shared TCP/IP & Novell networks
- Locate printers anywhere on the network
- Advanced accounting features
- Thin (10Base2), Thick (10Base5) or Twisted Pair (10BaseT) Ethernet supported
- Multiple Router Support
- Totally secure! Control user access with passwords. Support for Novell encrypted passwords
- Support of the FTP protocol
- No need to load diskettes or tapes in TCP/IP mode

With a parallel transfer rate of up to 60KB/second, the AX-5 delivers the high speed printing capabilities today's users demand. Installation is fast and easy. In TCP/IP environments, simply use FTP to edit the configuration file. In Novell, the AX-5 uses PCONSOLE for basic installation. For advanced installation, we provide software compatible with DOS and WINDOWS. Either way, you'll be printing off your Novell and TCP/IP networks in no time!

The AXIS AX-5 is the most advanced Ethernet print server available today. It is fast, versatile, easy to install and backed up by AXIS full One-Year Warranty. Call us today. We've got all the right connections.


CALL +4646191800
CALL 508-777-7957

AXIS™
COMMUNICATIONS

AXIS - the intelligent choice
More than just connectivity!

AXIS COMMUNICATIONS AB,
Scheelevägen 16, S-223 70 Lund, Sweden
AXIS COMMUNICATIONS INC,
99 Rosewood Drive, Ste. 170, Danvers, MA 01923, USA





STOP BIT

CLIFFORD A.
PICKOVER

FRACTAL FANTASIES

Fractals can create an infinite playing field for board-game designs

Computer-generated fractal patterns are everywhere these days. From squiggly designs on computer-art posters to illustrations in the most serious of physics journals, interest continues to grow among scientists, artists, and designers.

Mathematician Benoit Mandelbrot coined the word *fractal* in 1975 to describe an intricate-looking set of curves, many of which were never seen before the advent

of computers, with their ability to quickly perform massive calculations. Fractals often exhibit *self-similarity*, which means that various copies of an object can be found within the original object at smaller

scales. The detail continues for many magnifications, like an endless nesting of Russian dolls within dolls. Some of these shapes exist only in abstract geometric space, but others can be used as models for complex natural objects like coastlines and blood-vessel branching.

Interestingly, fractals provide a useful framework for understanding chaotic processes and for performing image compression. The dazzling computer-generated images can be intoxicating, motivating students' interest in math more than any other mathematical discovery in the last century.

When most people hear the word *fractal* they rarely think of applications beyond the kinds just mentioned. Recently, however, I found myself drawn to their use in game playing. You might like to program software to play it or simply use a board drawn on paper.

The board for the Fractal Fantasy game consists of a fractal nesting of rectangles within rectangles interconnected with wiggly lines, as shown in the artwork above. There are always two rectangles within the rectangles that encompass them, and the degree of nesting can vary.

Beginners play with only a few nested rectangles, while grand masters play with many recursively positioned rectangles. One can imagine tournaments lasting for days, with breaks only for eating and sleeping. The playing board illustrated here is called a *degree 2* board, because it has two different sizes of rectangles within the large bounding rectangle. Beginners usually start with a degree 1 board, and grand masters have been known to use a degree 20 board. One player uses white playing pieces (or *stones*); the other uses black. Each player starts with a number of stones equal to two less than half the number of vertices (i.e., dots) on the board.

For the board here, each player gets 19 stones. With al-

ternate moves, the players begin by placing a stone at points on the black dots that are empty. As they place stones, each player attempts to form a row of three stones along any one of the vertical sides of any square. This three-in-a-row assembly of stones is called a *googol*. When all the stones have been placed, players take turns moving a stone to a neighboring vacant space along one of the wiggly or straight connecting lines.

When a player forms a *googol* (either during the alternate placement of stones at the beginning of the game or during alternate moves along lines to adjacent empty points), that player takes any one of the opponent's stones on the board and removes it from the board. (In some versions of this game, an opposing stone can't be taken from an opposing *googol*.) A player loses when he or she no longer has any stones or cannot make a move.

Mathematicians and philosophers will no doubt spend many years pondering a range of questions, particularly for boards with higher nesting. Computer programmers will design programs allowing the board to be magnified in different areas, permitting the convenient playing at different size scales. They'll all wish they had fractal consciousness, allowing the contemplation of all levels of the game simultaneously.

Is there a best opening move or overall strategy? If the large bounding square has a side 1 foot in length, what is the total length of lines on the board? If an ant were to start anywhere on the board and walk to cover all the lines, what would be the shortest possible route on the board? How many possible board arrangements are there? How large would a degree 100 board have to be for the smallest squares to be seen? How many playing stones would be used? What length of time would be required to play such a bizarre game? I welcome comments and discoveries from readers. ■

Clifford A. Pickover is an IBM research staff member at the IBM Thomas J. Watson Research Center in Yorktown Heights, New York. His latest book is Mazes for the Mind: Computers and the Unexpected from St. Martin's Press. You can reach him on BIX c/o "editors" or on the Internet at cliff@watson.ibm.com.

Stop Bit is a forum for informed opinion on personal computing topics. The opinions expressed are those of the author and not necessarily those of BYTE. Your contributions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

We always out perform the competition.

Boca Research has your Ethernet Solution!

***Announcing the new winner in low-cost
Ethernet Adapters.***

In the race for superior price-performance, Boca Research is in the Winner's Circle everyday. After all, we have a great track record with top ratings from *CRN Benchmarks*, *PC Computing* and *PC Professionell*. Now, we introduce the newest members of our team, our family of Ethernet products. Boca Research combines its design and manufacturing expertise to provide Ethernet products based on a single-chip solution for excellent value and exceptional reliability.



Boca Research's 16-bit Ethernet Adapters conform to the IEEE 802.3 standard. The 10Base-T ETHERNET Adapter By Boca™ features twisted-pair RJ-45 cabling and diagnostic LEDs. The Combo ETHERNET Adapter By Boca™ features a twisted-pair RJ-45 connection, a 15-pin AUI port, a BNC coaxial connection and diagnostic LEDs. Boca's 8-Port Concentrator offers affordable connectivity between individual workstations and host systems using RJ-45 cabling.



Boca Research offers SUPERIOR drivers fully compatible with Novell NetWare 2.x & 3.x, NetWare Lite, Artisoft LANtastic, Banyan VINES and Microsoft LAN Manager.

JOIN THE WINNER'S CIRCLE! Boca's Ethernet Adapters are manufactured in the U.S.A., offer a five-year warranty, and free technical support.

Lap your competition with Boca's new high powered Ethernet Solutions!



10Base-T ETHERNET
Adapter By Boca™
\$129*

8-Port Concentrator
\$245*

Combo ETHERNET
Adapter By Boca™
\$179*

BOCA
RESEARCH INC

6413 Congress Avenue • Boca Raton, FL 33487
407-997-6227 • Fax 407-997-0918

Circle 465 on Inquiry Card (RESELLERS: 466).



*Manufacturers suggested retail price. 10Base-T ETHERNET Adapter By Boca and Combo ETHERNET Adapter By Boca are trademarks of Boca Research, Inc. Other trademarks are owned by their respective manufacturers. Boca Research, Inc. © 1993

CONTROL UP TO **96** PC FILE SERVERS WITH **1** KEYBOARD AND MONITOR USING... **COMMANDER**


by cybex



- **Select via Keyboard**
- **Dual access up to 250 feet away (optional)**
- **No external power**
- **Mix PC, PC/XT, PC/AT and PS/2**
- **"AutoBoot™" Feature boots attached computers without operator intervention**
- **Shows PC power status**



- **PS/2 Mouse support available**
- **Each unit accommodates from 2 to 8 PCs**
- **Up to 12 units can be cascaded**
- **Mounting kit available for 19" and 24" rack installation**



Dealer Program Available

Cybex Corporation

2800-H Bob Wallace Ave.
Huntsville, Alabama 35805

(205) 534-0011

Fax (205) 534-0010

PC, PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corp.